

**Proposal & Plan Sales Will Begin on January 6, 2020**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For January - January 28, 2020**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JANUARY - Tuesday, January 28, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 6, 2020

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, January 28, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
* 01	NH-0002-03(091)/107636301	KEMPER
02	BR-0002-08(020)/107858301	ALCORN
03	IM-0006-02(031)/107580301 & STP-9999-01(258)/107911302	LEE
* 04	NH-0008-01(145)/107941301	STONE
05	NH-0009-01(145)/108103301	WILKINSON
* 06	NH-0009-04(036)/107702301 & NH-0070-02(016)/107703301	COAHOMA, QUITMAN
* 07	NH-0021-01(066)/107699301	MARSHALL
* 08	STP-0022-01(085)/107940301	PERRY
09	BR-0026-01(078)/106114301	NESHOPA
10	IM-0055-01(115)/108099301	LINCOLN
11	HSIP-0056-01(099)/107818301	SCOTT
12	IM-0059-01(124)/107823301	LAMAR
* 13	IM-0059-03(098)/108089301	LAUDERDALE
* 14	NH-0070-04(026)/107706301 & NH-0070-04(027)/107773301	LAFAYETTE
* 15	NHPP-1681-00(022)/108151301	MADISON
* 16	MP-3000-00(126)/306831301	DISTRICT 3

17 MRP-6110-24(041)/306501301  
18 BWO-3190-26(001)/503239301 & LWO-3045-  
26(002)/503239302

HARRISON  
HOLMES



CALL No. 01

Mill & Overlay approximately 8 miles of US 45 from Lauderdale County Line to SR 498, known as Federal Aid Project No. NH-0002-03(091) / 107636301 in Kemper County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1,700	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3,986	Linear Feet	202-B240	Removal of Traffic Stripe
25	Each	202-B264	Removal of Trees Greater Than 10"
100	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
25	Cubic Yard	305-B002	Size I Stabilizer Aggregate, Coarse
5,373	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
261	Ton	403-A004	19-mm, HT, Asphalt Pavement
30,095	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
316,735	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
31,674	Gallon	407-A001	Asphalt for Tack Coat
28	Mile	423-A001	Rumble Strips, Ground In
1,200	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
33	Mile	619-A3001	Temporary Traffic Stripe, Skip White
5,476	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,936	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
504	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization

17	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
16	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
22,888	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
21,943	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
108	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
968	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
710	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,780	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
89	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
84	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
28	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
520	Linear Feet	907-808-A002	Joint Repair
320	Linear Feet	907-808-A003	Joint Repair Without Epoxy
720	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
120	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
720	Linear Feet	907-823-B001	Saw Cut, Type I
120	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 02

Bridge Preservation on US 45 between US 72 & SR 2, Bridge Nos. 277.6A & 277.6B, known as Federal Aid Project No. BR-0002-08(020) / 107858301 in Alcorn County.

PROJECT COMPLETION: 252 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

39	Linear Feet	202-B169	Removal of Joint Material
1,100	Linear Feet	202-B240	Removal of Traffic Stripe
55	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
110	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
667	Square Yard	406-C002	Cold Milling of Shoulders, All Types, All Depths
100	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
3,339	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
192	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
616	Linear Feet	619-F1001	Concrete Median Barrier, Precast
599	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
32	Linear Feet	619-G4005	Barricades, Type III, Single Faced
9	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
420	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
405	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
300	Linear Feet	626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

**ALTERNATE GROUP AA NUMBER 1**

486	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
486	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
486	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

486	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
486	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
486	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

1,709	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2,000	Pounds	907-420-A001	Undersealing
125	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
886	Linear Feet	907-808-A002	Joint Repair
601	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
76	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
886	Linear Feet	907-823-B001	Saw Cut, Type I
287	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
28	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair
15	Each	907-824-PP006	Bridge Repair, Cap Cleaning
54	Each	907-824-PP006	Bridge Repair, Concrete Beam Bearing Assembly
16	Each	907-824-PP006	Bridge Repair, Midspan Diaphragm Replacement, Per Plans
16	Each	907-824-PP006	Bridge Repair, Removal of Interior Steel Diaphragms
30	Each	907-824-PP006	Bridge Repair, Steel Beam Bearing Assembly
65	Linear Feet	907-824-PP008	Bridge Repair, End of Beam, Steel Beam Repair
326	Linear Feet	907-824-PP008	Bridge Repair, Midspan Steel Beam Repair
1	Lump Sum	907-845-A001	Coating Existing Structural Steel



CALL No. 03

Mill & Overlay approximately 5 miles of I-22 from SR 178 to US 45, & Preventative Maintenance on Bridge Nos. 83.1A, 83.1B, 87.6A, & 87.6B, known as Federal Aid Project Nos. IM-0006-02(031) / 107580301 & STP-9999-01(258) / 107911302 in Lee County.

PROJECT COMPLETION: 111 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

749	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,613	Linear Feet	202-B240	Removal of Traffic Stripe
250	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,662	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
757	Ton	403-A004	19-mm, HT, Asphalt Pavement
5,184	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
6,382	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
115,971	Linear Feet	403-S002	Joint Sealant
17,606	Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
284,025	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
34,336	Gallon	407-A001	Asphalt for Tack Coat
19	Mile	423-A001	Rumble Strips, Ground In
1,088	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3001	Temporary Traffic Stripe, Skip White
25,461	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
11	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
12,731	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

2,885	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
107	Each	630-F010	Delineators, Post Mounted, Double White
5	Each	630-F011	Delineators, Post Mounted, Double Yellow
70	Each	630-F012	Delineators, Post Mounted, Single White
22	Each	630-F013	Delineators, Post Mounted, Single Yellow

**ALTERNATE GROUP AA NUMBER 1**

375	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

375	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

375	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

**ALTERNATE GROUP BB NUMBER 1**

796	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
796	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
796	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

796	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
796	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
796	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

512	Linear Feet	202-B169	Removal of Joint Material
1,346	Linear Feet	907-808-A003	Joint Repair Without Epoxy
590	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
354	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,346	Linear Feet	907-823-B001	Saw Cut, Type I
418	Linear Feet	907-823-B002	Saw Cut, Type II
367	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
26	Each	907-824-PP006	Bridge Repair, Cap Cleaning
10	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete

CALL No. 04

Overlay approximately 5 miles of US 49 from 2.3 miles North of the Stone County Line to 0.312 miles South of Ten Mile Creek North, known as Federal Aid Project No. NH-0008-01(145) / 107941301 in Stone County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

40 Linear Feet	202-B136	Removal of Guard Rail
7,200 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
12,000 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
5,600 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
14,000 Gallon	407-A001	Asphalt for Tack Coat
15 Mile	423-A001	Rumble Strips, Ground In
40 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
15 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18 Mile	619-A3001	Temporary Traffic Stripe, Skip White
2,200 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,600 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
8 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
8 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,500 Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
14,500 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
13,000 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
855 Square Feet	626-H004	Thermoplastic Legend, White
3,200 Linear Feet	626-H005	Thermoplastic Legend, White
320 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
690 Each	627-K001	Red-Clear Reflective High Performance Raised Markers

970 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
6,500 Ton	907-411-A001	Ultra Thin Asphalt Pavement

**ALTERNATE GROUP AA NUMBER 1**

4,000 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 2**

4,000 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

CALL No. 05

Overlay approximately 5 miles of US 61 from 5-Lane North to JCT SR 563, known as Federal Aid Project No. NH-0009-01(145) / 108103301 in Wilkinson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

6,546	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
16,337	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
896	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
36,395	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,551	Gallon	407-A001	Asphalt for Tack Coat
384	Square Feet	412-A001	Pre-Grinding
9	Mile	423-A001	Rumble Strips, Ground In
4	Each	613-D005	Adjustment of Manhole
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A3001	Temporary Traffic Stripe, Skip White
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
47,590	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,400	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
5,372	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
18,788	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
14,901	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,604	Square Feet	626-H004	Thermoplastic Legend, White

5,372	Linear Feet	626-H005	Thermoplastic Legend, White
20	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,064	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,501	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
24	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow

CALL No. 06

Mill & Overlay approximately 20 miles on US 278 from the Coahoma County Line to Quitman/Panola Ditch Bridge, & from SR 161 to the Quitman County Line, known as Federal Aid Project Nos. NH-0070-02(016) / 107703301 & NH-0009-04(036) / 107702301 in Quitman & Coahoma Counties.

PROJECT COMPLETION: 222 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,562	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,272	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
8	Each	202-B148	Removal of Guard Rail End Section, All Types
4,908	Linear Feet	202-B240	Removal of Traffic Stripe
1,975	Cubic Yard	203-G001	Excess Excavation, FM, AH
12,795	Ton	304-B002	Granular Material, Class 3, Group D
680	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,630	Ton	403-A006	19-mm, ST, Asphalt Pavement
26,867	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
15,050	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
325,490	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
42,387	Gallon	407-A001	Asphalt for Tack Coat
62,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
31	Mile	423-A001	Rumble Strips, Ground In
12,125	Linear Feet	503-C010	Saw Cut, Full Depth
8	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
11	Square Feet	618-B001	Additional Construction Signs
91	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3001	Temporary Traffic Stripe, Skip White
44	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
37,963	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,973	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
2	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
880	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
33	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
440	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
16	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
9,537	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
12,654	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,827	Linear Feet	626-H005	Thermoplastic Legend, White
696	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
134	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,110	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

1,105	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

1,105	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

1,105	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------



CALL No. 07

Mill & Overlay approximately 8 miles of SR 302 from SR 309 to Bridge End at US 72, known as Federal Aid Project No. NH-0021-01(066) / 107699301 in Marshall County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,040	Linear Feet	202-B121	Removal of Edge Drain
4	Each	202-B122	Removal of Edge Drain Outlet
4,440	Linear Feet	202-B240	Removal of Traffic Stripe
275	Cubic Yard	203-G001	Excess Excavation, FM, AH
550	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Cubic Yard	221-A001	Concrete Paved Ditch
21,500	Ton	304-B002	Granular Material, Class 3, Group D
200	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
182	Ton	403-A004	19-mm, HT, Asphalt Pavement
3,475	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
550	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
19,385	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
33,800	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
20,800	Gallon	407-A001	Asphalt for Tack Coat
32	Mile	423-A001	Rumble Strips, Ground In
80	Linear Feet	605-I001	Edge Drain Outlets/Vents
1	Lump Sum	618-A001	Maintenance of Traffic
10	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
32	Mile	619-A3001	Temporary Traffic Stripe, Skip White
52,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail White
24,280	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail Yellow
406	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,280	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1 Lump Sum	620-A001 Mobilization
1,980 Linear Feet	626-A002 6" Thermoplastic Double Drop Traffic Stripe, Skip White
16 Mile	626-A004 6" Thermoplastic Traffic Stripe, Skip White
1,980 Linear Feet	626-C001 6" Thermoplastic Double Drop Edge Stripe, Continuous White
16 Mile	626-C004 6" Thermoplastic Edge Stripe, Continuous White
1 Mile	626-E004 6" Thermoplastic Traffic Stripe, Continuous Yellow
1,980 Linear Feet	626-F002 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
16 Mile	626-F003 6" Thermoplastic Edge Stripe, Continuous Yellow
26,200 Linear Feet	626-G002 Thermoplastic Detail Stripe, White
12,140 Linear Feet	626-G003 Thermoplastic Detail Stripe, Yellow
203 Square Feet	626-H004 Thermoplastic Legend, White
1,140 Linear Feet	626-H005 Thermoplastic Legend, White
175 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
2,950 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
600 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
36 Each	630-G005 Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
136 Each	630-G008 Type 2 Object Markers, OM2-2
2 Each	638-A003 Flashing Assembly, Be Prepared to Stop When Flashing
237,650 Square Yard	907-414-A001 Scrub Seal
1 Each	907-632-C001 Modify Existing Traffic Signal Cabinet Assembly
1,100 Linear Feet	907-636-B007 Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 5 Conductor
2 Each	907-637-A002 Pullbox Enclosure, Type 2
1,050 Linear Feet	907-637-C028 Traffic Signal Conduit, Underground, Type 4, 2"
52 Linear Feet	907-637-D002 Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
4 Each	907-641-A002 Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2 Each	907-641-B002 Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,000 Linear Feet	907-641-D001 Radar Vehicle Detection Cable
<b>ALTERNATE GROUP AA NUMBER 1</b>	
230 Ton	304-F001 3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>	

230 Ton

304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

230 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 08

Pavement Rehabilitation on SR 15 from SR 198 north 11.7 miles, known as Federal Aid Project No. STP-0022-01(085) / 107940301 in Perry County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

7,120	Linear Feet	202-B240	Removal of Traffic Stripe
24,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
27,500	Gallon	407-A001	Asphalt for Tack Coat
22	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
15,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
40	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,300	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
22	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8,800	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,900	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
103	Square Feet	626-H004	Thermoplastic Legend, White
2,300	Linear Feet	626-H005	Thermoplastic Legend, White
460	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
19,250	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

5,800 Ton                      304-F002    Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

5,800 Ton                      304-F003    Size 825B Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 1**

4,720 Linear Feet            907-624-B002    6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

550 Linear Feet              907-624-C001    6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

1,850 Linear Feet            907-624-D002    6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

4,720 Linear Feet            628-H001    6" High Performance Cold Plastic Traffic Stripe, Continuous White

550 Linear Feet              628-I002    6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

1,850 Linear Feet            628-J001    6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 09

Bridge Replacements on SR 19 (Bridge Nos. 52.0, 52.1, 52.3, 52.4, & 52.5), known as Federal Aid Project No. BR-0026-01(078) / 106114301 in Neshoba County.

PROJECT COMPLETION: 278 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

31 Acre	201-B001	Clearing and Grubbing
15,650 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4 Each	202-B018	Removal of Box Culvert
1 Each	202-B023	Removal of Bridge
420 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
150 Linear Feet	202-B191	Removal of Pipe, 8" And Above
17,907 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
5,440 Cubic Yard	203-D002	Muck Excavation, LVM
183,834 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
7,166 Cubic Yard	203-F002	Channel Excavation, LVM
17,525 Cubic Yard	203-G001	Excess Excavation, FM, AH
6 Cubic Yard	206-A001	Structure Excavation
20,130 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
19,095 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
18 Ton	213-C001	Superphosphate
2,800 Square Yard	216-A001	Solid Sodding
1,570 Square Yard	217-A001	Ditch Liner
3,400 Thousand Gallon	219-A001	Watering
2 Cubic Yard	221-A001	Concrete Paved Ditch
140 Acre	223-A001	Mowing
50 Acre	225-A001	Grassing
18 Ton	225-B001	Agricultural Limestone
70 Ton	225-C001	Mulch, Vegetative Mulch
50 Acre	226-A001	Temporary Grassing
9,500 Square Yard	229-A001	Erosion Mat

13,050	Linear Feet	234-A001	Temporary Silt Fence
3,000	Linear Feet	234-C001	Super Silt Fence
3,000	Linear Feet	234-F001	Turbidity Barrier
6	Each	236-A008	Silt Basin, Type D
3,200	Linear Feet	237-A002	Wattles, 20"
1,500	Linear Feet	239-A001	Temporary Slope Drains
1,850	Ton	249-A001	Riprap for Erosion Control
3,420	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
4,360	Ton	403-A005	19-mm, MT, Asphalt Pavement
2,100	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
3,200	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,200	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
890	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
52	Pounds	602-A001	Reinforcing Steel
512	Linear Feet	603-ALT003	18" Type A Alternate Pipe
136	Linear Feet	603-ALT006	24" Type A Alternate Pipe
60	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
240	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
430	Linear Feet	605-T001	4" Perforated Pipe for Underdrains
16	Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
1,375	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-D022	Guard Rail, Bridge End Section, Type I
20	Each	606-E001	Guard Rail, Terminal End Section
200	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
14	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic

2 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
6 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
4 Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
205 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
60 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
76 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
750 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
110 Each	619-F3001	Delineators, Guard Rail, White
24 Linear Feet	619-G4001	Barricades, Type III, Double Faced
152 Linear Feet	619-G4005	Barricades, Type III, Single Faced
30 Linear Feet	619-G4007	Barricades, Type III, Single Faced, Permanent, Red/White
200 Each	619-G5001	Free Standing Plastic Drums
10 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
14,545 Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,055 Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2,730 Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
210 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
60 Square Feet	626-H004	Thermoplastic Legend, White
26 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
173 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
99 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
234 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
486 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1 Lump Sum	699-A001	Roadway Construction Stakes
750 Square Yard	815-E001	Geotextile under Riprap
450 Ton	815-F002	Sediment Control Stone
720 Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>		
11,500 Ton	304-F001	3/4" and Down Crushed Stone Base



**ALTERNATE GROUP AA NUMBER 2**

11,500 Ton 304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

11,500 Ton 304-F003 Size 825B Crushed Stone Base

**Bridge Items**

3,085 Square Yard	501-K001	Transverse Grooving
9,800 Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
1,105 Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
2,792 Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
2,513 Linear Feet	804-C193	120' Prestressed Concrete Beam, Type FIB-45
253,866 Pounds	805-A001	Reinforcement
3,102 Pounds	805-C001	Reinforcement, Corrosion Resistant
1,537 Linear Feet	813-A002	Concrete Railing, 32"
7,511 Square Yard	815-E001	Geotextile under Riprap
5 Each	907-803-B001	Conventional Static Pile Load Test
5 Each	907-803-I002	PDA Test Pile, Concrete Pile
1 Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
6 Each	907-803-J001	Pile Restrike
947 Cubic Yard	907-804-A001	Bridge Concrete, Class BDX
404 Cubic Yard	907-804-A002	Bridge Concrete, Class AA
7,511 Square Yard	907-832-PP004	Bridge Concrete Mat

CALL No. 10

Mill & Overlay approximately 11 miles of OGFC on I-55 from US 84 to Copiah County Line, known as Federal Aid Project No. IM-0055-01(115) / 108099301 in Lincoln County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

27	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
73	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
13,014	Linear Feet	202-B240	Removal of Traffic Stripe
306	Cubic Yard	203-G002	Excess Excavation, LVM, AH
15,710	Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
20,717	Gallon	402-B001	Bituminous Tack Coat
3,230	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
355,493	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,713	Gallon	407-A001	Asphalt for Tack Coat
5,226	Linear Feet	413-D002	Cleaning and Filling Joints
1	Mile	423-A001	Rumble Strips, Ground In
24	Linear Feet	501-D001	Expansion Joints, With Dowels
100	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
72	Linear Feet	503-C004	Saw Cut, 3-inch
195	Linear Feet	503-C010	Saw Cut, Full Depth
17	Cubic Yard	503-D001	Concrete for Base Repair
97	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
6	Each	503-F001	1 1/4" Smooth Dowel Bars, Drilled & Epoxied or Grouted
1	Lump Sum	618-A001	Maintenance of Traffic
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
42	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3001	Temporary Traffic Stripe, Skip White
7,768	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
456	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
21	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,768	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,058	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
10,733	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
35,280	Pounds	907-420-A002	Undersealing Concrete Pavement
1,080	Pounds	907-515-A001	Fiber Reinforced Polymer Patching Material
2	Each	907-619-E3001	Changeable Message Sign

**ALTERNATE GROUP AA NUMBER 1**

5,680	Linear Feet	907-624-A003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast
5,680	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
5,680	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

**ALTERNATE GROUP AA NUMBER 2**

5,680	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
5,680	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
5,680	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 11

Safety Improvements on SR 25 at River Bend Road, known as Federal Aid Project No. HSIP-0056-01(099) / 107818301 in Scott County.

PROJECT COMPLETION: 115 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

327	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
215	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
133	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
886	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
8	Each	202-B117	Removal of Delineator, All Types
1	Each	202-B165	Removal of Inlets, All Sizes
10	Linear Feet	202-B191	Removal of Pipe, 8" And Above
26	Each	202-B215	Removal of Sign Including Post & Footing
3,782	Linear Feet	202-B240	Removal of Traffic Stripe
3,982	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
2,142	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
1,409	Cubic Yard	203-G001	Excess Excavation, FM, AH
21	Cubic Yard	206-A001	Structure Excavation
25	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
28,846	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,148	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
2,730	Square Yard	216-A001	Solid Sodding
947	Square Yard	217-A001	Ditch Liner
55	Thousand Gallon	219-A001	Watering
8	Acre	220-A001	Insect Pest Control
18	Cubic Yard	221-A001	Concrete Paved Ditch
48	Acre	223-A001	Mowing
8	Acre	225-A001	Grassing
4	Ton	225-B001	Agricultural Limestone

16	Ton	225-C001	Mulch, Vegetative Mulch
8	Acre	226-A001	Temporary Grassing
11,024	Linear Feet	234-A001	Temporary Silt Fence
2	Each	234-D001	Inlet Siltation Guard
824	Linear Feet	237-A002	Wattles, 20"
720	Linear Feet	239-A001	Temporary Slope Drains
200	Linear Feet	246-B002	Rockbags
6	Ton	249-A001	Riprap for Erosion Control
20	Cubic Yard	249-B001	Remove and Reset Riprap
2,165	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
2,489	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,303	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,225	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
3,535	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,647	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
7,446	Linear Feet	503-C010	Saw Cut, Full Depth
16	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
872	Pounds	602-A001	Reinforcing Steel
16	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
16	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
391	Pounds	604-B001	Gratings
7,277	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
433	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
196	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
5,271	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,678	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5,956	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
1,368	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

377	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
58	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
956	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
84	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
443	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
12,560	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,982	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8,517	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
498	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,694	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
11,201	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,734	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
685	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
668	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
68	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
78	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
182	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
325	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
288	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
377	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
338	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
112	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
29	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
62	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes

114 Cubic Yard                      815-F001 Sediment Control Stone

2 Each                                907-619-E3001 Changeable Message Sign

**ALTERNATE GROUP AA NUMBER 1**

9,028 Ton                            304-F001 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

9,028 Ton                            304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

9,028 Ton                            304-F003 Size 825B Crushed Stone Base

CALL No. 12

Mill & Overlay approximately 12 miles of I-59 from Pearl River County Line to Black Creek, known as Federal Aid Project No. IM-0059-01(124) / 107823301 in Lamar County.

PROJECT COMPLETION: 181 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

8 Acre	201-D002	Random Clearing
12,213 Linear Feet	202-B136	Removal of Guard Rail
10,631 Linear Feet	202-B240	Removal of Traffic Stripe
18,916 Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
28,698 Gallon	402-B001	Bituminous Tack Coat
373 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
13,051 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
47 Mile	403-S001	Joint Sealant
42,493 Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
31,944 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
383,589 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
667 Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
45,361 Gallon	407-A001	Asphalt for Tack Coat
1,296 Linear Feet	413-D002	Cleaning and Filling Joints
1,296 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
47 Mile	423-A001	Rumble Strips, Ground In
8,875 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
16 Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
12 Each	606-D022	Guard Rail, Bridge End Section, Type I
28 Each	606-E005	Guard Rail, Terminal End Section, Flared
1,342 Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
1 Lump Sum	618-A001	Maintenance of Traffic
71 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
71 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
71 Mile	619-A3001	Temporary Traffic Stripe, Skip White



48 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4005	Barricades, Type III, Single Faced
1 Lump Sum	620-A001	Mobilization
24 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
24 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
24 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,194 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,905 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
6 Each	629-A005	Vehicular Impact Attenuator, 70 MPH
247 Each	630-F006	Delineators, Guard Rail, White
76 Each	630-F007	Delineators, Guard Rail, Yellow
6 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
520 Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

6,288 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

6,288 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

6,288 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

640 Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
4,381 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,975 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
1,440 Linear Feet	907-624-E001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
1,623 Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

**ALTERNATE GROUP BB NUMBER 2**

640 Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,381 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,975 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,440 Linear Feet	628-K001	High Performance Cold Plastic Detail Stripe, White

1,623 Linear Feet

628-K002 High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 13

Mill & Overlay approximately 11 miles of I-59 from Russell to Alabama State Line, known as Federal Aid Project No. IM-0059-03(098) / 108089301 in Lauderdale County.

PROJECT COMPLETION: 121 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

112 Station	201-D001	Random Clearing
3,050 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4 Each	202-B040	Removal of Cable Barrier Terminal Section
33 Each	202-B135	Removal of Guard Post
5,925 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
400 Each	202-B199	Removal of Raised Reflective Pavement Marker
2,736 Linear Feet	202-B240	Removal of Traffic Stripe
221 Each	202-B248	Removal of Trees Greater Than 6"
1,355 Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,575 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
10 Cubic Yard	221-A001	Concrete Paved Ditch
500 Linear Feet	234-A001	Temporary Silt Fence
200 Linear Feet	237-A002	Wattles, 20"
4,360 Ton	304-D002	Granular Material, Crushed Stone
34,000 Ton	402-A002	Open Graded Friction Course, 9.5-mm Mixture
41,010 Gallon	402-B001	Bituminous Tack Coat
430 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
1,785 Ton	403-A004	19-mm, HT, Asphalt Pavement
1,500 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
8,975 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
44 Mile	403-S001	Joint Sealant
1,700 Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
33,930 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
516,070 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
38,500 Gallon	407-A001	Asphalt for Tack Coat

177	Linear Feet	413-B001	Cleaning and Sealing Joints
175	Linear Feet	413-D002	Cleaning and Filling Joints
175	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
40	Mile	423-A001	Rumble Strips, Ground In
3,542	Linear Feet	503-C010	Saw Cut, Full Depth
52	Each	606-A003	Guard Posts
3,257	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
50	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
13	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
9	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
16	Each	606-D005	Guard Rail, Bridge End Section, Type A
8	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
13	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
7	Each	606-E005	Guard Rail, Terminal End Section, Flared
39	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
16	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
230	Linear Feet	610-A001	Cable Barrier
1	Lump Sum	618-A001	Maintenance of Traffic
66	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
68	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
70	Mile	619-A3001	Temporary Traffic Stripe, Skip White
32,216	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
850	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
3,318	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,056	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
24	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
24	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

24	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
16,108	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
450	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
680	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
160	Square Feet	626-H004	Thermoplastic Legend, White
3,318	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
214	Each	630-F006	Delineators, Guard Rail, White
78	Each	630-F007	Delineators, Guard Rail, Yellow
149	Each	630-F010	Delineators, Post Mounted, Double White
42	Each	630-F011	Delineators, Post Mounted, Double Yellow
70	Each	630-F012	Delineators, Post Mounted, Single White
56	Each	630-F013	Delineators, Post Mounted, Single Yellow
28	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L

**ALTERNATE GROUP AA NUMBER 1**

1,545	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

1,545	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

1,545	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 14

Mill & Overlay approximately 6 miles of US 278 from 0.29 miles East of MS 7 to Busbyville and approximately 10 miles of US 278 from Panola County Line to 0.25 miles West of Coliseum Drive, known as Federal Aid Project Nos. NH-0070-04(026) / 107706301 and NH-0070-04(027) / 107773301 in Lafayette County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

215	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
747	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
924	Linear Feet	202-B240	Removal of Traffic Stripe
458	Cubic Yard	203-G001	Excess Excavation, FM, AH
18,637	Ton	304-B002	Granular Material, Class 3, Group D
715	Ton	403-A006	19-mm, ST, Asphalt Pavement
11,301	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
13,825	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
42,685	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
617,675	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
35,630	Gallon	407-A001	Asphalt for Tack Coat
80,180	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
62	Mile	423-A001	Rumble Strips, Ground In
2,382	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
74	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
68	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
65	Mile	619-A3001	Temporary Traffic Stripe, Skip White
48,900	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,258	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
412	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
33	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White

18 Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
412 Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
31 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
412 Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
32 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
38,492 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
18,781 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
5,357 Square Feet	626-H004	Thermoplastic Legend, White
6,741 Linear Feet	626-H005	Thermoplastic Legend, White
3,649 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
353 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
198 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
492 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
19 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
606 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
18 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
8 Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
1,000 Pounds	907-420-A002	Undersealing Concrete Pavement
968 Linear Feet	907-640-A001	Vehicle Loop Assemblies
1 Each	907-687-A001	Traffic Recorder Classification Permanent System

**ALTERNATE GROUP AA NUMBER 1**

350 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

350 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

350 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 15

Bridge Repair on US 51 over Big Black River, known as Federal Aid Project No. NHPP-1681-00(022) / 108151301 in Madison County.

PROJECT COMPLETION: 120 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
200	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 Tape
144	Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
1	Lump Sum	620-A001	Mobilization
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1

**Bridge Items**

1	Lump Sum	907-816-A001	Maintenance Painting of Metal Structures
67	Each	907-824-PP006	Bridge Repair, Beam End Repair
1	Each	907-824-PP006	Bridge Repair, Installation of Beam Support Bracket
26	Each	907-824-PP006	Bridge Repair, Steel Pile Connection Angles
25	Each	907-824-PP006	Bridge Repair, Steel Pile splice Plates
1	Lump Sum	907-845-A001	Coating Existing Structural Steel



CALL No. 16

Installation of Raised Pavement Markers on Various Routes throughout the District, known as State Project No. MP-3000-00(126) / 306831301 in District 3.

PROJECT COMPLETION: 54 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
23,396	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
19,130	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 17

Bridge Repair on I-110 Harrison County at Bay Bridge, known as State Project No. MRP-6110-24(041) / 306501301 in Harrison County.

PROJECT COMPLETION: MAY 28, 2020

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

51	Each	202-B190	Removal of Piling
1	Lump Sum	620-A001	Mobilization
6	Thousand Board Feet	820-A001	Treated Timber
3,060	Linear Feet	820-D001	Treated Timber Piling

CALL No. 18

Construction of Holmes County Maintenance Facility & Site Improvements, known as State Project Nos. BWO-3190-26(001) / 503239301 & LWO-3045-26(002) / 503239302 in Holmes County.

PROJECT COMPLETION: AUGUST 13, 2021

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
250 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B125	Removal of Fence Gate, All Types, All Sizes
838 Linear Feet	202-B126	Removal of Fence, All Types
70 Linear Feet	202-B191	Removal of Pipe, 8" And Above
1 Each	202-B211	Removal of Septic Tank, All Sizes
600 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,920 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
70 Cubic Yard	206-A001	Structure Excavation
5,650 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1 Ton	213-C001	Superphosphate
1,603 Square Yard	216-B001	Solid Sodding, Bermuda
1 Acre	220-A001	Insect Pest Control
12 Cubic Yard	221-A001	Concrete Paved Ditch
1 Acre	223-A001	Mowing
1 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
2 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing
1,540 Linear Feet	234-A001	Temporary Silt Fence
4 Each	234-D001	Inlet Siltation Guard
100 Linear Feet	237-A002	Wattles, 20"
300 Linear Feet	245-A001	Silt Dike
100 Each	246-B001	Rockbags

96 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
316 Ton	403-A006	19-mm, ST, Asphalt Pavement
158 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
213 Gallon	407-A001	Asphalt for Tack Coat
3 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
210 Pounds	602-A001	Reinforcing Steel
208 Linear Feet	603-ALT001	12" Type A Alternate Pipe
56 Linear Feet	603-ALT006	24" Type A Alternate Pipe
3 Each	603-CB001	12" Reinforced Concrete End Section
488 Pounds	604-A001	Castings
527 Pounds	604-B001	Gratings
40 Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
151 Linear Feet	605-P007	8" Non-Perforated Sewer Pipe for Underdrains, SDR 26
314 Linear Feet	607-B026	72" Type I Chain Link Fence, Class I , With Top Guard
1 Each	607-G125	Gate, 24' x 6' Double Chain Link w/ Top Guard
23 Each	607-P1018	Line Post, 9' x 2" Galvanized Steel
13 Each	607-P2013	Brace Post, 10' x 2 1/2" Galvanized Steel
2 Each	607-P3009	Gate Post, 9' x 3 1/2" Galvanized Steel
62 Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
342 Linear Feet	609-B002	Concrete Curb, Header
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
1 Lump Sum	620-A001	Mobilization
144 Linear Feet	625-E001	Detail Traffic Stripe
1 Lump Sum	699-A001	Roadway Construction Stakes
1 Lump Sum	907-242-A001	Construction of Shop Building
2 Each	907-258-N001	Car Stop
1 Lump Sum	907-260-PP003	Utility Work - Sewer, 2" Force Main
1 Each	907-290-A001	Flagpole
84 Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA

14 Square Feet            907-625-F003 Legend, Blue-ADA

1 Each                    907-630-PP003 Handicap Parking Sign, With Post

**ALTERNATE GROUP AA NUMBER 1**

2,380 Ton                    304-F001 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

2,380 Ton                    304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

2,380 Ton                    304-F003 Size 825B Crushed Stone Base

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR