

**Proposal & Plan Sales Will Begin on May 4, 2020**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For May - May 27, 2020**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR MAY - Wednesday, May 27, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 4, 2020

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, May 27, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
*	01 STP-0016-02(039)/107960301 & STP-0016-02(041)/108405301	CALHOUN
	02 CHBP-0046-01(013)/102471301	MARION
*	03 NHPP-0055-01(117)/108280301	COPIAH
*	04 STP-9999-05(388)/108402301	NEWTON
*	05 MP-1000-00(092)/306953301	DISTRICT 1
	06 MP-1278-48(015)/306970301	MONROE
*	07 MP-2305-69(002)/307079301 & MP-2305-17(005)/307079302	DESOTO, TATE
*	08 MP-5019-50(014)/306932301	NESHOBA
*	09 MP-5852-52(001)/306928301	NOXUBEE
*	10 MP-6145-12(004)/307114301	CLARKE
*	11 MP-7037-65(009)/307070301	SMITH
	12 MP-7048-74(015)/306940301	WALTHALL
*	13 MP-7930-01(001)/307073301 & MP-7932-01(001)/307073302 & MP-7061-01(006)/307073303	ADAMS



CALL No. 01

Mill & Overlay approximately 8 miles of SR 8 from 0.37 miles West of SR 9 to stop bar at SR 8 East & Bridge Deck Repair on SR 8, (Bridge Nos. 38.3, 38.5, 39.4, 39.6, 40.1, 40.4, 40.7, 40.9, 41.2), known as Federal Aid Project Nos. STP-0016-02(039) / 107960301 & STP-0016-02(041) / 108405301 in Calhoun County.

PROJECT COMPLETION: 82 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

232 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
580 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
4 Each	202-B152	Removal of Guard Rail Terminal End Section
270 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,700 Ton	304-B002	Granular Material, Class 3, Group D
530 Ton	403-A006	19-mm, ST, Asphalt Pavement
6,350 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,575 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
77,245 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,300 Gallon	407-A001	Asphalt for Tack Coat
16,325 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
8 Mile	423-A001	Rumble Strips, Ground In
1,112 Linear Feet	503-C010	Saw Cut, Full Depth
4 Each	606-E001	Guard Rail, Terminal End Section
315 Linear Feet	606-F002	Guard Rail, Remove and Replace Guard Rail, Blockouts & Posts
810 Each	606-F006	Guard Rail, Replace Wood Blockout
323 Each	606-F007	Guard Rail, Replace Wood Post and Wood Blockout
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
15 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
28 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,183 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,275 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
8	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
4	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,591	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
850	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
636	Linear Feet	626-H005	Thermoplastic Legend, White
376	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
461	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
162	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

500	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

500	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

500	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

**Bridge Items**

1,666	Linear Feet	907-808-A002	Joint Repair
833	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,666	Linear Feet	907-823-B001	Saw Cut, Type I
222	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
1,308	Square Feet	907-824-PP003	Bridge Repair, Full Depth Deck Repair

CALL No. 02

Bridge Replacements on SR 198 near Columbia, (Bridge Nos. 119.0 & 119.3), known as Federal Aid Project No. CHBP-0046-01(013) / 102471301 in Marion County.

PROJECT COMPLETION: JANUARY 14, 2022

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
4,108 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4,956 Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
2,888 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
14 Each	202-B129	Removal of Flared End Section, All Sizes
598 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
10 Each	202-B165	Removal of Inlets, All Sizes
495 Linear Feet	202-B191	Removal of Pipe, 8" And Above
3 Each	202-B213	Removal of Sign
7 Each	202-B215	Removal of Sign Including Post & Footing
36 Each	202-B219	Removal of Sign, Ground Mounted with Posts
8,659 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
23,402 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
3,291 Cubic Yard	203-G001	Excess Excavation, FM, AH
169 Cubic Yard	206-A001	Structure Excavation
17,200 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4,310 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
6 Ton	213-C001	Superphosphate
9,182 Square Yard	216-A001	Solid Sodding
650 Square Yard	217-A001	Ditch Liner
182 Thousand Gallon	219-A001	Watering
6 Acre	220-A001	Insect Pest Control
17 Cubic Yard	221-A001	Concrete Paved Ditch
22 Acre	223-A001	Mowing

11 Acre	225-A001	Grassing
6 Ton	225-B001	Agricultural Limestone
22 Ton	225-C001	Mulch, Vegetative Mulch
11 Acre	226-A001	Temporary Grassing
100 Linear Feet	234-A001	Temporary Silt Fence
4,000 Linear Feet	234-C001	Super Silt Fence
5 Each	234-D001	Inlet Siltation Guard
1,000 Linear Feet	234-F001	Turbidity Barrier
1,000 Linear Feet	237-A002	Wattles, 20"
100 Each	246-B001	Rockbags
400 Ton	249-A001	Riprap for Erosion Control
7,650 Ton	304-B006	Granular Material, Class 6, Group C
1,950 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
2,800 Ton	403-A006	19-mm, ST, Asphalt Pavement
1,200 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
1,860 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
23,178 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,284 Gallon	407-A001	Asphalt for Tack Coat
514 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3 Mile	423-A001	Rumble Strips, Ground In
48 Square Yard	501-K001	Transverse Grooving
329 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2,715 Linear Feet	503-C010	Saw Cut, Full Depth
10 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
317 Pounds	602-A001	Reinforcing Steel
192 Linear Feet	603-A012	24" Steel Pipe, Jacked or Bored, Wall Thickness 0.375"
16 Linear Feet	603-ALT003	18" Type A Alternate Pipe
520 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
9 Each	603-CB004	24" Reinforced Concrete End Section
40 Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III

2	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
627	Pounds	604-B001	Gratings
115	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
207	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
8	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
1,447	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
96	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
28	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
791	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
4	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
25,408	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
24,838	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
9,680	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
9,176	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,020	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
677	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
114	Linear Feet	619-G4001	Barricades, Type III, Double Faced
24	Linear Feet	619-G4007	Barricades, Type III, Single Faced, Permanent, Red/White
100	Each	619-G5001	Free Standing Plastic Drums
16	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4,840	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
779	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White



9,834	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,363	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,965	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,579	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,009	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
323	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
510	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
15	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
153	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
97	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	629-A003	Vehicular Impact Attenuator, 55 MPH
168	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
110	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
77	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
21	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
567	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
120	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
4	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
33	Each	630-F006	Delineators, Guard Rail, White
45	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
45	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
1	Lump Sum	699-A001	Roadway Construction Stakes
200	Ton	815-F002	Sediment Control Stone
3	Each	907-619-E3001	Changeable Message Sign
2	Each	907-630-O006	Remove and Reset Signs, Ground Mounted
1,040	Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>			
7,200	Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
7,200	Ton	304-F002	Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

7,200 Ton 304-F003 Size 825B Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 1**

94 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

**ALTERNATE GROUP BB NUMBER 2**

94 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

**ALTERNATE GROUP CC NUMBER 1**

2,090 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

2,090 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP CC NUMBER 2**

2,090 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

2,090 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

3,731 Square Yard 501-K001 Transverse Grooving

6,535 Linear Feet 803-P001 24" Steel Pipe Piling, Wall Thickness 0.500"

1,435 Linear Feet 804-C188 80' Prestressed Concrete Beam, Type FIB-36

418 Linear Feet 804-C199 70' Prestressed Concrete Beam, Type FIB-36

2,688 Linear Feet 804-C200 75' Prestressed Concrete Beam, Type FIB-36

1,704 Linear Feet 804-C201 95' Prestressed Concrete Beam, Type FIB-36

314,047 Pounds 805-A001 Reinforcement

13,340 Pounds 805-C001 Reinforcement, Corrosion Resistant

2,108 Linear Feet 813-A004 Concrete Railing, 36"

8,011 Ton 815-A007 Loose Riprap, Size 300

5,064 Square Yard 815-E001 Geotextile under Riprap

2 Each 907-803-B001 Conventional Static Pile Load Test

7 Each 907-803-I004 PDA Test Pile, Steel Pipe Pile

4 Each 907-803-J001 Pile Restrike

1,143 Cubic Yard 907-804-A001 Bridge Concrete, Class BDY

311 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

CALL No. 03

Bridge Preservation on I-55 over SR 28, (Bridge Nos. 60.7A & 60.7B), & over SR 27 (Bridge Nos. 70.9A & 70.9B), known as Federal Aid Project No. NHPP-0055-01(117) / 108280301 in Copiah County.

PROJECT COMPLETION: 121 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,500	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
400	Linear Feet	619-F1001	Concrete Median Barrier, Precast
200	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1	Lump Sum	620-A001	Mobilization
500	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
500	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
500	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
4	Each	907-619-E3001	Changeable Message Sign

**Bridge Items**

1,870	Linear Feet	907-808-A002	Joint Repair
595	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
340	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,190	Linear Feet	907-823-B001	Saw Cut, Type I
680	Linear Feet	907-823-B002	Saw Cut, Type II
20	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
8	Square Feet	907-824-PP003	Bridge Repair, Full Depth Slab Repair
96	Each	907-824-PP006	Bridge Repair, Bearing Replacement
48	Each	907-824-PP006	Bridge Repair, Bearing Reset
10	Each	907-824-PP006	Bridge Repair, Cap Cleaning
2	Each	907-824-PP006	Bridge Repair, Prestress Strand Repair
42	Linear Feet	907-824-PP008	Bridge Repair, End Wall Removal & Repair
6	Linear Feet	907-824-PP008	Bridge Repair, FRP Wrap

12 Linear Feet

907-824-PP008 Bridge Repair, Railing Repair

CALL No. 04

Bridge Preservation on I-20, (Bridge Nos. 113.8A, 113.8B, 120.8A and 120.8B), known as Federal Aid Project No. STP-9999-05(388) / 108402301 in Newton County.

PROJECT COMPLETION: APRIL 15, 2021

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
128	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
832	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
4	Each	907-619-E3001	Changeable Message Sign

**Bridge Items**

412	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
96	Each	907-824-PP006	Bridge Repair, Bearing Replacement
16	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 05

Installation of Raised Pavement Markers on Various Routes throughout the District, known as State Project No. MP-1000-00(092) / 306953301 in District 1.

PROJECT COMPLETION: 80 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
55,063	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
40,716	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 06

Mill & Overlay on US 278 from SR 25 to SR 8, known as State Project No. MP-1278-48(015) / 306970301 in Monroe County.

PROJECT COMPLETION: 67 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3,800 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
625 Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
2,100 Linear Feet	202-B240	Removal of Traffic Stripe
300 Cubic Yard	203-G001	Excess Excavation, FM, AH
300 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,600 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
200 Ton	403-A006	19-mm, ST, Asphalt Pavement
18,250 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
216,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,000 Gallon	407-A001	Asphalt for Tack Coat
18 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
22 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
19 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,200 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
22 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
13 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
7,200 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
7,100 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,000 Square Feet	626-H004	Thermoplastic Legend, White

4,200	Linear Feet	626-H005	Thermoplastic Legend, White
750	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,300	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
60	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions
<b>ALTERNATE GROUP AA NUMBER 1</b>			
300	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>			
300	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>			
300	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
<b>ALTERNATE GROUP BB NUMBER 1</b>			
1,500	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
505	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
490	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP BB NUMBER 2</b>			
1,500	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
505	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
490	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow



CALL No. 07

Overlay approximately 18 miles of SR 305 from SR 4 to Desoto County Line & from Tate County Line to Lewisburg, known as State Project Nos. MP-2305-69(002) / 307079301 & MP-2305-17(005) / 307079302 in Tate & Desoto Counties.

PROJECT COMPLETION: 74 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

605	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
6,323	Linear Feet	202-B240	Removal of Traffic Stripe
11,335	Ton	304-B002	Granular Material, Class 3, Group D
23,420	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,680	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
283,295	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
22,070	Gallon	407-A001	Asphalt for Tack Coat
383	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
4	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
70	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
44	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
10,413	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,238	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
4,238	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
35	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1,257	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1,808	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
22	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
6,194	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

4,602	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,279	Square Feet	626-H004	Thermoplastic Legend, White
2,114	Linear Feet	626-H005	Thermoplastic Legend, White
947	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,801	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
26	Each	630-F006	Delineators, Guard Rail, White
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 08

Mill & Overlay approximately 1.3 miles of SR 19 from end of proposed 4-Lane to SR 16, known State Project No. MP-5019-50(014) / 306932301 in Neshoba County.

PROJECT COMPLETION: 52 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,210	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
150	Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
2,650	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
410	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
24,200	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,420	Gallon	407-A001	Asphalt for Tack Coat
5,620	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3,032	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	613-A001	Adjustment of Castings, Gratings & Utility Appurtenances
1	Lump Sum	618-A001	Maintenance of Traffic
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,200	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
90	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
340	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
3	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,150	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,250	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow

600 Square Feet	626-H001 Thermoplastic Double Drop Legend, White
300 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
30 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
490 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001 Temporary Portable Rumble Strips

CALL No. 09

Mill & Overlay approximately 1.8 miles of SR 852 through Brooksville, known as State Project No. MP-5852-52(001) / 306928301 in Noxubee County.

PROJECT COMPLETION: 71 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3,030	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,257	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
3,100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,300	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
900	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
4,650	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,550	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
38,222	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,500	Gallon	407-A001	Asphalt for Tack Coat
3,500	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4,579	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,400	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
186	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
290	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
60	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
5	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,000	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,400	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,200	Square Feet	626-H001	Thermoplastic Double Drop Legend, White

300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
305	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-619-E3001	Changeable Message Sign

**ALTERNATE GROUP AA NUMBER 1**

2,520	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

2,520	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

2,520	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 10

Overlay approximately 7 miles of SR 145 from US 45 to North of SR 513 through Quitman, known as State Project No. MP-6145-12(004) / 307114301 in Clarke County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

156	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
2,367	Square Yard	202-B188	Removal of Pavement, All Types and Depths
7,644	Linear Feet	202-B240	Removal of Traffic Stripe
3,000	Ton	304-F003	Size 825B Crushed Stone Base
420	Ton	403-A005	19-mm, MT, Asphalt Pavement
3,195	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
23,650	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
49,850	Gallon	407-A001	Asphalt for Tack Coat
56	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
1	Each	606-D001	Guard Rail, Bridge End Section
1	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
19,935	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,705	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
12	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
12	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,080	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
22,520	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
750	Square Feet	626-H004	Thermoplastic Legend, White

2,605	Linear Feet	626-H005	Thermoplastic Legend, White
1,275	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
210	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,695	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
20	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
40	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
4,530	Ton	907-411-A001	Ultra Thin Asphalt Pavement
4,580	Ton	907-411-A001	Ultra Thin Asphalt Pavement , Leveling
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-632-B001	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type I Cabinet, Type 1 Controller
2,268	Linear Feet	907-640-A001	Vehicle Loop Assemblies

**ALTERNATE GROUP AA NUMBER 1**

5,034	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,442	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,150	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

5,034	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,442	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,150	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow



CALL No. 11

Overlay approximately 2.3 miles of SR 37 beginning at Covington County Line North to Moore Street in Taylorsville, known as State Project No. MP-7037-65(009) / 307070301 in Smith County.

PROJECT COMPLETION: 28 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

21	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,501	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
474	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,085	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,606	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,844	Gallon	407-A001	Asphalt for Tack Coat
3,084	Square Feet	412-A001	Pre-Grinding
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,285	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
788	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
815	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
470	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
788	Linear Feet	626-H005	Thermoplastic Legend, White
135	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
262	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
1,022	Ton	907-411-A001	Ultra Thin Asphalt Pavement

66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
5 Mile	907-626-C003	Thermoplastic Audible Edge Stripe

CALL No. 12

Traffic Signal Installation and Mill & Overlay SR 198 from JCT SR 48W East to JCT SR 48E, known as State Project No. MP-7048-74(015) / 306940301 in Walthall County.

PROJECT COMPLETION: APRIL 16, 2021

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,464	Linear Feet	202-B240	Removal of Traffic Stripe
15	Cubic Yard	203-G002	Excess Excavation, LVM, AH
140	Cubic Yard	304-A011	Granular Material, LVM, Class 9, Group C
4,488	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
38,061	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,071	Gallon	407-A001	Asphalt for Tack Coat
3	Cubic Yard	601-A001	Class "B" Structural Concrete
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
13,560	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
351	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,320	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
3	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
114	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
2,792	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,858	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
175	Square Feet	626-H004	Thermoplastic Legend, White
1,920	Linear Feet	626-H005	Thermoplastic Legend, White
179	Each	627-K001	Red-Clear Reflective High Performance Raised Markers

617	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
21	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
6	Each	635-A059	Traffic Signal Head, Type 1
8	Each	635-A076	Traffic Signal Head, Type 6
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
3	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
3	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
2	Each	907-634-G001	Traffic Signal Equipment Pole Mast Arm Extension , 15' Camera Arm
920	Linear Feet	907-636-C007	Electric Cable, Aerial Supported, IMSA 20-1, AWG 14, 5 Conductor
120	Linear Feet	907-637-F008	Traffic Signal Conduit, Aerial Supported, Type 4, 1"
4	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
400	Linear Feet	907-643-B001	Video Vehicle Detection Cable
8	Each	907-645-A001	Standard Pedestrian Detection Assembly

**ALTERNATE GROUP AA NUMBER 1**

732	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
732	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continous Yellow, High Contrast

**ALTERNATE GROUP AA NUMBER 2**

732	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
732	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 13

Mill & Overlay approximately 1 mile of SR 930 from Junkin Street/Melrose Avenue to SR 555, approximately 1 mile of SR 932 from O'Ferall Street to SR 555, & approximately 0.35 miles of US 61 Frontage Road from Bingaman Lane to Melrose-Montebello Parkway, known as State Project Nos. MP-7930-01(001) / 307073301, MP-7932-01(001) / 307073302, & MP-7061-01(006) / 307073303 in Adams County.

PROJECT COMPLETION: 40 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

16	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
268	Cubic Yard	304-A011	Granular Material, LVM, Class 9, Group C
3	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
5	Ton	403-A006	19-mm, ST, Asphalt Pavement
3,871	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
46,917	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,519	Gallon	407-A001	Asphalt for Tack Coat
4,801	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
48	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3001	Temporary Traffic Stripe, Skip White
6,774	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
784	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,485	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,562	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
392	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White

296	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
54	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
11	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
14	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

5	Ton	304-F001	3/4" and Down Crushed Stone Base
---	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

5	Ton	304-F002	Size 610 Crushed Stone Base
---	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

5	Ton	304-F003	Size 825B Crushed Stone Base
---	-----	----------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR