

Proposal & Plan Sales Will Begin on July 6, 2020



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For August - August 25, 2020

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS

LETTING DATE FOR AUGUST - Tuesday, August 25, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 6, 2020

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 25, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	BR-9371-01(001)/107505301	HARRISON
* 02	STP-0008-04(068)/108421301	HOLMES
* 03	NHPP-0020-01(251)/108284301	RANKIN
* 04	STP-9999-01(372)/108399301	ALCORN
05	SP-1004-59(012)/108566301	PRENTISS
06	SP-1338-58(001)/108563301 & SP-1009-58(008)/108564301	PONTOTOC
* 07	SP-2051-69(005)/108567301	TATE
* 08	SP-5021-50(020)/108569301	NESHOBA

CALL No. 01

Bascule Bridge Rehabilitation on SR 605 over Industrial Waterway (Bridge No. 3.5), known as Federal Aid Project No. BR-9371-01(001) / 107505301 in Harrison County.

PROJECT COMPLETION: 344 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

288	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
288	Square Yard	202-B013	Removal of Base
324	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
2	Mile	202-B241	Removal of Traffic Stripe
96	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
1	Ton	213-C001	Superphosphate
216	Square Yard	216-A001	Solid Sodding
4	Thousand Gallon	219-A001	Watering
4	Each	230-B022	Tree Planting, Crape Myrtle
95	Ton	403-A005	19-mm, MT, Asphalt Pavement
17	Gallon	407-A001	Asphalt for Tack Coat
10	Linear Feet	503-C010	Saw Cut, Full Depth
324	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
10,194	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
10,112	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
40	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
220	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
2	Each	619-E1001	Flashing Arrow Panel, Type C
2,182	Linear Feet	619-F1001	Concrete Median Barrier, Precast
160	Linear Feet	619-F1002	Portable Median Barrier
1,881	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
160	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier

228	Linear Feet	619-G4005	Barricades, Type III, Single Faced
87	Each	619-G5001	Free Standing Plastic Drums
20	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
2	Each	619-J1001	Impact Attenuator, 40 MPH
1	Each	619-J2001	Impact Attenuator, 40 MPH, Replacement Package
2	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
3,109	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,078	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,018	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
923	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,562	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,306	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
814	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
300	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
280	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
165	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
116	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
108	Square Feet	628-L002	High Performance Cold Plastic Legend, White
20	Each	907-619-E3001	Changeable Message Sign
720	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
130	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
130	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
130	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
2,867	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
5,733	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

2,867 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,867 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

5,733 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

2,867 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

500 Linear Feet 413-C001 Cleaning and Sealing Cracks

2,543 Pounds 602-A001 Reinforcing Steel

78 Linear Feet 607-B035 96" Type I Chain Link Fence, Class I

342 Linear Feet 803-C003 16" x 16" Prestressed Concrete Piling

5,618 Pounds 810-A006 Structural Steel, A 709, Grade 50

16 Square Feet 812-A001 Steel Grid Floor, Open Type

1 Lump Sum 814-A001 Painting of Metal Structures

1 Lump Sum 907-258-PP006 Building Amenities,

16 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

1 Lump Sum 907-824-PP004 Bridge Repair, Add Generator Access

1 Lump Sum 907-824-PP004 Bridge Repair, Bird Deterrent

1 Lump Sum 907-824-PP004 Bridge Repair, Concrete Repair

1 Lump Sum 907-824-PP004 Bridge Repair, Fender System

1 Lump Sum 907-824-PP004 Bridge Repair, Remove & Replace Live Load Uplift Bearings

1 Lump Sum 907-824-PP004 Bridge Repair, Remove & Replace Warning Gates

1 Lump Sum 907-824-PP004 Bridge Repair, Steel Crack Repair

1 Lump Sum 907-850-A001 Mechanical Work

1 Lump Sum 907-851-A001 Span Balancing

1 Lump Sum 907-853-A001 Electrical Work

1 Lump Sum 907-854-A001 Electrical Service

1 Lump Sum 907-855-A001 Auxiliary Electrical Equipment

1 Lump Sum 907-856-A001 Control Console

1 Lump Sum 907-857-A001 Motor Control Center

1 Lump Sum 907-858-A001 PLC Cabinet and Programming

1	Lump Sum	907-859-A001	Span Drives and Motors
1	Lump Sum	907-860-A001	Limits and Sensors
1	Lump Sum	907-861-A001	Submarine Cables
1	Lump Sum	907-862-A001	Lightning and Surge Protection
1	Lump Sum	907-863-A001	Training, Manuals, and Spare Parts

CALL No. 02

Bridge Repair on US 49 East Over Abiachia Creek (Bridge No. 239.5), known as Federal Aid Project No. STP-0008-04(068) / 108421301 in Holmes County.

PROJECT COMPLETION: 91 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

56	Linear Feet	907-808-A002	Joint Repair
58	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
58	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
58	Linear Feet	907-823-B001	Saw Cut, Type I
2	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
104	Square Feet	907-824-PP003	Bridge Repair, New Construction of Bridge Deck
104	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
2	Each	907-824-PP006	Bridge Repair, Cap Cleaning
4	Each	907-824-PP006	Bridge Repair, Reset Rocker Bearing
52	Linear Feet	907-824-PP008	Bridge Repair, End Wall Repair

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
2,160	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
8,800	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
96	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
940	Linear Feet	619-F1001	Concrete Median Barrier, Precast
940	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
12	Each	619-G7001	Warning Lights, Type "B"
13	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
2,200	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8,840	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2002	Traffic Signal, Portable, Type 2A

CALL No. 03

Bridge Preservation on I-20 over KCS RR, (Bridge Nos. 56.8A & 56.8B), known as Federal Aid Project No. NHPP-0020-01(251) / 108284301 in Rankin County.

PROJECT COMPLETION: 120 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
200	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
138	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-D005	Guard Rail, Bridge End Section, Type A
1	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
384	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
7	Each	619-F3001	Delineators, Guard Rail, White
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
40,000	Pounds	907-420-A002	Undersealing Concrete Pavement
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Bridge Items

1,168	Linear Feet	907-808-A002	Joint Repair
584	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,168	Linear Feet	907-823-B001	Saw Cut, Type I
5	Square Feet	907-824-PP003	Bridge Repair, Approach Slab Repair
40	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
50	Square Feet	907-824-PP003	Bridge Repair, Field Paint
2	Each	907-824-PP006	Bridge Repair, Bearing Replacement
1	Each	907-824-PP006	Bridge Repair, Bridge End Post Repair
16	Each	907-824-PP006	Bridge Repair, Cap Cleaning
2	Each	907-824-PP006	Bridge Repair, Connection Plate Repair
4	Each	907-824-PP006	Bridge Repair, Pressure Relief Joint

2	Each	907-824-PP006	Bridge Repair, Riser Repair
2	Each	907-824-PP006	Bridge Repair, Transverse Stiffeners
49	Each	907-824-PP006	Bridge Repair, Weld Repair
56	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

CALL No. 04

Bridge Preventive Maintenance along US 45(Bridge Nos. 275.6A, 275.6B, & 275.0), known as Federal Aid Project No. STP-9999-01(372) / 108399301 in Alcorn County.

PROJECT COMPLETION: 116 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Bridge Items

722	Linear Feet	907-808-A002	Joint Repair ,Without Epoxy
361	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
599	Linear Feet	907-823-B001	Saw Cut, Type I
15	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
10	Square Feet	907-824-PP003	Bridge Repair, Field Painting
92	Each	907-824-PP006	Bridge Repair, Bearing Replacement
17	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 05

Mill & Overlay approximately 10 miles of SR 4 from SR 371 to the Tishomingo County Line, known as State Project No. SP-1004-59(012) / 108566301 in Prentiss County.

PROJECT COMPLETION: 53 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

511	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
1,222	Linear Feet	202-B240	Removal of Traffic Stripe
341	Cubic Yard	203-G001	Excess Excavation, FM, AH
511	Square Yard	204-A003	Geogrid, Type II, Biaxial
511	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
167	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
1,944	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
355	Ton	403-A005	19-mm, MT, Asphalt Pavement
13,915	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
168,648	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,649	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
37	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,768	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,452	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
7	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,498	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,270	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

2,452	Linear Feet	626-H005	Thermoplastic Legend, White
618	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,355	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

511	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

511	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

511	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

1,222	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-------	-------------	--------------	--

611	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
-----	-------------	--------------	---

ALTERNATE GROUP BB NUMBER 2

1,222	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-------	-------------	----------	---

611	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
-----	-------------	----------	--

CALL No. 06

Mill & Overlay approximately 4 miles on SR 9 from SR 15 to US 278 and approximately 0.5 miles on SR 338 from SR 9 to the End of 3-Lane, known as State Project Nos. SP-1009-58(008) / 108564301 and SP-1338-58(001) / 108563301 in Pontotoc County.

PROJECT COMPLETION: 39 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
50 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
50 Cubic Yard	203-G001	Excess Excavation, FM, AH
806 Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
8,357 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
86,745 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,856 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
25 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,332 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,182 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,928 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
13 Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
7 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,271 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
5,252 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
591 Square Feet	626-H004	Thermoplastic Legend, White
2,618 Linear Feet	626-H005	Thermoplastic Legend, White
1,043 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
51 Each	627-K001	Red-Clear Reflective High Performance Raised Markers

1,561 Each 627-L001 Two-Way Yellow Reflective High Performance Raised Markers

66 Linear Feet 907-619-B001 Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

50 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

50 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

50 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 07

Mill and Overlay approximately 5 miles of US 51 from Panola County Line to Warrior Drive, known as State Project No. SP-2051-69(005) / 108567301 in Tate County.

PROJECT COMPLETION: 72 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,625	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,785	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
660	Linear Feet	202-B240	Removal of Traffic Stripe
150	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,730	Ton	304-B002	Granular Material, Class 3, Group D
1,000	Ton	403-A006	19-mm, ST, Asphalt Pavement
9,475	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
500	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
35,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,570	Gallon	407-A001	Asphalt for Tack Coat
14,850	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
500	Linear Feet	503-C010	Saw Cut, Full Depth
1,340	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
10	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
27,484	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,278	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White Skip White
580	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White

1 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
290 Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
5 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
8,817 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
12,082 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
822 Square Feet	626-H004	Thermoplastic Legend, White
2,639 Linear Feet	626-H005	Thermoplastic Legend, White
580 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
227 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,138 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Each	630-F006	Delineators, Guard Rail, White
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 08

Mill & Overlay approximately 11 miles of SR 21 from Dixon to SR 15, known as State Project No. SP-5021-50(020) / 108569301 in Neshoba County.

PROJECT COMPLETION: 94 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

483	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,383	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
454	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
526	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,000	Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
20,050	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
700	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
16,718	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,000	Gallon	407-A001	Asphalt for Tack Coat
2,083	Linear Feet	503-C010	Saw Cut, Full Depth
229	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
84	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
13,912	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,480	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
801	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
404	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
21	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
21	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,546	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,410	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,240	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
695	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,534	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
145,000	Square Yard	907-414-A001	Scrub Seal
1,484	Gallon	907-414-B001	Asphalt for Fog Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

Bridge Items

296	Linear Feet	907-808-A002	Joint Repair
148	Linear Feet	907-823-A002	Prefomed Joint Seal, Type II
296	Linear Feet	907-823-B002	Saw Cut, Type II

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR