

**Proposal & Plan Sales Will Begin on August 31, 2020**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For September - September 22, 2020**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR SEPTEMBER - Tuesday, September 22, 2020

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 20, 2020

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, September 22, 2020; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR SEPTEMBER

| CALL | CONTRACT  | COUNTY                           |
|------|---|----------------------------------|
|      | 01 BR-9371-01(001)/107505301  | HARRISON                         |
| *    | 02 STP-0008-04(068)/108421301   | HOLMES                           |
|      | 03 STP-0026-01(080)/101649302   | NESHOPA                          |
|      | 04 STP-0009-01(141)/107786301   | JEFFERSON                        |
|      | 05 BR-9999-01(249)/106092301  | TISHOMINGO                       |
| *    | 06 STP-9999-03(367)/107891301   | LEFLORE                          |
| *    | 07 STP-9999-03(373)/108401301 & STP-9999-03(374)/108401302                              | COPIAH, SUNFLOWER                |
|      | 08 STP-9999-07(375)/108404301 & STP-9999-07(375)/108404302 & STP-9999-07(375)/108404303 | JEFFERSON DAVIS, MARION, SIMPSON |
|      | 09 SP-1006-41(012)/108568301  | LEE                              |
| *    | 10 MP-5000-00(130)/307282301  | DISTRICT 5                       |
| *    | 11 SP-5039-38(009)/108558301  | LAUDERDALE                       |
| *    | 12 SP-5080-62(020)/108565301  | SCOTT                            |
| *    | 13 SP-6043-55(029)/108553301 & SP-6000-23(310)/108554301                                | HANCOCK, PEARL RIVER             |
| *    | 14 SP-6029-34(015)/108556301  | JONES                            |
|      | 15 SP-7037-65(007)/108560301  | SMITH                            |



CALL No. 01

Bascule Bridge Rehabilitation on SR 605 over Industrial Waterway (Bridge No. 3.5), known as Federal Aid Project No. BR-9371-01(001) / 107505301 in Harrison County.

PROJECT COMPLETION: 352 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

|        |                 |           |   |
|--------|-----------------|-----------|---|
| 288    | Square Yard     | 202-B007  | Removal of Asphalt Pavement, All Depths                       |
| 288    | Square Yard     | 202-B013  | Removal of Base   |
| 324    | Linear Feet     | 202-B050  | Removal of Concrete Combination Curb & Gutter                 |
| 2      | Mile            | 202-B241  | Removal of Traffic Stripe                                     |
| 96     | Cubic Yard      | 203-EX017 | Borrow Excavation, AH, FME, Class B7                          |
| 1      | Ton             | 213-C001  | Superphosphate  |
| 216    | Square Yard     | 216-A001  | Solid Sodding   |
| 4      | Thousand Gallon | 219-A001  | Watering  |
| 4      | Each            | 230-B022  | Tree Planting, Crape Myrtle                                   |
| 95     | Ton             | 403-A005  | 19-mm, MT, Asphalt Pavement                                   |
| 17     | Gallon          | 407-A001  | Asphalt for Tack Coat   |
| 10     | Linear Feet     | 503-C010  | Saw Cut, Full Depth   |
| 324    | Linear Feet     | 609-D008  | Combination Concrete Curb and Gutter Type 3A                  |
| 1      | Lump Sum        | 618-A001  | Maintenance of Traffic  |
| 1      | Square Feet     | 618-B001  | Additional Construction Signs                                 |
| 10,194 | Linear Feet     | 619-A1007 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape  |
| 10,112 | Linear Feet     | 619-A2008 | Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape |
| 40     | Each            | 619-C6001 | Red-Clear Reflective High Performance Raised Marker           |
| 220    | Each            | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker      |
| 2      | Each            | 619-E1001 | Flashing Arrow Panel, Type C                                  |
| 2,182  | Linear Feet     | 619-F1001 | Concrete Median Barrier, Precast                              |
| 160    | Linear Feet     | 619-F1002 | Portable Median Barrier                                       |
| 1,881  | Linear Feet     | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast             |
| 160    | Linear Feet     | 619-F2002 | Remove and Reset Portable Median Barrier                      |

|                                    |             |               |  |
|------------------------------------|-------------|---------------|--|
| 228                                | Linear Feet | 619-G4005     | Barricades, Type III, Single Faced                                 |
| 87                                 | Each        | 619-G5001     | Free Standing Plastic Drums  |
| 20                                 | Each        | 619-G7001     | Warning Lights, Type "B"   |
| 1                                  | Lump Sum    | 619-H1001     | Traffic Signals  |
| 2                                  | Each        | 619-J1001     | Impact Attenuator, 40 MPH  |
| 1                                  | Each        | 619-J2001     | Impact Attenuator, 40 MPH, Replacement Package                     |
| 2                                  | Each        | 619-J3001     | Remove and Reset Impact Attenuator                                 |
| 1                                  | Lump Sum    | 620-A001      | Mobilization   |
| 3,109                              | Linear Feet | 626-A002      | 6" Thermoplastic Double Drop Traffic Stripe, Skip White            |
| 3,078                              | Linear Feet | 626-B001      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White      |
| 3,018                              | Linear Feet | 626-C001      | 6" Thermoplastic Double Drop Edge Stripe, Continuous White         |
| 923                                | Linear Feet | 626-D002      | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow           |
| 1,562                              | Linear Feet | 626-E002      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow     |
| 1,306                              | Linear Feet | 626-F002      | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow        |
| 814                                | Linear Feet | 626-G004      | Thermoplastic Double Drop Detail Stripe, White                     |
| 300                                | Linear Feet | 626-G005      | Thermoplastic Double Drop Detail Stripe, Yellow                    |
| 280                                | Square Feet | 626-H001      | Thermoplastic Double Drop Legend, White                            |
| 165                                | Each        | 627-K001      | Red-Clear Reflective High Performance Raised Markers               |
| 116                                | Each        | 627-L001      | Two-Way Yellow Reflective High Performance Raised Markers          |
| 108                                | Square Feet | 628-L002      | High Performance Cold Plastic Legend, White                        |
| 20                                 | Each        | 907-619-E3001 | Changeable Message Sign  |
| 720                                | Hours       | 907-906001    | Trainees   |
| <b>ALTERNATE GROUP AA NUMBER 1</b> |             |               |  |
| 130                                | Ton         | 304-F001      | 3/4" and Down Crushed Stone Base                                   |
| <b>ALTERNATE GROUP AA NUMBER 2</b> |             |               |  |
| 130                                | Ton         | 304-F002      | Size 610 Crushed Stone Base  |
| <b>ALTERNATE GROUP AA NUMBER 3</b> |             |               |  |
| 130                                | Ton         | 304-F003      | Size 825B Crushed Stone Base                                       |
| <b>ALTERNATE GROUP BB NUMBER 1</b> |             |               |  |
| 2,867                              | Linear Feet | 907-624-A002  | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White       |
| 5,733                              | Linear Feet | 907-624-B002  | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |

2,867 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

2,867 Linear Feet 628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

5,733 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

2,867 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

500 Linear Feet 413-C001 Cleaning and Sealing Cracks

2,543 Pounds 602-A001 Reinforcing Steel

78 Linear Feet 607-B035 96" Type I Chain Link Fence, Class I

342 Linear Feet 803-C003 16" x 16" Prestressed Concrete Piling

5,618 Pounds 810-A006 Structural Steel, A 709, Grade 50

16 Square Feet 812-A001 Steel Grid Floor, Open Type 1 1/4 x 3/16

1 Lump Sum 907-258-A002 Building Amenities

16 Cubic Yard 907-804-A002 Bridge Concrete, Class AA

1 Lump Sum 907-824-PP004 Bridge Repair, Add Generator Access

1 Lump Sum 907-824-PP004 Bridge Repair, Bird Deterrent

1 Lump Sum 907-824-PP004 Bridge Repair, Concrete Repair

1 Lump Sum 907-824-PP004 Bridge Repair, Fender System

1 Lump Sum 907-824-PP004 Bridge Repair, Remove & Replace Live Load Uplift Bearings

1 Lump Sum 907-824-PP004 Bridge Repair, Remove & Replace Warning Gates

1 Lump Sum 907-824-PP004 Bridge Repair, Steel Crack Repair

1 Lump Sum 907-845-A001 Coating Existing Structural Steel

1 Lump Sum 907-850-A001 Mechanical Work

1 Lump Sum 907-851-A001 Span Balancing

1 Lump Sum 907-853-A001 Electrical Work

1 Lump Sum 907-854-A001 Electrical Service

1 Lump Sum 907-855-A001 Auxiliary Electrical Equipment

1 Lump Sum 907-856-A001 Control Console

1 Lump Sum 907-857-A001 Motor Control Center

1 Lump Sum 907-858-A001 PLC Cabinet and Programming

|   |          |              |                                    |
|---|----------|--------------|------------------------------------|
| 1 | Lump Sum | 907-859-A001 | Span Drives and Motors             |
| 1 | Lump Sum | 907-860-A001 | Limits and Sensors                 |
| 1 | Lump Sum | 907-861-A001 | Submarine Cables                   |
| 1 | Lump Sum | 907-862-A001 | Lightning and Surge Protection     |
| 1 | Lump Sum | 907-863-A001 | Training, Manuals, and Spare Parts |

CALL No. 02

Bridge Repair on US 49 East Over Abiachia Creek (Bridge No. 239.5), known as Federal Aid Project No. STP-0008-04(068) / 108421301 in Holmes County.

PROJECT COMPLETION: 91 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|       |             |               |  |
|-------|-------------|---------------|--|
| 1     | Lump Sum    | 618-A001      | Maintenance of Traffic   |
| 1     | Square Feet | 618-B001      | Additional Construction Signs                                  |
| 2,160 | Linear Feet | 619-A1002     | Temporary Traffic Stripe, Continuous White                     |
| 2,800 | Linear Feet | 619-A2002     | Temporary Traffic Stripe, Continuous Yellow                    |
| 96    | Linear Feet | 619-A6002     | Temporary Traffic Stripe, Legend                               |
| 940   | Linear Feet | 619-F1001     | Concrete Median Barrier, Precast                               |
| 940   | Linear Feet | 619-F2001     | Remove and Reset Concrete Median Barrier, Precast              |
| 12    | Each        | 619-G7001     | Warning Lights, Type "B"                                       |
| 13    | Each        | 619-G8001     | Warning Lights, Type "C"                                       |
| 1     | Lump Sum    | 620-A001      | Mobilization   |
| 3,640 | Linear Feet | 626-C001      | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 3,220 | Linear Feet | 626-E002      | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 2     | Each        | 907-619-E3001 | Changeable Message Sign  |
| 2     | Each        | 907-619-H2002 | Traffic Signal, Portable, Type 2A                              |

**Bridge Items**

|     |             |               |  |
|-----|-------------|---------------|--|
| 56  | Linear Feet | 907-808-A002  | Joint Repair                                   |
| 58  | Linear Feet | 907-823-A001  | Preformed Joint Seal, Type I                   |
| 58  | Linear Feet | 907-823-A002  | Preformed Joint Seal, Type II                  |
| 58  | Linear Feet | 907-823-B001  | Saw Cut, Type I                                |
| 2   | Square Feet | 907-824-PP003 | Bridge Repair, Epoxy Repair                    |
| 104 | Square Feet | 907-824-PP003 | Bridge Repair, New Construction of Bridge Deck |
| 104 | Square Feet | 907-824-PP003 | Bridge Repair, Removal of Bridge Deck          |
| 2   | Each        | 907-824-PP006 | Bridge Repair, Cap Cleaning                    |
| 4   | Each        | 907-824-PP006 | Bridge Repair, Reset Rocker Bearing            |
| 52  | Linear Feet | 907-824-PP008 | Bridge Repair, End Wall Repair                 |





CALL No. 03

Grade, Pave 2 Lane on SR 19 from Tucker to Philadelphia, known as Federal Aid Project No. STP-0026-01(080) / 101649302 in Neshoba County.

PROJECT COMPLETION: OCTOBER 02, 2023

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|         |             |           |   |
|---------|-------------|-----------|---|
| 1       | Lump Sum    | 201-A001  | Clearing and Grubbing   |
| 6       | Acre        | 201-B001  | Clearing and Grubbing   |
| 1       | Lump Sum    | 202-A001  | Removal of Obstructions   |
| 10,536  | Square Yard | 202-B004  | Removal of Asphalt Driveways, All Depths                        |
| 48,565  | Square Yard | 202-B007  | Removal of Asphalt Pavement, All Depths                         |
| 838     | Square Yard | 202-B009  | Removal of Asphalt Pavement, Failed Areas                       |
| 9       | Each        | 202-B018  | Removal of Box Culvert  |
| 2,873   | Square Yard | 202-B052  | Removal of Concrete Driveways, All Depths                       |
| 86      | Square Yard | 202-B080  | Removal of Concrete Sidewalk                                    |
| 1,842   | Linear Feet | 202-B088  | Removal of Curb & Gutter, All Types                             |
| 3       | Each        | 202-B125  | Removal of Fence Gate, All Types, All Sizes                     |
| 27,113  | Linear Feet | 202-B126  | Removal of Fence, All Types                                     |
| 469     | Linear Feet | 202-B158  | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 8       | Each        | 202-B164  | Removal of Inlet and Junction Box, All Types & Sizes            |
| 306     | Square Yard | 202-B168  | Removal of Island Pavement, All Types                           |
| 4,637   | Linear Feet | 202-B191  | Removal of Pipe, 8" And Above                                   |
| 46      | Each        | 202-B215  | Removal of Sign Including Post & Footing                        |
| 7,700   | Linear Feet | 202-B240  | Removal of Traffic Stripe                                       |
| 581,501 | Cubic Yard  | 203-A001  | Unclassified Excavation, FM, AH                                 |
| 1,000   | Cubic Yard  | 203-D002  | Muck Excavation, LVM  |
| 5,308   | Cubic Yard  | 203-EX008 | Borrow Excavation, AH, FME, Class B15                           |
| 206,839 | Cubic Yard  | 203-EX010 | Borrow Excavation, AH, FME, Class B17                           |
| 16,936  | Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                       |
| 25,667  | Cubic Yard  | 206-A001  | Structure Excavation  |
| 1,070   | Cubic Yard  | 206-B001  | Select Material for Undercuts, Contractor Furnished, FM         |

|         |                 |          |   |
|---------|-----------------|----------|---|
| 49,122  | Square Yard     | 209-A005 | Geotextile Stabilization, Type V, Non-Woven       |
| 32,947  | Cubic Yard      | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 62      | Ton             | 213-C001 | Superphosphate                                    |
| 9,049   | Square Yard     | 216-A001 | Solid Sodding                                     |
| 8,135   | Square Yard     | 217-A001 | Ditch Liner                                       |
| 181     | Thousand Gallon | 219-A001 | Watering  |
| 1,199   | Cubic Yard      | 221-A001 | Concrete Paved Ditch                              |
| 738     | Acre            | 223-A001 | Mowing  |
| 9,052   | Square Yard     | 224-A001 | Soil Reinforcing Mat                              |
| 123     | Acre            | 225-A001 | Grassing  |
| 62      | Ton             | 225-B001 | Agricultural Limestone                            |
| 246     | Ton             | 225-C001 | Mulch, Vegetative Mulch                           |
| 123     | Acre            | 226-A001 | Temporary Grassing                                |
| 101,643 | Linear Feet     | 234-A001 | Temporary Silt Fence                              |
| 8,000   | Linear Feet     | 234-C001 | Super Silt Fence                                  |
| 30      | Each            | 234-D001 | Inlet Siltation Guard                             |
| 30      | Each            | 234-E001 | Reset Inlet Siltation Guard                       |
| 8       | Each            | 236-A008 | Silt Basin, Type D                                |
| 8,800   | Linear Feet     | 237-A002 | Wattles, 20"                                      |
| 4,650   | Linear Feet     | 239-A001 | Temporary Slope Drains                            |
| 3,800   | Linear Feet     | 245-A001 | Silt Dike   |
| 4,700   | Linear Feet     | 246-B002 | Rockbags  |
| 12      | Each            | 247-A001 | Temporary Stream Diversion                        |
| 6,000   | Ton             | 249-A001 | Riprap for Erosion Control                        |
| 2,000   | Cubic Yard      | 249-B001 | Remove and Reset Riprap                           |
| 70,580  | Cubic Yard      | 304-A011 | Granular Material, LVM, Class 9, Group C          |
| 38,230  | Ton             | 304-D002 | Granular Material, Crushed Stone                  |
| 110,161 | Square Yard     | 307-B003 | 6" Soil-Lime-Water Mixing, Class B                |
| 1,488   | Ton             | 307-D001 | Lime  |
| 27,541  | Gallon          | 307-S001 | Bituminous Curing Seal                            |

|         |             |            |   |
|---------|-------------|------------|---|
| 2,883   | Ton         | 308-A001   | Cement  |
| 110,161 | Square Yard | 308-B002   | Soil-Cement-Water Mixing, Optional Mixers, Base         |
| 167,669 | Square Yard | 308-B003   | Soil-Cement-Water Mixing, Optional Mixers, Design Soil  |
| 69,459  | Gallon      | 308-S001   | Bituminous Curing Seal                                  |
| 20,980  | Ton         | 403-A002   | 12.5-mm, MT, Asphalt Pavement                           |
| 31,282  | Ton         | 403-A005   | 19-mm, MT, Asphalt Pavement                             |
| 18,165  | Ton         | 403-A014   | 9.5-mm, MT, Asphalt Pavement                            |
| 566     | Ton         | 403-B002   | 12.5-mm, MT, Asphalt Pavement, Leveling                 |
| 562     | Ton         | 403-C002   | 19-mm, MT, Asphalt Pavement, Trench Widening            |
| 42,499  | Square Yard | 406-D001   | Fine Milling of Bituminous Pavement, All Depths         |
| 30,302  | Gallon      | 407-A001   | Asphalt for Tack Coat                                   |
| 13      | Mile        | 423-A001   | Rumble Strips, Ground In                                |
| 10,130  | Linear Feet | 503-C010   | Saw Cut, Full Depth                                     |
| 4,637   | Cubic Yard  | 601-A001   | Class "B" Structural Concrete                           |
| 66      | Cubic Yard  | 601-B001   | Class "B" Structural Concrete, Minor Structures         |
| 820,208 | Pounds      | 602-A001   | Reinforcing Steel                                       |
| 3,384   | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe                               |
| 336     | Linear Feet | 603-ALT005 | 22" x 13" Type A Alternate Pipe                         |
| 472     | Linear Feet | 603-ALT006 | 24" Type A Alternate Pipe                               |
| 40      | Linear Feet | 603-ALT008 | 29" x 18" Type A Alternate Pipe                         |
| 160     | Linear Feet | 603-ALT009 | 30" Type A Alternate Pipe                               |
| 72      | Linear Feet | 603-ALT011 | 36" Type A Alternate Pipe                               |
| 128     | Linear Feet | 603-ALT013 | 36" x 23" Type A Alternate Pipe                         |
| 72      | Linear Feet | 603-ALT014 | 42" Type A Alternate Pipe                               |
| 272     | Linear Feet | 603-ALT016 | 48" Type A Alternate Pipe                               |
| 1,104   | Linear Feet | 603-CA011  | 18" Reinforced Concrete Pipe, Class III                 |
| 320     | Linear Feet | 603-CA014  | 18" Reinforced Concrete Pipe, Class IV, Class B Bedding |
| 40      | Linear Feet | 603-CA019  | 18" Reinforced Concrete Pipe, Class V                   |
| 104     | Linear Feet | 603-CA022  | 18" Reinforced Concrete Pipe, Class V, Jacked or Bored  |

|       |             |           |  |
|-------|-------------|-----------|--|
| 2,056 | Linear Feet | 603-CA026 | 24" Reinforced Concrete Pipe, Class III                |
| 1,264 | Linear Feet | 603-CA040 | 30" Reinforced Concrete Pipe, Class III                |
| 704   | Linear Feet | 603-CA055 | 36" Reinforced Concrete Pipe, Class III                |
| 192   | Linear Feet | 603-CA072 | 42" Reinforced Concrete Pipe, Class V                  |
| 120   | Linear Feet | 603-CA075 | 42" Reinforced Concrete Pipe, Class V, Jacked or Bored |
| 208   | Linear Feet | 603-CA094 | 54" Reinforced Concrete Pipe, Class V                  |
| 176   | Linear Feet | 603-CA097 | 54" Reinforced Concrete Pipe, Class V, Jacked or Bored |
| 14    | Each        | 603-CB003 | 18" Reinforced Concrete End Section                    |
| 28    | Each        | 603-CB004 | 24" Reinforced Concrete End Section                    |
| 10    | Each        | 603-CB005 | 30" Reinforced Concrete End Section                    |
| 8     | Each        | 603-CB006 | 36" Reinforced Concrete End Section                    |
| 2     | Each        | 603-CB007 | 42" Reinforced Concrete End Section                    |
| 2     | Each        | 603-CB009 | 54" Reinforced Concrete End Section                    |
| 48    | Linear Feet | 603-CE002 | 22" x 13" Concrete Arch Pipe, Class A III              |
| 496   | Linear Feet | 603-CE008 | 29" x 18" Concrete Arch Pipe, Class A III              |
| 336   | Linear Feet | 603-CE013 | 36" x 23" Concrete Arch Pipe, Class A III              |
| 360   | Linear Feet | 603-CE018 | 44" x 27" Concrete Arch Pipe, Class A III              |
| 328   | Linear Feet | 603-CE023 | 51" x 31" Concrete Arch Pipe, Class A III              |
| 112   | Linear Feet | 603-CE028 | 58" x 36" Concrete Arch Pipe, Class A III              |
| 216   | Linear Feet | 603-CE034 | 65" x 40" Concrete Arch Pipe, Class A III              |
| 264   | Linear Feet | 603-CE039 | 73" x 45" Concrete Arch Pipe, Class A III              |
| 4     | Each        | 603-CF002 | 22" x 13" Concrete Arch Pipe End Section               |
| 10    | Each        | 603-CF003 | 29" x 18" Concrete Arch Pipe End Section               |
| 7     | Each        | 603-CF004 | 36" x 23" Concrete Arch Pipe End Section               |
| 5     | Each        | 603-CF005 | 44" x 27" Concrete Arch Pipe End Section               |
| 3     | Each        | 603-CF006 | 51" x 31" Concrete Arch Pipe End Section               |
| 2     | Each        | 603-CF007 | 58" x 36" Concrete Arch Pipe End Section               |
| 1     | Each        | 603-CF008 | 65" x 40" Concrete Arch Pipe End Section               |
| 1     | Each        | 603-CF009 | 73" x 45" Concrete Arch Pipe End Section               |
| 1     | Each        | 603-SB027 | 24" Branch Connections, Stub into Box Bridge           |

|        |             |           |  |
|--------|-------------|-----------|--|
| 2      | Each        | 603-SB028 | 24" Branch Connections, Stub into Box Culvert                              |
| 1      | Each        | 603-SB035 | 30" Branch Connections, Stub into Box Bridge                               |
| 8,450  | Pounds      | 604-B001  | Gratings   |
| 380    | Square Yard | 605-AA002 | Geotextile for Subsurface Drainage, Type V                                 |
| 500    | Linear Feet | 605-T001  | 4" Perforated Pipe for Underdrains   |
| 150    | Linear Feet | 605-U001  | 4" Non-perforated Pipe for Underdrains                                     |
| 35     | Cubic Yard  | 605-W001  | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 35     | Cubic Yard  | 605-W002  | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 539    | Linear Feet | 609-D003  | Combination Concrete Curb and Gutter Type 2                                |
| 6,559  | Linear Feet | 609-D004  | Combination Concrete Curb and Gutter Type 2 Modified                       |
| 263    | Linear Feet | 609-D008  | Combination Concrete Curb and Gutter Type 3A                               |
| 119    | Cubic Yard  | 612-B001  | Flowable Fill, Non-Excavatable   |
| 1,970  | Square Yard | 614-B001  | Concrete Driveway, With Reinforcement                                      |
| 149    | Square Yard | 616-A001  | Concrete Median and/or Island Pavement, 10-inch                            |
| 1,603  | Square Yard | 616-A004  | Concrete Median and/or Island Pavement, 4-inch                             |
| 324    | Each        | 617-A001  | Right-of-Way Marker  |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 19     | Mile        | 619-A1004 | Temporary Traffic Stripe, Continuous White, Paint                          |
| 21     | Mile        | 619-A2004 | Temporary Traffic Stripe, Continuous Yellow, Paint                         |
| 9      | Mile        | 619-A3001 | Temporary Traffic Stripe, Skip White                                       |
| 70,136 | Linear Feet | 619-A5002 | Temporary Traffic Stripe, Detail, Paint                                    |
| 3,124  | Linear Feet | 619-A6004 | Temporary Traffic Stripe, Legend, Paint                                    |
| 376    | Each        | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker                   |
| 873    | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet             |
| 1,670  | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More               |
| 4      | Each        | 619-E1001 | Flashing Arrow Panel, Type C   |
| 400    | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast   |
| 400    | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast                          |
| 2,250  | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced   |
| 130    | Linear Feet | 619-G4003 | Barricades, Type III, Double Faced, Permanent, Red/White                   |

|        |             |           |  |
|--------|-------------|-----------|--|
| 1,000  | Each        | 619-G5001 | Free Standing Plastic Drums                                    |
| 6      | Each        | 619-G7001 | Warning Lights, Type "B"                                       |
| 4      | Each        | 619-J1002 | Impact Attenuator, 45 MPH                                      |
| 4      | Each        | 619-J2002 | Impact Attenuator, 45 MPH, Replacement Package                 |
| 4      | Each        | 619-J3001 | Remove and Reset Impact Attenuator                             |
| 1      | Lump Sum    | 620-A001  | Mobilization   |
| 1      | Each        | 621-A001  | Field Laboratory   |
| 9      | Mile        | 626-A001  | 6" Thermoplastic Double Drop Traffic Stripe, Skip White        |
| 8      | Mile        | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 4      | Mile        | 626-E001  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 6      | Mile        | 626-F001  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow    |
| 49,998 | Linear Feet | 626-G004  | Thermoplastic Double Drop Detail Stripe, White                 |
| 23,292 | Linear Feet | 626-G005  | Thermoplastic Double Drop Detail Stripe, Yellow                |
| 2,405  | Square Feet | 626-H001  | Thermoplastic Double Drop Legend, White                        |
| 2,548  | Linear Feet | 626-H002  | Thermoplastic Double Drop Legend, White                        |
| 545    | Each        | 627-J001  | Two-Way Clear Reflective High Performance Raised Markers       |
| 1,345  | Each        | 627-K001  | Red-Clear Reflective High Performance Raised Markers           |
| 929    | Each        | 627-L001  | Two-Way Yellow Reflective High Performance Raised Markers      |
| 318    | Square Feet | 630-A001  | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness      |
| 581    | Square Feet | 630-A003  | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness      |
| 297    | Square Feet | 630-A005  | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness        |
| 1,110  | Linear Feet | 630-C003  | Steel U-Section Posts, 3.0 lb/ft                               |
| 766    | Pounds      | 630-E004  | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar        |
| 44     | Each        | 630-F002  | Delineators, Flexible Post Mounted, Crossover, Type I, Yellow  |
| 548    | Linear Feet | 630-K003  | Welded & Seamless Steel Pipe Posts, 4"                         |
| 1      | Lump Sum    | 699-A001  | Roadway Construction Stakes                                    |
| 6,470  | Ton         | 815-A002  | Loose Riprap, Size 100   |
| 4,048  | Ton         | 815-A007  | Loose Riprap, Size 300   |
| 9,704  | Square Yard | 815-E001  | Geotextile under Riprap  |
| 1,303  | Ton         | 815-F002  | Sediment Control Stone   |

942 Linear Feet

907-253-A001 Coir Fiber Baffle

**ALTERNATE GROUP AA NUMBER 1**

25,554 Ton

304-F001 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

25,554 Ton

304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

25,554 Ton

304-F003 Size 825B Crushed Stone Base



CALL No. 04

Slide Repair on US 61 approximately 3 miles North of Adams County Line (Westside only), known as Federal Aid Project No. STP-0009-01(141) / 107786301 in Jefferson County.

PROJECT COMPLETION: 89 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                   |           |  |
|-------------------|-----------|--|
| 1 Acre            | 201-B001  | Clearing and Grubbing                                  |
| 151 Square Yard   | 202-B063  | Removal of Concrete Paved Ditch                        |
| 54,238 Cubic Yard | 203-EX021 | Borrow Excavation, AH, FME, Class B9-6                 |
| 49,506 Cubic Yard | 203-G001  | Excess Excavation, FM, AH                              |
| 15 Cubic Yard     | 206-A001  | Structure Excavation                                   |
| 380 Square Yard   | 209-A001  | Geotextile Stabilization, Type III                     |
| 4,950 Square Yard | 209-A005  | Geotextile Stabilization, Type V, Non-Woven            |
| 2 Ton             | 213-C001  | Superphosphate   |
| 4 Acre            | 220-A001  | Insect Pest Control                                    |
| 22 Cubic Yard     | 221-A001  | Concrete Paved Ditch                                   |
| 8 Acre            | 223-A001  | Mowing   |
| 4 Acre            | 225-A001  | Grassing   |
| 8 Ton             | 225-B001  | Agricultural Limestone                                 |
| 8 Ton             | 225-C001  | Mulch, Vegetative Mulch                                |
| 4 Acre            | 226-A001  | Temporary Grassing                                     |
| 670 Square Yard   | 229-A001  | Erosion Mat  |
| 500 Linear Feet   | 234-A001  | Temporary Silt Fence                                   |
| 200 Linear Feet   | 237-A002  | Wattles, 20"   |
| 200 Linear Feet   | 246-B002  | Rockbags   |
| 14 Linear Feet    | 503-C010  | Saw Cut, Full Depth                                    |
| 1 Cubic Yard      | 601-B001  | Class "B" Structural Concrete, Minor Structures        |
| 10 Pounds         | 602-A001  | Reinforcing Steel                                      |
| 500 Linear Feet   | 605-O004  | 6" Perforated Sewer Pipe for Underdrains, SDR 23.5     |
| 140 Linear Feet   | 605-P004  | 6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 23 Cubic Yard     | 605-X002  | Filter Material for Filter Beds, Type A                |

|       |             |          |   |
|-------|-------------|----------|---|
| 4,259 | Cubic Yard  | 605-X003 | Filter Material for Filter Beds, Type B |
| 1     | Lump Sum    | 618-A001 | Maintenance of Traffic                  |
| 1     | Square Feet | 618-B001 | Additional Construction Signs           |
| 1     | Lump Sum    | 620-A001 | Mobilization                            |
| 1     | Lump Sum    | 699-A001 | Roadway Construction Stakes             |
| 8,190 | Linear Feet | 803-D006 | HP 14 x 73 Steel Piling                 |

CALL No. 05

Bridge Replacements on SR 172 at Little Yellow Creek & Ellington Branch (Bridge Nos. 0.9 & 2.3), known as Federal Aid Project No. BR-9999-01(249) / 106092301 in Tishomingo County.

PROJECT COMPLETION: 138 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |                 |           |   |
|--------|-----------------|-----------|---|
| 1      | Lump Sum        | 201-A001  | Clearing and Grubbing                             |
| 7,361  | Square Yard     | 202-B007  | Removal of Asphalt Pavement, All Depths           |
| 2      | Each            | 202-B023  | Removal of Bridge                                 |
| 1      | Each            | 202-B053  | Removal of Concrete Foundation                    |
| 272    | Linear Feet     | 202-B088  | Removal of Curb & Gutter, All Types               |
| 2      | Each            | 202-B125  | Removal of Fence Gate, All Types, All Sizes       |
| 13     | Each            | 202-B135  | Removal of Guard Post                             |
| 1,212  | Linear Feet     | 202-B136  | Removal of Guard Rail                             |
| 154    | Linear Feet     | 202-B191  | Removal of Pipe, 8" And Above                     |
| 30     | Linear Feet     | 202-B204  | Removal of Retaining Wall                         |
| 5,176  | Cubic Yard      | 203-A001  | Unclassified Excavation, FM, AH                   |
| 9,651  | Cubic Yard      | 203-EX020 | Borrow Excavation, AH, FME, Class B9              |
| 1,000  | Cubic Yard      | 203-G001  | Excess Excavation, FM, AH                         |
| 606    | Cubic Yard      | 206-A001  | Structure Excavation                              |
| 7,600  | Square Yard     | 209-A005  | Geotextile Stabilization, Type V, Non-Woven       |
| 1,303  | Cubic Yard      | 211-B001  | Topsoil for Slope Treatment, Contractor Furnished |
| 2      | Ton             | 213-C001  | Superphosphate                                    |
| 16,450 | Square Yard     | 216-A001  | Solid Sodding                                     |
| 402    | Square Yard     | 217-A001  | Ditch Liner                                       |
| 329    | Thousand Gallon | 219-A001  | Watering  |
| 2      | Acre            | 220-A001  | Insect Pest Control                               |
| 23     | Cubic Yard      | 221-A001  | Concrete Paved Ditch                              |
| 8      | Acre            | 223-A001  | Mowing  |
| 11     | Ton             | 225-B001  | Agricultural Limestone                            |
| 8      | Ton             | 225-C001  | Mulch, Vegetative Mulch                           |

|       |             |            |  |
|-------|-------------|------------|--|
| 4     | Acre        | 226-A001   | Temporary Grassing                                     |
| 3,730 | Linear Feet | 234-A001   | Temporary Silt Fence                                   |
| 27    | Each        | 235-A001   | Temporary Erosion Checks                               |
| 1     | Each        | 236-A008   | Silt Basin, Type D                                     |
| 150   | Linear Feet | 237-A002   | Wattles, 20"   |
| 108   | Linear Feet | 245-A001   | Silt Dike  |
| 108   | Linear Feet | 246-A001   | Sandbags   |
| 60    | Ton         | 249-A001   | Riprap for Erosion Control                             |
| 30    | Cubic Yard  | 249-B001   | Remove and Reset Riprap                                |
| 1,032 | Ton         | 403-A003   | 12.5-mm, ST, Asphalt Pavement                          |
| 1,004 | Ton         | 403-A006   | 19-mm, ST, Asphalt Pavement                            |
| 986   | Ton         | 403-A015   | 9.5-mm, ST, Asphalt Pavement                           |
| 55    | Ton         | 403-C003   | 19-mm, ST, Asphalt Pavement, Trench Widening           |
| 1,365 | Square Yard | 406-A002   | Cold Milling of Bituminous Pavement, All Depths        |
| 1,113 | Gallon      | 407-A001   | Asphalt for Tack Coat                                  |
| 700   | Gallon      | 408-A001   | Asphalt for Prime Coat, Cut-Back MC-70                 |
| 1     | Mile        | 423-A001   | Rumble Strips, Ground In                               |
| 181   | Linear Feet | 501-E001   | Expansion Joints, Without Dowels                       |
| 354   | Square Yard | 502-A001   | Reinforced Cement Concrete Bridge End Pavement         |
| 2     | Cubic Yard  | 601-B001   | Class "B" Structural Concrete, Minor Structures        |
| 60    | Pounds      | 602-A001   | Reinforcing Steel                                      |
| 64    | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe                              |
| 112   | Linear Feet | 603-ALT006 | 24" Type A Alternate Pipe                              |
| 296   | Linear Feet | 603-CA011  | 18" Reinforced Concrete Pipe, Class III                |
| 160   | Linear Feet | 603-CA076  | 48" Reinforced Concrete Pipe, Class III                |
| 2     | Each        | 603-CB003  | 18" Reinforced Concrete End Section                    |
| 2     | Each        | 603-CB008  | 48" Reinforced Concrete End Section                    |
| 101   | Square Yard | 605-AA001  | Geotextile for Subsurface Drainage, Type III           |
| 181   | Linear Feet | 605-O002   | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5     |
| 20    | Linear Feet | 605-P002   | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |

|       |             |           |  |
|-------|-------------|-----------|--|
| 7     | Cubic Yard  | 605-W001  | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 850   | Linear Feet | 606-B001  | Guard Rail, Class A, Type 1  |
| 8     | Each        | 606-D001  | Guard Rail, Bridge End Section   |
| 8     | Each        | 606-E005  | Guard Rail, Terminal End Section, Flared                                   |
| 225   | Linear Feet | 609-D003  | Combination Concrete Curb and Gutter Type 2                                |
| 6     | Cubic Yard  | 612-B001  | Flowable Fill, Non-Excavatable   |
| 80    | Linear Feet | 615-A004  | Concrete Bridge End Barrier, 43.5"   |
| 139   | Square Yard | 616-A001  | Concrete Median and/or Island Pavement, 10-inch                            |
| 32    | Each        | 617-A001  | Right-of-Way Marker  |
| 1     | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 1     | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                                 |
| 1,370 | Linear Feet | 619-A1007 | Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape               |
| 807   | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow                                |
| 1     | Mile        | 619-A4002 | Temporary Traffic Stripe, Skip Yellow                                      |
| 685   | Linear Feet | 619-A4007 | Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape                    |
| 965   | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail   |
| 154   | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend   |
| 160   | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend   |
| 525   | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet             |
| 794   | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More               |
| 24    | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced   |
| 96    | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced   |
| 28    | Each        | 619-G7001 | Warning Lights, Type "B"   |
| 1     | Lump Sum    | 620-A001  | Mobilization   |
| 1     | Mile        | 626-C004  | 6" Thermoplastic Edge Stripe, Continuous White                             |
| 1     | Mile        | 626-D003  | 6" Thermoplastic Traffic Stripe, Skip Yellow                               |
| 807   | Linear Feet | 626-E003  | 6" Thermoplastic Traffic Stripe, Continuous Yellow                         |
| 945   | Linear Feet | 626-G002  | Thermoplastic Detail Stripe, White   |
| 20    | Linear Feet | 626-G003  | Thermoplastic Detail Stripe, Yellow  |

|       |             |              |   |
|-------|-------------|--------------|---|
| 154   | Square Feet | 626-H004     | Thermoplastic Legend, White                               |
| 160   | Linear Feet | 626-H005     | Thermoplastic Legend, White                               |
| 65    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 50    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 24    | Square Feet | 630-A001     | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 36    | Square Feet | 630-A003     | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 132   | Linear Feet | 630-C003     | Steel U-Section Posts, 3.0 lb/ft                          |
| 32    | Each        | 630-F006     | Delineators, Guard Rail, White                            |
| 1     | Each        | 686-A001     | Relocation of Existing Lighting Assemblies                |
| 60    | Linear Feet | 686-B001     | Relocation of Existing Wiring                             |
| 1     | Lump Sum    | 699-A001     | Roadway Construction Stakes                               |
| 1,200 | Ton         | 815-A007     | Loose Riprap, Size 300                                    |
| 1,271 | Square Yard | 815-E001     | Geotextile under Riprap                                   |
| 27    | Ton         | 815-F002     | Sediment Control Stone                                    |
| 35    | Linear Feet | 907-253-A001 | Coir Fiber Baffle   |

**ALTERNATE GROUP AA NUMBER 1**

|       |     |          |                                  |
|-------|-----|----------|----------------------------------|
| 5,750 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-------|-----|----------|----------------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|       |     |          |                             |
|-------|-----|----------|-----------------------------|
| 5,750 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-------|-----|----------|-----------------------------|

**ALTERNATE GROUP AA NUMBER 3**

|       |     |          |                              |
|-------|-----|----------|------------------------------|
| 5,750 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-------|-----|----------|------------------------------|

**ALTERNATE GROUP BB NUMBER 1**

|     |            |          |  |
|-----|------------|----------|--|
| 106 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
|-----|------------|----------|--|

**ALTERNATE GROUP BB NUMBER 2**

|     |            |          |  |
|-----|------------|----------|--|
| 106 | Cubic Yard | 605-W003 | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
|-----|------------|----------|--|

**ALTERNATE GROUP CC NUMBER 1**

|       |             |              |  |
|-------|-------------|--------------|--|
| 1,370 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
|-------|-------------|--------------|--|

|     |             |              |   |
|-----|-------------|--------------|---|
| 685 | Linear Feet | 907-624-C001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow |
|-----|-------------|--------------|---|

**ALTERNATE GROUP CC NUMBER 2**

|       |             |          |   |
|-------|-------------|----------|---|
| 1,370 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
|-------|-------------|----------|---|

|     |             |          |  |
|-----|-------------|----------|--|
| 685 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow |
|-----|-------------|----------|--|

**Bridge Items**

|         |             |               |  |
|---------|-------------|---------------|--|
| 82      | Each        | 202-B190      | Removal of Piling                            |
| 2,132   | Square Yard | 501-K001      | Transverse Grooving                          |
| 2,475   | Linear Feet | 803-D005      | HP 14 x 117 Steel Piling                     |
| 1,955   | Linear Feet | 803-D007      | HP 14 x 89 Steel Piling                      |
| 2,190   | Linear Feet | 804-C026      | 110' Prestressed Concrete Beam, Type IV      |
| 798     | Linear Feet | 804-C121      | 80' Prestressed Concrete Beam, Type III      |
| 225,839 | Pounds      | 805-A001      | Reinforcement                                |
| 1,210   | Linear Feet | 813-A003      | Concrete Railing, 42"                        |
| 6,922   | Ton         | 815-A007      | Loose Riprap, Size 300                       |
| 6,092   | Square Yard | 815-E001      | Geotextile under Riprap                      |
| 2       | Each        | 907-803-B001  | Conventional Static Pile Load Test           |
| 2       | Each        | 907-803-I003  | PDA Test Pile, HP Steel Pile                 |
| 4       | Each        | 907-803-I004  | PDA Test Pile, Steel Pipe Pile               |
| 4       | Each        | 907-803-J001  | Pile Restrike                                |
| 1,530   | Linear Feet | 907-803-PP004 | 30" Steel Pipe Piling, Wall Thickness 0.750" |
| 291     | Cubic Yard  | 907-804-A002  | Bridge Concrete, Class AA                    |
| 672     | Cubic Yard  | 907-804-A004  | Bridge Concrete, Class BD                    |

CALL No. 06

Railroad Crossing Improvements on SR 706 in Sidon, known as Federal Aid Project No. STP-9999-03(367) / 107891301 in Leflore County.

PROJECT COMPLETION: 36 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                   |          |   |
|-------------------|----------|---|
| 1 Acre            | 201-B001 | Clearing and Grubbing                             |
| 982 Square Yard   | 202-B007 | Removal of Asphalt Pavement, All Depths           |
| 4 Each            | 202-B215 | Removal of Sign Including Post & Footing          |
| 100 Cubic Yard    | 203-G001 | Excess Excavation, FM, AH                         |
| 1,986 Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven       |
| 92 Cubic Yard     | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 1 Ton             | 213-C001 | Superphosphate                                    |
| 1 Acre            | 220-A001 | Insect Pest Control                               |
| 1 Acre            | 223-A001 | Mowing  |
| 1 Acre            | 225-A001 | Grassing  |
| 1 Ton             | 225-B001 | Agricultural Limestone                            |
| 1 Ton             | 225-C001 | Mulch, Vegetative Mulch                           |
| 1 Acre            | 226-A001 | Temporary Grassing                                |
| 1,174 Linear Feet | 234-A001 | Temporary Silt Fence                              |
| 10 Each           | 235-A001 | Temporary Erosion Checks                          |
| 40 Linear Feet    | 237-A002 | Wattles, 20"                                      |
| 40 Linear Feet    | 245-A001 | Silt Dike   |
| 40 Linear Feet    | 246-A001 | Sandbags  |
| 18 Ton            | 249-A001 | Riprap for Erosion Control                        |
| 117 Ton           | 304-B002 | Granular Material, Class 3, Group D               |
| 241 Ton           | 403-A006 | 19-mm, ST, Asphalt Pavement                       |
| 128 Ton           | 403-A015 | 9.5-mm, ST, Asphalt Pavement                      |
| 183 Square Yard   | 406-D001 | Fine Milling of Bituminous Pavement, All Depths   |
| 116 Gallon        | 407-A001 | Asphalt for Tack Coat                             |
| 1 Each            | 613-D005 | Adjustment of Manhole                             |



|       |             |              |  |
|-------|-------------|--------------|--|
| 1     | Lump Sum    | 618-A001     | Maintenance of Traffic   |
| 16    | Square Feet | 619-D1001    | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 360   | Square Feet | 619-D2001    | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 24    | Linear Feet | 619-G4001    | Barricades, Type III, Double Faced                             |
| 48    | Linear Feet | 619-G4005    | Barricades, Type III, Single Faced                             |
| 22    | Each        | 619-G5001    | Free Standing Plastic Drums                                    |
| 8     | Each        | 619-G7001    | Warning Lights, Type "B"                                       |
| 1     | Lump Sum    | 620-A001     | Mobilization   |
| 930   | Linear Feet | 626-C003     | 6" Thermoplastic Edge Stripe, Continuous White                 |
| 1,098 | Linear Feet | 626-E003     | 6" Thermoplastic Traffic Stripe, Continuous Yellow             |
| 126   | Square Feet | 626-H004     | Thermoplastic Legend, White                                    |
| 106   | Linear Feet | 626-H005     | Thermoplastic Legend, White                                    |
| 15    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 15    | Square Feet | 630-A005     | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness        |
| 34    | Linear Feet | 630-C002     | Steel U-Section Posts, 2.0 lb/ft                               |
| 1     | Lump Sum    | 699-A001     | Roadway Construction Stakes                                    |
| 1     | Lump Sum    | 907-899-A001 | Railway-Highway Provisions                                     |

**ALTERNATE GROUP AA NUMBER 1**

|       |     |          |                                  |
|-------|-----|----------|----------------------------------|
| 1,154 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-------|-----|----------|----------------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|       |     |          |                             |
|-------|-----|----------|-----------------------------|
| 1,154 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-------|-----|----------|-----------------------------|

**ALTERNATE GROUP AA NUMBER 3**

|       |     |          |                              |
|-------|-----|----------|------------------------------|
| 1,154 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-------|-----|----------|------------------------------|

CALL No. 07

Bridge Repairs on SR 28 (Bridge Nos. 40.9 & 43.0) & US 49 W (Bridge Nos. 255.2 & 255.2B), known as Federal Aid Project Nos. STP-9999-03(373) / 108401301 & STP-9999-03(374) / 108401302 in Copiah & Sunflower Counties.

PROJECT COMPLETION: 105 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

|       |             |               |                                    |
|-------|-------------|---------------|------------------------------------|
| 1,138 | Linear Feet | 907-808-A003  | Joint Repair Without Epoxy         |
| 569   | Linear Feet | 907-823-A001  | Preformed Joint Seal, Type I       |
| 1,138 | Linear Feet | 907-823-B001  | Saw Cut, Type I                    |
| 144   | Each        | 907-824-PP006 | Bridge Repair, Bearing Replacement |
| 25    | Each        | 907-824-PP006 | Bridge Repair, Cap Cleaning        |

**Roadway Items**

|       |             |           |   |
|-------|-------------|-----------|---|
| 1     | Lump Sum    | 618-A001  | Maintenance of Traffic                                      |
| 2     | Square Feet | 618-B001  | Additional Construction Signs                               |
| 2,160 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White                  |
| 5,600 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow                 |
| 192   | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                            |
| 1,685 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast                            |
| 1,685 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast           |
| 1     | Lump Sum    | 620-A001  | Mobilization  |
| 6,890 | Linear Feet | 626-C001  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White  |
| 6,245 | Linear Feet | 626-D002  | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow    |
| 675   | Linear Feet | 626-F002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 157   | Each        | 627-L001  | Two-Way Yellow Reflective High Performance Raised Markers   |

CALL No. 08

Bridge Joint Repairs on Various Routes in District 7, known as Federal Aid Project Nos. STP-9999-07(375) / 108404301, 108404302 & 108404303 in Jefferson Davis, Marion, and Simpson Counties.

PROJECT COMPLETION: 88 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|   |             |              |                               |
|---|-------------|--------------|-------------------------------|
| 1 | Lump Sum    | 618-A001     | Maintenance of Traffic        |
| 3 | Square Feet | 618-B001     | Additional Construction Signs |
| 1 | Lump Sum    | 620-A001     | Mobilization                  |
| 1 | Lump Sum    | 907-899-A001 | Railway-Highway Provisions    |

**Bridge Items**

|        |             |               |                                     |
|--------|-------------|---------------|-------------------------------------|
| 830    | Linear Feet | 202-B169      | Removal of Joint Material           |
| 88     | Linear Feet | 907-808-A002  | Joint Repair                        |
| 11,490 | Linear Feet | 907-808-A003  | Joint Repair Without Epoxy          |
| 6,100  | Linear Feet | 907-823-A001  | Preformed Joint Seal, Type I        |
| 104    | Linear Feet | 907-823-A002  | Preformed Joint Seal, Type II       |
| 12,200 | Linear Feet | 907-823-B001  | Saw Cut, Type I                     |
| 208    | Linear Feet | 907-823-B002  | Saw Cut, Type II                    |
| 48     | Each        | 907-824-PP006 | Bridge Repair, Cap Cleaning         |
| 4      | Cubic Yard  | 907-824-PP007 | Bridge Repair, Elastomeric Concrete |

CALL No. 09

Overlay approximately 14 Miles of SR 6 from SR 178 to Nettleton, known as State Project No. SP-1006-41(012) / 108568301 in Lee County.

PROJECT COMPLETION: 80 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |                 |           |  |
|--------|-----------------|-----------|--|
| 3,270  | Square Yard     | 202-B009  | Removal of Asphalt Pavement, Failed Areas          |
| 2,040  | Cubic Yard      | 203-G001  | Excess Excavation, FM, AH                          |
| 3,800  | Square Yard     | 204-A003  | Geogrid, Type II, Biaxial                          |
| 3,800  | Square Yard     | 209-A009  | Geotextile Stabilization, Type VII, Non-Woven      |
| 150    | Square Yard     | 216-A001  | Solid Sodding                                      |
| 1      | Thousand Gallon | 219-A001  | Watering   |
| 8,260  | Cubic Yard      | 304-A003  | Granular Material, LVM, Class 3, Group D           |
| 2,120  | Ton             | 403-A006  | 19-mm, ST, Asphalt Pavement                        |
| 31,630 | Ton             | 403-A015  | 9.5-mm, ST, Asphalt Pavement                       |
| 35,420 | Square Yard     | 406-A002  | Cold Milling of Bituminous Pavement, All Depths    |
| 42,210 | Gallon          | 407-A001  | Asphalt for Tack Coat                              |
| 2,770  | Linear Feet     | 503-C010  | Saw Cut, Full Depth                                |
| 7      | Cubic Yard      | 601-B001  | Class "B" Structural Concrete, Minor Structures    |
| 560    | Pounds          | 602-A001  | Reinforcing Steel                                  |
| 1      | Lump Sum        | 618-A001  | Maintenance of Traffic                             |
| 1      | Square Feet     | 618-B001  | Additional Construction Signs                      |
| 57     | Mile            | 619-A1001 | Temporary Traffic Stripe, Continuous White         |
| 35     | Mile            | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow        |
| 17     | Mile            | 619-A4002 | Temporary Traffic Stripe, Skip Yellow              |
| 26,970 | Linear Feet     | 619-A5001 | Temporary Traffic Stripe, Detail                   |
| 7,655  | Square Feet     | 619-A6001 | Temporary Traffic Stripe, Legend                   |
| 1      | Lump Sum        | 620-A001  | Mobilization                                       |
| 29     | Mile            | 626-B004  | 6" Thermoplastic Traffic Stripe, Continuous White  |
| 8      | Mile            | 626-D003  | 6" Thermoplastic Traffic Stripe, Skip Yellow       |
| 18     | Mile            | 626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow |

|       |             |              |   |
|-------|-------------|--------------|---|
| 7,364 | Linear Feet | 626-G002     | Thermoplastic Detail Stripe, White                        |
| 6,122 | Linear Feet | 626-G003     | Thermoplastic Detail Stripe, Yellow                       |
| 34    | Square Feet | 626-H004     | Thermoplastic Legend, White                               |
| 5,254 | Linear Feet | 626-H005     | Thermoplastic Legend, White                               |
| 1,157 | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 2,968 | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 66    | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                          |
| 2     | Each        | 907-632-C001 | Modify Existing Traffic Signal Cabinet Assembly           |
| 886   | Linear Feet | 907-640-A001 | Vehicle Loop Assemblies                                   |
| 2     | Each        | 907-643-A004 | Video Vehicle Detection Sensor, Type 1A                   |
| 350   | Linear Feet | 907-643-C001 | Video Vehicle Detection Power Cable                       |
| 2     | Each        | 907-643-E001 | Multi-Sensor Vehicle Detection Sensor                     |
| 375   | Linear Feet | 907-643-G001 | Multi-Sensor Vehicle Detection Power Cable                |

**ALTERNATE GROUP AA NUMBER 1**

|       |            |          |                                       |
|-------|------------|----------|---------------------------------------|
| 1,750 | Cubic Yard | 304-H001 | 3/4" and Down Crushed Stone Base, LVM |
|-------|------------|----------|---------------------------------------|

**ALTERNATE GROUP AA NUMBER 2**

|       |            |          |                                  |
|-------|------------|----------|----------------------------------|
| 1,750 | Cubic Yard | 304-H002 | Size 610 Crushed Stone Base, LVM |
|-------|------------|----------|----------------------------------|

**ALTERNATE GROUP AA NUMBER 3**

|       |            |          |                                   |
|-------|------------|----------|-----------------------------------|
| 1,750 | Cubic Yard | 304-H003 | Size 825B Crushed Stone Base, LVM |
|-------|------------|----------|-----------------------------------|

CALL No. 10

Guardrail replacement on various routes throughout the District, known as State Project No. MP-5000-00(130) / 307282301 in District 5.

PROJECT COMPLETION: 92 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|       |             |           |  |
|-------|-------------|-----------|--|
| 7,600 | Linear Feet | 202-B150  | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 6,025 | Linear Feet | 606-B003  | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post          |
| 12    | Each        | 606-D005  | Guard Rail, Bridge End Section, Type A                     |
| 26    | Each        | 606-D012  | Guard Rail, Bridge End Section, Type D Modified            |
| 4     | Each        | 606-D019  | Guard Rail, Bridge End Section, Type H                     |
| 62    | Each        | 606-E007  | Guard Rail, Terminal End Section, Non-Flared               |
| 20    | Each        | 606-G003  | Special Sections, Special Design Bridge Connector          |
| 1     | Lump Sum    | 618-A001  | Maintenance of Traffic                                     |
| 352   | Each        | 619-F3001 | Delineators, Guard Rail, White                             |
| 25    | Each        | 619-F3002 | Delineators, Guard Rail, Yellow                            |
| 1     | Lump Sum    | 620-A001  | Mobilization   |
| 62    | Each        | 630-G004  | Type 3 Object Markers, OM-3R or OM-3L                      |

CALL No. 11

Mill & Overlay approximately 3 miles on SR 39 beginning north of SR 854 and ending at Kemper County Line, known as State Project No. SP-5039-38(009) / 108558301 in Lauderdale County.

PROJECT COMPLETION: 39 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |           |  |
|--------|-------------|-----------|--|
| 248    | Square Yard | 202-B007  | Removal of Asphalt Pavement, All Depths                        |
| 16     | Cubic Yard  | 203-G001  | Excess Excavation, FM, AH                                      |
| 275    | Ton         | 304-D002  | Granular Material, Crushed Stone                               |
| 40     | Ton         | 310-B001  | Size I Stabilizer Aggregate, Coarse                            |
| 5,674  | Ton         | 403-A002  | 12.5-mm, MT, Asphalt Pavement                                  |
| 84     | Ton         | 403-B002  | 12.5-mm, MT, Asphalt Pavement, Leveling                        |
| 50,430 | Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths                |
| 3,783  | Gallon      | 407-A001  | Asphalt for Tack Coat  |
| 6      | Mile        | 423-A001  | Rumble Strips, Ground In                                       |
| 276    | Linear Feet | 503-C010  | Saw Cut, Full Depth  |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic   |
| 13     | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                     |
| 18     | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                    |
| 2      | Mile        | 619-A4002 | Temporary Traffic Stripe, Skip Yellow                          |
| 3,200  | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                               |
| 2,508  | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                               |
| 239    | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 116    | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More   |
| 24     | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced                             |
| 1      | Lump Sum    | 620-A001  | Mobilization   |
| 7      | Mile        | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 1      | Mile        | 626-D001  | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow       |
| 6      | Mile        | 626-E001  | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 1,200  | Linear Feet | 626-G004  | Thermoplastic Double Drop Detail Stripe, White                 |
| 2,000  | Linear Feet | 626-G005  | Thermoplastic Double Drop Detail Stripe, Yellow                |

|     |             |              |   |
|-----|-------------|--------------|---|
| 850 | Linear Feet | 626-H002     | Thermoplastic Double Drop Legend, White                   |
| 217 | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers  |
| 333 | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 66  | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                          |



CALL No. 12

Mill & Overlay approximately 4 miles of US 80 from Rankin County Line to SR 13, known as State Project No. SP-5080-62(020) / 108565301 in Scott County.

PROJECT COMPLETION: 48 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |           |   |
|--------|-------------|-----------|---|
| 240    | Square Yard | 202-B009  | Removal of Asphalt Pavement, Failed Areas                       |
| 130    | Square Yard | 202-B069  | Removal of Concrete Pavement w/ Variable Depth Overlay          |
| 700    | Linear Feet | 202-B158  | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 610    | Linear Feet | 202-B240  | Removal of Traffic Stripe                                       |
| 100    | Cubic Yard  | 203-G002  | Excess Excavation, LVM, AH                                      |
| 590    | Cubic Yard  | 304-A004  | Granular Material, LVM, Class 5, Group C                        |
| 8,040  | Ton         | 403-A002  | 12.5-mm, MT, Asphalt Pavement                                   |
| 335    | Ton         | 403-B002  | 12.5-mm, MT, Asphalt Pavement, Leveling                         |
| 67,520 | Square Yard | 406-D001  | Fine Milling of Bituminous Pavement, All Depths                 |
| 6,752  | Gallon      | 407-A001  | Asphalt for Tack Coat   |
| 18,900 | Linear Feet | 413-E001  | Sawing and Sealing Transverse Joints in Asphalt Pavement        |
| 8      | Mile        | 423-A001  | Rumble Strips, Ground In  |
| 855    | Linear Feet | 503-C010  | Saw Cut, Full Depth   |
| 450    | Linear Feet | 606-B003  | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post               |
| 4      | Each        | 606-D022  | Guard Rail, Bridge End Section, Type I                          |
| 4      | Each        | 606-E005  | Guard Rail, Terminal End Section, Flared                        |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic  |
| 14     | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                      |
| 4      | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                     |
| 8      | Mile        | 619-A4002 | Temporary Traffic Stripe, Skip Yellow                           |
| 1,785  | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                                |
| 1,000  | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                                |
| 202    | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet  |
| 84     | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More    |
| 20     | Each        | 619-F3001 | Delineators, Guard Rail, White                                  |

|       |             |              |  |
|-------|-------------|--------------|--|
| 24    | Linear Feet | 619-G4001    | Barricades, Type III, Double Faced                             |
| 1     | Lump Sum    | 620-A001     | Mobilization   |
| 8     | Mile        | 626-C002     | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 4     | Mile        | 626-D001     | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow       |
| 2     | Mile        | 626-E001     | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 1,405 | Linear Feet | 626-G004     | Thermoplastic Double Drop Detail Stripe, White                 |
| 380   | Linear Feet | 626-G005     | Thermoplastic Double Drop Detail Stripe, Yellow                |
| 500   | Linear Feet | 626-H002     | Thermoplastic Double Drop Legend, White                        |
| 192   | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers       |
| 410   | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 4     | Each        | 630-G004     | Type 3 Object Markers, OM-3R or OM-3L                          |
| 66    | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                               |

CALL No. 13

Ultra-Thin Lift Overlay of approximately 6 miles of SR 603, approximately 7 miles of SR 53 & approximately 10 miles of SR 43, known as State Project Nos. SP-6000-23(310) / 108554301 & SP-6043-55(029) / 108553301 in Hancock & Pearl River Counties.

PROJECT COMPLETION: 48 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|                    |           |  |
|--------------------|-----------|--|
| 300 Linear Feet    | 202-B240  | Removal of Traffic Stripe                                  |
| 7,100 Ton          | 304-F003  | Size 825B Crushed Stone Base                               |
| 650 Ton            | 403-A015  | 9.5-mm, ST, Asphalt Pavement                               |
| 2,300 Square Yard  | 406-D001  | Fine Milling of Bituminous Pavement, All Depths            |
| 28,160 Gallon      | 407-A001  | Asphalt for Tack Coat                                      |
| 27 Mile            | 423-A001  | Rumble Strips, Ground In                                   |
| 1 Lump Sum         | 618-A001  | Maintenance of Traffic                                     |
| 2 Square Feet      | 618-B001  | Additional Construction Signs                              |
| 60 Mile            | 619-A1001 | Temporary Traffic Stripe, Continuous White                 |
| 85 Mile            | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                |
| 13 Mile            | 619-A4002 | Temporary Traffic Stripe, Skip Yellow                      |
| 10,525 Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                           |
| 3,380 Linear Feet  | 619-A6002 | Temporary Traffic Stripe, Legend                           |
| 170 Each           | 619-F3001 | Delineators, Guard Rail, White                             |
| 1 Lump Sum         | 620-A001  | Mobilization   |
| 49 Mile            | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 16 Mile            | 626-D003  | 6" Thermoplastic Traffic Stripe, Skip Yellow               |
| 30 Mile            | 626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow         |
| 6,165 Linear Feet  | 626-G002  | Thermoplastic Detail Stripe, White                         |
| 11,240 Linear Feet | 626-G003  | Thermoplastic Detail Stripe, Yellow                        |
| 115 Square Feet    | 626-H004  | Thermoplastic Legend, White                                |
| 3,335 Linear Feet  | 626-H005  | Thermoplastic Legend, White                                |
| 855 Each           | 627-J001  | Two-Way Clear Reflective High Performance Raised Markers   |
| 14 Each            | 627-K001  | Red-Clear Reflective High Performance Raised Markers       |
| 2,680 Each         | 627-L001  | Two-Way Yellow Reflective High Performance Raised Markers  |

|        |             |              |   |
|--------|-------------|--------------|---|
| 200    | Linear Feet | 628-H001     | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 100    | Linear Feet | 628-I002     | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow      |
| 72     | Each        | 630-G005     | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted               |
| 19,550 | Ton         | 907-411-A001 | Ultra Thin Asphalt Pavement                                       |
| 66     | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                                  |

CALL No. 14

Mill & Overlay approximately 8 miles on SR 29 from JP Gaddy Road N to Ellisville, known as State Project No. SP-6029-34(015) / 108556301 in Jones County.

PROJECT COMPLETION: 33 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |           |   |
|--------|-------------|-----------|---|
| 324    | Linear Feet | 202-B158  | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 882    | Linear Feet | 202-B240  | Removal of Traffic Stripe                                       |
| 1,175  | Ton         | 304-F003  | Size 825B Crushed Stone Base                                    |
| 471    | Ton         | 403-A014  | 9.5-mm, MT, Asphalt Pavement                                    |
| 2,700  | Square Yard | 406-A002  | Cold Milling of Bituminous Pavement, All Depths                 |
| 21,896 | Gallon      | 407-A001  | Asphalt for Tack Coat   |
| 14     | Mile        | 423-A001  | Rumble Strips, Ground In  |
| 25     | Linear Feet | 606-B003  | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post               |
| 4      | Each        | 606-D005  | Guard Rail, Bridge End Section, Type A                          |
| 4      | Each        | 606-E005  | Guard Rail, Terminal End Section, Flared                        |
| 4      | Each        | 606-G002  | Special Sections, Guard Rail Bridge End Connector               |
| 1      | Lump Sum    | 618-A001  | Maintenance of Traffic  |
| 28     | Mile        | 619-A1001 | Temporary Traffic Stripe, Continuous White                      |
| 15     | Mile        | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow                     |
| 9      | Mile        | 619-A4002 | Temporary Traffic Stripe, Skip Yellow                           |
| 1,473  | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail                                |
| 668    | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend                                |
| 1      | Lump Sum    | 620-A001  | Mobilization  |
| 14     | Mile        | 626-C002  | 6" Thermoplastic Double Drop Edge Stripe, Continuous White      |
| 5      | Mile        | 626-D003  | 6" Thermoplastic Traffic Stripe, Skip Yellow                    |
| 8      | Mile        | 626-E004  | 6" Thermoplastic Traffic Stripe, Continuous Yellow              |
| 981    | Linear Feet | 626-G002  | Thermoplastic Detail Stripe, White                              |
| 492    | Linear Feet | 626-G003  | Thermoplastic Detail Stripe, Yellow                             |
| 668    | Linear Feet | 626-H005  | Thermoplastic Legend, White                                     |
| 160    | Each        | 627-J001  | Two-Way Clear Reflective High Performance Raised Markers        |

|        |             |              |   |
|--------|-------------|--------------|---|
| 733    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers |
| 12     | Each        | 630-F006     | Delineators, Guard Rail, White                            |
| 4      | Each        | 630-G005     | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted       |
| 10,214 | Ton         | 907-411-A001 | Ultra Thin Asphalt Pavement                               |
| 66     | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                          |

**ALTERNATE GROUP AA NUMBER 1**

|     |             |          |   |
|-----|-------------|----------|---|
| 782 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 391 | Linear Feet | 628-I002 | 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow      |

**ALTERNATE GROUP AA NUMBER 2**

|     |             |              |  |
|-----|-------------|--------------|--|
| 782 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 391 | Linear Feet | 907-624-C001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow      |

CALL No. 15

Overlay approximately 5 miles on SR 37 from County Road 80 North to SR 35, known as State Project No. SP-7037-65(007) / 108560301 in Smith County.

PROJECT COMPLETION: 31 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

|        |             |              |  |
|--------|-------------|--------------|--|
| 1,531  | Cubic Yard  | 304-A008     | Granular Material, LVM, Class 6, Group D                       |
| 3,913  | Ton         | 403-A015     | 9.5-mm, ST, Asphalt Pavement                                   |
| 733    | Square Yard | 406-D001     | Fine Milling of Bituminous Pavement, All Depths                |
| 10,164 | Gallon      | 407-A001     | Asphalt for Tack Coat  |
| 1,200  | Square Feet | 412-A001     | Pre-Grinding   |
| 1      | Lump Sum    | 618-A001     | Maintenance of Traffic   |
| 1      | Square Feet | 618-B001     | Additional Construction Signs                                  |
| 21     | Mile        | 619-A1001    | Temporary Traffic Stripe, Continuous White                     |
| 18     | Mile        | 619-A2001    | Temporary Traffic Stripe, Continuous Yellow                    |
| 3      | Mile        | 619-A4002    | Temporary Traffic Stripe, Skip Yellow                          |
| 2,015  | Linear Feet | 619-A5001    | Temporary Traffic Stripe, Detail                               |
| 1,623  | Linear Feet | 619-A6002    | Temporary Traffic Stripe, Legend                               |
| 1      | Lump Sum    | 620-A001     | Mobilization   |
| 11     | Mile        | 626-C002     | 6" Thermoplastic Double Drop Edge Stripe, Continuous White     |
| 2      | Mile        | 626-D001     | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow       |
| 9      | Mile        | 626-E001     | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 1,385  | Linear Feet | 626-G002     | Thermoplastic Detail Stripe, White                             |
| 630    | Linear Feet | 626-G003     | Thermoplastic Detail Stripe, Yellow                            |
| 1,623  | Linear Feet | 626-H005     | Thermoplastic Legend, White                                    |
| 202    | Each        | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers       |
| 860    | Each        | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers      |
| 2,353  | Ton         | 907-411-A001 | Ultra Thin Asphalt Pavement                                    |
| 66     | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips                               |
| 11     | Mile        | 907-626-C003 | Thermoplastic Audible Edge Stripe                              |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR