

**Proposal & Plan Sales Will Begin on January 4, 2021**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For January - January 26, 2021**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JANUARY - Tuesday, January 26, 2021

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 4, 2021

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, January 26, 2021; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	NH-0002-06(032)/108193301	LEE
02	NHPP-0008-03(057)/108137301	RANKIN
*	03 STP-0008-04(067)/108203301 & STP-0008-04(067)/108203302	HOLMES
*	04 NH-0015-02(121)/107664301	WAYNE
*	05 STP-0022-01(086)/108226301	JASPER
06	NH-0022-04(065)/108147301	UNION
07	BR-0026-01(079)/106114302	NESHOBA
08	IM-0055-03(094)/107824301	MONTGOMERY
09	NHPP-0055-04(110)/108458301	PANOLA
*	10 STP-7305-00(011)/108422301	HINDS
11	STP-9419-00(001)/108149301	LAFAYETTE



CALL No. 01

Mill & Overlay approximately 9 miles on US 45 from Euclatubba Road to the Prentiss County Line, known as Federal Aid Project No. NH-0002-06(032) / 108193301 in Lee County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

950	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
12,745	Linear Feet	202-B240	Removal of Traffic Stripe
330	Cubic Yard	203-G001	Excess Excavation, FM, AH
475	Square Yard	204-A003	Geogrid, Type II, Biaxial
505	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
11,650	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
625	Ton	403-A004	19-mm, HT, Asphalt Pavement
9,210	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
4,915	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,400	Ton	403-D003	19-mm, HT, Asphalt Pavement, Polymer Modified
23,900	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
94,130	Linear Feet	403-S002	Joint Sealant
435,200	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
35,900	Gallon	407-A001	Asphalt for Tack Coat
29	Mile	423-A001	Rumble Strips, Ground In
885	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
36	Mile	619-A3001	Temporary Traffic Stripe, Skip White
206,460	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15,180	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

18 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
17 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
17 Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
65,695 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
37,545 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
940 Square Feet	626-H004	Thermoplastic Legend, White
7,590 Linear Feet	626-H005	Thermoplastic Legend, White
1,035 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,985 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,851 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
105 Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
52 Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
181 Each	630-F010	Delineators, Post Mounted, Double White
93 Each	630-F011	Delineators, Post Mounted, Double Yellow
140 Each	630-F012	Delineators, Post Mounted, Single White
26 Each	630-F013	Delineators, Post Mounted, Single Yellow
9 Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
2 Each	907-619-E3001	Changeable Message Sign
<b>ALTERNATE GROUP AA NUMBER 1</b>		
165 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 2</b>		
165 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
<b>ALTERNATE GROUP AA NUMBER 3</b>		
165 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
<b>ALTERNATE GROUP BB NUMBER 1</b>		
2,151 Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,885 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
761 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
2,995 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,000 Linear Feet	628-K001	High Performance Cold Plastic Detail Stripe, White
1,956 Linear Feet	628-K002	High Performance Cold Plastic Detail Stripe, Yellow

**ALTERNATE GROUP BB NUMBER 2**

2,151	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,885	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
761	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
2,995	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
1,000	Linear Feet	907-624-E001	Inverted Profile Thermoplastic Detail Traffic Stripe, White
1,956	Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

CALL No. 02

Bridge Rail Replacement on US 49 N to I-20 W Flyover (Bridge No. 30), known as Federal Aid Project No. NHPP-0008-03(057) / 108137301 in Rankin County.

PROJECT COMPLETION: 90 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2	Each	202-B215	Removal of Sign Including Post & Footing
2,600	Linear Feet	202-B240	Removal of Traffic Stripe
1,000	Linear Feet	234-A001	Temporary Silt Fence
200	Linear Feet	237-A002	Wattles, 20"
1,466	Linear Feet	503-C001	Saw Cut, 1-inch
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
10,193	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1,958	Linear Feet	619-A2006	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
69	Linear Feet	619-A3006	Temporary Traffic Stripe, Skip White, Type 1 Tape
2,065	Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 Tape
101	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
40	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,529	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
6	Each	619-E1001	Flashing Arrow Panel, Type C
2,300	Linear Feet	619-F1001	Concrete Median Barrier, Precast
90	Linear Feet	619-G4005	Barricades, Type III, Single Faced
538	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1003	Impact Attenuator, 50 MPH
1	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1,390	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4,193	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,065	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White

3,732	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,592	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,048	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
297	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
41	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
39	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
37	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
800	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
120	Linear Feet	682-C022	Structure Mounted Branch Circuit, AWG 4, 3 Conductor
6	Each	682-E001	Structure Mounted Junction Box
4	Each	682-E002	Underground Junction Box
1	Lump Sum	699-A001	Roadway Construction Stakes
10,271	Square Yard	907-416-A001	High Friction Surface Treatment
1	Lump Sum	907-416-B001	High Friction Surface Treatment Training
9	Each	907-619-E3001	Changeable Message Sign
1,957	Linear Feet	907-626-C008	Thermoplastic Audible Edge Stripe
120	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced
1	Each	907-673-A001	Radar Speed Display Assembly
1,650	Linear Feet	907-682-A1019	Branch Circuit Wire, AWG #4, 3 Conductor

**Bridge Items**

1,460	Linear Feet	907-824-PP008	Bridge Repair, New construction of bridge railing and overhang
1,460	Linear Feet	907-824-PP008	Bridge Repair, removal of bridge railing and overhang



CALL No. 03

Mill & Overlay approximately 12 miles on US 49E from SR 12 at Tchula to the Leflore County Line and approximately 0.2 miles on SR 818 from US 49E to the Railroad Tracks, known as Federal Aid Project Nos. STP-0008-04(067) / 108203301 & 302 in Holmes County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

717	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
717	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
4,967	Linear Feet	202-B136	Removal of Guard Rail
3,200	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
17,000	Ton	304-B002	Granular Material, Class 3, Group D
20,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,001	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,702	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
12,002	Gallon	407-A001	Asphalt for Tack Coat
44,500	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
24	Mile	423-A001	Rumble Strips, Ground In
500	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
2,500	Linear Feet	503-C010	Saw Cut, Full Depth
3,335	Linear Feet	606-B001	Guard Rail, Class A, Type 1
20	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-D025	Guard Rail, Bridge End Section, Type Modified
24	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-G001	Special Sections, Bridge Connector
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow

1,524	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
508	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
25	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
11	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,556	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,727	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
203	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,524	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
407	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,399	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
162	Each	630-F006	Delineators, Guard Rail, White
24	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

200	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

200	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

200	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 04

Overlay approximately 9.4 miles on US 84 from the Jones County Line East, known as Federal Aid Project No. NH-0015-02(121) / 107664301 in Wayne County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

8,774	Square Yard	202-B188	Removal of Pavement, All Types and Depths
1,580	Linear Feet	202-B240	Removal of Traffic Stripe
1,530	Ton	403-A004	19-mm, HT, Asphalt Pavement
23,320	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
4,670	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
16,780	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
1,920	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
5,355	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
72,570	Gallon	407-A001	Asphalt for Tack Coat
34	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
33	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
39	Mile	619-A3001	Temporary Traffic Stripe, Skip White
55,980	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,220	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,510	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
18	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
500	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
17	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
29,530	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
26,470	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

1,220	Square Feet	626-H004	Thermoplastic Legend, White
6,510	Linear Feet	626-H005	Thermoplastic Legend, White
780	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,205	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,080	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

**ALTERNATE GROUP AA NUMBER 1**

708	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
708	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
708	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

708	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
708	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
708	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 1**

9,000	Ton	304-D001	Granular Material, Crushed Concrete
-------	-----	----------	-------------------------------------

**ALTERNATE GROUP BB NUMBER 2**

9,000	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP BB NUMBER 3**

9,000	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 05

Mill & Overlay approximately 20 miles on SR 15 from SR 18 to the Newton County Line, known as Federal Aid Project No. STP-0022-01(086) / 108226301 in Jasper County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

163 Station	201-D001	Random Clearing
24 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
33 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
27 Square Yard	202-B063	Removal of Concrete Paved Ditch
1,525 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,384 Linear Feet	202-B240	Removal of Traffic Stripe
1,100 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,650 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
24 Ton	403-A005	19-mm, MT, Asphalt Pavement
34,960 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
354,235 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
62,760 Gallon	407-A001	Asphalt for Tack Coat
11,750 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
40 Mile	423-A001	Rumble Strips, Ground In
70 Square Yard	501-A002	8" Reinforced Cement Concrete Pavement, Broom Finish
150 Linear Feet	503-C008	Saw Cut, 8-inch
975 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4 Each	606-D001	Guard Rail, Bridge End Section
12 Each	606-E005	Guard Rail, Terminal End Section, Flared
150 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
22 Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
45 Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1 Lump Sum	618-A001	Maintenance of Traffic
78 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
54 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

22	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
14,098	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,852	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
40	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
27	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,236	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,770	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
242	Square Feet	626-H004	Thermoplastic Legend, White
7,796	Linear Feet	626-H005	Thermoplastic Legend, White
1,296	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
35	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,116	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
56	Each	630-F006	Delineators, Guard Rail, White
48	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
40	Square Feet	907-608-C001	Detectable Warning Panels
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-632-G001	Malfunction Management Unit
1	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
404	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1	Each	907-639-J001	Type 3 Intersection Device
4	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
568	Linear Feet	907-643-B001	Video Vehicle Detection Cable
568	Linear Feet	907-643-C001	Video Vehicle Detection Power Cable
4	Each	907-645-B001	Accessible Pedestrian Detection Assembly
<b>ALTERNATE GROUP AA NUMBER 1</b>			
740	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
30	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

614 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

740 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

30 Linear Feet 907-624-C001 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

614 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 1**

11,230 Ton 304-F001 3/4" and Down Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 2**

11,230 Ton 304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 3**

11,230 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 06

Mill & Overlay approximately 5 miles on SR 15 from the Pontotoc County Line to 0.02 miles North of Central Avenue, known as Federal Aid Project No. NH-0022-04(065) / 108147301 in Union County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

865	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
400	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
832	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,240	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
12,089	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
126,530	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,857	Gallon	407-A001	Asphalt for Tack Coat
11	Mile	423-A001	Rumble Strips, Ground In
1,060	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
13,004	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
90	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,184	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
5	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
11,092	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,912	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
90	Square Feet	626-H004	Thermoplastic Legend, White
1,592	Linear Feet	626-H005	Thermoplastic Legend, White



450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
396	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
76	Each	630-F006	Delineators, Guard Rail, White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

999	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

999	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

999	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 07

Bridge Replacement on SR 19 (Bridge No. 57.6), known as Federal Aid Project No. BR-0026-01(079) / 106114302 in Neshoba County.

PROJECT COMPLETION: SEPTEMBER 01, 2021

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	202-A001	Removal of Obstructions
225	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
174	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
131	Linear Feet	202-B092	Removal of Curb, All Types
350	Linear Feet	202-B157	Removal of Guard Rail, Including Rails & Posts
3	Each	202-B165	Removal of Inlets, All Sizes
213	Linear Feet	202-B191	Removal of Pipe, 8" And Above
23	Square Yard	202-B208	Removal of Riprap
9	Each	202-B213	Removal of Sign
384	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
471	Cubic Yard	203-G001	Excess Excavation, FM, AH
500	Cubic Yard	206-A001	Structure Excavation
150	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,000	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
560	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
200	Square Yard	216-A001	Solid Sodding
4	Thousand Gallon	219-A001	Watering
1	Acre	223-A001	Mowing
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
500	Linear Feet	234-C001	Super Silt Fence
1,000	Linear Feet	237-A002	Wattles, 20"
1	Each	247-A001	Temporary Stream Diversion

200 Ton	249-A001	Riprap for Erosion Control
55 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
75 Ton	403-A005	19-mm, MT, Asphalt Pavement
260 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
700 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
90 Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
400 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
370 Gallon	407-A001	Asphalt for Tack Coat
275 Linear Feet	503-C010	Saw Cut, Full Depth
8 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
589 Pounds	602-A001	Reinforcing Steel
208 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2 Each	603-SB029	24" Branch Connections, Stub into Concrete Box Culvert Wingwall
500 Pounds	604-B001	Gratings
131 Linear Feet	609-B002	Concrete Curb, Header
174 Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
2 Each	613-D003	Adjustment of Inlet
225 Square Yard	614-A001	Concrete Driveway, Without Reinforcement
8 Each	617-A001	Right-of-Way Marker
1 Lump Sum	618-A001	Maintenance of Traffic
1,100 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,100 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
125 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
25 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,675 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
70 Linear Feet	619-G4001	Barricades, Type III, Double Faced
12 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
125 Square Feet	625-F002	Legend
1,100 Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White

1,100	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
195	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
27	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
19	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
10	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
92	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
100	Ton	815-F002	Sediment Control Stone

**ALTERNATE GROUP AA NUMBER 1**

225	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

225	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

225	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

**Bridge Items**

54,736	Pounds	805-A001	Reinforcement
347	Ton	815-A007	Loose Riprap, Size 300
305	Square Yard	815-E001	Geotextile under Riprap
304	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B

CALL No. 08

Mill & Overlay approximately 12 miles of I-55 from the Carroll County Line to 2.5 miles South of Carroll County, known as Federal Aid Project No. IM-0055-03(094) / 107824301 in Montgomery County.

PROJECT COMPLETION: 178 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1 Lump Sum	201-A001	Clearing and Grubbing
4 Acre	201-D002	Random Clearing
600 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
600 Square Yard	202-B045	Removal of Cement Treated Base, All Depths
990 Linear Feet	202-B051	Removal of Concrete Curb
450 Linear Feet	202-B060	Removal of Concrete Median Barrier
122 Square Yard	202-B067	Removal of Concrete Pavement Punchouts, 8" Depth
32,550 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
69 Each	202-B152	Removal of Guard Rail Terminal End Section
4 Each	202-B177	Removal of Low Mast Lighting Assembly
3,500 Linear Feet	202-B240	Removal of Traffic Stripe
970 Linear Feet	202-B251	Removal of Underground Electric Wire
4,063 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
3,000 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,905 Cubic Yard	203-G001	Excess Excavation, FM, AH
4,277 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2 Ton	213-C001	Superphosphate
1,000 Square Yard	217-A001	Ditch Liner
2 Acre	220-A001	Insect Pest Control
8 Acre	223-A001	Mowing
4 Acre	225-A001	Grassing
8 Ton	225-B001	Agricultural Limestone
8 Ton	225-C001	Mulch, Vegetative Mulch
4 Acre	226-A001	Temporary Grassing
3,500 Linear Feet	234-A001	Temporary Silt Fence

100 Linear Feet	237-A002	Wattles, 20"
14,450 Ton	304-B002	Granular Material, Class 3, Group D
403 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
806 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
932 Ton	403-A006	19-mm, ST, Asphalt Pavement
878 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
11,842 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
47 Mile	403-S001	Joint Sealant
45,350 Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
34,010 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
528,900 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
118,700 Gallon	407-A001	Asphalt for Tack Coat
450 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
47 Mile	423-A001	Rumble Strips, Ground In
702 Square Yard	501-A002	8" Reinforced Cement Concrete Pavement, Broom Finish
125 Square Yard	501-B001	10" Plain Cement Concrete Pavement, Broom Finish
50 Linear Feet	501-D001	Expansion Joints, With Dowels
265 Each	501-G001	Dowels, Drilled and Installed
3,000 Linear Feet	503-C010	Saw Cut, Full Depth
375 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
5 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,500 Pounds	602-A001	Reinforcing Steel
32 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1 Each	603-CB003	18" Reinforced Concrete End Section
15 Square Yard	605-AA002	Geotextile for Subsurface Drainage, Type V
27 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
14 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
40 Each	606-A003	Guard Posts
32,540 Linear Feet	606-B001	Guard Rail, Class A, Type 1

63	Each	606-C003	Guard Rail, Cable Anchor, Type 1
12	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
69	Each	606-E005	Guard Rail, Terminal End Section, Flared
520	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
150	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
408	Linear Feet	615-A003	Concrete Bridge End Barrier, 42"
1,155	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1	Lump Sum	618-A001	Maintenance of Traffic
96	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
96	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
96	Mile	619-A3001	Temporary Traffic Stripe, Skip White
22,400	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
88	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
664	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,000	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,000	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
50	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
24	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
24	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
24	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,900	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,210	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
45	Linear Feet	630-D005	Structural Steel Beams, W12 x 26
48	Linear Feet	630-D009	Structural Steel Beams, W8 x 18

140 Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
494 Each	630-F006	Delineators, Guard Rail, White
379 Each	630-F007	Delineators, Guard Rail, Yellow
110 Each	630-F010	Delineators, Post Mounted, Double White
52 Each	630-F011	Delineators, Post Mounted, Double Yellow
30 Each	630-F012	Delineators, Post Mounted, Single White
14 Each	630-F013	Delineators, Post Mounted, Single Yellow
934 Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
35 Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
5 Cubic Yard	684-A003	Pole Foundation, 24" Diameter
4 Each	686-A001	Relocation of Existing Lighting Assemblies
1 Lump Sum	699-A001	Roadway Construction Stakes
25 Ton	815-F002	Sediment Control Stone
18,071 Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
29,089 Gallon	907-402-B001	Bituminous Tack Coat
6 Each	907-619-E3001	Changeable Message Sign
2 Each	907-630-O004	Remove and Reset Sign, All Sizes
3 Each	907-683-G1002	Renovation of High Mast Lighting Assembly, Type 130-8-S
1 Each	907-683-G1003	Renovation of High Mast Lighting Assembly, Type 100-6-S
1 Each	907-683-G1004	Renovation of High Mast Lighting Assembly, Type 100-4-S
1 Each	907-683-G1005	Renovation of High Mast Lighting Assembly, Type 130-6-S
3 Each	907-683-G1006	Renovation of High Mast Lighting Assembly, Type 130-4-S
2 Each	907-683-H1002	Renovation of Low Mast Lighting Assembly, Type 40-1-10-255
4 Each	907-683-H1003	Renovation of Low Mast Lighting Assembly, Type 40-1-20-255
9 Each	907-683-H1006	Renovation of Low Mast Lighting Assembly, Type 40-2-10-255
720 Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>		
2,600 Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>		
2,600 Ton	304-F002	Size 610 Crushed Stone Base



**ALTERNATE GROUP AA NUMBER 3**

2,600 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 09

Bridge Repair on I-55 over Long Creek (Bridge Nos. 237.7A & 237.7B), known as Federal Aid Project No. NHPP-0055-04(110) / 108458301 in Panola County.

PROJECT COMPLETION: 183 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	202-A001	Removal of Obstructions
1	Mile	202-B241	Removal of Traffic Stripe
61	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
45	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
600	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1,836	Linear Feet	615-B001	Precast Concrete Median Barrier
1	Lump Sum	618-A001	Maintenance of Traffic
1	Mile	619-A1006	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1	Mile	619-A2005	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
1	Mile	619-A3007	Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape
20	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
1,836	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
14	Each	619-F3001	Delineators, Guard Rail, White
14	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,100	Ton	815-A007	Loose Riprap, Size 300
537	Square Yard	815-E001	Geotextile under Riprap
1,000	Pounds	907-420-A001	Undersealing

3 Each 907-619-E3001 Changeable Message Sign

**Bridge Items**

4,368	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
316	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
754	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
116	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
316	Square Feet	907-824-PP003	Bridge Repair, EPOXY REPAIR, PER PLANS
1,568	Square Feet	907-824-PP003	Bridge Repair, REMOVAL OF BRIDGE DECK, PER PLANS
20	Each	907-824-PP006	Bridge Repair, BEARING PLATE REPLACEMENT & BEARING RESET, PER PLANS
240	Each	907-824-PP006	Bridge Repair, BEARING REPLACEMENT, PER PLANS
4	Each	907-824-PP006	Bridge Repair, END DIAPHRAGM REPLACEMENT, PER PLANS
3	Each	907-824-PP006	Bridge Repair, INTERMEDIATE DIAPHRAGM REPLACEMENT, PER PLANS
8	Each	907-824-PP006	Bridge Repair, MIDSPAN DIAPHRAGM REPLACEMENT, PER PLANS
456	Square Yard	907-832-PP003	Concrete Mat PER PLANS
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 10

Bridge Repair on Siwell Road over I-55 (Bridge No. 84.1), known as Federal Aid Project No. STP-7305-00(011) / 108422301 in Hinds County.

PROJECT COMPLETION: 43 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
288	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
512	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
84	Linear Feet	619-G4005	Barricades, Type III, Single Faced
13	Each	619-G5001	Free Standing Plastic Drums
1	Each	619-J1001	Impact Attenuator, 40 MPH
1	Each	619-J2001	Impact Attenuator, 40 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
2	Each	907-619-E3001	Changeable Message Sign

**Bridge Items**

4	Square Feet	907-824-PP003	Bridge Repair, Epoxy Mortar
5	Each	907-824-PP006	Bridge Repair, Cap Cleaning
427	Linear Feet	907-824-PP008	Bridge Repair, Bridge Rail Cleaning
213	Linear Feet	907-824-PP008	Bridge Repair, Bridge Railing Removal and Replacement
640	Linear Feet	907-824-PP008	Bridge Repair, Class 2 spray finish
194	Linear Feet	907-824-PP008	Bridge Repair, Joint Cleaning

CALL No. 11

Safety Rail Improvements on Chucky Mullins Drive over US 278, known as Federal Aid Project No. STP-9419-00(001) / 108149301 in Lafayette County.

PROJECT COMPLETION: JULY 30, 2021

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

460	Linear Feet	813-E008	Pedestrian Railing
-----	-------------	----------	--------------------

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
---	----------	----------	------------------------

1	Square Feet	618-B001	Additional Construction Signs
---	-------------	----------	-------------------------------

1	Lump Sum	620-A001	Mobilization
---	----------	----------	--------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.  
EXECUTIVE DIRECTOR