


Proposal & Plan Sales Will Begin on March 1, 2021



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For March - March 23, 2021



MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MARCH - Tuesday, March 23, 2021

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 1, 2021

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 23, 2021; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MARCH

| CALL | CONTRACT | COUNTY |
|------|---|------------|
| 01 | NH-0002-07(017)/108194301 | PRENTISS |
| 02 | NHPP-0008-01(143)/107863301 | HARRISON |
| * 03 | NH-0009-02(081)/107949301 | ISSAQUENA |
| 04 | NHPP-0010-01(167)/108166301 | HARRISON |
| 05 | NHPP-0010-01(169)/108043302 | JACKSON |
| 06 | STP-0015-01(135)/107539301 | LINCOLN |
| 07 | HSIP-0019-02(057)/102168305 | LAFAYETTE |
| 08 | STP-0048-01(039)/108196301 | CHICKASAW |
| 09 | NH-0056-01(100)/107930301 & NH-0056-01(100)/107930302 | WINSTON |
| 10 | BR-0433-00(011)/102365301 | SCOTT |
| 11 | STP-0874-00(006)/106974301 | PONTOTOC |
| 12 | BR-2901-00(028)/103333301 | PANOLA |
| 13 | HSIP-9999-06(368)/108014301 | DISTRICT 6 |
| 14 | STP-9401-00(002)/108286301 | JACKSON |

CALL No. 01

Mill & Overlay approximately 6 miles on US 45 from SR 4 to the Alcorn County Line, known as Federal Aid Project No. NH-0002-07(017) / 108194301 in Prentiss County.

PROJECT COMPLETION: 90 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

| | | | |
|---------|-------------|-----------|---|
| 547 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 7 | Each | 202-B152 | Removal of Guard Rail Terminal End Section |
| 17 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 5,176 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 41 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 546 | Square Yard | 204-A003 | Geogrid, Type II, Biaxial |
| 546 | Square Yard | 209-A009 | Geotextile Stabilization, Type VII, Non-Woven |
| 4,914 | Cubic Yard | 304-A002 | Granular Material, LVM, Class 3, Group C |
| 355 | Ton | 403-A004 | 19-mm, HT, Asphalt Pavement |
| 25,693 | Ton | 403-A013 | 9.5-mm, HT, Asphalt Pavement |
| 343,593 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 25,782 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 21 | Mile | 423-A001 | Rumble Strips, Ground In |
| 751 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 7 | Each | 606-E001 | Guard Rail, Terminal End Section |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 14 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 16 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 25 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 2 | Mile | 619-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 13,249 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 2,398 | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 2,259 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |

| | | | |
|------------------------------------|-------------|--------------|---|
| 1 | Lump Sum | 620-A001 | Mobilization |
| 16 | Mile | 626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 16 | Mile | 626-B004 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 15 | Mile | 626-E004 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 33,039 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 23,269 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 2,182 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 2,398 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 342 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 2,121 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 1,941 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 76 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 41 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 157 | Linear Feet | 630-C005 | Square Tube Posts, 2.0 lb/ft |
| 35 | Each | 630-F006 | Delineators, Guard Rail, White |
| 35 | Each | 630-F007 | Delineators, Guard Rail, Yellow |
| 26 | Each | 630-F012 | Delineators, Post Mounted, Single White |
| 26 | Each | 630-F013 | Delineators, Post Mounted, Single Yellow |
| ALTERNATE GROUP AA NUMBER 1 | | | |
| 61 | Cubic Yard | 304-H001 | 3/4" and Down Crushed Stone Base, LVM |
| ALTERNATE GROUP AA NUMBER 2 | | | |
| 61 | Cubic Yard | 304-H002 | Size 610 Crushed Stone Base, LVM |
| ALTERNATE GROUP AA NUMBER 3 | | | |
| 61 | Cubic Yard | 304-H003 | Size 825B Crushed Stone Base, LVM |
| ALTERNATE GROUP BB NUMBER 1 | | | |
| 340 | Linear Feet | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 2,088 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 2,748 | Linear Feet | 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| ALTERNATE GROUP BB NUMBER 2 | | | |
| 340 | Linear Feet | 628-G001 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 2,088 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |

2,748 Linear Feet

628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Bridge Preservation on US 49 over the Biloxi River (Bridge No. 13.8A), known as Federal Aid Project No. NHPP-0008-01(143) / 107863301 in Harrison County.

PROJECT COMPLETION: 90 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|-------|-------------|-----------|---|
| 4 | Acre | 201-B001 | Clearing and Grubbing |
| 3 | Each | 202-B164 | Removal of Inlet and Junction Box, All Types & Sizes |
| 273 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 1,100 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 100 | Cubic Yard | 203-EX018 | Borrow Excavation, AH, FME, Class B7-6 |
| 100 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 1 | Ton | 213-C001 | Superphosphate |
| 4 | Acre | 220-A001 | Insect Pest Control |
| 4 | Acre | 223-A001 | Mowing |
| 4 | Acre | 225-A001 | Grassing |
| 8 | Ton | 225-B001 | Agricultural Limestone |
| 1 | Ton | 225-C001 | Mulch, Vegetative Mulch |
| 1 | Acre | 226-A001 | Temporary Grassing |
| 1,100 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 10 | Linear Feet | 237-A002 | Wattles, 20" |
| 32 | Linear Feet | 603-CE014 | 36" x 23" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets |
| 2 | Each | 603-CF004 | 36" x 23" Concrete Arch Pipe End Section |
| 4 | Cubic Yard | 612-B001 | Flowable Fill, Non-Excavatable |
| 6 | Each | 617-A001 | Right-of-Way Marker |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 32 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 384 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 24 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 4 | Each | 638-A006 | Flasher Assembly, Prepare To Stop |

| | | | |
|-------|-------------|---------------|--|
| 1 | Lump Sum | 647-A001 | Removal of Existing Traffic Signal Equipment |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 240 | Ton | 815-A002 | Loose Riprap, Size 100 |
| 1,400 | Square Yard | 815-E001 | Geotextile under Riprap |
| 1,833 | Square Yard | 907-240-A001 | Interlocking Flexible Block Erosion Control System |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |
| 470 | Linear Feet | 907-636-B006 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor |
| 4 | Each | 907-637-A001 | Pullbox Enclosure, Type 1 |
| 470 | Linear Feet | 907-637-C028 | Traffic Signal Conduit, Underground, Type 4, 2" |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|----|-----|----------|----------------------------------|
| 70 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|----|-----|----------|----------------------------------|

ALTERNATE GROUP AA NUMBER 2

| | | | |
|----|-----|----------|-----------------------------|
| 70 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|----|-----|----------|-----------------------------|

ALTERNATE GROUP AA NUMBER 3

| | | | |
|----|-----|----------|------------------------------|
| 70 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|----|-----|----------|------------------------------|

Bridge Items

| | | | |
|-------|-------------|---------------|---|
| 1,615 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 950 | Square Yard | 815-E001 | Geotextile under Riprap |
| 10 | Square Feet | 907-824-PP003 | Bridge Repair, Epoxy Repair |
| 165 | Square Feet | 907-824-PP003 | Bridge Repair, FRP Wrap Repair |
| 29 | Each | 907-824-PP006 | Bridge Repair, Clean Bent Caps |
| 2 | Each | 907-824-PP006 | Bridge Repair, Install Saddle Assemblies |
| 5 | Each | 907-824-PP006 | Bridge Repair, Pile Repair Plate and Encasements |
| 8 | Each | 907-824-PP006 | Bridge Repair, Remove and Replace Pedestals |
| 9 | Each | 907-824-PP006 | Bridge Repair, Remove and Replace Secondary Members |
| 192 | Linear Feet | 907-824-PP008 | Bridge Repair, Epoxy Injection |
| 1 | Lump Sum | 907-845-A001 | Coating Existing Structural Steel |

CALL No. 03

Overlay approximately 6.5 miles on US 61 from the Warren County Line to the Sharkey County Line, known as Federal Aid Project No. NH-0009-02(081) / 107949301 in Issaquena County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-------------|-----------|--|
| 784 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 784 | Square Yard | 202-B073 | Removal of Concrete Pavement, All Depths |
| 1,550 | Linear Feet | 202-B136 | Removal of Guard Rail |
| 300 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 50 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 8,000 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 10,500 | Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 500 | Ton | 406-A001 | Cold Milling of Bituminous Pavement, All Depths |
| 6,000 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 960 | Square Feet | 412-A001 | Pre-Grinding |
| 32,000 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 13 | Mile | 423-A001 | Rumble Strips, Ground In |
| 150 | Linear Feet | 503-B001 | Saw Cut, Longitudinal Joints |
| 600 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 1,225 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 4 | Each | 606-D019 | Guard Rail, Bridge End Section, Type H |
| 4 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 2 | Each | 606-E007 | Guard Rail, Terminal End Section, Non-Flared |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 12 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 2 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 6 | Mile | 619-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 500 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 300 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |

| | | | |
|-------|-------------|--------------|--|
| 20 | Each | 619-G5001 | Free Standing Plastic Drums |
| 10 | Each | 619-G7001 | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 13 | Mile | 626-B002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 6 | Mile | 626-D001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 2 | Mile | 626-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 1,800 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 800 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 600 | Linear Feet | 626-H002 | Thermoplastic Double Drop Legend, White |
| 200 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 600 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 46 | Each | 630-F006 | Delineators, Guard Rail, White |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|-----|-----|----------|----------------------------------|
| 500 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-----|-----|----------|----------------------------------|

ALTERNATE GROUP AA NUMBER 2

| | | | |
|-----|-----|----------|-----------------------------|
| 500 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-----|-----|----------|-----------------------------|

ALTERNATE GROUP AA NUMBER 3

| | | | |
|-----|-----|----------|------------------------------|
| 500 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-----|-----|----------|------------------------------|

CALL No. 04

Bridge Preservation on I-10 over the Tchoutacabouffa River (Bridge Nos. 45.0A & 45.0B), known as Federal Aid Project No. NHPP-0010-01(167) / 108166301 in Harrison County.

PROJECT COMPLETION: 109 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

| | | | |
|-------|-------------|---------------|---|
| 8,058 | Linear Feet | 907-808-A002 | Joint Repair |
| 4,029 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 3 | Cubic Feet | 907-824-PP005 | Bridge Repair, Epoxy Repair, Per Plans |
| 16 | Each | 907-824-PP006 | Bridge Repair, Splice Repair, Per Plans |
| 144 | Linear Feet | 907-824-PP008 | Bridge Repair, Column Repair, Per Plans |

Roadway Items

| | | | |
|-------|-------------|-----------|--|
| 7 | Mile | 202-B241 | Removal of Traffic Stripe |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 3 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 9,940 | Linear Feet | 619-A1005 | Temporary Traffic Stripe, Continuous White, Type 1 Tape |
| 3 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 9,940 | Linear Feet | 619-A2006 | Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape |
| 5 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 9,940 | Linear Feet | 619-A3006 | Temporary Traffic Stripe, Skip White, Type 1 Tape |
| 55 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 344 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 2 | Each | 619-E1001 | Flashing Arrow Panel, Type C |
| 5,270 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 5,270 | Linear Feet | 619-F2001 | Remove and Reset Concrete Median Barrier, Precast |
| 48 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 108 | Each | 619-G5001 | Free Standing Plastic Drums |
| 8 | Each | 619-G7001 | Warning Lights, Type "B" |
| 2 | Each | 619-J1004 | Impact Attenuator, 60 MPH |
| 2 | Each | 619-J2004 | Impact Attenuator, 60 MPH, Replacement Package |
| 1 | Lump Sum | 620-A001 | Mobilization |

| | | | |
|-------|-------------|---------------|---|
| 7,738 | Linear Feet | 626-A002 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 3,869 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 3,869 | Linear Feet | 626-F002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 444 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 4 | Each | 907-619-E3001 | Changeable Message Sign |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|-------|-------------|--------------|---|
| 9,940 | Linear Feet | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 4,970 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 4,970 | Linear Feet | 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |

ALTERNATE GROUP AA NUMBER 2

| | | | |
|-------|-------------|----------|--|
| 9,940 | Linear Feet | 628-G001 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 4,970 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 4,970 | Linear Feet | 628-J001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |

CALL No. 05

Bridge Repair on I-10 over the Pascagoula River (Bridge No. 65.4B), known as Federal Aid Project No. NHPP-0010-01(169) / 108043302 in Jackson County.

PROJECT COMPLETION: 46 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|---|----------|----------|------------------------|
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Lump Sum | 620-A001 | Mobilization |

Bridge Items

| | | | |
|-------|------------|---------------|------------------------------------|
| 4,468 | Pounds | 805-C001 | Reinforcement, Corrosion Resistant |
| 39 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |
| 1 | Each | 907-824-PP006 | Bridge Repair, Clean Bent Caps |

CALL No. 06

Bank Stabilization on US 84 at the Fair River (Bridge Nos. 74.9A & 74.9B), known as Federal Aid Project No. STP-0015-01(135) / 107539301 in Lincoln County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|-------------------|------------|---|
| 2 Acre | 201-B001 | Clearing and Grubbing |
| 9 Station | 201-C001 | Random Clearing and Grubbing |
| 1 Acre | 201-C002 | Random Clearing and Grubbing |
| 7,500 Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 4,450 Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 3,500 Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 2 Ton | 213-C001 | Superphosphate |
| 6 Ton | 215-A001 | Vegetative Materials for Mulch |
| 2,460 Square Yard | 217-A001 | Ditch Liner |
| 3 Acre | 220-A001 | Insect Pest Control |
| 3 Acre | 223-A001 | Mowing |
| 3 Acre | 225-A001 | Grassing |
| 6 Ton | 225-B001 | Agricultural Limestone |
| 3 Acre | 226-A001 | Temporary Grassing |
| 1,800 Linear Feet | 234-A001 | Temporary Silt Fence |
| 1,600 Linear Feet | 234-F001 | Turbidity Barrier |
| 100 Each | 246-B001 | Rockbags |
| 300 Ton | 249-A001 | Riprap for Erosion Control |
| 1,600 Cubic Yard | 304-A007 | Granular Material, LVM, Class 6, Group C |
| 30 Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe |
| 4 Each | 607-G092 | Gate, 12' x 60" Galvanized Metal |
| 4 Each | 607-P3006 | Gate Post, 8' x 6" Timber |
| 4 Each | 607-Z001 | Concrete Anchors |
| 8 Each | 617-A001 | Right-of-Way Marker |
| 1 Lump Sum | 618-A001 | Maintenance of Traffic |

| | | |
|-------------------|--------------|--|
| 40 Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 336 Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 48 Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 1 Lump Sum | 620-A001 | Mobilization |
| 1 Lump Sum | 699-A001 | Roadway Construction Stakes |
| 8,800 Ton | 815-A007 | Loose Riprap, Size 300 |
| 1,850 Square Yard | 815-E001 | Geotextile under Riprap |
| 1,600 Square Yard | 907-228-A003 | Erosion Control Blanket, Type III |
| 7,350 Cubic Yard | 907-276-A001 | Excavation for Stone Dike and Tiebacks, AEA AH |

Construction of a Roundabout on SR 7 at SR 9W, known as Federal Aid Project No. HSIP-0019-02(057) / 102168305 in Lafayette County.

PROJECT COMPLETION: 65 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-----------------|----------|---|
| 1 | Lump Sum | 201-A001 | Clearing and Grubbing |
| 5,786 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 644 | Linear Feet | 202-B089 | Removal of Curb &/or Curb and Gutter, All Types |
| 1 | Each | 202-B129 | Removal of Flared End Section, All Sizes |
| 446 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 1 | Each | 202-B206 | Removal of Right-Of-Way Marker |
| 1,880 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 7,131 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 27,480 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 406 | Cubic Yard | 206-A001 | Structure Excavation |
| 8,362 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 758 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 3 | Cubic Yard | 211-C001 | Topsoil for Plant Holes, Contractor Furnished |
| 8 | Ton | 213-A001 | Agricultural Limestone |
| 2 | Ton | 213-C001 | Superphosphate |
| 2,338 | Square Yard | 216-B001 | Solid Sodding, Bermuda |
| 154 | Square Yard | 217-A001 | Ditch Liner |
| 47 | Thousand Gallon | 219-A001 | Watering |
| 3 | Acre | 220-A001 | Insect Pest Control |
| 70 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 246 | Square Yard | 224-A001 | Soil Reinforcing Mat |
| 3 | Acre | 225-A001 | Grassing |
| 6 | Ton | 225-C001 | Mulch, Vegetative Mulch |
| 3 | Acre | 226-A001 | Temporary Grassing |
| 12 | Each | 230-B102 | Tree Planting, Southern Magnolia, Saint Mary |

| | | | |
|-------|-------------|------------|---|
| 1 | Cubic Yard | 233-A005 | Tree Bark Mulch, Type V |
| 2,800 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 2 | Each | 234-D001 | Inlet Siltation Guard |
| 2 | Each | 234-E001 | Reset Inlet Siltation Guard |
| 7 | Each | 235-A001 | Temporary Erosion Checks |
| 1 | Each | 236-A008 | Silt Basin, Type D |
| 50 | Linear Feet | 237-A001 | Wattles, 12" |
| 3,000 | Linear Feet | 237-A002 | Wattles, 20" |
| 26 | Linear Feet | 245-A001 | Silt Dike |
| 272 | Linear Feet | 246-A001 | Sandbags |
| 40 | Ton | 249-A001 | Riprap for Erosion Control |
| 20 | Cubic Yard | 249-B001 | Remove and Reset Riprap |
| 2,300 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 476 | Ton | 403-A002 | 12.5-mm, MT, Asphalt Pavement |
| 103 | Ton | 403-A003 | 12.5-mm, ST, Asphalt Pavement |
| 595 | Ton | 403-A005 | 19-mm, MT, Asphalt Pavement |
| 862 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 608 | Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 96 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 281 | Ton | 403-B002 | 12.5-mm, MT, Asphalt Pavement, Leveling |
| 3,013 | Square Yard | 406-A002 | Cold Milling of Bituminous Pavement, All Depths |
| 965 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 1 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1,134 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 11 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 744 | Pounds | 602-A001 | Reinforcing Steel |
| 48 | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe |
| 80 | Linear Feet | 603-CA011 | 18" Reinforced Concrete Pipe, Class III |
| 216 | Linear Feet | 603-CA026 | 24" Reinforced Concrete Pipe, Class III |
| 2 | Each | 603-CB003 | 18" Reinforced Concrete End Section |

| | | | |
|-------|-------------|-----------|--|
| 2 | Each | 603-CB004 | 24" Reinforced Concrete End Section |
| 184 | Linear Feet | 603-CE008 | 29" x 18" Concrete Arch Pipe, Class A III |
| 2 | Each | 603-CF003 | 29" x 18" Concrete Arch Pipe End Section |
| 1 | Each | 603-RB002 | 18" End Section Removed and Relaid |
| 79 | Pounds | 604-A001 | Castings |
| 250 | Pounds | 604-B001 | Gratings |
| 558 | Linear Feet | 609-B003 | Concrete Curb, Special Design |
| 489 | Linear Feet | 609-C001 | Concrete Integral Curb, Type 1 |
| 3,373 | Linear Feet | 609-D012 | Combination Concrete Curb and Gutter Type 3A Modified |
| 64 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 10-inch |
| 430 | Square Yard | 616-A003 | Concrete Median and/or Island Pavement, 12-inch |
| 515 | Square Yard | 616-A004 | Concrete Median and/or Island Pavement, 4-inch |
| 9 | Each | 617-A001 | Right-of-Way Marker |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 2,636 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 2,547 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 7,422 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 408 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 68 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 754 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 36 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 204 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 72 | Each | 619-G5001 | Free Standing Plastic Drums |
| 9 | Each | 619-G7001 | Warning Lights, Type "B" |
| 17 | Each | 619-G8001 | Warning Lights, Type "C" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1,405 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 900 | Linear Feet | 626-E002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 2,840 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |

| | | | |
|------------------------------------|-------------|---------------|---|
| 4,275 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 30 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 368 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 75 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 170 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 186 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 125 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 170 | Square Feet | 630-B002 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 666 | Linear Feet | 630-C001 | Square Tube Posts, 4.0 lb/ft |
| 133 | Linear Feet | 630-D009 | Structural Steel Beams, W8 x 18 |
| 114 | Pounds | 630-E001 | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles |
| 32 | Pounds | 630-E005 | Structural Steel Angles & Bars, Aluminum Unistrut |
| 1 | Each | 638-C001 | Flasher Assembly - Solar Powered |
| 1,600 | Linear Feet | 682-A010 | Underground Branch Circuit, AWG 10, 3 Conductor |
| 311 | Linear Feet | 682-B010 | Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor |
| 110 | Linear Feet | 682-B016 | Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor |
| 4 | Each | 682-E002 | Underground Junction Box |
| 14 | Each | 682-E003 | Underground Junction Box With Concrete Pad |
| 1 | Each | 682-F001 | Secondary Power Controller |
| 23 | Cubic Yard | 684-A004 | Pole Foundation, 30" Diameter |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 201 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 126 | Square Yard | 815-E001 | Geotextile under Riprap |
| 28 | Ton | 815-F002 | Sediment Control Stone |
| 175 | Linear Feet | 907-253-A001 | Coir Fiber Baffle |
| 3 | Each | 907-619-E3001 | Changeable Message Sign |
| 2 | Each | 907-630-O006 | Remove and Reset Signs, Ground Mounted |
| 14 | Each | 907-683-PP001 | Lighting Assembly, Per Plans |
| ALTERNATE GROUP AA NUMBER 1 | | | |
| 3,250 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |

ALTERNATE GROUP AA NUMBER 2

3,250 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

3,250 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 08

Mill & Overlay approximately 8 miles on SR 41 from SR 32 to the Pontotoc County Line, known as Federal Aid Project No. STP-0048-01(039) / 108196301 in Chickasaw County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-----------------|-----------|--|
| 5 | Cubic Yard | 206-A001 | Structure Excavation |
| 278 | Square Yard | 216-A001 | Solid Sodding |
| 1 | Thousand Gallon | 219-A001 | Watering |
| 2,375 | Cubic Yard | 304-A002 | Granular Material, LVM, Class 3, Group C |
| 18,742 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 950 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 13,028 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 16 | Mile | 423-A001 | Rumble Strips, Ground In |
| 3 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 24 | Linear Feet | 603-CA011 | 18" Reinforced Concrete Pipe, Class III |
| 8 | Linear Feet | 603-CA055 | 36" Reinforced Concrete Pipe, Class III |
| 2 | Each | 603-CB003 | 18" Reinforced Concrete End Section |
| 1 | Each | 603-CB006 | 36" Reinforced Concrete End Section |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Square Feet | 618-B001 | Additional Construction Signs |
| 31 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 13 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 9 | Mile | 619-A4002 | Temporary Traffic Stripe, Skip Yellow |
| 1,396 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 1,060 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 15,409 | Linear Feet | 626-B003 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 9,248 | Linear Feet | 626-D004 | 6" Thermoplastic Traffic Stripe, Skip Yellow |
| 6,315 | Linear Feet | 626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 1,396 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |

| | | | |
|-------|-------------|--------------|---|
| 759 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 1,060 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 360 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 1,319 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1,073 | Each | 627-M001 | One-Way Clear Reflective High Performance Raised Markers |
| 91 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 88 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 176 | Linear Feet | 630-C001 | Square Tube Posts, 4.0 lb/ft |
| 60 | Linear Feet | 630-C005 | Square Tube Posts, 2.0 lb/ft |
| 66 | Linear Feet | 907-619-B001 | Temporary Portable Rumble Strips |

CALL No. 09

Mill & Overlay approximately 5.4 miles of SR 25 from 2 miles South of Calvery Road to the SR 15 Interchange and approximately 0.5 miles of SR 15 from approximately 0.25 miles South of the SR 25/SR 15 Interchange to just North of the Interchange, known as Federal Aid Project Nos. NH-0056-01(100) / 107930301 & 302 in Winston County.

PROJECT COMPLETION: 98 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-------------|-----------|--|
| 2,100 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 12 | Each | 202-B138 | Removal of Guard Rail Bridge End Section |
| 1,800 | Linear Feet | 202-B150 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 13 | Each | 202-B152 | Removal of Guard Rail Terminal End Section |
| 16 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 4,400 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 25 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 25 | Cubic Yard | 203-G002 | Excess Excavation, LVM, AH |
| 10,000 | Cubic Yard | 304-A003 | Granular Material, LVM, Class 3, Group D |
| 29,760 | Ton | 403-A002 | 12.5-mm, MT, Asphalt Pavement |
| 5,600 | Ton | 403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 62,000 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 17,000 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 24 | Mile | 423-A001 | Rumble Strips, Ground In |
| 1,800 | Linear Feet | 606-B002 | Guard Rail, Class A, Type 1, 'W' Beam |
| 1 | Each | 606-C001 | Guard Rail, Cable Anchor Type 1, Metal Post |
| 4 | Each | 606-D020 | Guard Rail, Bridge End Section, Type H, Metal Post |
| 8 | Each | 606-D023 | Guard Rail, Bridge End Section, Type I, Metal Post |
| 12 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 2 | Square Feet | 618-B001 | Additional Construction Signs |
| 28 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 20 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 26 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |

| | | | |
|------------------------------------|-------------|--------------|--|
| 122,000 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 1,200 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 84 | Each | 619-F3001 | Delineators, Guard Rail, White |
| 84 | Each | 619-F3002 | Delineators, Guard Rail, Yellow |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 13 | Mile | 626-A004 | 6" Thermoplastic Traffic Stripe, Skip White |
| 14 | Mile | 626-C004 | 6" Thermoplastic Edge Stripe, Continuous White |
| 10 | Mile | 626-F003 | 6" Thermoplastic Edge Stripe, Continuous Yellow |
| 33,000 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 28,000 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 200 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 600 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 670 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 2,100 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 120 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 36 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 48 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 9 | Square Feet | 630-A005 | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness |
| 30 | Linear Feet | 630-C001 | Square Tube Posts, 4.0 lb/ft |
| 61 | Linear Feet | 630-C005 | Square Tube Posts, 2.0 lb/ft |
| 190,000 | Square Yard | 907-414-A001 | Scrub Seal |
| 5,000 | Square Yard | 907-424-A001 | Roadbed Reclamation with Cement |
| 90 | Ton | 907-424-B001 | Cement |
| ALTERNATE GROUP AA NUMBER 1 | | | |
| 1,600 | Linear Feet | 628-G001 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 2,080 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 2,080 | Linear Feet | 628-J001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| ALTERNATE GROUP AA NUMBER 2 | | | |
| 1,600 | Linear Feet | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White |
| 2,080 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |

2,080 Linear Feet

907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 10

Bridge Replacement on SR 483 between Forkville & Ludlow (Bridge No. 4.3), known as Federal Aid Project No. BR-0433-00(011) / 102365301 in Scott County.

PROJECT COMPLETION: 160 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | |
|-------------------|-----------|---|
| 7 Acre | 201-B001 | Clearing and Grubbing |
| 1,816 Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 1 Each | 202-B023 | Removal of Bridge |
| 320 Linear Feet | 202-B156 | Removal of Guard Rail, Including Rail, Posts & Cable Anchor s |
| 30 Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 2,655 Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 2,536 Cubic Yard | 203-EX008 | Borrow Excavation, AH, FME, Class B15 |
| 500 Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 2,420 Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 4 Ton | 213-C001 | Superphosphate |
| 70 Square Yard | 216-A001 | Solid Sodding |
| 500 Square Yard | 217-A001 | Ditch Liner |
| 2 Thousand Gallon | 219-A001 | Watering |
| 7 Acre | 220-A001 | Insect Pest Control |
| 8 Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 14 Acre | 223-A001 | Mowing |
| 7 Acre | 225-A001 | Grassing |
| 4 Ton | 225-B001 | Agricultural Limestone |
| 14 Ton | 225-C001 | Mulch, Vegetative Mulch |
| 7 Acre | 226-A001 | Temporary Grassing |
| 2,000 Linear Feet | 234-A001 | Temporary Silt Fence |
| 400 Linear Feet | 234-C001 | Super Silt Fence |
| 200 Linear Feet | 234-F001 | Turbidity Barrier |
| 2,000 Linear Feet | 237-A002 | Wattles, 20" |
| 500 Linear Feet | 239-A001 | Temporary Slope Drains |

| | | | |
|-------|-------------|------------|--|
| 115 | Linear Feet | 245-A001 | Silt Dike |
| 100 | Each | 246-B001 | Rockbags |
| 250 | Ton | 249-A001 | Riprap for Erosion Control |
| 244 | Ton | 403-A003 | 12.5-mm, ST, Asphalt Pavement |
| 200 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 223 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 489 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 242 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 208 | Gallon | 408-A001 | Asphalt for Prime Coat, Cut-Back MC-70 |
| 44 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 150 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 3 | Cubic Yard | 601-B002 | Class "C" Structural Concrete, Minor Structures |
| 56 | Linear Feet | 603-ALT006 | 24" Type A Alternate Pipe |
| 40 | Square Yard | 605-AA001 | Geotextile for Subsurface Drainage, Type III |
| 72 | Linear Feet | 605-O002 | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 10 | Linear Feet | 605-P002 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 3 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 150 | Linear Feet | 606-B003 | Guard Rail, Class A, Type 1, 'W' Beam, Metal Post |
| 4 | Each | 606-D023 | Guard Rail, Bridge End Section, Type I, Metal Post |
| 4 | Each | 606-E001 | Guard Rail, Terminal End Section |
| 40 | Linear Feet | 615-A024 | Concrete Bridge End Barrier, 37.5" |
| 22 | Each | 617-A001 | Right-of-Way Marker |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 2,200 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 750 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 1,100 | Linear Feet | 619-A4001 | Temporary Traffic Stripe, Skip Yellow |
| 71 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 407 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 96 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 48 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |

| | | | |
|-------|-------------|---------------|--|
| 12 | Each | 619-G7001 | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 2,200 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 1,100 | Linear Feet | 626-D002 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 750 | Linear Feet | 626-E002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 14 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 18 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 30 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 16 | Each | 630-F006 | Delineators, Guard Rail, White |
| 4 | Each | 630-G005 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 100 | Ton | 815-F002 | Sediment Control Stone |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|-------|-----|----------|----------------------------------|
| 1,915 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-------|-----|----------|----------------------------------|

ALTERNATE GROUP AA NUMBER 2

| | | | |
|-------|-----|----------|-----------------------------|
| 1,915 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-------|-----|----------|-----------------------------|

ALTERNATE GROUP AA NUMBER 3

| | | | |
|-------|-----|----------|------------------------------|
| 1,915 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-------|-----|----------|------------------------------|

ALTERNATE GROUP BB NUMBER 1

| | | | |
|----|------------|----------|--|
| 44 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
|----|------------|----------|--|

ALTERNATE GROUP BB NUMBER 2

| | | | |
|----|------------|----------|--|
| 44 | Cubic Yard | 605-W003 | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
|----|------------|----------|--|

Bridge Items

| | | | |
|--------|-------------|----------|--|
| 646 | Square Yard | 501-K001 | Transverse Grooving |
| 1,050 | Linear Feet | 803-P007 | 18" Steel Pipe Piling, Wall Thickness 0.500" |
| 560 | Linear Feet | 803-P008 | 20" Steel Pipe Piling, Wall Thickness 0.500" |
| 954 | Linear Feet | 804-C188 | 80' Prestressed Concrete Beam, Type FIB-36 |
| 61,625 | Pounds | 805-A001 | Reinforcement |
| 2,236 | Pounds | 805-C001 | Reinforcement, Corrosion Resistant |
| 484 | Linear Feet | 813-A004 | Concrete Railing, 36" |

| | | | |
|-------|-------------|--------------|------------------------------------|
| 1,805 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 1,445 | Square Yard | 815-E001 | Geotextile under Riprap |
| 1 | Each | 907-803-B001 | Conventional Static Pile Load Test |
| 2 | Each | 907-803-I004 | PDA Test Pile, Steel Pipe Pile |
| 2 | Each | 907-803-J001 | Pile Restrike |
| 213 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class BDY |
| 89 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |

CALL No. 11

Bridge Replacement on SR 342 over Donaldson Creek (Bridge No. 0.2), known as Federal Aid Project No. STP-0874-00(006) / 106974301 in Pontotoc County.

PROJECT COMPLETION: SEPTEMBER 08, 2021

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-----------------|-----------|---|
| 1 | Lump Sum | 201-A001 | Clearing and Grubbing |
| 1 | Lump Sum | 202-A001 | Removal of Obstructions |
| 798 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 62 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 454 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 500 | Cubic Yard | 203-EX020 | Borrow Excavation, AH, FME, Class B9 |
| 12,052 | Cubic Yard | 203-F001 | Channel Excavation, FM |
| 100 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 259 | Cubic Yard | 206-A001 | Structure Excavation |
| 2,331 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 392 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 1 | Ton | 213-C001 | Superphosphate |
| 3,661 | Square Yard | 216-A001 | Solid Sodding |
| 73 | Thousand Gallon | 219-A001 | Watering |
| 1 | Acre | 220-A001 | Insect Pest Control |
| 6 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 92 | Square Yard | 224-A001 | Soil Reinforcing Mat |
| 1 | Acre | 225-A001 | Grassing |
| 1 | Ton | 225-B001 | Agricultural Limestone |
| 1 | Ton | 225-C001 | Mulch, Vegetative Mulch |
| 1 | Acre | 226-A001 | Temporary Grassing |
| 2,837 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 400 | Linear Feet | 234-C001 | Super Silt Fence |
| 3,382 | Linear Feet | 237-A002 | Wattles, 20" |
| 100 | Linear Feet | 245-A001 | Silt Dike |

| | | | |
|-------|-------------|-----------|--|
| 100 | Each | 246-B001 | Rockbags |
| 7 | Ton | 249-A001 | Riprap for Erosion Control |
| 4 | Cubic Yard | 249-B001 | Remove and Reset Riprap |
| 1,365 | Cubic Yard | 304-A002 | Granular Material, LVM, Class 3, Group C |
| 379 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 334 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 2,373 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 421 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 84 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 23 | Square Yard | 501-K001 | Transverse Grooving |
| 160 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 108 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 1 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 88 | Linear Feet | 603-CA119 | 72" Reinforced Concrete Pipe, Class III |
| 2 | Each | 603-CB012 | 72" Reinforced Concrete End Section |
| 43 | Square Yard | 605-AA001 | Geotextile for Subsurface Drainage, Type III |
| 76 | Linear Feet | 605-O002 | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 12 | Linear Feet | 605-P002 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 3 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 38 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 3 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 1 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 2 | Each | 606-E007 | Guard Rail, Terminal End Section, Non-Flared |
| 1 | Each | 606-G005 | Special Sections, Short Radius Guardrail |
| 40 | Linear Feet | 615-A024 | Concrete Bridge End Barrier, 37.5" |
| 14 | Each | 617-A001 | Right-of-Way Marker |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 2,500 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 2,660 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 250 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |

| | | | |
|-------|-------------|--------------|--|
| 120 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 42 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 353 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 96 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 14 | Each | 619-G7001 | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 2,500 | Linear Feet | 626-B003 | 6" Thermoplastic Traffic Stripe, Continuous White |
| 2,600 | Linear Feet | 626-E003 | 6" Thermoplastic Traffic Stripe, Continuous Yellow |
| 250 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 120 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 20 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 32 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 31 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 35 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 128 | Linear Feet | 630-C001 | Square Tube Posts, 4.0 lb/ft |
| 14 | Each | 630-F006 | Delineators, Guard Rail, White |
| 2 | Each | 630-G003 | Type 3 Object Markers, OM-3L, Post Mounted |
| 2 | Each | 630-G007 | Type 3 Object Markers, OM-3R, Post Mounted |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 75 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 102 | Square Yard | 815-E001 | Geotextile under Riprap |
| 100 | Ton | 815-F002 | Sediment Control Stone |
| 933 | Square Yard | 907-228-A002 | Erosion Control Blanket, Type II |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|-----|-----|----------|----------------------------------|
| 800 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|-----|-----|----------|----------------------------------|

ALTERNATE GROUP AA NUMBER 2

| | | | |
|-----|-----|----------|-----------------------------|
| 800 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|-----|-----|----------|-----------------------------|

ALTERNATE GROUP AA NUMBER 3

| | | | |
|-----|-----|----------|------------------------------|
| 800 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|-----|-----|----------|------------------------------|

ALTERNATE GROUP BB NUMBER 1

| | | | |
|-----|-------------|--------------|---|
| 205 | Linear Feet | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 205 | Linear Feet | 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |

ALTERNATE GROUP BB NUMBER 2

| | | | |
|-----|-------------|----------|--|
| 205 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 205 | Linear Feet | 628-J001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |

ALTERNATE GROUP CC NUMBER 1

| | | | |
|----|------------|----------|--|
| 38 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
|----|------------|----------|--|

ALTERNATE GROUP CC NUMBER 2

| | | | |
|----|------------|----------|--|
| 38 | Cubic Yard | 605-W003 | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
|----|------------|----------|--|

Bridge Items

| | | | |
|--------|-------------|--------------|---|
| 342 | Square Yard | 501-K001 | Transverse Grooving |
| 960 | Linear Feet | 803-D006 | HP 14 x 73 Steel Piling |
| 245 | Linear Feet | 804-C212 | 25' Prestressed Concrete Beam, Type MFIB-25 |
| 248 | Linear Feet | 804-C213 | 50' Prestressed Concrete Beam, Type MFIB-25 |
| 56,770 | Pounds | 805-A001 | Reinforcement |
| 2,595 | Pounds | 805-C001 | Reinforcement, Corrosion Resistant |
| 205 | Linear Feet | 813-A004 | Concrete Railing, 36" |
| 8,425 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 6,740 | Square Yard | 815-E001 | Geotextile under Riprap |
| 2 | Each | 907-803-B001 | Conventional Static Pile Load Test |
| 2 | Each | 907-803-I003 | PDA Test Pile, HP Steel Pile |
| 2 | Each | 907-803-J001 | Pile Restrike |
| 105 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class BDx |
| 120 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |

CALL No. 12

Bridge Replacement on US 51 from Pope to Courtland (Bridge Nos. 242.9 & 243.2), known as Federal Aid Project No. BR-2901-00(028) / 103333301 in Panola County.

PROJECT COMPLETION: 363 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-----------------|-----------|--|
| 1 | Lump Sum | 201-A001 | Clearing and Grubbing |
| 1 | Acre | 201-B001 | Clearing and Grubbing |
| 1 | Lump Sum | 202-A001 | Removal of Obstructions |
| 17,567 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 1 | Each | 202-B018 | Removal of Box Culvert |
| 1,204 | Linear Feet | 202-B150 | Removal of Guard Rail Including Post, Blockouts & Hardware |
| 303 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 10,227 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 29,959 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 77,579 | Cubic Yard | 203-EX020 | Borrow Excavation, AH, FME, Class B9 |
| 22,313 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 132 | Cubic Yard | 206-A001 | Structure Excavation |
| 24,323 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 11,581 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 15 | Ton | 213-C001 | Superphosphate |
| 1,333 | Square Yard | 216-A001 | Solid Sodding |
| 1,261 | Square Yard | 217-A001 | Ditch Liner |
| 27 | Thousand Gallon | 219-A001 | Watering |
| 15 | Acre | 220-A001 | Insect Pest Control |
| 242 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 58 | Acre | 223-A001 | Mowing |
| 538 | Square Yard | 224-A001 | Soil Reinforcing Mat |
| 29 | Acre | 225-A001 | Grassing |
| 57 | Ton | 225-B001 | Agricultural Limestone |
| 57 | Ton | 225-C001 | Mulch, Vegetative Mulch |

| | | | |
|--------|-------------|------------|--|
| 29 | Acre | 226-A001 | Temporary Grassing |
| 14,650 | Linear Feet | 234-A001 | Temporary Silt Fence |
| 800 | Linear Feet | 234-C001 | Super Silt Fence |
| 200 | Each | 235-A001 | Temporary Erosion Checks |
| 1 | Each | 236-A008 | Silt Basin, Type D |
| 720 | Linear Feet | 237-A002 | Wattles, 20" |
| 600 | Linear Feet | 239-A001 | Temporary Slope Drains |
| 720 | Linear Feet | 245-A001 | Silt Dike |
| 1,440 | Linear Feet | 246-A001 | Sandbags |
| 720 | Ton | 249-A001 | Riprap for Erosion Control |
| 450 | Cubic Yard | 249-B001 | Remove and Reset Riprap |
| 10,400 | Ton | 304-B002 | Granular Material, Class 3, Group D |
| 2,019 | Ton | 403-A003 | 12.5-mm, ST, Asphalt Pavement |
| 2,418 | Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 2,056 | Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 325 | Ton | 403-B012 | 9.5-mm, ST, Asphalt Pavement, Leveling |
| 27 | Ton | 403-C003 | 19-mm, ST, Asphalt Pavement, Trench Widening |
| 929 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 3,347 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 614 | Gallon | 408-A001 | Asphalt for Prime Coat, Cut-Back MC-70 |
| 249 | Linear Feet | 413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 2 | Mile | 423-A001 | Rumble Strips, Ground In |
| 607 | Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 7 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 101 | Pounds | 602-A001 | Reinforcing Steel |
| 712 | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe |
| 24 | Linear Feet | 603-ALT005 | 22" x 13" Type A Alternate Pipe |
| 56 | Linear Feet | 603-ALT006 | 24" Type A Alternate Pipe |
| 144 | Linear Feet | 603-CA026 | 24" Reinforced Concrete Pipe, Class III |
| 40 | Linear Feet | 603-CA040 | 30" Reinforced Concrete Pipe, Class III |

| | | | |
|--------|-------------|-----------|--|
| 32 | Linear Feet | 603-CA055 | 36" Reinforced Concrete Pipe, Class III |
| 40 | Linear Feet | 603-CA076 | 48" Reinforced Concrete Pipe, Class III |
| 4 | Each | 603-CB004 | 24" Reinforced Concrete End Section |
| 1 | Each | 603-CB005 | 30" Reinforced Concrete End Section |
| 2 | Each | 603-CB006 | 36" Reinforced Concrete End Section |
| 2 | Each | 603-CB008 | 48" Reinforced Concrete End Section |
| 186 | Square Yard | 605-AA001 | Geotextile for Subsurface Drainage, Type III |
| 334 | Linear Feet | 605-O002 | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 20 | Linear Feet | 605-P002 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 12 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 450 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 8 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 8 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 895 | Linear Feet | 609-D003 | Combination Concrete Curb and Gutter Type 2 |
| 80 | Linear Feet | 615-A024 | Concrete Bridge End Barrier, 37.5" |
| 36 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 10-inch |
| 155 | Square Yard | 616-A004 | Concrete Median and/or Island Pavement, 4-inch |
| 30 | Each | 617-A001 | Right-of-Way Marker |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 31,791 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 32,082 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 4,680 | Linear Feet | 619-A4001 | Temporary Traffic Stripe, Skip Yellow |
| 8,816 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 190 | Square Feet | 619-A6001 | Temporary Traffic Stripe, Legend |
| 1,132 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 213 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 787 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 36 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 324 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |

| | | | |
|--------|-------------|---------------|--|
| 86 | Each | 619-G5001 | Free Standing Plastic Drums |
| 12 | Each | 619-G7001 | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1,977 | Linear Feet | 626-B001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 12,090 | Linear Feet | 626-C001 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 4,720 | Linear Feet | 626-D002 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 11,285 | Linear Feet | 626-E002 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 3,138 | Linear Feet | 626-G004 | Thermoplastic Double Drop Detail Stripe, White |
| 1,382 | Linear Feet | 626-G005 | Thermoplastic Double Drop Detail Stripe, Yellow Yellow |
| 109 | Square Feet | 626-H001 | Thermoplastic Double Drop Legend, White |
| 378 | Linear Feet | 626-H002 | Thermoplastic Double Drop Legend, White |
| 235 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 32 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 412 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 106 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 95 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 55 | Square Feet | 630-A005 | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness |
| 555 | Linear Feet | 630-C001 | Square Tube Posts, 4.0 lb/ft |
| 37 | Pounds | 630-E005 | Structural Steel Angles & Bars, Aluminum Unistrut |
| 32 | Each | 630-F006 | Delineators, Guard Rail, White |
| 8 | Each | 630-G005 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted Post Mounted |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 1,960 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 1,814 | Square Yard | 815-E001 | Geotextile under Riprap |
| 71 | Ton | 815-F002 | Sediment Control Stone |
| 167 | Linear Feet | 907-253-A001 | Coir Fiber Baffle |
| 4 | Each | 907-619-E3001 | Changeable Message Sign |
| 30 | Square Feet | 907-630-PP002 | Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted |
| 1,040 | Hours | 907-906001 | Trainees |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|------------------------------------|-------------|--------------|--|
| 9,650 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
| ALTERNATE GROUP AA NUMBER 2 | | | |
| 9,650 | Ton | 304-F002 | Size 610 Crushed Stone Base |
| ALTERNATE GROUP AA NUMBER 3 | | | |
| 9,650 | Ton | 304-F003 | Size 825B Crushed Stone Base |
| ALTERNATE GROUP BB NUMBER 1 | | | |
| 305 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| ALTERNATE GROUP BB NUMBER 2 | | | |
| 305 | Cubic Yard | 605-W003 | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
| Bridge Items | | | |
| 6,476 | Square Yard | 501-K001 | Transverse Grooving |
| 4,710 | Linear Feet | 803-P001 | 24" Steel Pipe Piling, Wall Thickness 0.500" |
| 5,080 | Linear Feet | 803-P003 | 30" Steel Pipe Piling, Wall Thickness 0.500" |
| 497 | Linear Feet | 804-C169 | 100' Prestressed Concrete Beam, Type FIB-45 |
| 1,507 | Linear Feet | 804-C188 | 80' Prestressed Concrete Beam, Type FIB-36 |
| 5,640 | Linear Feet | 804-C194 | 135' Prestressed Concrete Beam, Type FIB-63 |
| 696 | Linear Feet | 804-C196 | 140' Prestressed Concrete Beam, Type FIB-63 |
| 501,777 | Pounds | 805-A001 | Reinforcement |
| 14,964 | Pounds | 805-C001 | Reinforcement, Corrosion Resistant |
| 2,590 | Linear Feet | 813-A004 | Concrete Railing, 36" |
| 10,984 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 9,256 | Square Yard | 815-E001 | Geotextile under Riprap |
| 2 | Each | 907-803-B001 | Conventional Static Pile Load Test |
| 7 | Each | 907-803-I004 | PDA Test Pile, Steel Pipe Pile |
| 4 | Each | 907-803-J001 | Pile Restrike |
| 1,974 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class BDY |
| 610 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |
| 53 | Linear Feet | 907-822-B003 | 3" Reinforced Elastomeric Molded Rubber Expansion Joint |

CALL No. 13

Intersection Improvements at various locations throughout the District, known as Federal Aid Project No. HSIP-9999-06(368) / 108014301 in District 6.

PROJECT COMPLETION: 207 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|---------|-------------|--------------|---|
| 2 | Station | 201-C001 | Random Clearing and Grubbing |
| 25,701 | Square Feet | 202-B172 | Removal of Legend, All Types |
| 26 | Each | 202-B213 | Removal of Sign |
| 794 | Each | 202-B215 | Removal of Sign Including Post & Footing |
| 12,200 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 66 | Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 219,224 | Linear Feet | 626-A003 | 6" Thermoplastic Traffic Stripe, Skip White |
| 932,836 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |
| 101,965 | Linear Feet | 626-G003 | Thermoplastic Detail Stripe, Yellow |
| 19,611 | Square Feet | 626-H004 | Thermoplastic Legend, White |
| 6,090 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 9,632 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 5,785 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 14,034 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 2,959 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 12,106 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 6,037 | Square Feet | 630-A005 | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness |
| 19,185 | Linear Feet | 630-C003 | Steel U-Section Posts, 3.0 lb/ft |
| 6,725 | Linear Feet | 630-K002 | Welded & Seamless Steel Pipe Posts, 3" |
| 1,240 | Linear Feet | 630-K003 | Welded & Seamless Steel Pipe Posts, 4" |
| 57 | Each | 638-C001 | Flasher Assembly - Solar Powered |
| 888 | Square Feet | 907-630-A001 | Standard Roadside Signs, LED Enhanced |

CALL No. 14

Bridge Preservation on SR 617 (Litton Access) over the CSX Railroad (Bridge No. 0.9), known as Federal Aid Project No. STP-9401-00(002) / 108286301 in Jackson County.

PROJECT COMPLETION: 90 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

| | | | |
|--------|-------------|---------------|--|
| 5 | Acre | 201-D002 | Random Clearing |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 4,000 | Linear Feet | 619-A1002 | Temporary Traffic Stripe, Continuous White |
| 2,000 | Linear Feet | 619-A2002 | Temporary Traffic Stripe, Continuous Yellow |
| 3,000 | Linear Feet | 619-A3002 | Temporary Traffic Stripe, Skip White |
| 54 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 522 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 3 | Each | 619-E1001 | Flashing Arrow Panel, Type C |
| 36 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 125 | Each | 619-G5001 | Free Standing Plastic Drums |
| 8 | Each | 619-G7001 | Warning Lights, Type "B" |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 75 | Each | 627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 50 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 1,246 | Square Yard | 907-202-B001 | Removal of Bridge Deck, Hydrodemolition |
| 7,174 | Square Yard | 907-417-A001 | Polymer Cement Surface System |
| 10,800 | Pounds | 907-420-A001 | Undersealing |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|-------|-------------|--------------|---|
| 3,000 | Linear Feet | 907-624-A003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast |
| 4,000 | Linear Feet | 907-624-B003 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast |
| 2,000 | Linear Feet | 907-624-D001 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continous Yellow, High Contrast |

ALTERNATE GROUP AA NUMBER 2

| | | | |
|-------|-------------|----------|---|
| 3,000 | Linear Feet | 628-G001 | 6" High Performance Cold Plastic Traffic Stripe, Skip White |
| 4,000 | Linear Feet | 628-H001 | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |

2,000 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Items

80 Ton 815-A007 Loose Riprap, Size 300

46 Square Yard 815-E001 Geotextile under Riprap

1,776 Linear Feet 907-808-A002 Joint Repair

1,072 Linear Feet 907-823-A001 Preformed Joint Seal, Type I

1,845 Linear Feet 907-823-B001 Saw Cut, Type I

1 Square Feet 907-824-PP003 Bridge Repair, Epoxy Repair

299 Square Feet 907-824-PP003 Bridge Repair, Removal Of Bridge Deck

312 Each 907-824-PP006 Bridge Repair, Bearing Replacement

14 Each 907-824-PP006 Bridge Repair, Cap Cleaning

1 Lump Sum 907-899-A001 Railway-Highway Provisions

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

MELINDA L. MCGRATH, P.E.
EXECUTIVE DIRECTOR