

Proposal & Plan Sales Will Begin on April 5, 2021



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For April - April 27, 2021

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 27, 2021

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON APRIL 5, 2021

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 27, 2021; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

	CALL	CONTRACT	COUNTY
*	01	SP-0003-01(203)/108278301	JACKSON
	02	NH-0015-02(125)/107943301	LAWRENCE
	03	HSIP-0015-03(011)/107249301	WAYNE
*	04	NH-0026-01(083)/108605301	LAUDERDALE
	05	SP-0037-01(066)/108662301 & SP-0023-01(090)/108664301	MARION
*	06	STP-0043-02(016)/107766301 & SP-0016-01(036)/108668301	BOLIVAR
	07	BR-0060-03(024)/105333301	MARSHALL
*	08	IM-0069-04(003)/108582301 & IM-0069-04(004)/108583301	DESOTO
*	09	SP-0091-02(001)/108186301	HUMPHREYS
	10	SP-0694-00(001)/108666301	ADAMS
	11	SP-0914-00(039)/108667301 & HSIP-0914-00(039)/108667301	LINCOLN
*	12	MP-2008-07(006)/306904301	CALHOUN
*	13	MP-2330-81(004)/307474301	YALOBUSHA
	14	MP-5000-00(141)/307485301	DISTRICT 5
*	15	MP-6000-00(374)/307486301	DISTRICT 6
*	16	MP-6537-34(008)/307487301 & MP-6537-	CLARKE, JASPER, JONES

		31(001)/307487302 & MP-6533-	
		31(003)/307487303 & MP-6018-	
		12(012)/307487304	
	17	MP-7018-65(013)/306907301	SMITH
*	18	ER-9680-00(003)/108622701	YAZOO

CALL No. 01

Overlay approximately 7 miles on US 90 from SR 57 to the West Pascagoula River Bridge, known as State Project No. SP-0003-01(203) / 108278301 in Jackson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

256	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
20,100	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
13,608	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
108,485	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
40,538	Gallon	407-A001	Asphalt for Tack Coat
11	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3001	Temporary Traffic Stripe, Skip White
50,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
9,301	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
23,408	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
20	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
11	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
34,886	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
18,124	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
4,651	Square Feet	626-H004	Thermoplastic Legend, White
11,704	Linear Feet	626-H005	Thermoplastic Legend, White

572	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,380	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,849	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12,060	Ton	907-411-A001	Ultra Thin Asphalt Pavement
128	Linear Feet	907-603-D003	24" Cured-In-Place Pipe
128	Linear Feet	907-603-D011	36" Cured-In-Place Pipe
256	Linear Feet	907-603-V001	Video Pipe Inspection, All Sizes
1,953	Linear Feet	907-640-A001	Vehicle Loop Assemblies

ALTERNATE GROUP AA NUMBER 1

3,336	Ton	304-D001	Granular Material, Crushed Concrete
-------	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

3,336	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,336	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 02

Overlay approximately 4 miles on US 84 from Old Hwy 27 to SR 184, known as Federal Aid Project No. NH-0015-02(125) / 107943301 in Lawrence County.

PROJECT COMPLETION: 58 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

15,554	Linear Feet	202-B240	Removal of Traffic Stripe
1,424	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
14,780	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
168,619	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,437	Gallon	407-A001	Asphalt for Tack Coat
13	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3001	Temporary Traffic Stripe, Skip White
124,169	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
946	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,416	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
7	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
1	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
43,601	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
26,682	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
473	Square Feet	626-H004	Thermoplastic Legend, White
2,078	Linear Feet	626-H005	Thermoplastic Legend, White
244	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

969	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,017	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
28	Each	630-F006	Delineators, Guard Rail, White
56	Each	630-F007	Delineators, Guard Rail, Yellow
154	Each	630-F010	Delineators, Post Mounted, Double White
2	Each	630-F011	Delineators, Post Mounted, Double Yellow
12	Each	630-F012	Delineators, Post Mounted, Single White
38	Each	630-F013	Delineators, Post Mounted, Single Yellow
9,574	Pounds	907-420-A001	Undersealing

ALTERNATE GROUP AA NUMBER 1

5,050	Linear Feet	907-624-A003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast
5,880	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
5,050	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast
2,924	Linear Feet	907-624-E004	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow, High Contrast

ALTERNATE GROUP AA NUMBER 2

5,050	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
5,880	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
5,050	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
2,924	Linear Feet	628-K002	High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 03

Intersection Improvements on US 84 at Reservoir Road / Magnolia Hill Road & SR 184, known as Federal Aid Project No. HSIP-0015-03(011) / 107249301 in Wayne County.

PROJECT COMPLETION: 157 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
844	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
13,779	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
263	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
68	Square Yard	202-B063	Removal of Concrete Paved Ditch
796	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1	Each	202-B165	Removal of Inlets, All Sizes
1	Each	202-B170	Removal of Junction Box
515	Linear Feet	202-B191	Removal of Pipe, 8" And Above
9	Each	202-B206	Removal of Right-Of-Way Marker
45	Each	202-B215	Removal of Sign Including Post & Footing
38,705	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
40,034	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
24,459	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,100	Cubic Yard	206-A001	Structure Excavation
165	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
27,420	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
8	Ton	213-C001	Superphosphate
276	Square Yard	216-A001	Solid Sodding
440	Square Yard	217-A001	Ditch Liner
6	Thousand Gallon	219-A001	Watering
26	Cubic Yard	221-A001	Concrete Paved Ditch
45	Acre	223-A001	Mowing
1,081	Square Yard	224-A001	Soil Reinforcing Mat

15 Acre	225-A001	Grassing
8 Ton	225-B001	Agricultural Limestone
30 Ton	225-C001	Mulch, Vegetative Mulch
15 Acre	226-A001	Temporary Grassing
19,015 Linear Feet	234-A001	Temporary Silt Fence
200 Each	235-A001	Temporary Erosion Checks
5 Each	236-A008	Silt Basin, Type D
5 Each	236-B004	Maintenance and Removal of Existing Silt Basins, Type D
900 Linear Feet	237-A002	Wattles, 20"
30 Linear Feet	246-A001	Sandbags
2,409 Ton	249-A001	Riprap for Erosion Control
476 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
1,699 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
655 Ton	403-A004	19-mm, HT, Asphalt Pavement
2,402 Ton	403-A006	19-mm, ST, Asphalt Pavement
1,646 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
1,528 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
872 Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
16,174 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,301 Gallon	407-A001	Asphalt for Tack Coat
3 Mile	423-A001	Rumble Strips, Ground In
2,775 Linear Feet	503-C010	Saw Cut, Full Depth
25 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
489 Pounds	602-A001	Reinforcing Steel
80 Linear Feet	603-ALT003	18" Type A Alternate Pipe
80 Linear Feet	603-ALT013	36" x 23" Type A Alternate Pipe
392 Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
360 Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
480 Linear Feet	603-CA071	42" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
96 Linear Feet	603-CA112	66" Reinforced Concrete Pipe, Class III, Rubber Type Gasket

72	Linear Feet	603-CA116	66" Reinforced Concrete Pipe, Class IV, Rubber Type Gaskets
3	Each	603-CB003	18" Reinforced Concrete End Section
10	Each	603-CB004	24" Reinforced Concrete End Section
4	Each	603-CB007	42" Reinforced Concrete End Section
2	Each	603-CB011	66" Reinforced Concrete End Section
296	Linear Feet	603-CE003	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
1,500	Pounds	604-B001	Gratings
960	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
986	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
10	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
34	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
487	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
38	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
5	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
28,521	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
357	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
753	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
242	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
160	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
736	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
156	Linear Feet	619-G4005	Barricades, Type III, Single Faced
200	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization

1 Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
2 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12,492 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,246 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
356 Square Feet	626-H004	Thermoplastic Legend, White
893 Linear Feet	626-H005	Thermoplastic Legend, White
137 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
247 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
136 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
92 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
107 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
136 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
192 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
9 Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
362 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
156 Linear Feet	630-D008	Structural Steel Beams, W6 x 9
123 Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
208 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
182 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
5 Each	635-A059	Traffic Signal Head, Type 1
2 Each	635-A065	Traffic Signal Head, Type 2 FYA
2 Each	635-A070	Traffic Signal Head, Type 3
1 Each	635-A073	Traffic Signal Head, Type 4
4 Each	638-A006	Flasher Assembly, Prepare To Stop
1 Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1 Lump Sum	699-A001	Roadway Construction Stakes
258 Ton	815-A002	Loose Riprap, Size 100
598 Square Yard	815-E001	Geotextile under Riprap

324	Ton	815-F002	Sediment Control Stone
2,116	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
934	Linear Feet	907-253-A001	Coir Fiber Baffle
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A107	Traffic Signal Equipment Pole, Type II, 22' Shaft, 40' Arm
1	Each	907-634-A109	Traffic Signal Equipment Pole, Type II, 22' Shaft, 50' Arm
2	Each	907-634-A117	Traffic Signal Equipment Pole, Type II, 22' Shaft, 90' Arm
35	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
2,500	Linear Feet	907-636-B006	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 4 Conductor
795	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
20	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
96	Linear Feet	907-636-D003	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 12, 4 Conductor
343	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
40	Linear Feet	907-636-D020	Electric Cable, Aerial Supported in Conduit, THHN, AWG #6, 3 Conductor
9	Each	907-637-A002	Pullbox Enclosure, Type 2
2	Each	907-637-A003	Pullbox Enclosure, Type 3
140	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
20	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
2,010	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
510	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Each	907-639-J001	Type 3 Intersection Device
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,686	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
47	Square Feet	907-653-B001	Street Name Sign

ALTERNATE GROUP AA NUMBER 1

17,577	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

17,577	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

17,577 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 04

Mill & Overlay approximately 3 miles on SR 19 from I-59 to North Hills Street, known as Federal Aid Project No. NH-0026-01(083) / 108605301 in Lauderdale County.

PROJECT COMPLETION: 81 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,910	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,138	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3,042	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
80	Ton	249-A001	Riprap for Erosion Control
100	Ton	304-D002	Granular Material, Crushed Stone
18,128	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,508	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
158,262	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,017	Gallon	407-A001	Asphalt for Tack Coat
1,600	Linear Feet	503-C010	Saw Cut, Full Depth
625	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
5	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
5	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
11	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3001	Temporary Traffic Stripe, Skip White
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
33,037	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15,456	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
734	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

14	Each	619-F4001	Snap-Back Delineator
36	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
7	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
25,257	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
7,780	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
4,156	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
7,728	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,368	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,365	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
85	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Each	630-F006	Delineators, Guard Rail, White
7	Each	630-F007	Delineators, Guard Rail, Yellow
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2	Each	635-A076	Traffic Signal Head, Type 6
1	Each	635-A078	Traffic Signal Head, Type 7
85	Square Yard	815-E001	Geotextile under Riprap
50	Ton	815-F002	Sediment Control Stone
7	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
31	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
4,640	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
2	Each	907-645-B001	Accessible Pedestrian Detection Assembly
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 05

Overlay approximately 8 miles on SR 35 from Bridge No. 7.8 to US 98 & approximately 7 miles on SR 13 from SR 43 to US 98, known as State Project Nos. SP-0037-01(066) / 108662301 & SP-0023-01(090) / 108664301 in Marion County.

PROJECT COMPLETION: 81 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,800	Linear Feet	202-B240	Removal of Traffic Stripe
853	Cubic Yard	203-G002	Excess Excavation, LVM, AH
3,469	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
483	Ton	403-A005	19-mm, MT, Asphalt Pavement
13,886	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
12,609	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
47,165	Gallon	407-A001	Asphalt for Tack Coat
33	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
61	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3001	Temporary Traffic Stripe, Skip White
30	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
36,819	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
71	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,880	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
16	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
15	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10,357	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
11,192	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

151	Square Feet	626-H004	Thermoplastic Legend, White
5,856	Linear Feet	626-H005	Thermoplastic Legend, White
724	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
198	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,010	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
63	Each	630-F006	Delineators, Guard Rail, White
5,399	Ton	907-411-A001	Ultra Thin Asphalt Pavement
10,393	Ton	907-411-A001	Ultra Thin Asphalt Pavement Leveling
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,000	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-------	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

1,000	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-------	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,000	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-------	------------	----------	-----------------------------------

CALL No. 06

Mill & Overlay approximately 8 miles on SR 1 from Beulah to North Rosedale, known as Federal Aid Project No. STP-0043-02(016) / 107766301 & Overlay approximately 18 miles on SR 8 from SR 1 to Cleveland, known as State Project No. SP-0016-01(036) / 108668301 in Bolivar County.

PROJECT COMPLETION: 161 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

580	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
700	Square Yard	202-B188	Removal of Pavement, All Types and Depths
1,000	Linear Feet	202-B240	Removal of Traffic Stripe
250	Cubic Yard	203-G001	Excess Excavation, FM, AH
14,500	Ton	304-B004	Granular Material, Class 5, Group D
900	Ton	403-A005	19-mm, MT, Asphalt Pavement
14,500	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
26,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
49,100	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
31,000	Gallon	407-A001	Asphalt for Tack Coat
5,340	Square Feet	412-A001	Pre-Grinding
9,600	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
50	Mile	423-A001	Rumble Strips, Ground In
1,550	Linear Feet	503-C010	Saw Cut, Full Depth
430	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
48	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
21	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
19,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
320	Square Feet	619-A6001	Temporary Traffic Stripe, Legend

5,500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
49	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
21	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
17,300	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
7,300	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
470	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
9,000	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
675	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
450	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F012	Delineators, Post Mounted, Single White
7	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
15	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
7	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

450	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

450	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

450	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 07

Bridge Replacement on SR 4 over the BNSF Railway & MS Central Railroad Company (Bridge No. 75.3), known as Federal Aid Project No. BR-0060-03(024) / 105333301 in Marshall County.

PROJECT COMPLETION: 204 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

853	Square Yard	501-K001	Transverse Grooving
2,625	Linear Feet	803-D007	HP 14 x 89 Steel Piling
845	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
764	Linear Feet	804-C026	110' Prestressed Concrete Beam, Type IV
902	Linear Feet	804-C095	65' Prestressed Concrete Beam, Type IV
97,542	Pounds	805-A001	Reinforcement
484	Linear Feet	813-A002	Concrete Railing, 32"
480	Linear Feet	813-B001	Concrete-Steel Railing
95	Cubic Yard	815-D001	Concrete Slope Paving
1	Each	907-803-B001	Conventional Static Pile Load Test
1	Each	907-803-I003	PDA Test Pile, HP Steel Pile
1	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
226	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
336	Cubic Yard	907-804-A004	Bridge Concrete, Class BD

Roadway Items

1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
6,024	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
802	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
421	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
461	Square Yard	202-B080	Removal of Concrete Sidewalk
6	Each	202-B165	Removal of Inlets, All Sizes
767	Linear Feet	202-B191	Removal of Pipe, 8" And Above
16	Each	202-B215	Removal of Sign Including Post & Footing

12,417	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
7,944	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
500	Cubic Yard	203-G001	Excess Excavation, FM, AH
848	Cubic Yard	206-A001	Structure Excavation
7,763	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,543	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
1,018	Square Yard	216-A001	Solid Sodding
10	Square Yard	217-A001	Ditch Liner
453	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
30	Cubic Yard	221-A001	Concrete Paved Ditch
7	Acre	223-A001	Mowing
1,200	Square Yard	224-A001	Soil Reinforcing Mat
7	Acre	225-A001	Grassing
4	Ton	225-B001	Agricultural Limestone
15	Ton	225-C001	Mulch, Vegetative Mulch
7	Acre	226-A001	Temporary Grassing
2,500	Linear Feet	234-A001	Temporary Silt Fence
2,728	Linear Feet	237-A002	Wattles, 20"
800	Linear Feet	239-A001	Temporary Slope Drains
1,300	Linear Feet	246-A001	Sandbags
100	Ton	249-A001	Riprap for Erosion Control
3,610	Ton	304-B002	Granular Material, Class 3, Group D
1,047	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,178	Ton	403-A006	19-mm, ST, Asphalt Pavement
768	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
854	Gallon	407-A001	Asphalt for Tack Coat
70	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
149	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement

60	Linear Feet	503-C010	Saw Cut, Full Depth
44	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2	Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
3,198	Pounds	602-A001	Reinforcing Steel
528	Linear Feet	603-ALT003	18" Type A Alternate Pipe
936	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
792	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
4	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB004	24" Reinforced Concrete End Section
40	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
64	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
32	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
2	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
1,027	Pounds	604-A001	Castings
36	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
64	Linear Feet	605-O003	4" Perforated Sewer Pipe for Underdrains, SDR 35
52	Linear Feet	605-P003	4" Non-perforated Sewer Pipe for Underdrains, SDR 35
2	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
175	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1,010	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
78	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
1,314	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
24	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
7	Each	613-D005	Adjustment of Manhole
600	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
253	Square Yard	614-B001	Concrete Driveway, With Reinforcement

40	Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
48	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
5,291	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
5,822	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
349	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
311	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
221	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
224	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
60	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5,291	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,822	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
349	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
311	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
63	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
97	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
22	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
25	Ton	815-A007	Loose Riprap, Size 300
67	Square Yard	815-E001	Geotextile under Riprap
12	Ton	815-F002	Sediment Control Stone

4	Each	907-619-E3001	Changeable Message Sign
1	Lump Sum	907-899-A001	Railway-Highway Provisions
ALTERNATE GROUP AA NUMBER 1			
7,513	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
7,513	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
7,513	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
16	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2			
16	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 08

Mill, Overlay & Stripe approximately 2 miles on I-69 from the Concrete Section to Tennessee State Line, known as Federal Aid Project Nos. IM-0069-04(003) / 108582301 & IM-0069-04(004) / 108583301 in Desoto County.

PROJECT COMPLETION: 55 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

20 Mile	202-B241	Removal of Traffic Stripe
6,125 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
10 Mile	403-S001	Joint Sealant
950 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
85,250 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,700 Gallon	407-A001	Asphalt for Tack Coat
10 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
8 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
19 Mile	619-A3001	Temporary Traffic Stripe, Skip White
1 Lump Sum	620-A001	Mobilization
18 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
17,500 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,450 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,300 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,925 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
775 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
400 Hours	907-618-M2001	Work Zone Law Enforcement

CALL No. 09

Mill & Overlay approximately 10 miles of SR 149 from 0.3 Miles South of SR 14 to US 49W, known as State Project No. SP-0091-02(001) / 108186301 in Humphreys County.

PROJECT COMPLETION: 139 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

748	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
561	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
225	Linear Feet	202-B136	Removal of Guard Rail
125	Cubic Yard	203-G001	Excess Excavation, FM, AH
21,000	Ton	304-B004	Granular Material, Class 5, Group D
8,745	Ton	403-A006	19-mm, ST, Asphalt Pavement
14,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
14,000	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
254	Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
15,206	Gallon	407-A001	Asphalt for Tack Coat
38,000	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
20	Mile	423-A001	Rumble Strips, Ground In
347	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,680	Linear Feet	503-C010	Saw Cut, Full Depth
150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
19	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White

10 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8,099 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,018 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,204 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
428 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
850 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

425 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

425 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

425 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 10

Mill & Overlay approximately 0.5 miles on SR 555 (Linda Lee Drive) from Deveraux Drive to Martin Luther King, Jr. Road, known as State Project No. SP-0694-00(001) / 108666301 in Adams County.

PROJECT COMPLETION: 25 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,999 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
200 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
24,229 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,817 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
2 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
2 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2 Mile	619-A3001	Temporary Traffic Stripe, Skip White
2 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,704 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
651 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,508 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
1 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,570 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
902 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
651 Square Feet	626-H004	Thermoplastic Legend, White
1,140 Linear Feet	626-H005	Thermoplastic Legend, White
171 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
323 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5 Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers

CALL No. 11

Safety Improvements along SR 583, known as Federal Aid Project No. HSIP-0914-00(039) / 1086673011 & Overlay approximately 5 miles on SR 583 from Topisaw Drive to US 84, known as State Project No. SP-0914-00(039) / 1086673010 in Lincoln County.

PROJECT COMPLETION: 69 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

917	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
284	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,237	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,417	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
10	Cubic Yard	304-E005	Granular Material, LVM, Size 57
227	Ton	403-A006	19-mm, ST, Asphalt Pavement
4,678	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,097	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
2,011	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
973	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
12,433	Gallon	407-A001	Asphalt for Tack Coat
11	Mile	423-A001	Rumble Strips, Ground In
1,000	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,064	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
57	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
884	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

1,642	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
422	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
57	Square Feet	626-H004	Thermoplastic Legend, White
1,424	Linear Feet	626-H005	Thermoplastic Legend, White
1,306	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,104	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

513	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

513	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

513	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 12

Mill & Overlay approximately 0.6 miles on SR 8 from 0.25 miles north of the Calhoun City Limits to the Stop Bar at SR 8 East, known as State Project No. MP-2008-07(006) / 306904301 in Calhoun County.

PROJECT COMPLETION: 42 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100 Cubic Yard	203-G001 Excess Excavation, FM, AH
200 Ton	304-B002 Granular Material, Class 3, Group D
4,225 Ton	403-A014 9.5-mm, MT, Asphalt Pavement
425 Ton	403-B011 9.5-mm, MT, Asphalt Pavement, Leveling
50,990 Square Yard	406-D001 Fine Milling of Bituminous Pavement, All Depths
2,400 Gallon	407-A001 Asphalt for Tack Coat
3,125 Linear Feet	413-E001 Sawing and Sealing Transverse Joints in Asphalt Pavement
1 Lump Sum	618-A001 Maintenance of Traffic
1 Square Feet	618-B001 Additional Construction Signs
3 Mile	619-A1001 Temporary Traffic Stripe, Continuous White
3 Mile	619-A2001 Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4002 Temporary Traffic Stripe, Skip Yellow
3,135 Linear Feet	619-A5001 Temporary Traffic Stripe, Detail
1,134 Linear Feet	619-A6002 Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001 Mobilization
2 Mile	626-C004 6" Thermoplastic Edge Stripe, Continuous White
1 Mile	626-D003 6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	626-E004 6" Thermoplastic Traffic Stripe, Continuous Yellow
530 Linear Feet	626-G001 Thermoplastic Detail Stripe, Blue-ADA
1,567 Linear Feet	626-G002 Thermoplastic Detail Stripe, White
6,856 Linear Feet	626-G003 Thermoplastic Detail Stripe, Yellow
1,250 Linear Feet	626-H005 Thermoplastic Legend, White
261 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
95 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001 Temporary Portable Rumble Strips

20 Each

907-626-H001 Thermoplastic Legend, Blue-ADA Handicap Symbol

CALL No. 13

Overlay approximately 6 miles on SR 330 from Jamie Whitten Ramp to SR 7, known as State Project No. MP-2330-81(004) / 307474301 in Yalobusha County.

PROJECT COMPLETION: 54 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

60 Each	202-B217	Removal of Sign Post and Footing
490 Linear Feet	202-B240	Removal of Traffic Stripe
3,690 Ton	304-B002	Granular Material, Class 3, Group D
6,700 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
5,450 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
467 Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
8,100 Gallon	407-A001	Asphalt for Tack Coat
34,650 Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
730 Cubic Yard	410-B004	Seal Aggregate Cover Material, Size 89, Limestone
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
24 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,045 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1 Lump Sum	620-A001	Mobilization
420 Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
12 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
210 Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,522 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,102 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
924 Linear Feet	626-H005	Thermoplastic Legend, White
30 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

635	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
46	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
202	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
16	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
720	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
36	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
78,750	Square Yard	907-424-A001	Roadbed Reclamation with Cement
1,500	Ton	907-424-B001	Cement
2	Each	907-619-E3001	Changeable Message Sign

CALL No. 14

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-5000-00(141) / 307485301 in District 5.

PROJECT COMPLETION: OCTOBER 14, 2021

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
7,284	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
42,770	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
21,695	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 15

Chip Seal & Fog Seal approximately 52 miles on various routes throughout the District, known as State Project No. MP-6000-00(374) / 307486301 in District 6.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

307,507	Gallon	410-A002	Asphalt for Surface Treatment, Grade CRS-2P
7,830	Cubic Yard	410-B002	Seal Aggregate Cover Material, Size 7, Limestone
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
28	Mile	625-B003	Traffic Stripe, Skip Yellow, High Build
103	Mile	625-C004	Traffic Stripe, Continuous White, High Build
64	Mile	625-D004	Traffic Stripe, Continuous Yellow, High Build
404	Linear Feet	625-E001	Detail Traffic Stripe
63	Square Feet	625-F002	Legend
7,153	Each	627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
2,260	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
7,153	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
84,565	Gallon	907-410-C005	Asphalt for Fog Seal, Grade LD-7 or CHPF-1

CALL No. 16

Microsurface approximately 23 miles on various routes throughout District 6, known as State Project Nos. MP-6537-34(008) / 307487301, MP-6537-31(001) / 307487302, MP-6533-31(003) / 307487303, & MP-6518-12(012) / 307487304 in Jones, Jasper, & Clarke Counties.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,635	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
4	Square Feet	618-B001	Additional Construction Signs
48	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
36	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1	Lump Sum	620-A001	Mobilization
48	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
36	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,560	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,604	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
130,100	Gallon	907-418-A001	Emulsified Asphalt for Micro-Surfacing
4,830	Ton	907-418-B001	Aggregate for Micro-Surfacing

CALL No. 17

Mill & Overlay approximately 13 miles on SR 18 from the Rankin County Line to SR 35, known as State Project No. MP-7018-65(013) / 306907301 in Smith County.

PROJECT COMPLETION: 58 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,336	Linear Feet	202-B240	Removal of Traffic Stripe
110	Cubic Yard	203-G002	Excess Excavation, LVM, AH
7,662	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
88	Ton	403-A005	19-mm, MT, Asphalt Pavement
11,874	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
9,288	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
29,360	Gallon	407-A001	Asphalt for Tack Coat
21	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
19,172	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
319	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,762	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
25	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
20	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,967	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
9,205	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
390	Square Feet	626-H004	Thermoplastic Legend, White
3,128	Linear Feet	626-H005	Thermoplastic Legend, White
533	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

72	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,733	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
6,503	Ton	907-411-A001	Ultra Thin Asphalt Pavement , LEVELING
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 18

Overlay approximately 4 miles on Old Benton Road (Old Hwy. 16) from the US 49 / Five Points Intersection to SR 16, known as Federal Aid Project No. ER-9680-00(003) / 108622701 in Yazoo County.

PROJECT COMPLETION: 21 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,600	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
200	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
5,077	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,610	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
8	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,610	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

JEFFREY C. ALTMAN, P.E.
ACTING EXECUTIVE DIRECTOR