

Proposal & Plan Sales Will Begin on May 3, 2021



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For May - May 25, 2021

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR MAY - Tuesday, May 25, 2021

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 3, 2021

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, May 25, 2021; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
*	01 NH-0002-02(074)/108228301 & MP-6145-77(004)/306998301	WAYNE
*	02 NH-0003-01(202)/108234301	JACKSON
	03 HSIP-0009-03(068)/108174301	WASHINGTON
	04 NH-0009-01(146)/108364301 & NH-0009-01(146)/108364302	WILKINSON, ADAMS
	05 NHPP-0010-01(169)/108043302	JACKSON
	06 BR-0013-03(028)/107178301	SMITH
	07 STP-0021-00(019)/108383301	MARSHALL
	08 HSIP-0050-01(041)/108800301 & MP-1009-10(004)/306968301	CHOCTAW
	09 NH-0079-01(034)/108195301	CLAY
*	10 STP-0224-00(050)/108235301	PERRY
	11 BR-0715-00(016)/106673301	MONTGOMERY
	12 HSIP-9999-06(368)/108014301	DISTRICT 6
*	13 SP-0021-01(069)/108655301	DESOTO
*	14 SP-0039-02(055)/108657301	RANKIN
	15 SP-0050-01(040)/108653301	PONTOTOC
*	16 STP-0018-02(058)/108255301 & SP-9312-00(003)/108672301	ATTALA

	17	SP-0063-01(018)/108663301	JEFFERSON DAVIS
*	18	MP-3017-26(015)/307502301 & MP-3836- 26(001)/307502302 & MP-3012- 26(015)/307502304	HOLMES
*	19	MP-5015-51(021)/307480301	NEWTON

CALL No. 01

Thin Lift Overlay approximately 8 miles on US 45 from SR 145 to SR 145 N, known as Federal Aid Project No. NH-0002-02(074) / 108228301 and approximately 8 miles on SR 145 from JCT of US 45 to US 45 N (Waynesboro Bypass), known as State Project No. MP-6145-77(004) / 306998301 in Wayne County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

22 Station	201-D001	Random Clearing
650 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4,320 Square Yard	202-B188	Removal of Pavement, All Types and Depths
8,193 Linear Feet	202-B240	Removal of Traffic Stripe
770 Ton	403-A005	19-mm, MT, Asphalt Pavement
3,050 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
8,330 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
17,000 Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
1,780 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
53,500 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
66,300 Gallon	407-A001	Asphalt for Tack Coat
38 Mile	423-A001	Rumble Strips, Ground In
345 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8 Each	606-D001	Guard Rail, Bridge End Section
8 Each	606-E001	Guard Rail, Terminal End Section
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
76 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
64 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
49 Mile	619-A3001	Temporary Traffic Stripe, Skip White
8 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
88,415 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
940 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,750 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
17	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
34	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
15	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
48,320	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
39,500	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,446	Square Feet	626-H004	Thermoplastic Legend, White
6,750	Linear Feet	626-H005	Thermoplastic Legend, White
3,570	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,065	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,250	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
24	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
41	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
17,570	Ton	907-411-A001	Ultra Thin Asphalt Pavement
7,180	Ton	907-411-A001	Ultra Thin Asphalt Pavement Leveling
276,000	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-619-E3001	Changeable Message Sign
4,020	Linear Feet	907-640-A001	Vehicle Loop Assemblies

ALTERNATE GROUP AA NUMBER 1

25,100	Ton	304-D001	Granular Material, Crushed Concrete
--------	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

25,100	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

25,100	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

2,198	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,669	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White

3,671 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,198 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

3,669 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

3,671 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 02

Overlay approximately 1.4 miles on US 90 from the Biloxi Bay Bridge to Vermont Avenue, known as Federal Aid Project No. NH-0003-01(202) / 108234301 in Jackson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

400	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
48,275	Linear Feet	202-B240	Removal of Traffic Stripe
5,944	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
4,008	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
93,805	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,159	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
8	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3001	Temporary Traffic Stripe, Skip White
12,526	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,024	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
7,576	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
6	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
14,753	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,659	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,023	Square Feet	626-H004	Thermoplastic Legend, White
4,268	Linear Feet	626-H005	Thermoplastic Legend, White
2,298	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
198	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Linear Feet	907-603-D011	36" Cured-In-Place Pipe

400	Linear Feet	907-603-V001	Video Pipe Inspection, All Sizes
2	Each	907-632-B007	Remove and Replace Existing Traffic Signal Cabinet Assembly, Type III Cabinet, Type 1 Controller
2	Each	907-632-J001	Power Service Pedestal
3	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
4	Each	907-634-G001	Traffic Signal Equipment Pole Mast Arm Extension
499	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
4	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
552	Linear Feet	907-643-B001	Video Vehicle Detection Cable
4	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
600	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
1	Each	907-687-A001	Traffic Recorder Classification Permanent System

ALTERNATE GROUP AA NUMBER 1

462	Ton	304-D001	Granular Material, Crushed Concrete
-----	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

462	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

462	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

19,310	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
19,310	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
19,310	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

19,310	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
19,310	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
19,310	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 03

Intersection Improvements on US 61 at Griffin Road, Stoneville Road, Elizabeth Road & Old US 61, known as Federal Aid Project No. HSIP-0009-03(068) / 108174301 in Washington County.

PROJECT COMPLETION: AUGUST 16, 2022

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

476	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,598	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
149	Each	202-B199	Removal of Raised Reflective Pavement Marker
18	Each	202-B215	Removal of Sign Including Post & Footing
3	Mile	202-B241	Removal of Traffic Stripe
1	Ton	213-C001	Superphosphate
1	Acre	225-A001	Grassing
3	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
2,290	Linear Feet	234-A001	Temporary Silt Fence
100	Linear Feet	237-A002	Wattles, 20"
225	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-A001	Class "B" Structural Concrete
29	Pounds	602-A001	Reinforcing Steel
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
500	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
500	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1	Lump Sum	620-A001	Mobilization
3,360	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,775	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
800	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,576	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,730	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White

769	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
165	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
415	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
49	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
93	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
7	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
61	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
240	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
68	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
76	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
105	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
60	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
59	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
66	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
45	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
3	Each	638-A004	Flasher Assembly, ICWS, Watch For Traffic
2	Each	638-A005	Flasher Assembly, ICWS, Watch For Entering Traffic
1	Each	660-A003	Equipment Cabinet, Type B
1	Lump Sum	699-A001	Roadway Construction Stakes
10	Each	907-630-O001	Remove and Reset Sign Assembly
1	Each	907-632-J001	Power Service Pedestal
4	Each	907-634-F001	Detector Pole with Foundation, 20' Pole
1,754	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
60	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
8	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
2,261	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
465	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
3	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2

2,792 Linear Feet 907-641-D001 Radar Vehicle Detection Cable

ALTERNATE GROUP AA NUMBER 1

113 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

113 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

113 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 04

Overlay approximately 11 miles on US 61 From Doloroso to the Adams County Line and on US 61 from the Wilkinson County Line to Kingston, known as Federal Aid Project Nos. NH-0009-01(146) / 108364301 & 108364302 in Wilkinson and Adams Counties.

PROJECT COMPLETION: 128 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

9,030	Linear Feet	202-B240	Removal of Traffic Stripe
395	Cubic Yard	203-G002	Excess Excavation, LVM, AH
14,149	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
351	Ton	403-A005	19-mm, MT, Asphalt Pavement
33,957	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,109	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
1,822	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
22,203	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
31,192	Gallon	407-A001	Asphalt for Tack Coat
2,244	Square Feet	412-A001	Pre-Grinding
26,848	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
43	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
30	Mile	619-A3001	Temporary Traffic Stripe, Skip White
35,823	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,552	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
21	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
19,584	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
16,232	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

707	Square Feet	626-H004	Thermoplastic Legend, White
1,552	Linear Feet	626-H005	Thermoplastic Legend, White
255	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,007	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,258	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
108	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
42	Each	630-F006	Delineators, Guard Rail, White
42	Each	630-F007	Delineators, Guard Rail, Yellow
20,260	Pounds	907-420-A002	Undersealing Concrete Pavement

ALTERNATE GROUP AA NUMBER 1

533	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

533	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

533	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

4,010	Linear Feet	907-624-A003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast
4,010	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
4,010	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

ALTERNATE GROUP BB NUMBER 2

4,010	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,010	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,010	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 05

Bridge Repair on I-10 over the Pascagoula River (Bridge No. 65.4B), known as Federal Aid Project No. NHPP-0010-01(169) / 108043302 in Jackson County.

PROJECT COMPLETION: 46 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization

Bridge Items

5,884	Pounds	805-C001	Reinforcement, Corrosion Resistant
39	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1	Each	907-824-PP006	Bridge Repair, Clean Bent Caps

Bridge Preservation on SR 28 at the Leaf River (Bridge No. 116.3), known as Federal Aid Project No. BR-0013-03(028) / 107178301 in Smith County.

PROJECT COMPLETION: 97 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1	Lump Sum	202-A001	Removal of Obstructions
1,900	Linear Feet	803-D002	HP 12 x 53 Steel Piling
77,902	Pounds	810-A007	Structural Steel, A 709, Grade 50W

Roadway Items

1	Acre	201-D002	Random Clearing
1	Ton	213-A001	Agricultural Limestone
1	Ton	213-C001	Superphosphate
2	Ton	215-A001	Vegetative Materials for Mulch
1	Acre	225-A001	Grassing
1	Acre	226-A001	Temporary Grassing
1,000	Linear Feet	234-C001	Super Silt Fence
225	Linear Feet	234-F001	Turbidity Barrier
400	Linear Feet	237-A002	Wattles, 20"
25	Cubic Yard	249-B001	Remove and Reset Riprap
1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
128	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-B001	Bridge Construction Stakes

CALL No. 07

Bridge Preservation on Wingo Road over I-269/SR 304 (Bridge No. 39.1), known as Federal Aid Project No. STP-0021-00(019) / 108383301 in Marshall County.

PROJECT COMPLETION: 27 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
740	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
740	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

1,376	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
39	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
82	Linear Feet	907-808-A002	Joint Repair
82	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
164	Linear Feet	907-823-B002	Saw Cut, Type II
3	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
76	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck

CALL No. 08

Mill & Overlay approximately 15 miles on SR 9 from SR 12 to the Webster County Line, known as Federal Aid Project No. HSIP-0050-01(041) / 108800301 and State Project No. MP-1009-10(004) / 306968301 in Choctaw County.

PROJECT COMPLETION: 68 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
6 Each	202-B138	Removal of Guard Rail Bridge End Section
12 Each	202-B144	Removal of Guard Rail Cable Anchor, Including Post, Rail, Anchor & Hardware
1,800 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
18 Each	202-B152	Removal of Guard Rail Terminal End Section
23 Each	202-B215	Removal of Sign Including Post & Footing
1,700 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G002	Excess Excavation, LVM, AH
3,000 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
22,000 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
251,000 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,000 Gallon	407-A001	Asphalt for Tack Coat
29 Mile	423-A001	Rumble Strips, Ground In
50 Linear Feet	503-C010	Saw Cut, Full Depth
1,800 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
225 Linear Feet	606-B015	Guard Rail, Class A, Type 1, Thrie Beam, Wood Post
12 Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
6 Each	606-D005	Guard Rail, Bridge End Section, Type A
6 Each	606-E005	Guard Rail, Terminal End Section, Flared
12 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
58 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
24 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow

19,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
120	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
120	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
29	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
12	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
12	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
80	Square Feet	626-H004	Thermoplastic Legend, White
1,300	Linear Feet	626-H005	Thermoplastic Legend, White
420	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
30	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,400	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,100	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
30	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
90	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,000	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
45	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
100	Each	630-F012	Delineators, Post Mounted, Single White
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
1,500	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
750	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP AA NUMBER 2			
1,500	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
750	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 09

Mill & Overlay approximately 5 miles on US 45A from the Lowndes County Line to the beginning of the 5-Lane Section, known as Federal Aid Project No. NH-0079-01(034) / 108195301 in Clay County.

PROJECT COMPLETION: 124 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,500	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
250	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
9	Each	202-B215	Removal of Sign Including Post & Footing
8,000	Linear Feet	202-B240	Removal of Traffic Stripe
1,850	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,600	Square Yard	204-A003	Geogrid, Type II, Biaxial
2,600	Square Yard	209-A004	Geotextile Stabilization, Type V
7,000	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
19,500	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
1,700	Ton	403-A004	19-mm, HT, Asphalt Pavement
17,000	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
203,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
525	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
20,500	Gallon	407-A001	Asphalt for Tack Coat
19	Mile	423-A001	Rumble Strips, Ground In
2,900	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
25,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
80	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
160	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1 Lump Sum	620-A001 Mobilization
10 Mile	626-A001 6" Thermoplastic Double Drop Traffic Stripe, Skip White
10 Mile	626-B002 6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1 Mile	626-D001 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8 Mile	626-E001 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
12,500 Linear Feet	626-G004 Thermoplastic Double Drop Detail Stripe, White
13,500 Linear Feet	626-G005 Thermoplastic Double Drop Detail Stripe, Yellow
80 Square Feet	626-H001 Thermoplastic Double Drop Legend, White
1,000 Linear Feet	626-H002 Thermoplastic Double Drop Legend, White
750 Each	627-J001 Two-Way Clear Reflective High Performance Raised Markers
2,200 Each	627-K001 Red-Clear Reflective High Performance Raised Markers
50 Each	627-L001 Two-Way Yellow Reflective High Performance Raised Markers
10 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
112 Square Feet	630-A003 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
84 Linear Feet	630-C001 Square Tube Posts, 4.0 lb/ft
24 Linear Feet	630-C005 Square Tube Posts, 2.0 lb/ft
56 Each	630-F002 Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
28 Each	630-F006 Delineators, Guard Rail, White
28 Each	630-F007 Delineators, Guard Rail, Yellow
ALTERNATE GROUP AA NUMBER 1	
1,880 Cubic Yard	304-H001 3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2	
1,880 Cubic Yard	304-H002 Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3	
1,880 Cubic Yard	304-H003 Size 825B Crushed Stone Base, LVM
ALTERNATE GROUP BB NUMBER 1	
3,650 Linear Feet	907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,650 Linear Feet	907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,650 Linear Feet	907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2	
3,650 Linear Feet	628-G001 6" High Performance Cold Plastic Traffic Stripe, Skip White

3,650 Linear Feet

628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

3,650 Linear Feet

628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 10

Thin Lift Overlay, Widen & Level approximately 5 miles of SR 29 from SR 42 to the Jones County Line, known as Federal Aid Project No. STP-0224-00(050) / 108235301 in Perry County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

39 Station	201-D001	Random Clearing
1,662 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
10 Linear Feet	202-B240	Removal of Traffic Stripe
580 Ton	403-A006	19-mm, ST, Asphalt Pavement
7,550 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
9,600 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
10,750 Gallon	407-A001	Asphalt for Tack Coat
10 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
19 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
110 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
650 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
10 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,400 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,100 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
110 Square Feet	626-H004	Thermoplastic Legend, White
650 Linear Feet	626-H005	Thermoplastic Legend, White
120 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

22	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
595	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
57	Each	630-F006	Delineators, Guard Rail, White
80	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,170	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

3,175	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,175	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,175	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 11

Bridge Replacements on SR 404 near Duck Hill (Bridge Nos. 4.1 & 5.9), known as Federal Aid Project No. BR-0715-00(016) / 106673301 in Montgomery County.

PROJECT COMPLETION: 338 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

7 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
9,024 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
183 Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
8 Each	202-B138	Removal of Guard Rail Bridge End Section
1,083 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
8 Each	202-B152	Removal of Guard Rail Terminal End Section
762 Linear Feet	202-B191	Removal of Pipe, 8" And Above
949 Linear Feet	202-B240	Removal of Traffic Stripe
17,707 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
10,479 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
6,431 Cubic Yard	203-G001	Excess Excavation, FM, AH
234 Cubic Yard	206-A001	Structure Excavation
5,282 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,830 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
1,917 Square Yard	216-A001	Solid Sodding
395 Square Yard	217-A001	Ditch Liner
39 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
16 Cubic Yard	221-A001	Concrete Paved Ditch
8 Acre	223-A001	Mowing
148 Square Yard	224-A001	Soil Reinforcing Mat
7 Acre	225-A001	Grassing
13 Ton	225-B001	Agricultural Limestone

14	Ton	225-C001	Mulch, Vegetative Mulch
7	Acre	226-A001	Temporary Grassing
791	Square Yard	229-A001	Erosion Mat
3,500	Linear Feet	234-A001	Temporary Silt Fence
1,200	Linear Feet	234-C001	Super Silt Fence
30	Each	235-A001	Temporary Erosion Checks
2	Each	236-A008	Silt Basin, Type D
120	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	239-A001	Temporary Slope Drains
120	Linear Feet	245-A001	Silt Dike
120	Linear Feet	246-A001	Sandbags
54	Ton	249-A001	Riprap for Erosion Control
120	Cubic Yard	249-B001	Remove and Reset Riprap
6,950	Ton	304-B002	Granular Material, Class 3, Group D
90	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,161	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,255	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
136	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
4,722	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
860	Gallon	407-A001	Asphalt for Tack Coat
1,768	Gallon	408-A001	Asphalt for Prime Coat, Cut-Back MC-70
148	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Mile	423-A001	Rumble Strips, Ground In
46	Square Yard	501-K001	Transverse Grooving
303	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
480	Linear Feet	603-ALT003	18" Type A Alternate Pipe
88	Linear Feet	603-ALT006	24" Type A Alternate Pipe
208	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
72	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III

4	Each	603-CB004	24" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
113	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
203	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
34	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
5	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
225	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
80	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
80	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
28	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
4,152	Linear Feet	618-E001	Detour Bridge Piling
10,776	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
11,740	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,247	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
5,738	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
75	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
219	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-F3001	Delineators, Guard Rail, White
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
168	Linear Feet	619-G4005	Barricades, Type III, Single Faced
54	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G7001	Warning Lights, Type "B"
4	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section

1	Lump Sum	620-A001	Mobilization
7,078	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
150	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7,774	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
998	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
288	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
81	Linear Feet	626-H005	Thermoplastic Legend, White
181	Each	627-D001	Two-Way Yellow Reflective Raised Markers
37	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
70	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
120	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
28	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
126	Ton	815-A002	Loose Riprap, Size 100
26	Ton	815-F002	Sediment Control Stone
204	Linear Feet	907-253-A001	Coir Fiber Baffle

ALTERNATE GROUP AA NUMBER 1

2,250	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,250	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,250	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

102	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

102	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

1,966	Square Yard	501-K001	Transverse Grooving
990	Linear Feet	803-P005	36" Steel Pipe Piling, Wall Thickness 0.625"
3,735	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"

810	Linear Feet	803-P009	30" Steel Pipe Piling, Wall Thickness 0.625"
2,018	Linear Feet	804-C170	135' Prestressed Concrete Beam, Type FIB-54
893	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
187,909	Pounds	805-A001	Reinforcement
4,038	Pounds	805-C001	Reinforcement, Corrosion Resistant
1,180	Linear Feet	813-A004	Concrete Railing, 36"
6,548	Ton	815-A007	Loose Riprap, Size 300
3,881	Square Yard	815-E001	Geotextile under Riprap
4	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
4	Each	907-803-J001	Pile Restrike
616	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
350	Cubic Yard	907-804-A002	Bridge Concrete, Class AA

CALL No. 12

Intersection Improvements at various locations throughout the District, known as Federal Aid Project No. HSIP-9999-06(368) / 108014301 in District 6.

PROJECT COMPLETION: 207 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Station	201-C001	Random Clearing and Grubbing
25,701	Square Feet	202-B172	Removal of Legend, All Types
26	Each	202-B213	Removal of Sign
794	Each	202-B215	Removal of Sign Including Post & Footing
12,200	Linear Feet	202-B240	Removal of Traffic Stripe
66	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
219,224	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
932,836	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
101,965	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
19,611	Square Feet	626-H004	Thermoplastic Legend, White
24,360	Linear Feet	626-H005	Thermoplastic Legend, White
9,632	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
5,785	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
14,034	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,959	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
12,106	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
6,037	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
19,185	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
6,725	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1,240	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
57	Each	638-C001	Flasher Assembly - Solar Powered
888	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced

CALL No. 13

Mill & Overlay approximately 3 miles of SR 302 beginning East of Horn Lake Road to Interstate Boulevard, known as State Project No. SP-0021-01(069) / 108655301 in Desoto County.

PROJECT COMPLETION: 126 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
71	Each	202-B217	Removal of Sign Post and Footing
1,916	Linear Feet	202-B240	Removal of Traffic Stripe
1,079	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
786	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
14	Mile	403-S001	Joint Sealant
13,841	Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
135,319	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,532	Gallon	407-A001	Asphalt for Tack Coat
75	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
7	Each	606-D019	Guard Rail, Bridge End Section, Type H
7	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3001	Temporary Traffic Stripe, Skip White
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
25,374	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,403	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
10,696	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
7	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

6 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,503 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,184 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
3,201 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,348 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,755 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,810 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
292 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
133 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
167 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,065 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
14 Each	630-F006	Delineators, Guard Rail, White
10 Each	630-F007	Delineators, Guard Rail, Yellow
8 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2 Each	907-619-E3001	Changeable Message Sign
6 Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
21 Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
12 Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
4,520 Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1 Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 14

Mill & Overlay approximately 1 mile on SR 18 from US 80 to the Terrapin Skin Creek Bridge, known as State Project No. SP-0039-02(055) / 108657301 in Rankin County.

PROJECT COMPLETION: 63 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

178	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,038	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,456	Linear Feet	202-B240	Removal of Traffic Stripe
60	Cubic Yard	203-G002	Excess Excavation, LVM, AH
435	Ton	304-D002	Granular Material, Crushed Stone
6,639	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
120	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
55,705	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,570	Gallon	407-A001	Asphalt for Tack Coat
250	Linear Feet	503-C010	Saw Cut, Full Depth
563	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D017	Guard Rail, Bridge End Section, Type G
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
4	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3001	Temporary Traffic Stripe, Skip White
49,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,300	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
218	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
31	Each	619-F3001	Delineators, Guard Rail, White
14	Each	619-F3002	Delineators, Guard Rail, Yellow

12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
12	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
18,700	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
6,000	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,800	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,200	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
600	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
13	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
22	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
8	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
6	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
456	Linear Feet	907-640-A001	Vehicle Loop Assemblies
18	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2,950	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 15

Seal & Overlay approximately 13 miles of SR 9 from Calhoun County Line to Owen Bend Drive, known as State Project No. SP-0050-01(040) / 108653301 in Pontotoc County.

PROJECT COMPLETION: 77 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,374	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,145	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,374	Square Yard	204-A003	Geogrid, Type II, Biaxial
1,374	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
2,870	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
23,001	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
934	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,056	Gallon	407-A001	Asphalt for Tack Coat
27	Mile	423-A001	Rumble Strips, Ground In
1,726	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
54	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,092	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,068	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
28	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,423	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,123	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,534	Linear Feet	626-H005	Thermoplastic Legend, White

1,260	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,088	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,840	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
96	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
68	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
187	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
24	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
223,145	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,145	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,145	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,145	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 16

Seal & Thin Lift approximately 7 miles on SR 12 from McAdams to Kosciusko East End 4 - Lane, known as Federal Aid Project No. STP-0018-02(058) / 108255301 and Mill & Overlay approximately 4 miles on SR 735 from SR 12 West of Kosciusko to SR 12 East of Kosciusko, known as State Project No. SP-9312-00(003) / 108672301 in Attala County.

PROJECT COMPLETION: 138 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,777	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
32	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
325	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
315	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,783	Ton	304-B002	Granular Material, Class 3, Group D
2,487	Ton	403-A006	19-mm, ST, Asphalt Pavement
19,670	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
746	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
194,467	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,842	Gallon	407-A001	Asphalt for Tack Coat
11	Mile	423-A001	Rumble Strips, Ground In
5,521	Linear Feet	503-C010	Saw Cut, Full Depth
300	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-E001	Guard Rail, Terminal End Section
16	Each	613-D005	Adjustment of Manhole
10	Each	613-D011	Adjustment of Water Valve
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3001	Temporary Traffic Stripe, Skip White
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
24,695	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,166	Square Feet	619-A6001	Temporary Traffic Stripe, Legend

6,368	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
21	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
16,703	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
7,729	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,355	Square Feet	626-H004	Thermoplastic Legend, White
7,328	Linear Feet	626-H005	Thermoplastic Legend, White
1,552	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
561	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,865	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,154	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
748	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
565	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
410	Ton	815-A007	Loose Riprap, Size 300
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
5	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
16	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
6	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
3,890	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 17

Mill & Overlay approximately 9 miles on SR 42 From SR 184 East to SR 35, known as State Project No. SP-0063-01(018) / 108663301 in Jefferson Davis County.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4,592	Linear Feet	202-B240	Removal of Traffic Stripe
4,507	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
13,977	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
21,490	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
24,130	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,192	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,445	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,130	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,098	Square Feet	626-H004	Thermoplastic Legend, White
2,736	Linear Feet	626-H005	Thermoplastic Legend, White
606	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,371	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,315	Ton	907-411-A001	Ultra Thin Asphalt Pavement
5,313	Ton	907-411-A001	Ultra Thin Asphalt Pavement Leveling
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
19	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

CALL No. 18

Mill & Overlay approximately 1.3 miles on SR 17 from the 5-Lane Section to SR 12, approximately 0.25 miles on SR 836 from SR 17 to the Lexington Town Square, and approximately 2.4 miles on SR 12 from 1 mile north of the Lexington Town Square to Black Creek, known as State Project Nos. MP-3017-26(015) / 307502301 , MP-3836-26(001) / 307502302 and MP-3012-26(015) / 307502304 in Holmes County.

PROJECT COMPLETION: 72 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

750 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
350 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
5,000 Linear Feet	202-B240	Removal of Traffic Stripe
400 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,000 Ton	304-B004	Granular Material, Class 5, Group D
12,265 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
600 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
11,500 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
7,200 Gallon	407-A001	Asphalt for Tack Coat
202 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
601 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
3 Square Feet	618-B001	Additional Construction Signs
13 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7 Mile	619-A3001	Temporary Traffic Stripe, Skip White
7 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
15,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
4 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

200	Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
9,105	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
9,910	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
900	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
4,000	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
50	Square Feet	626-H003	Thermoplastic Legend, Blue-ADA
500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Each	630-F006	Delineators, Guard Rail, White
13	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
8	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
1,100	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 19

Mill & Overlay approximately 8 miles on SR 15 from Decatur to Henry Mack Smith Road, known as State Project No. MP-5015-51(021) / 307480301 in Newton County.

PROJECT COMPLETION: 120 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

215	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
457	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1	Each	202-B129	Removal of Flared End Section, All Sizes
2,868	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
8	Linear Feet	202-B191	Removal of Pipe, 8" And Above
530	Linear Feet	202-B240	Removal of Traffic Stripe
32	Cubic Yard	203-EX029	Borrow Excavation, AH, LVM, Class B15
187	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,650	Ton	304-D002	Granular Material, Crushed Stone
19,071	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
700	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
164,291	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,429	Gallon	407-A001	Asphalt for Tack Coat
28,196	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
13	Mile	423-A001	Rumble Strips, Ground In
3,070	Linear Feet	503-C010	Saw Cut, Full Depth
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
8	Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
1	Each	603-CF004	36" x 23" Concrete Arch Pipe End Section
1,800	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
8	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
24	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
28	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow

20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
28,260	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,600	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
242	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
420	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
121	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
14	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
6	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
13,600	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,200	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,358	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,950	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
880	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
50	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,530	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
25	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
25	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
108	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
8	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
8	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
385	Ton	815-A007	Loose Riprap, Size 300
75	Square Yard	815-E001	Geotextile under Riprap
198	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
390	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

JEFFREY C. ALTMAN, P.E.
ACTING EXECUTIVE DIRECTOR