

Proposal & Plan Sales Will Begin on May 31, 2021



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For June - June 22, 2021

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JUNE - Tuesday, June 22, 2021

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 31, 2021

Proposals must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shopmdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 22, 2021; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
01	HSIP-0009-01(148)/108425301	JEFFERSON
* 02	STP-0013-02(032)/107950301 & MP-3801-15(001)/306975301 & MP-3028-15(014)/306976301	COPIAH
03	STP-0023-01(087)/108367301	SMITH
* 04	NH-0026-01(083)/108605301	LAUDERDALE
* 05	STP-0028-01(042)/107944301	GEORGE
06	HSIP-0037-01(059)/107526301 & MP-7013-64(005)/306920301	SIMPSON
07	HSIP-0040-03(021)/106857301	TISHOMINGO
* 08	STP-0043-02(016)/107766301 & SP-0016-01(036)/108668301	BOLIVAR
* 09	STBG-0055-02(264)/108616301	MADISON
* 10	NH-0056-01(110)/108604301	RANKIN
* 11	STP-1164-00(018)/108227301	LAMAR
* 12	STP-2171-00(025)/108225301	PEARL RIVER
* 13	STBG-9999-02(388)/108620302	DISTRICT 2
14	STBG-9999-05(379)/107998301	MADISON
* 15	SP-0003-01(205)/108675301 & SP-0003-01(205)/108675302	HARRISON, JACKSON

*	16	SP-0008-03(058)/108231301	HINDS
*	17	SP-0009-02(085)/108211301	SHARKEY
*	18	SP-0379-00(001)/108661301	JASPER
	19	MP-1015-78(004)/307471301 & MP-1046-78(003)/307471302 & MP-1782-78(001)/307471303	WEBSTER
	20	MP-1341-58(006)/306966301	PONTOTOC
	21	MP-1389-53(004)/307460301	OKTIBBEHA
*	22	MP-2007-42(009)/307475301	LEFLORE
*	23	MP-2032-68(009)/307473301 & MP-2032-81(007)/307473302	TALLAHATCHIE, YALOBUSHA
*	24	MP-6011-18(010)/307488301 & MP-6042-18(009)/307488302	FORREST
*	25	MP-6590-34(004)/306997301	JONES
	26	MP-7051-57(019)/307442301	PIKE
*	27	MP-7568-03(007)/307443301 & MP-7568-57(004)/307443302	AMITE, PIKE
*	28	SP-0021-01(069)/108655301	DESOTO

CALL No. 01

Intersection Improvements on US 61 at SR 533, known as Federal Aid Project No. HSIP-0009-01(148) / 108425301 in Jefferson County.

PROJECT COMPLETION: 83 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

6 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
654 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
145 Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
100 Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
20 Square Yard	202-B063	Removal of Concrete Paved Ditch
1 Each	202-B129	Removal of Flared End Section, All Sizes
1 Each	202-B165	Removal of Inlets, All Sizes
8 Linear Feet	202-B191	Removal of Pipe, 8" And Above
13,800 Linear Feet	202-B240	Removal of Traffic Stripe
626 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
6,469 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
250 Cubic Yard	203-G001	Excess Excavation, FM, AH
7 Cubic Yard	206-A001	Structure Excavation
9,777 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3 Ton	213-C001	Superphosphate
12 Ton	215-A001	Vegetative Materials for Mulch
307 Square Yard	216-A001	Solid Sodding
889 Square Yard	217-A001	Ditch Liner
6 Thousand Gallon	219-A001	Watering
3 Acre	220-A001	Insect Pest Control
42 Cubic Yard	221-A001	Concrete Paved Ditch
12 Acre	223-A001	Mowing
6 Acre	225-A001	Grassing

3	Ton	225-B001	Agricultural Limestone
3	Acre	226-A001	Temporary Grassing
2,500	Linear Feet	234-A001	Temporary Silt Fence
4	Each	234-D001	Inlet Siltation Guard
200	Linear Feet	237-A002	Wattles, 20"
150	Linear Feet	246-B002	Rockbags
100	Ton	249-A001	Riprap for Erosion Control
5,893	Ton	304-B004	Granular Material, Class 5, Group D
1,004	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,254	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,601	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,795	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
7,157	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
4,141	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
745	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
95	Pounds	602-A001	Reinforcing Steel
8	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
40	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
1	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
5,200	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
2	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
467	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1	Lump Sum	618-A001	Maintenance of Traffic
15,534	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
11,500	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16,080	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
6,770	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
180	Square Feet	619-A6001	Temporary Traffic Stripe, Legend

205	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
749	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4,050	Linear Feet	619-F1001	Concrete Median Barrier, Precast
4,450	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
144	Linear Feet	619-G4005	Barricades, Type III, Single Faced
142	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
8,040	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,502	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
6,505	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
880	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,870	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,540	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
5,759	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
715	Square Feet	626-H004	Thermoplastic Legend, White
438	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
200	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
89	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
709	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
54	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
66	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
96	Linear Feet	630-K002	Welded & Seamless Steel Pipe Posts, 3"
1	Lump Sum	699-A001	Roadway Construction Stakes
93	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
ALTERNATE GROUP AA NUMBER 1			
5,638	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
5,638	Ton	304-F002	Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

5,638 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 02

Overlay approximately 15 miles on SR 28 from 1 mile East of Sylvarena Rd. to Whitworth Rd., known as Federal Aid Project No. STP-0013-02(032) / 107950301 and State Project No. MP-3028-15(014) / 306976301, and approximately 3 miles on SR 801 from SR 27 to the Hinds County Line, known as State Project No. MP-3801-15(001) / 306975301 in Copiah County.

PROJECT COMPLETION: 143 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

950 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,700 Linear Feet	202-B136	Removal of Guard Rail
4,400 Linear Feet	202-B240	Removal of Traffic Stripe
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
15,000 Ton	304-B004	Granular Material, Class 5, Group D
29,500 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
4,300 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
100 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
1,800 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
56,100 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,900 Gallon	407-A001	Asphalt for Tack Coat
7,608 Square Feet	412-A001	Pre-Grinding
27 Mile	423-A001	Rumble Strips, Ground In
400 Linear Feet	503-C010	Saw Cut, Full Depth
1,675 Linear Feet	606-B001	Guard Rail, Class A, Type 1
225 Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
25 Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
2 Each	606-C003	Guard Rail, Cable Anchor, Type 1
4 Each	606-D005	Guard Rail, Bridge End Section, Type A
4 Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
16 Each	606-D019	Guard Rail, Bridge End Section, Type H
22 Each	606-E005	Guard Rail, Terminal End Section, Flared
4 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4 Each	606-G001	Special Sections, Bridge Connector

1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
34	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
21	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3001	Temporary Traffic Stripe, Skip White
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
30,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
34	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
20	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
23,750	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
16,500	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
500	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
4,850	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,175	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,975	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
110	Each	630-F006	Delineators, Guard Rail, White
24	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
8	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
2,325	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 03

Thin Lift Overlay approximately 10 miles on SR 35 from SR 28 to SR 37, known as Federal Project No. STP-0023-01(087) / 108367301 in Smith County.

PROJECT COMPLETION: 57 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,937	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
1,600	Ton	403-A006	19-mm, ST, Asphalt Pavement , CENTERLINE
11,166	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
8,311	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths , JOINT REPAIR
3,487	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
27,900	Gallon	407-A001	Asphalt for Tack Coat
20	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
28	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,656	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,968	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,964	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,692	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
245	Square Feet	626-H004	Thermoplastic Legend, White
2,508	Linear Feet	626-H005	Thermoplastic Legend, White
720	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,442	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,445	Ton	907-411-A001	Ultra Thin Asphalt Pavement , LEVELING

66 Linear Feet

907-619-B001 Temporary Portable Rumble Strips

CALL No. 04

Mill & Overlay approximately 3 miles on SR 19 from I-59 to North Hills Street, known as Federal Aid Project No. NH-0026-01(083) / 108605301 in Lauderdale County.

PROJECT COMPLETION: 129 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,910	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,138	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3,042	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-EX041	Borrow Excavation, AH, LVM, Class B9-6
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
80	Ton	249-A001	Riprap for Erosion Control
100	Ton	304-D002	Granular Material, Crushed Stone
18,128	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,508	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
158,262	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,017	Gallon	407-A001	Asphalt for Tack Coat
1,600	Linear Feet	503-C010	Saw Cut, Full Depth
625	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
5	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
5	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
11	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3001	Temporary Traffic Stripe, Skip White
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
33,037	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
15,456	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
24	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
734	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

14	Each	619-F4001	Snap-Back Delineator
36	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
7	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
25,257	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
7,780	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
4,156	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
7,728	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,368	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,365	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
85	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Each	630-F006	Delineators, Guard Rail, White
7	Each	630-F007	Delineators, Guard Rail, Yellow
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2	Each	635-A076	Traffic Signal Head, Type 6
1	Each	635-A078	Traffic Signal Head, Type 7
85	Square Yard	815-E001	Geotextile under Riprap
50	Ton	815-F002	Sediment Control Stone
7	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
31	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
4,640	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
2	Each	907-645-B001	Accessible Pedestrian Detection Assembly
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 05

Overlay approximately 7.5 miles on SR 26 from the Stone County Line to the east end of the Pascagoula River Bridge, known as Federal Aid Project No. STP-0028-01(042) / 107944301 in George County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

38	Station	201-D001	Random Clearing
100	Linear Feet	202-B136	Removal of Guard Rail
14	Each	202-B183	Removal of Object Markers
12,474	Linear Feet	202-B240	Removal of Traffic Stripe
37	Cubic Yard	206-A001	Structure Excavation
954	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
9,870	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
7,787	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
12,709	Gallon	407-A001	Asphalt for Tack Coat
108	Square Feet	412-A001	Pre-Grinding
14	Mile	423-A001	Rumble Strips, Ground In
14	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
56	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
14	Each	603-CB003	18" Reinforced Concrete End Section
4	Each	603-CB004	24" Reinforced Concrete End Section
4	Each	603-CB005	30" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CB008	48" Reinforced Concrete End Section
100	Linear Feet	606-B001	Guard Rail, Class A, Type 1
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs

26	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
19,888	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
154	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,392	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
69	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
13	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,884	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
9,592	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
77	Square Feet	626-H004	Thermoplastic Legend, White
1,196	Linear Feet	626-H005	Thermoplastic Legend, White
280	Each	627-B001	Two-Way Clear Reflective Raised Markers
931	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
5,327	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-632-G001	Malfunction Management Unit
324	Linear Feet	907-640-A001	Vehicle Loop Assemblies
ALTERNATE GROUP AA NUMBER 1			
5,827	Ton	304-D001	Granular Material, Crushed Concrete
ALTERNATE GROUP AA NUMBER 2			
5,827	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
5,827	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			

11,088	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
5,544	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

11,088	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
5,544	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

CALL No. 06

Safety Improvements along SR 13, known as Federal Aid Project No. HSIP-0037-01(059) / 107526301 and Seal & Thin Lift Overlay approximately 12 miles on SR 13 from the Jefferson Davis County Line to Bowen Road, known as State Project No. MP-7013-64(005) / 306920301 in Simpson County.

PROJECT COMPLETION: 123 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

65 Acre	201-D002	Random Clearing
530 Linear Feet	202-B240	Removal of Traffic Stripe
176 Cubic Yard	203-G002	Excess Excavation, LVM, AH
32 Ton	213-C001	Superphosphate
1,800 Square Yard	216-A001	Solid Sodding
7,200 Square Yard	217-A001	Ditch Liner
36 Thousand Gallon	219-A001	Watering
65 Acre	220-A001	Insect Pest Control
130 Acre	223-A001	Mowing
65 Acre	225-A001	Grassing
32 Ton	225-B001	Agricultural Limestone
130 Ton	225-C001	Mulch, Vegetative Mulch
65 Acre	226-A001	Temporary Grassing
65 Acre	227-A001	Hydroseeding
1,800 Square Yard	229-A001	Erosion Mat
30,997 Linear Feet	234-A001	Temporary Silt Fence
5,400 Linear Feet	237-A002	Wattles, 20"
2,160 Each	246-B001	Rockbags
4,819 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
76 Ton	403-A006	19-mm, ST, Asphalt Pavement
10,526 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,272 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
26,689 Gallon	407-A001	Asphalt for Tack Coat
2,532 Square Feet	412-A001	Pre-Grinding

47	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
23	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,255	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,188	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
23	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,235	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,020	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
3,268	Linear Feet	626-H005	Thermoplastic Legend, White
525	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,402	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
7,039	Ton	907-411-A001	Ultra Thin Asphalt Pavement , Leveling
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1			
176	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 2			
176	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
ALTERNATE GROUP AA NUMBER 3			
176	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

CALL No. 07

Safety Improvements along SR 25, known as Federal Aid Project No. HSIP-0040-03(021) / 106857301 in Tishomingo County.

PROJECT COMPLETION: 192 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2	Acre	201-C002	Random Clearing and Grubbing
932	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
6,206	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
60	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
274	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1	Each	202-B165	Removal of Inlets, All Sizes
127	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2	Each	202-B193	Removal of Power Pole
456	Square Yard	202-B208	Removal of Riprap
70	Each	202-B215	Removal of Sign Including Post & Footing
321	Linear Feet	202-B240	Removal of Traffic Stripe
3,150	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,000	Cubic Yard	203-B001	Rock Excavation, FM, AH
2,650	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
9,950	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,501	Cubic Yard	206-A001	Structure Excavation
78	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
10,126	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
372	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
38	Ton	213-C001	Superphosphate
1,120	Square Yard	216-A001	Solid Sodding
23	Thousand Gallon	219-A001	Watering
19	Acre	220-A001	Insect Pest Control
7	Cubic Yard	221-A001	Concrete Paved Ditch

152	Acre	223-A001	Mowing
38	Acre	225-A001	Grassing
38	Ton	225-B001	Agricultural Limestone
76	Ton	225-C001	Mulch, Vegetative Mulch
38	Acre	226-A001	Temporary Grassing
11,863	Linear Feet	234-A001	Temporary Silt Fence
2	Each	234-D001	Inlet Siltation Guard
167	Each	235-A001	Temporary Erosion Checks
247	Linear Feet	237-A002	Wattles, 20"
247	Linear Feet	245-A001	Silt Dike
370	Each	246-A002	Sandbags
3	Each	247-A001	Temporary Stream Diversion
7	Ton	249-A001	Riprap for Erosion Control
4,710	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
1,303	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,182	Ton	403-A005	19-mm, MT, Asphalt Pavement
2,296	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,503	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
18,324	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,363	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
264	Cubic Yard	601-A001	Class "B" Structural Concrete
29	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
57,128	Pounds	602-A001	Reinforcing Steel
212	Linear Feet	603-ALT003	18" Type A Alternate Pipe
777	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
192	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
92	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
104	Linear Feet	603-CA065	36" Reinforced Concrete Pipe, Class V, Jacked or Bored

2	Each	603-CB003	18" Reinforced Concrete End Section
5	Each	603-CB005	30" Reinforced Concrete End Section
4	Each	603-CB006	36" Reinforced Concrete End Section
48	Linear Feet	603-CE023	51" x 31" Concrete Arch Pipe, Class A III
3	Each	603-CF006	51" x 31" Concrete Arch Pipe End Section
797	Pounds	604-A001	Castings
1,600	Pounds	604-B001	Gratings
100	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-E001	Guard Rail, Terminal End Section
805	Linear Feet	609-B002	Concrete Curb, Header
100	Linear Feet	609-B003	Concrete Curb, Special Design
1,606	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
105	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
2,070	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
807	Linear Feet	609-D009	Combination Concrete Curb and Gutter Type 3A Mod1
28	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
8,034	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
758	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
19,124	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
11,846	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7,640	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
40,490	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,018	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
479	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,651	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Each	619-D3001	Remove and Reset Signs, All Sizes
520	Linear Feet	619-F1001	Concrete Median Barrier, Precast
200	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
168	Linear Feet	619-G4001	Barricades, Type III, Double Faced

220	Linear Feet	619-G4005	Barricades, Type III, Single Faced
255	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
6	Each	619-J1004	Impact Attenuator, 60 MPH
1	Lump Sum	620-A001	Mobilization
7,640	Linear Feet	626-A003	6" Thermoplastic Traffic Stripe, Skip White
19,124	Linear Feet	626-C003	6" Thermoplastic Edge Stripe, Continuous White
880	Linear Feet	626-D004	6" Thermoplastic Traffic Stripe, Skip Yellow
11,846	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,571	Linear Feet	626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
23,855	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
16,632	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
702	Square Feet	626-H004	Thermoplastic Legend, White
2,316	Linear Feet	626-H005	Thermoplastic Legend, White
219	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
329	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
586	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
542	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,134	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
471	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
809	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
3,275	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
264	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
166	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
122	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
423	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
7	Each	630-F006	Delineators, Guard Rail, White
12	Each	635-A059	Traffic Signal Head, Type 1
6	Each	635-A065	Traffic Signal Head, Type 2 FYA
4	Each	635-A070	Traffic Signal Head, Type 3

2	Each	635-A073	Traffic Signal Head, Type 4
4	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
3	Each	660-A003	Equipment Cabinet, Type B
1	Lump Sum	699-A001	Roadway Construction Stakes
50	Ton	815-A007	Loose Riprap, Size 300
75	Square Yard	815-E001	Geotextile under Riprap
4	Each	907-619-E3001	Changeable Message Sign
2	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
2	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A041	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 25' Arm
1	Each	907-634-A043	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm
1	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1	Each	907-634-A048	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm
1	Each	907-634-A050	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm
1	Each	907-634-A051	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 75' Arm
1	Each	907-634-A052	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 80' Arm
1	Each	907-634-A053	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 85' Arm
26	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1	Each	907-634-E003	Camera Pole with Foundation, 70' Pole
2	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
2,496	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,708	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
186	Linear Feet	907-636-B025	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
1,670	Linear Feet	907-636-B047	Electric Cable, Underground in Conduit, THHN, AWG #3, 3 Conductor
19	Each	907-637-A002	Pullbox Enclosure, Type 2
4	Each	907-637-A003	Pullbox Enclosure, Type 3
1	Each	907-637-A004	Pullbox Enclosure, Type 4
2,433	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"

1,000	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,670	Linear Feet	907-637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
10	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
3,171	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
58	Square Feet	907-653-B001	Street Name Sign
5	Each	907-662-A002	Radio Interconnect, Signal Control, Installed in New Controller Cabinet
5	Each	907-663-A001	Network Switch, Type A
2	Each	907-663-C001	Cellular Modem
335	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1	Each	907-670-A001	Roadway Weather Information System
2	Each	907-670-B002	Warning Sign with Flashing Beacon
1	Lump Sum	907-670-C001	Roadway Weather Information System Training

ALTERNATE GROUP AA NUMBER 1

4,050	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

4,050	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

4,050	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 08

Mill & Overlay approximately 8 miles on SR 1 from Beulah to North Rosedale, known as Federal Aid Project No. STP-0043-02(016) / 107766301 and Overlay approximately 18 miles on SR 8 from SR 1 to Cleveland, known as State Project No. SP-0016-01(036) / 108668301 in Bolivar County.

PROJECT COMPLETION: 161 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

580	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
700	Square Yard	202-B188	Removal of Pavement, All Types and Depths
1,000	Linear Feet	202-B240	Removal of Traffic Stripe
250	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,400	Ton	403-A005	19-mm, MT, Asphalt Pavement
14,500	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
26,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
49,100	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
31,000	Gallon	407-A001	Asphalt for Tack Coat
5,340	Square Feet	412-A001	Pre-Grinding
9,600	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
50	Mile	423-A001	Rumble Strips, Ground In
1,550	Linear Feet	503-C010	Saw Cut, Full Depth
430	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
48	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
21	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
19,600	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
320	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
5,500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
1	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
49	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
21	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
17,300	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
7,300	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
470	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
9,000	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
675	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
450	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F012	Delineators, Post Mounted, Single White
7	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
15	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
7	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

14,500	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

14,500	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

14,500	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

CALL No. 09

Bridge Repair on I-55 over Colony Park Boulevard (Bridge No. 105.6B), known as Federal Aid Project No. STBG-0055-02(264) / 108616301 Madison County.

PROJECT COMPLETION: 36 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
352	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
230	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
8	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1005	Impact Attenuator, 70 MPH
1	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
100	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1	Each	907-619-E3001	Changeable Message Sign

Bridge Items

290	Linear Feet	907-808-A002	Joint Repair
145	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
290	Linear Feet	907-823-B002	Saw Cut, Type II
1	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
10	Square Feet	907-824-PP003	Bridge Repair, Full Depth Slab Repair
2	Each	907-824-PP006	Bridge Repair, Cap Cleaning
20	Linear Feet	907-824-PP008	Bridge Repair, Railing Repair

CALL No. 10

Mill & Overlay approximately 10 miles on SR 25 from SR 471 to SR 43 and approximately 1 mile on Sandhill Rd. from the east end of the 4-Lane section to the west end of the 4-Lane section, known as Federal Project No. NH-0056-01(110) / 108604301 in Rankin County.

PROJECT COMPLETION: 186 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

275	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
13	Each	202-B135	Removal of Guard Post
2,884	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
50	Cubic Yard	203-G002	Excess Excavation, LVM, AH
52	Cubic Yard	206-A001	Structure Excavation
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
19,084	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
50	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
58,183	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
18,521	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
476,886	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
33,184	Gallon	407-A001	Asphalt for Tack Coat
35	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
760	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
700	Linear Feet	605-O005	6" Perforated Sewer Pipe for Underdrains, SDR 35
120	Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
45	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
49	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
25	Each	606-A003	Guard Posts
2,100	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post

14	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
14	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
45	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
40	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
45	Mile	619-A3001	Temporary Traffic Stripe, Skip White
30,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,808	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
808	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
23	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
23	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
21	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
41,147	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
37,545	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
472	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,744	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
560	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,856	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
395	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
72	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
195	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
46	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
49	Each	630-F006	Delineators, Guard Rail, White
49	Each	630-F007	Delineators, Guard Rail, Yellow
14	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1

4 Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2 Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,780 Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1,120 Linear Feet	907-808-A002	Joint Repair
1,200 Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
2,400 Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 11

Widen, Level & Thin Lift Overlay approximately 5 miles on SR 589 from US 11 to 1.6 miles North of Old Highway 11, known as Federal Aid Project No. STP-1164-00(018) / 108227301 in Lamar County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

663	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
139	Linear Feet	202-B050	Removal of Concrete Combination Curb & Gutter
40	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
661	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,016	Linear Feet	202-B240	Removal of Traffic Stripe
4,350	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
92,036	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,800	Gallon	407-A001	Asphalt for Tack Coat
6	Mile	423-A001	Rumble Strips, Ground In
421	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
77	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,190	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,500	Linear Feet	626-G002	Thermoplastic Detail Stripe, White

6,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
77	Square Feet	626-H004	Thermoplastic Legend, White
1,190	Linear Feet	626-H005	Thermoplastic Legend, White
260	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
25	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
550	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
22	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
3,420	Ton	907-411-A001	Ultra Thin Asphalt Pavement
4	Each	907-630-O006	Remove and Reset Signs, Ground Mounted
ALTERNATE GROUP AA NUMBER 1			
2,000	Ton	304-D001	Granular Material, Crushed Concrete
ALTERNATE GROUP AA NUMBER 2			
2,000	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
2,000	Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1			
1,008	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,008	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2			
1,008	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,008	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 12

Overlay approximately 4 miles on US 11 from South Rob Reid Rd. to 400' north of West Moody St., known as Federal Project No. STP-2171-00(025) / 108225301 in Pearl River County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

160 Station	201-D001	Random Clearing
4,700 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
3,600 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
19,500 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
10,500 Gallon	407-A001	Asphalt for Tack Coat
19,000 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
7 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
10 Square Feet	618-B001	Additional Construction Signs
18 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1,000 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
272 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1 Lump Sum	620-A001	Mobilization
500 Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
11 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,600 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
5,500 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
641 Square Feet	626-H004	Thermoplastic Legend, White
3,000 Linear Feet	626-H005	Thermoplastic Legend, White
600 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
150 Each	627-K001	Red-Clear Reflective High Performance Raised Markers

950	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,900	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,100	Ton	304-D001	Granular Material, Crushed Concrete
-------	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

1,100	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,100	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 13

Bridge Joint Repairs on US 51, (Bridge Nos. 210.5, 211.2A, 211.2B, 211.4A, 211.4B, 211.8A, 211.8B, 212.1A, 212.1B, 212.2A, 212.2B, 212.6A, 212.6B & 213.3A) and on SR 330, (Bridge Nos. 16.6, 16.7, 16.8, 17, 20.1 & 21.7), known as Federal Aid Project No. STBG-9999-02(388) / 108620302 in Grenada & Yalobusha Counties.

PROJECT COMPLETION: 110 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization

Bridge Items

8,282	Linear Feet	907-808-A002	Joint Repair Without Epoxy
4,060	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
81	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
8,120	Linear Feet	907-823-B001	Saw Cut, Type I
162	Linear Feet	907-823-B002	Saw Cut, Type II

CALL No. 14

Slide Repair on I-55 Southbound 0.8 miles south of Gluckstadt Road, known as Federal Aid Project No. STBG-9999-05(379) / 107998301 in Madison County.

PROJECT COMPLETION: 53 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
230 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
703 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
476 Cubic Yard	203-G001	Excess Excavation, FM, AH
109 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1 Ton	213-C001	Superphosphate
1 Acre	220-A001	Insect Pest Control
1 Cubic Yard	221-A001	Concrete Paved Ditch
1 Acre	223-A001	Mowing
1 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
2 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing
250 Linear Feet	234-A001	Temporary Silt Fence
125 Linear Feet	237-A002	Wattles, 20"
54 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
75 Linear Feet	605-O005	6" Perforated Sewer Pipe for Underdrains, SDR 35
7 Linear Feet	605-P005	6" Non-perforated Sewer Pipe for Underdrains, SDR 35
5 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
102 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
218 Linear Feet	606-B001	Guard Rail, Class A, Type 1
1 Each	606-C003	Guard Rail, Cable Anchor, Type 1
1 Each	606-E005	Guard Rail, Terminal End Section, Flared
1 Lump Sum	618-A001	Maintenance of Traffic
16 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

160	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-D3001	Remove and Reset Signs, All Sizes
200	Linear Feet	619-F1001	Concrete Median Barrier, Precast
7	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Each	619-J1005	Impact Attenuator, 70 MPH
1	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
1	Each	907-619-E3001	Changeable Message Sign

CALL No. 15

Replace Existing Lighting Fixtures & Repair Lighting System along US 90 at the Biloxi Bay Bridge, known as State Project Nos. SP-0003-01(205) / 108675301 & SP-0003-01(205) / 108675302 in Harrison & Jackson Counties.

PROJECT COMPLETION: 129 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

4	Each	202-B176	Removal of Lighting Controllers
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
4	Each	682-F001	Secondary Power Controller
88	Each	907-683-H1007	Renovation of Low Mast Lighting Assembly, Type A
938	Each	907-683-I1001	Renovation of Underpass Lighting Assembly, Type A

CALL No. 16

Mill & Overlay approximately 10 miles on US 49 from 0.45 miles north of I-220 to the Madison County Line, known as State Project No. SP-0008-03(058) / 108231301 in Hinds County.

PROJECT COMPLETION: 202 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,418	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
937	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
4,125	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
990	Linear Feet	202-B240	Removal of Traffic Stripe
785	Cubic Yard	203-G001	Excess Excavation, FM, AH
11,091	Ton	304-B003	Granular Material, Class 5, Group C
200	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
8,436	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
8,131	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,745	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
2,605	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
28,460	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
552,059	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
42,180	Gallon	407-A001	Asphalt for Tack Coat
69,015	Linear Feet	413-D002	Cleaning and Filling Joints
69,430	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
31	Mile	423-A001	Rumble Strips, Ground In
1,566	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2,850	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
13	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
2	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
17	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic

43 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
45 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
43 Mile	619-A3001	Temporary Traffic Stripe, Skip White
49,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
914 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
552 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48 Linear Feet	619-G4005	Barricades, Type III, Single Faced
1 Lump Sum	620-A001	Mobilization
21 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
18 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
21 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
43,005 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,995 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
914 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,658 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,338 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
94 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
170 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
168 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
54 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
404 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
372 Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
75 Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
106 Each	630-F006	Delineators, Guard Rail, White
27 Each	630-F007	Delineators, Guard Rail, Yellow
4 Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
32 Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
108 Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
8 Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2

2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
2,260	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Bridge Items

234	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
312	Linear Feet	907-823-B001	Saw Cut, Type I
2	Each	907-824-PP006	Bridge Repair, Pressure Relief Joint

CALL No. 17

Overlay approximately 20 miles on US 61 from the Issaquena County Line to Rolling Fork, known as State Project No. SP-0009-02(085) / 108211301 in Sharkey County.

PROJECT COMPLETION: 118 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
500 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,700 Linear Feet	202-B240	Removal of Traffic Stripe
200 Cubic Yard	203-G001	Excess Excavation, FM, AH
18,000 Ton	304-B004	Granular Material, Class 5, Group D
31,500 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
500 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
3,000 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
3,000 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
18,000 Gallon	407-A001	Asphalt for Tack Coat
13,128 Square Feet	412-A001	Pre-Grinding
96,000 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
35 Mile	423-A001	Rumble Strips, Ground In
200 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
225 Linear Feet	503-C010	Saw Cut, Full Depth
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
40 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
37 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
19 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

3 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
15,000 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,200 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
4,200 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,800 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,300 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 18

Overlay approximately 12 miles on SR 503 from SR 528 to the Newton County Line, known as State Project No. SP-0379-00(001) / 108661301 in Jasper County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

283	Station	201-D001	Random Clearing
1,422	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,174	Square Yard	202-B188	Removal of Pavement, All Types and Depths
1,580	Linear Feet	202-B240	Removal of Traffic Stripe
439	Ton	403-A006	19-mm, ST, Asphalt Pavement
11,750	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
42,248	Gallon	407-A001	Asphalt for Tack Coat
100	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
16	Each	606-D017	Guard Rail, Bridge End Section, Type G
20	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
59	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
50	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,127	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,168	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
43	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
35	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,358	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,440	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,168	Linear Feet	626-H005	Thermoplastic Legend, White

680	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,986	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
184	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
293	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
60	Each	630-F006	Delineators, Guard Rail, White
32	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
18,064	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

5,751	Ton	304-D001	Granular Material, Crushed Concrete
-------	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

5,751	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

5,751	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

800	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
20	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
760	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

800	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
20	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
760	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 19

Overlay approximately 12 miles on SR 15 from the Webster County Line to the Chickasaw County Line, approximately 1.5 miles on SR 46 from SR 782 to SR 15, and approximately 0.2 miles on SR 782 from SR 46 to SR 15, known as State Project Nos. MP-1015-78(004) / 307471301, MP-1046-78(003) / 307471302 and MP-1782-78(001) / 307471303 in Webster County.

PROJECT COMPLETION: 117 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

75 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4 Each	202-B138	Removal of Guard Rail Bridge End Section
2 Each	202-B144	Removal of Guard Rail Cable Anchor, Including Post, Rail, Anchor & Hardware
1,295 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
10 Each	202-B152	Removal of Guard Rail Terminal End Section
300 Linear Feet	202-B240	Removal of Traffic Stripe
75 Cubic Yard	203-G002	Excess Excavation, LVM, AH
10,200 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
36,700 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
15,900 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,340 Gallon	407-A001	Asphalt for Tack Coat
25 Mile	423-A001	Rumble Strips, Ground In
75 Linear Feet	503-C010	Saw Cut, Full Depth
1,175 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
120 Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
2 Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
4 Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
10 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1 Lump Sum	618-A001	Maintenance of Traffic
3 Square Feet	618-B001	Additional Construction Signs
35 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
21 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
18,080 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

2,865	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
64	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
28	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
10	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
17	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,860	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,800	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
80	Square Feet	626-H004	Thermoplastic Legend, White
2,240	Linear Feet	626-H005	Thermoplastic Legend, White
950	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,350	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
325	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

200	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
100	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP AA NUMBER 2

200	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
100	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 20

Scrub Seal approximately 18 miles on SR 341 from the Calhoun County Line to SR 9, known as State Project No. MP-1341-58(006) / 306966301 in Pontotoc County.

PROJECT COMPLETION: 43 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

200	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
1,500	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,500	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1,480	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,277	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
5,470	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
264,328	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
14	Mile	907-625-B002	Traffic Stripe, Skip Yellow, 4" Width
37	Mile	907-625-C001	Traffic Stripe, Continuous White, 4" Width
17	Mile	907-625-D001	Traffic Stripe, Continuous Yellow, 4" Width
10,345	Linear Feet	907-625-E001	Detail Traffic Stripe, 4" Equivalent Length
3,516	Linear Feet	907-625-F001	Legend, 4" Equivalent Length

CALL No. 21

Mill & Overlay approximately 2 miles on SR 389 from SR 182 to US 82, known as State Project No. MP-1389-53(004) / 307460301 in Oktibbeha County.

PROJECT COMPLETION: 48 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4 Each	202-B138	Removal of Guard Rail Bridge End Section
240 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4 Each	202-B152	Removal of Guard Rail Terminal End Section
9 Each	202-B215	Removal of Sign Including Post & Footing
2,500 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G002	Excess Excavation, LVM, AH
500 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
6,000 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
56,600 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,000 Gallon	407-A001	Asphalt for Tack Coat
50 Linear Feet	503-C010	Saw Cut, Full Depth
240 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4 Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
12 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
23,700 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
750 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
5,800 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
16 Each	619-F3001	Delineators, Guard Rail, White
1 Lump Sum	620-A001	Mobilization

2 Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
4 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,700 Linear Feet	626-F004	6" Thermoplastic Edge Stripe, Continuous Yellow
7,800 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,000 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,550 Square Feet	626-H004	Thermoplastic Legend, White
2,900 Linear Feet	626-H005	Thermoplastic Legend, White
300 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
350 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,800 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
40 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
9 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
29 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

900 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
400 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
1,200 Linear Feet	907-624-E003	Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

ALTERNATE GROUP AA NUMBER 2

900 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
400 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
1,200 Linear Feet	628-K002	High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 22

Overlay approximately 7 miles on SR 7 from the Humphreys County Line to 2 miles south of Morgan City, known as State Project No. MP-2007-42(009) / 307475301 in Leflore County.

PROJECT COMPLETION: 91 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,485	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
213	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
675	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,100	Ton	304-B002	Granular Material, Class 3, Group D
125	Ton	403-A006	19-mm, ST, Asphalt Pavement
10,900	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
775	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,375	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
2,145	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
9,540	Gallon	407-A001	Asphalt for Tack Coat
18,200	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
16	Mile	423-A001	Rumble Strips, Ground In
580	Linear Feet	503-C010	Saw Cut, Full Depth
480	Linear Feet	609-B002	Concrete Curb, Header
500	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
345	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
93	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
30	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
540	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
675	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

540	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
294	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
540	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
450	Linear Feet	626-H005	Thermoplastic Legend, White
89	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
518	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
51	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
170	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
8	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1	Lump Sum	699-A001	Roadway Construction Stakes
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 23

Mill & Overlay approximately 8.5 miles on SR 32 from the end of the 4-lane section in Charleston to US 51, known as State Project Nos. MP-2032-68(009) / 307473301 & MP-2032-81(007) / 307473302 in Tallahatchie & Yalobusha Counties.

PROJECT COMPLETION: 88 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,500	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
230	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,400	Ton	304-B002	Granular Material, Class 3, Group D
950	Ton	403-A006	19-mm, ST, Asphalt Pavement
14,610	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
6,975	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
79,650	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,700	Gallon	407-A001	Asphalt for Tack Coat
20	Mile	423-A001	Rumble Strips, Ground In
1,500	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
58	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
51	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
23	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
21,700	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,175	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
20	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,290	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,915	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,400	Linear Feet	626-H005	Thermoplastic Legend, White
832	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

824	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
138	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
378	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
108	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
93,700	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 24

Mill & Overlay approximately 1 mile on US 11 from Bouie Street to the Leaf River Bridge and Level & Overlay approximately 2 miles on SR 42 from the end of the 4-lane Section to the Perry County Line, known as State Project Nos. MP-6011-18(010) / 307488301 & MP-6042-18(009) / 307488302 in Forrest County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

8 Station	201-D001	Random Clearing
5,100 Linear Feet	202-B240	Removal of Traffic Stripe
5,100 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
28,160 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,700 Gallon	407-A001	Asphalt for Tack Coat
530 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
4 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
9 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2 Mile	619-A3001	Temporary Traffic Stripe, Skip White
4 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
14,845 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,110 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,535 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
1 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,650 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
3,300 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

555	Square Feet	626-H004	Thermoplastic Legend, White
950	Linear Feet	626-H005	Thermoplastic Legend, White
309	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
493	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
431	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,325	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

700	Ton	304-D001	Granular Material, Crushed Concrete
-----	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

700	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

700	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

2,164	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
2,164	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
2,164	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,164	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
2,164	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
2,164	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 25

Widen & Overlay approximately 5 miles on SR 590 from the Covington County Line to west of the Leaf River, known as State Project No. MP-6590-34(004) / 306997301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

15	Station	201-D001	Random Clearing
162	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
163	Ton	403-A006	19-mm, ST, Asphalt Pavement
6,825	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
722	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
13,483	Gallon	407-A001	Asphalt for Tack Coat
10	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,125	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
920	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
8	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,513	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
612	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
920	Linear Feet	626-H005	Thermoplastic Legend, White
260	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
843	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
64	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,289	Ton	907-411-A001	Ultra Thin Asphalt Pavement

66 Linear Feet 907-619-B001 Temporary Portable Rumble Strips

ALTERNATE GROUP AA NUMBER 1

1,528 Ton 304-D001 Granular Material, Crushed Concrete

ALTERNATE GROUP AA NUMBER 2

1,528 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

1,528 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 26

Overlay approximately 2 miles on US 51 from Louisiana State Line to SR 48, known as State Project No. MP-7051-57(019) / 307442301 in Pike County.

PROJECT COMPLETION: 29 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

896	Linear Feet	202-B240	Removal of Traffic Stripe
763	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
3,712	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
192	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
10,775	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,637	Gallon	407-A001	Asphalt for Tack Coat
2,380	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,090	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,746	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,050	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,040	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
2,826	Linear Feet	626-H005	Thermoplastic Legend, White
581	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 27

Thin Lift Overlay approximately 1 mile on SR 568 from the east side of the Bankston Rd. intersection to the Pike County Line and approximately 4 miles on SR 568 from Amite County Line to I-55, known as State Project Nos. MP-7568-03(007) / 307443301 & MP-7568-57(004) / 307443302 in Amite & Pike Counties.

PROJECT COMPLETION: 33 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,291	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
103	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,737	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,313	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,236	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
632	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
746	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
372	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
528	Linear Feet	626-H005	Thermoplastic Legend, White
180	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
492	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,189	Ton	907-411-A001	Ultra Thin Asphalt Pavement
2,915	Ton	907-411-A001	Ultra Thin Asphalt Pavement Leveling
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 28

Mill & Overlay approximately 3 miles of SR 302 beginning East of Horn Lake Road to Interstate Boulevard, known as State Project No. SP-0021-01(069) / 108655301 in Desoto County.

PROJECT COMPLETION: 126 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
71	Each	202-B217	Removal of Sign Post and Footing
1,916	Linear Feet	202-B240	Removal of Traffic Stripe
1,079	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
786	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
14	Mile	403-S001	Joint Sealant
13,841	Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
135,319	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,532	Gallon	407-A001	Asphalt for Tack Coat
75	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
7	Each	606-D019	Guard Rail, Bridge End Section, Type H
7	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3001	Temporary Traffic Stripe, Skip White
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
25,374	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,403	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
10,696	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
7	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

6 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,503 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,184 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
3,201 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,348 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,755 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
3,810 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
292 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
133 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
167 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1,065 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
14 Each	630-F006	Delineators, Guard Rail, White
10 Each	630-F007	Delineators, Guard Rail, Yellow
8 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2 Each	907-619-E3001	Changeable Message Sign
6 Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
21 Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
12 Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
4,520 Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1 Lump Sum	907-899-A001	Railway-Highway Provisions

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

JEFFREY C. ALTMAN, P.E.
ACTING EXECUTIVE DIRECTOR