

**Proposal & Plan Sales Will Begin on July 5, 2021**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For July - July 27, 2021**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JULY - Tuesday, July 27, 2021

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 5, 2021

Proposals must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shopmdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 27, 2021; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
*	01 ER-0003-01(211)/108763301	HARRISON
	02 BR-0009-01(132)/107176301	WILKINSON
	03 NH-0009-01(146)/108364301 & NH-0009-01(146)/108364302	WILKINSON, ADAMS
	04 STP-0022-04(066)/108282301 & STP-0022-04(067)/108282302	MONROE, PONTOTOC
	05 IM-0059-01(121)/107579301 & IM-0059-02(110)/107579302	FORREST, JONES
	06 STP-0179-00(021)/108382302	WALTHALL
*	07 STBG-6928-00(017)/108620305 & STBG-0023-02(064)/108620305	SCOTT, MADISON
	08 SP-0051-04(010)/108198301 & SP-0048-01(041)/108654301	CHICKASAW
	09 SP-0058-01(040)/108647301 & SP-0058-01(040)/108647302	CLAY, LOWNDES
*	10 SP-0182-00(040)/108676301 & SP-0182-00(040)/108676302 & SP-0182-00(040)/108676303	WALTHALL
	11 SP-0209-00(006)/108665301	COVINGTON
*	12 SP-0510-00(010)/108669301	YAZOO
*	13 SP-0607-00(010)/108671301	DISTRICT 3

*	14	SP-0914-00(040)/108656301	MARSHALL
*	15	MP-2008-07(006)/306904301	CALHOUN
*	16	MP-5022-45(008)/307477301	MADISON



CALL No. 01

Sidewalk Replacement on US 90 between Fort Henry Avenue & Trautman Avenue, known as Federal Aid Project No. ER-0003-01(211) / 108763301 in Harrison County.

PROJECT COMPLETION: 71 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

4,375	Square Yard	202-B080	Removal of Concrete Sidewalk
70	Linear Feet	202-B092	Removal of Curb, All Types
4,415	Square Yard	608-B001	Concrete Sidewalk, With Reinforcement
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
200	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
50	Square Feet	907-608-C001	Detectable Warning Panels

CALL No. 02

Bank Stabilization on US 61 at the Buffalo River, known as Federal Aid Project No. BR-0009-01(132) / 107176301 in Wilkinson County.

PROJECT COMPLETION: 124 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3 Acre	201-B001	Clearing and Grubbing
8 Station	201-C001	Random Clearing and Grubbing (CLEARING AND SNAGGING)
1 Acre	201-C002	Random Clearing and Grubbing (STREAM BANK CLEARING)
1 Lump Sum	202-A001	Removal of Obstructions (EXISTING JETTY)
135 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
222 Square Yard	202-B063	Removal of Concrete Paved Ditch
7,720 Cubic Yard	203-F001	Channel Excavation, FM (SANDY CREEK)
2 Ton	213-C001	Superphosphate
6 Ton	215-A001	Vegetative Materials for Mulch
222 Square Yard	217-A001	Ditch Liner
74 Cubic Yard	221-A001	Concrete Paved Ditch
3 Acre	223-A001	Mowing
3 Acre	225-A001	Grassing
3 Acre	226-A001	Temporary Grassing
812 Square Yard	229-A001	Erosion Mat
2,669 Linear Feet	234-A001	Temporary Silt Fence
187 Linear Feet	234-F001	Turbidity Barrier
2,400 Linear Feet	237-A002	Wattles, 20"
500 Linear Feet	246-B002	Rockbags
1 Ton	249-A001	Riprap for Erosion Control
135 Square Yard	614-B003	Concrete Driveway, With Reinforcement, 6-inch Thickness
3 Each	617-A001	Right-of-Way Marker
3 Each	617-B001	Permanent Easement Marker
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

1	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
12,818	Ton	815-A009	Loose Riprap, Size 500
289	Cubic Yard	815-D001	Concrete Slope Paving
5,274	Square Yard	815-E001	Geotextile under Riprap
484	Cubic Yard	907-276-A001	Excavation for Stone Dike and Tiebacks, AEA AH
1,265	Square Yard	907-832-PP004	Bridge Concrete Mat

**ALTERNATE GROUP AA NUMBER 1**

3,803	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

3,803	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

3,803	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 03

Overlay approximately 11 miles on US 61 from Doloroso to the Adams County Line and on US 61 from the Wilkinson County Line to Kingston, known as Federal Aid Project Nos. NH-0009-01(146) / 108364301 & 108364302 in Wilkinson & Adams Counties.

PROJECT COMPLETION: 128 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

9,030	Linear Feet	202-B240	Removal of Traffic Stripe
395	Cubic Yard	203-G002	Excess Excavation, LVM, AH
14,149	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
351	Ton	403-A005	19-mm, MT, Asphalt Pavement
33,957	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
2,109	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
1,822	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
22,203	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
31,192	Gallon	407-A001	Asphalt for Tack Coat
2,244	Square Feet	412-A001	Pre-Grinding
26,848	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
43	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
29	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
30	Mile	619-A3001	Temporary Traffic Stripe, Skip White
35,823	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,552	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
21	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
21	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
19,584	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
16,232	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow



707	Square Feet	626-H004	Thermoplastic Legend, White
1,552	Linear Feet	626-H005	Thermoplastic Legend, White
255	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,007	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,258	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
108	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
42	Each	630-F006	Delineators, Guard Rail, White
42	Each	630-F007	Delineators, Guard Rail, Yellow
20,260	Pounds	907-420-A002	Undersealing Concrete Pavement

**ALTERNATE GROUP AA NUMBER 1**

533	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

533	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

533	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

**ALTERNATE GROUP BB NUMBER 1**

4,010	Linear Feet	907-624-A003	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White, High Contrast
4,010	Linear Feet	907-624-B003	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White, High Contrast
4,010	Linear Feet	907-624-D001	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow, High Contrast

**ALTERNATE GROUP BB NUMBER 2**

4,010	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
4,010	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,010	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 04

Bridge Preservation on SR 278 over Weaver Creek (Bridge No. 12.0), SR 15 Over Chuquatonchee Creek (Bridge No. 264.8), and SR 342 over Hall Branch (Bridge No. 3.6), known as Federal Aid Project Nos. STP-0022-04(066) / 108282301 & STP-0022-04(067) / 108282302 in Monroe & Pontotoc Counties.

PROJECT COMPLETION: 119 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

8	Each	202-B036	Removal of Bridge Piling
2,930	Ton	815-A007	Loose Riprap, Size 300
1,649	Square Yard	815-E001	Geotextile under Riprap
1,168	Linear Feet	907-808-A002	Joint Repair
584	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,168	Linear Feet	907-823-B001	Saw Cut, Type I
15	Cubic Feet	907-824-PP005	Bridge Repair, Epoxy Repair, Per Plans
22	Each	907-824-PP006	Bridge Repair, Bearing Replacement, Per Plans
8	Each	907-824-PP006	Bridge Repair, Cap Cleaning, Per Plans
240	Linear Feet	907-824-PP008	Bridge Repair, FRP Beam Repair, Per Plans
16	Linear Feet	907-824-PP008	Bridge Repair, FRP Pile Repair, Per Plans

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
82	Square Yard	202-B063	Removal of Concrete Paved Ditch
1,120	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,237	Cubic Yard	203-F001	Channel Excavation, FM
362	Square Yard	203-I002	Site Grading
180	Linear Feet	234-A001	Temporary Silt Fence
600	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D019	Guard Rail, Bridge End Section, Type H
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
42	Each	630-F006	Delineators, Guard Rail, White

1 Lump Sum	699-A001 Roadway Construction Stakes
7,500 Pounds	907-420-A001 Undersealing
362 Square Yard	907-832-PP004 Bridge Concrete Mat

CALL No. 05

Pavement Restoration approximately 14 miles on I-59 from the Lamar County Line to the Jones County Line & from the Forrest County Line to 0.3 miles South of Moselle, known as Federal Aid Project Nos. IM-0059-01(121) / 107579301 & IM-0059-02(110) / 107579302 in Forrest & Jones Counties.

PROJECT COMPLETION: Contractor Determined

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

90 Acre	201-B001	Clearing and Grubbing
259,794 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
12,762 Linear Feet	202-B039	Removal of Cable Barrier
12 Each	202-B040	Removal of Cable Barrier Terminal Section
208 Linear Feet	202-B060	Removal of Concrete Median Barrier
4,000 Square Yard	202-B063	Removal of Concrete Paved Ditch
58,540 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
2,000 Linear Feet	202-B126	Removal of Fence, All Types
17,652 Linear Feet	202-B136	Removal of Guard Rail
22 Linear Feet	202-B191	Removal of Pipe, 8" And Above
234 Each	202-B215	Removal of Sign Including Post & Footing
65 Each	202-B219	Removal of Sign, Ground Mounted with Posts
2 Each	202-B220	Removal of Sign, Overhead Mounted Including Panels, Trust, and Footings
318,333 Square Yard	202-B226	Removal of Soil Cement Treated Base, All Depths
203 Mile	202-B241	Removal of Traffic Stripe
166,999 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
132,991 Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
571 Cubic Yard	206-A001	Structure Excavation
361 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
300,929 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
10,000 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
105 Ton	213-C001	Superphosphate
49,428 Square Yard	216-A001	Solid Sodding
38,580 Square Yard	217-A001	Ditch Liner

320 Thousand Gallon	219-A001	Watering
296 Acre	220-A001	Insect Pest Control
2,026 Cubic Yard	221-A001	Concrete Paved Ditch
414 Acre	223-A001	Mowing
3,868 Square Yard	224-A001	Soil Reinforcing Mat
296 Acre	225-A001	Grassing
592 Ton	225-B001	Agricultural Limestone
592 Ton	225-C001	Mulch, Vegetative Mulch
296 Acre	226-A001	Temporary Grassing
40 Acre	227-A001	Hydroseeding
105,700 Linear Feet	234-A001	Temporary Silt Fence
15 Each	234-D001	Inlet Siltation Guard
15 Each	234-E001	Reset Inlet Siltation Guard
35 Each	236-A008	Silt Basin, Type D
5,500 Linear Feet	237-A002	Wattles, 20"
310 Each	246-B001	Rockbags
2,840 Ton	249-A001	Riprap for Erosion Control
19,650 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
121,266 Ton	403-A004	19-mm, HT, Asphalt Pavement
13,642 Ton	403-A006	19-mm, ST, Asphalt Pavement
3,825 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
16,485 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
54 Mile	403-S001	Joint Sealant
55,689 Ton	405-A001	Stone Matrix Asphalt, 12.5 mm Mixture
41,767 Ton	405-A002	Stone Matrix Asphalt, 9.5 mm Mixture
76,637 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
191,977 Gallon	407-A001	Asphalt for Tack Coat
31,680 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
50 Mile	423-A001	Rumble Strips, Ground In
16,390 Linear Feet	503-C010	Saw Cut, Full Depth

828	Cubic Yard	601-A001	Class "B" Structural Concrete
154	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
102,879	Pounds	602-A001	Reinforcing Steel
296	Linear Feet	603-CA012	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1,456	Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
152	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
88	Linear Feet	603-CA053	30" Reinforced Concrete Pipe, Class V, Jacked or Bored
232	Linear Feet	603-CA056	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
280	Linear Feet	603-CA065	36" Reinforced Concrete Pipe, Class V, Jacked or Bored
80	Linear Feet	603-CA067	42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
24	Linear Feet	603-CA077	48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
128	Linear Feet	603-CA088	54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
56	Linear Feet	603-CA100	60" Reinforced Concrete Pipe, Class III, Rubber Type Gasket
28	Each	603-CB003	18" Reinforced Concrete End Section
28	Each	603-CB004	24" Reinforced Concrete End Section
11	Each	603-CB005	30" Reinforced Concrete End Section
9	Each	603-CB006	36" Reinforced Concrete End Section
7	Each	603-CB007	42" Reinforced Concrete End Section
3	Each	603-CB008	48" Reinforced Concrete End Section
8	Each	603-CB009	54" Reinforced Concrete End Section
4	Each	603-CB010	60" Reinforced Concrete End Section
750	Pounds	604-B001	Gratings
21,659	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
13	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
58	Each	606-D001	Guard Rail, Bridge End Section
42	Each	606-E005	Guard Rail, Terminal End Section, Flared
1,700	Linear Feet	607-A001	31.5" Type "A" Woven Wire Fence, w/ Barbed Wire as Shown
300	Linear Feet	607-B019	60" Type II Chain Link Fence, Class I
30	Each	607-P1008	Line Post, 7' x 1 1/2" Galvanized Steel
10	Each	607-P1009	Line Post, 7' x 2 1/2" Galvanized Steel

170	Each	607-P1015	Line Post, 8' x 4" Timber
50	Each	607-P2009	Brace Post, 8' x 6" Timber
30	Each	607-P2012	Brace Post, 9' x 2 1/2" Galvanized Steel
36,867	Linear Feet	610-A001	Cable Barrier
18	Each	610-B001	Cable Barrier Terminal Section
6	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
320	Linear Feet	615-A005	Concrete Pier Protection Barrier, 32"
748	Linear Feet	615-A007	Concrete Pier Protection Barrier, 54"
1	Lump Sum	618-A001	Maintenance of Traffic
576	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
800	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,294	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
20	Each	619-E1001	Flashing Arrow Panel, Type C
8,140	Linear Feet	619-F1001	Concrete Median Barrier, Precast
54,600	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
405	Each	619-F3001	Delineators, Guard Rail, White
287	Each	619-F3002	Delineators, Guard Rail, Yellow
600	Linear Feet	619-G4005	Barricades, Type III, Single Faced
70	Linear Feet	619-G4007	Barricades, Type III, Single Faced, Permanent, Red/White
2,014	Each	619-G5001	Free Standing Plastic Drums
200	Each	619-G7001	Warning Lights, Type "B"
32	Each	619-J1004	Impact Attenuator, 60 MPH
16	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
32	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
28	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,300	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
23	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,300	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
23	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

13,206	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,600	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
400	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,656	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
105	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
342	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,996	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
5,010	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
666	Square Feet	630-B003	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Overhead Mounted
380	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
939	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
407	Linear Feet	630-D003	Structural Steel Beams, W10 x 22
97	Linear Feet	630-D007	Structural Steel Beams, W6 x 15
1,292	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
890	Linear Feet	630-D010	Structural Steel Beams, W8 x 21
965	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
910	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
574	Pounds	630-E003	Structural Steel Angles & Bars, 4" x 4" x 5/16" Angles
2,299	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
87	Each	630-F010	Delineators, Post Mounted, Double White
33	Each	630-F010	Delineators, Post Mounted, Double White Shur-tite Shur Flex Delineator
14	Each	630-F011	Delineators, Post Mounted, Double Yellow
9	Each	630-F011	Delineators, Post Mounted, Double Yellow Shur-tite Shur Flex Delineator
179	Each	630-F012	Delineators, Post Mounted, Single White
100	Each	630-F012	Delineators, Post Mounted, Single White Shur-tite Shur Flex Delineator
91	Each	630-F013	Delineators, Post Mounted, Single Yellow
75	Each	630-F013	Delineators, Post Mounted, Single Yellow Shur-tite Shur Flex Delineator
40	Each	630-H001	Treated Timber Posts
1	Lump Sum	630-I003	Metal Overhead Sign Supports, Assembly No. 1, Contractor Designed



1	Lump Sum	630-I015	Metal Overhead Sign Supports, Assembly No. 2, Contractor Designed
1	Lump Sum	630-I020	Metal Overhead Sign Supports, Assembly No. 3, Contractor Designed
539	Linear Feet	630-K001	Welded & Seamless Steel Pipe Posts, 3 1/2"
950	Linear Feet	630-K003	Welded & Seamless Steel Pipe Posts, 4"
197	Linear Feet	630-K004	Welded & Seamless Steel Pipe Posts, 5"
4	Each	660-A003	Equipment Cabinet, Type B
1	Each	660-A004	Equipment Cabinet, Type C
1	Lump Sum	699-A001	Roadway Construction Stakes
2,522	Ton	815-A007	Loose Riprap, Size 300
2,400	Square Yard	815-E001	Geotextile under Riprap
7,472	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System
24,002	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
34,819	Gallon	907-402-B001	Bituminous Tack Coat
9,600	Square Yard	907-416-A001	High Friction Surface Treatment
314,438	Square Yard	907-507-A001	Rubblizing Existing Concrete Pavement
8,000	Hours	907-618-M1002	Service Patrol
2,000	Hours	907-618-M2001	Work Zone Law Enforcement
62	Each	907-619-E3001	Changeable Message Sign
9	Each	907-619-M1002	Smart Work Zone, Portable Queue Trailer
2	Each	907-619-M1003	Smart Work Zone, Portable Camera Trailer
2	Each	907-619-M1004	Smart Work Zone, Portable Message Board Trailer
54	Each	907-619-M2001	Smart Work Zone, Portable Queue Trailer, Operational Month
12	Each	907-619-M2002	Smart Work Zone, Portable Camera Trailer, Operational Month
12	Each	907-619-M2003	Smart Work Zone, Portable Message Board Trailer, Operational Month
6	Each	907-619-M3002	Smart Work Zone, System Monitoring, Operational Month
4	Mile	907-626-U002	4" Thermoplastic Traffic Stripe, Skip White, 40-mil min.
117	Mile	907-626-V002	4" Thermoplastic Traffic Stripe, Continuous White, 40-mil min.
117	Mile	907-626-X002	4" Thermoplastic Traffic Stripe, Continuous Yellow, 40-mil min.
100	Each	907-630-O004	Remove and Reset Sign, All Sizes
4	Each	907-632-J001	Power Service Pedestal

4	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
1,005	Linear Feet	907-636-B035	Electric Cable, Underground in Conduit, THHN, AWG #1, 3 Conductor
1,750	Linear Feet	907-636-B042	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor
2,325	Linear Feet	907-636-B060	Electric Cable, Underground in Conduit, THHN, AWG 1/0, 3 Conductor
21	Each	907-637-A002	Pullbox Enclosure, Type 2
27	Each	907-637-A004	Pullbox Enclosure, Type 4
27	Each	907-637-A005	Pullbox Enclosure, Type 5
44,580	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
2,495	Linear Feet	907-637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
2,275	Linear Feet	907-637-I003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
1,190	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
8	Each	907-650-A002	On Street Video Equipment, Fixed Type
4	Each	907-650-A003	On Street Video Equipment, PTZ Type
53,085	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
1,340	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
4	Each	907-663-A001	Network Switch, Type A
1	Each	907-687-A001	Traffic Recorder Classification Permanent System
1,040	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

178,382	Ton	304-F001	3/4" and Down Crushed Stone Base
---------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

178,382	Ton	304-F002	Size 610 Crushed Stone Base
---------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

178,382	Ton	304-F003	Size 825B Crushed Stone Base
---------	-----	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

1,661	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
5,368	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
5,368	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

1,661	Linear Feet	628-G001	6" High Performance Cold Plastic Traffic Stripe, Skip White
5,368	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White

5,368 Linear Feet                      628-J001   6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP CC NUMBER 1**

836 Linear Feet                      907-624-E003   Inverted Profile Thermoplastic Detail Traffic Stripe, Yellow

**ALTERNATE GROUP CC NUMBER 2**

836 Linear Feet                      628-K002   High Performance Cold Plastic Detail Stripe, Yellow

CALL No. 06

Seal & Thin Lift approximately 3 miles on SR 44 from the Pike County Line to SR 583, known as Federal Aid Project No. STP-0179-00(021) / 108382302 in Walthall County.

PROJECT COMPLETION: 31 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,848	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
385	Ton	403-A006	19-mm, ST, Asphalt Pavement
2,713	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,510	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,884	Gallon	407-A001	Asphalt for Tack Coat
6	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,378	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
416	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
6	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
860	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
518	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
630	Linear Feet	626-H005	Thermoplastic Legend, White
93	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
267	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,543	Ton	907-411-A001	Ultra Thin Asphalt Pavement (LEVELING)
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 07

Bridge Preservation on US 51 (Bridge No. 114.3) & on SR 35 (Bridge Nos. 105.4A & 105.4B), known as Federal Aid Project Nos. STBG-6928-00(017) / 1086203051 & STBG-0023-02(064) / 1086203052 in Madison & Scott Counties.

PROJECT COMPLETION: MARCH 31, 2022

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
112	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
144	Linear Feet	619-G4001	Barricades, Type III, Double Faced
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization

**Bridge Items**

1,314	Linear Feet	907-808-A002	Joint Repair , Without Epoxy
657	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,314	Linear Feet	907-823-B001	Saw Cut, Type I
43	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair
112	Each	907-824-PP006	Bridge Repair, Bearing Replacement
16	Each	907-824-PP006	Bridge Repair, Cap Cleaning

CALL No. 08

Mill & Overlay approximately 14 miles on SR 32 from SR 15 to SR 245 and approximately 3 miles on SR 41 from SR 245 to the Monroe County Line, known as State Project No. SP-0051-04(010) / 108198301 & SP-0048-01(041) / 108654301 in Chickasaw County.

PROJECT COMPLETION: 109 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,645	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
14	Each	202-B215	Removal of Sign Including Post & Footing
11	Square Feet	202-B216	Removal of Sign Panels Including Hardware
1,563	Linear Feet	202-B240	Removal of Traffic Stripe
1,775	Cubic Yard	203-G001	Excess Excavation, FM, AH
150	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,840	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
2,773	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
1,000	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
100	Ton	403-A005	19-mm, MT, Asphalt Pavement
28,560	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
302,955	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
22,285	Gallon	407-A001	Asphalt for Tack Coat
28	Mile	423-A001	Rumble Strips, Ground In
538	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
64	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
14,131	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
280	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,156	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
5	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
28	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,809	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,622	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
4,800	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,900	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
280	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,300	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
38	Square Feet	626-H004	Thermoplastic Legend, White
2,156	Linear Feet	626-H005	Thermoplastic Legend, White
1,050	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
35	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,487	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,470	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
116	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
135	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
156	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
267	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
185	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2,585	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions
<b>ALTERNATE GROUP AA NUMBER 1</b>			
2,670	Ton	304-F001	3/4" and Down Crushed Stone Base

150 Cubic Yard 304-H001 3/4" and Down Crushed Stone Base, LVM

**ALTERNATE GROUP AA NUMBER 2**

2,670 Ton 304-F002 Size 610 Crushed Stone Base

150 Cubic Yard 304-H002 Size 610 Crushed Stone Base, LVM

**ALTERNATE GROUP AA NUMBER 3**

2,670 Ton 304-F003 Size 825B Crushed Stone Base

150 Cubic Yard 304-H003 Size 825B Crushed Stone Base, LVM

**ALTERNATE GROUP BB NUMBER 1**

1,428 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

595 Linear Feet 907-624-C001 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

549 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

1,428 Linear Feet 628-H001 6" High Performance Cold Plastic Traffic Stripe, Continuous White

595 Linear Feet 628-I002 6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

549 Linear Feet 628-J001 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow



CALL No. 09

Scrub Seal & Overlay approximately 8 miles on SR 50 from Mathews Gin Rd. to SR 373, known as State Project No. SP-0058-01(040) / 108647301 & SP-0058-01(040) / 108647302 in Clay & Lowndes Counties.

PROJECT COMPLETION: 75 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
12 Each	202-B138	Removal of Guard Rail Bridge End Section
1,000 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
12 Each	202-B152	Removal of Guard Rail Terminal End Section
8 Each	202-B215	Removal of Sign Including Post & Footing
13,200 Linear Feet	202-B240	Removal of Traffic Stripe
50 Cubic Yard	203-G002	Excess Excavation, LVM, AH
5,700 Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
12,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
11,700 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,400 Gallon	407-A001	Asphalt for Tack Coat
15 Mile	423-A001	Rumble Strips, Ground In
50 Linear Feet	503-C010	Saw Cut, Full Depth
1,000 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D005	Guard Rail, Bridge End Section, Type A
4 Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
12 Each	606-E005	Guard Rail, Terminal End Section, Flared
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
28 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
18,300 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,100 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
44 Each	619-F3001	Delineators, Guard Rail, White

44	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
14	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
8	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
10,000	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,200	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
40	Square Feet	626-H004	Thermoplastic Legend, White
1,550	Linear Feet	626-H005	Thermoplastic Legend, White
420	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
900	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
60	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
6	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
30	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
16	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
60	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
121,600	Square Yard	907-414-A001	Scrub Seal
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
<b>ALTERNATE GROUP AA NUMBER 1</b>			
6,600	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
900	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
5,650	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP AA NUMBER 2</b>			
6,600	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
900	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
5,650	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 10

Overlay approximately 2 miles on SR 583 from US 98 to Sims Thornhill Road, approximately 1 mile on SR 27 from High School Drive to SR 48 & approximately 1 mile on SR 585 from Old Highway 24 East to 1 mile North, known as State Project Nos. SP-0182-00(040) / 108676301, SP-0182-00(040) / 108676302 & SP-0182-00(040) / 108676303 in Walthall County.

PROJECT COMPLETION: 42 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,049	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
3,827	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
4,449	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
7,845	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
3	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,648	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
36	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,268	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,353	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,295	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
36	Square Feet	626-H004	Thermoplastic Legend, White
1,268	Linear Feet	626-H005	Thermoplastic Legend, White
364	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
407	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
775	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1,917	Ton	907-411-A001	Ultra Thin Asphalt Pavement , Leveling

66 Linear Feet

907-619-B001 Temporary Portable Rumble Strips

CALL No. 11

Overlay approximately 6 miles on SR 532 from Oak Grove Rd. to Vester Pickering Rd., known as State Project No. SP-0209-00(006) / 108665301 in Covington County.

PROJECT COMPLETION: 33 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,434	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
733	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,829	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,440	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,540	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,220	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,000	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
770	Linear Feet	626-H005	Thermoplastic Legend, White
390	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
823	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,662	Ton	907-411-A001	Ultra Thin Asphalt Pavement
2,797	Ton	907-411-A001	Ultra Thin Asphalt Pavement , Leveling
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
11	Mile	907-626-C003	Thermoplastic Audible Edge Stripe

CALL No. 12

Overlay approximately 12 miles on SR 433 from SR 3 to US 49, known as State Project No. SP-0510-00(010) / 108669301 in Yazoo County.

PROJECT COMPLETION: 73 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

600 Linear Feet	202-B240	Removal of Traffic Stripe
6,052 Ton	304-B004	Granular Material, Class 5, Group D
15,850 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
287 Ton	406-A001	Cold Milling of Bituminous Pavement, All Depths
2,660 Gallon	407-A001	Asphalt for Tack Coat
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
24 Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
22 Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
2 Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
3,834 Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
519 Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1 Lump Sum	620-A001	Mobilization
24 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
22 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,634 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,200 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
692 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
191 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,283 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

**ALTERNATE GROUP AA NUMBER 1**

440 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
220 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

**ALTERNATE GROUP AA NUMBER 2**

440 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
220 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

CALL No. 13

Placement of Stripe and Raised Pavement Markers on Various Routes throughout the District, known as State Project No. SP-0607-00(010) / 108671301 in District 3.

PROJECT COMPLETION: 134 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
204	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
83	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
56	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
22,834	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
12,029	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
8,143	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,050	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,300	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
9,620	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers



CALL No. 14

Mill & Overlay approximately 16 miles on SR 309 from SR 4 to US 78, known as State Project No. SP-0914-00(040) / 108656301 in Marshall County.

PROJECT COMPLETION: 117 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,350	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
164	Each	202-B217	Removal of Sign Post and Footing
4,320	Linear Feet	202-B240	Removal of Traffic Stripe
1,050	Cubic Yard	203-G001	Excess Excavation, FM, AH
10,250	Ton	304-B002	Granular Material, Class 3, Group D
29,725	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,375	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,475	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
4,275	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
230,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
26,100	Gallon	407-A001	Asphalt for Tack Coat
88	Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
29	Mile	423-A001	Rumble Strips, Ground In
1,420	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
58	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
52	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A3001	Temporary Traffic Stripe, Skip White
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
25,514	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,900	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
740	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White

2,064	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
29	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
3	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
1,330	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
26	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
740	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1	Mile	626-F003	6" Thermoplastic Edge Stripe, Continuous Yellow
8,745	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
4,012	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
373	Square Feet	626-H004	Thermoplastic Legend, White
2,452	Linear Feet	626-H005	Thermoplastic Legend, White
1,150	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,638	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
141	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,048	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,588	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
119	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
2,850	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 15

Mill & Overlay approximately 0.6 miles on SR 8 from 0.25 miles north of the Calhoun City Limits to the Stop Bar at SR 8 East, known as State Project No. MP-2008-07(006) / 306904301 in Calhoun County.

PROJECT COMPLETION: 71 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

100 Cubic Yard	203-G001	Excess Excavation, FM, AH
200 Ton	304-B002	Granular Material, Class 3, Group D
4,225 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
425 Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
50,990 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,400 Gallon	407-A001	Asphalt for Tack Coat
3,125 Linear Feet	413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1 Lump Sum	618-A001	Maintenance of Traffic
1 Square Feet	618-B001	Additional Construction Signs
3 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,135 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,134 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
2 Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
1 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
2 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
530 Linear Feet	626-G001	Thermoplastic Detail Stripe, Blue-ADA
1,567 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
6,856 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,250 Linear Feet	626-H005	Thermoplastic Legend, White
261 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
95 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips

20 Each

907-626-H001 Thermoplastic Legend, Blue-ADA Handicap Symbol

CALL No. 16

Mill & Overlay approximately 9 miles on SR 22 from SR 463 to the Beginning of the 5 Lane Section, known as State Project No. MP-5022-45(008) / 307477301 in Madison County.

PROJECT COMPLETION: 95 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

627	Linear Feet	202-B003	Removal of Asphalt Curb
6,376	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
2,000	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
736	Linear Feet	202-B240	Removal of Traffic Stripe
917	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
50	Cubic Yard	203-G001	Excess Excavation, FM, AH
400	Square Yard	217-A001	Ditch Liner
1	Acre	225-A001	Grassing
2	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
1,500	Linear Feet	234-C001	Super Silt Fence
1,500	Linear Feet	237-A002	Wattles, 20"
2,052	Ton	304-D002	Granular Material, Crushed Stone
10	Ton	310-B001	Size I Stabilizer Aggregate, Coarse
14,393	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
11,510	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
181,074	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
14,083	Gallon	407-A001	Asphalt for Tack Coat
18	Mile	423-A001	Rumble Strips, Ground In
5,622	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,720	Linear Feet	606-B009	Guard Rail, Class A, Type 1, Metal Post
8	Each	606-D005	Guard Rail, Bridge End Section, Type A
24	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared

8	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1	Lump Sum	618-A001	Maintenance of Traffic
57	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
42	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
86,160	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
422	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,312	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
737	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
404	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
19	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
14	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10,500	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
18,220	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
422	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,656	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
371	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
160	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,520	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
198	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
125	Each	630-F006	Delineators, Guard Rail, White
14	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
3	Each	907-619-H2001	Traffic Signal, Portable, Type 1
200	Linear Feet	907-808-A002	Joint Repair
100	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

200 Linear Feet

907-823-B001 Saw Cut, Type I

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shopmdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shopmdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR