SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

	ADDENDUM NO. ADDENDUM NO ADDENDUM NO	1 2 3	DATED DATED DATED	1/19/2022 1/25/2022 2/14/2022	ADDENDUM NO. ADDENDUM NO. ADDENDUM NO.	5	DATED DATED DATED	- Total	15/2022 17/2022
lum	nber	Descripti	on		TOTAL ADDENDA:	5			
1	Revised Wage Rates	s; Amendmer	nt EBSx Downl	oad Required.	(Must agree with total ac	ddenda issu	ed prior to ope	ning of b	ids)
2	Postponed to Febru Download Required.	ary 23, 2022	2 Letting; Ame	endment EBSx	Respectfully Submitted,				
3	Revised NTB No. 37 Schedule; Revised of 8003; Amendment E	r Added Plan	Sheet Nos. 2,		DATE				
4	Revised Advertiser Required.	ment; Ame	ndment EBS	Sx Download		Cor	ntractor		
5	Revised Table of Collitems; Amendment E			66; Revised Bid	BY_	Sig	gnature		
					TITLE				
					ADDRESS				
					CITY, STATE, ZIP				
				\sim	PHONE				
					FAX				
				O_{II}	E-MAIL				
T)	To be filled in if a corpor	ration)							
	ur corporation is charter les and business addres							_ and t	he names,
	Pr	esident				Address			
	Se	cretary				Address			
	Tr	easurer				Address			
Tl	he following is my (our)	itemized pr	oposal.						

BR-0016-03(027)/ 106968301000 & BR-0016-02(037)/ 106968302000

Grenada & Calhoun County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

PROJECT: BR-0016-03(027)/106968301 - Calhoun BR-0016-02(037)/106968302 - Grenada

Section 901 - Advertisement

Section 904 - Notice to	o Bidders
#1	Governing Specification, w/ Supplement
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#6	Storm Water Discharge Associated with Construction Activity (> 5 Acres)
#113	Tack Coat
#114	Right-of-Way Plat
#296	Reduced Speed Limit Signs
#445	Mississippi Agent or Qualified Nonresident Agent
#516	Errata and Modifications to the 2017 Standard Specifications
#757	Additional Erosion Control Requirements
#977	DUNS Requirement For Federal Funded Projects
#1225	Early Notice to Proceed
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#1434	Erosion Control Plan
#1606	Detour Bridge Piling
#1963	Guardrail Pads
#2172	App for Storm Water Reports
#2206	MASH Compliant Devices
#2273	Mississippi Special Fuel Tax Law
#2611	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#2782	
#2896	DBE Pre-Bid Meeting
#2954	Super Silt Fence Reflective Sheeting for Signs
#3676	Reflective Sheeting for Signs
#3762	Asphalt Gyratory Compactor Internal Angle Calibration Contract Time
#3763	
#3764	Specialty Items Placement of Fill Meterial in Federally Regulated Areas
#3766	Placement of Fill Material in Federally Regulated Areas
#3/00	Pay Item Correction
906	Required Federal Contract Provisions FHWA 1273, w/Supplements
Section 907 - Special 1	Provisions
907-102-2	Bidding Requirements and Conditions
907-105-1	Authority of the Engineer
907-107-2	Contractor's Erosion Control Plan
907-108-4	Subletting of Contract
907-109-3	Measurement and Payment
907-253-1	Coir Fiber Baffle
907-701-3	Hydraulic Cement

PROJECT: BR-0016-03(027)/106968301 - Calhoun BR-0016-02(037)/106968302 - Grenada

Bituminous Materials
Gradation
Stone Riprap
Joint Materials
Concrete Pipe
Plain Steel Wire
Waterproofing Admixture
Miscellaneous Materials
Acceptance Procedure for Glass Beads
Materials for Signs
Test Piles
Concrete Bridges and Structures
Preformed Joint Seal

906-8 Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal Certification of Performance - Prior Federal-Aid Contracts Certification Regarding Non-Collusion, Debarment and Suspension SAM.GOV Registration and DUNS Number Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Pile and Driving Equipment Data Form Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)
02/17/2022 12:44 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

CODE: (SP)

SECTION 904 -NOTICE TO BIDDERS NO. 3766

DATE: 2/17/2022

SUBJECT: Pay Item Correction

PROJECT: BR-0016-03(027) / 106968301 – Calhoun County

BR-0016-02(037) / 106968302 - Grenada County

The Bidder's attention is called to Working Number SQ-BR-1, Sheet Number 8003, in the Summary of Quantities in the Contract Plans.

The Quantity shown under the Calhoun County Column for Pay Item 804-C218, 101' Prestressed Concrete Beam, Type FIB-45, 1254 LF, is in error. The correct quantity is 1194 LF, for a revised project total of 2189 LF.

The Bid Sheets are correct.

Bridge Replacements on SR 8 (Bridge Nos. 89.8, 94.9, 95.2, 95.5, 95.7 & new relief bridge), known as Federal Aid Project Nos. BR-0016-03(027) / 106968301 & BR-0016-02(037) / 106968302 in Calhoun & Grenada Counties.

Line No.	Item Code	Adj Code	Quantity Roady	Units way Items	Description [Fixed Unit Price]
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		2	Acre	Clearing and Grubbing
0030	202-A001		1	Lump Sum	Removal of Obstructions
0040	202-B007		31,981	Square Yard	Removal of Asphalt Pavement, All Depths
0050	202-B019		70	Linear Feet	Removal of Box Culvert
0060	202-B150		3,298	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware
0070	202-B165		1	Each	Removal of Inlets, All Sizes
0800	202-B191		257	Linear Feet	Removal of Pipe, 8" And Above
0090	203-A001	(E)	13,529	Cubic Yard	Unclassified Excavation, FM, AH
0100	203-EX020	(E)	306,449	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0110	203-G001	(E)	85,458	Cubic Yard	Excess Excavation, FM, AH
0120	206-A001	(S)	578	Cubic Yard	Structure Excavation
0130	209-A005		30,548	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0140	211-B001	(E)	984	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0150	213-C001		16	Ton	Superphosphate
0160	216-A001		454	Square Yard	Solid Sodding
0170	217-A001		446	Square Yard	Ditch Liner
0180	219-A001		10	Thousand Gallon	Watering [\$20.00]
0190	220-A001		30	Acre	Insect Pest Control [\$30.00]
0200	221-A001	(S)	59	Cubic Yard	Concrete Paved Ditch
0210	223-A001		60	Acre	Mowing [\$50.00]
0220	225-A001		30	Acre	Grassing
0230	225-B001		88	Ton	Agricultural Limestone
0240	225-C001		58	Ton	Mulch, Vegetative Mulch
0250	226-A001		30	Acre	Temporary Grassing
0260	234-A001		32,600	Linear Feet	Temporary Silt Fence
0270	234-C001		5,400	Linear Feet	Super Silt Fence
0280	236-A008		2	Each	Silt Basin, Type D
0290	237-A002		1,961	Linear Feet	Wattles, 20"
0300	245-A001		1,692	Linear Feet	Silt Dike
0310	246-B002		1,692	Linear Feet	Rockbags
0320	249-A001		1,448	Ton	Riprap for Erosion Control

Line No. 0330	Item Code 249-B001	Adj Code	Quantity 8,467	Units Cubic Yard	Description [Fixed Unit Price] Remove and Reset Riprap
0340	304-B002	(GT)	16,765	Ton	Granular Material, Class 3, Group D
0350	403-A003	(BA1)	4,124	Ton	12.5-mm, ST, Asphalt Pavement
0360	403-A006	(BA1)	5,374	Ton	19-mm, ST, Asphalt Pavement
0370	403-A015	(BA1)	4,131	Ton	9.5-mm, ST, Asphalt Pavement
0380	403-B003	(BA1)	301	Ton	12.5-mm, ST, Asphalt Pavement, Leveling
0390	406-D001		7,370	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0400	407-A001	(A2)	6,160	Gallon	Asphalt for Tack Coat
0410	413-E001		553	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0420	423-A001		4	Mile	Rumble Strips, Ground In
0430	501-K001		495	Square Yard	Transverse Grooving
0440	502-A001	(C)	1,186	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0450	601-B001	(S)	5	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0460	602-A001	(S)	182	Pounds	Reinforcing Steel
0470	603-ALT003	(S)	464	Linear Feet	18" Type A Alternate Pipe
0480	603-ALT005	(S)	40	Linear Feet	22" x 13" Type A Alternate Pipe
0490	603-CA066	(S)	168	Linear Feet	42" Reinforced Concrete Pipe, Class III
0500	603-CA076	(S)	64	Linear Feet	48" Reinforced Concrete Pipe, Class III
0510	603-CB007	(S)	3	Each	42" Reinforced Concrete End Section
0520	603-CB008	(S)	1	Each	48" Reinforced Concrete End Section
0530	603-CE018	(S)	16	Linear Feet	44" x 27" Concrete Arch Pipe, Class A III
0540	603-CF005	(S)	1	Each	44" x 27" Concrete Arch Pipe End Section
0550	605-AA001	(S)	420	Square Yard	Geotextile for Subsurface Drainage, Type III
0560	605-O002	(S)	553	Linear Feet	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
0570	605-P002	(S)	360	Linear Feet	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
0580	605-W001	(GY)	23	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type A, FM
0590	606-B001		2,550	Linear Feet	Guard Rail, Class A, Type 1
0600	606-D022		24	Each	Guard Rail, Bridge End Section, Type I
0610	606-E001		32	Each	Guard Rail, Terminal End Section
0620	615-A024	(S)	240	Linear Feet	Concrete Bridge End Barrier, 37.5"
0630	617-A001		8	Each	Right-of-Way Marker
0640	618-A001		1	Lump Sum	Maintenance of Traffic
0650	618-C001		1	Lump Sum	Construction and Removal of Detour Bridge
0660	618-E001		1,752	Linear Feet	Detour Bridge Piling

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	618-F001		1	Lump Sum	Detour Bridge PDA Test Pile
0680	619-A1002		21,014	Linear Feet	Temporary Traffic Stripe, Continuous White
0690	619-A1007		3,102	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
0700	619-A2002		20,702	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0710	619-A2008		3,102	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
0720	619-A5001		2,628	Linear Feet	Temporary Traffic Stripe, Detail
0730	619-C7001		118	Each	Two-Way Yellow Reflective High Performance Raised Marker
0740	619-D1001		128	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0750	619-D2001		730	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0760	619-G4001		144	Linear Feet	Barricades, Type III, Double Faced
0770	619-G5001		60	Each	Free Standing Plastic Drums
0780	619-G7001		12	Each	Warning Lights, Type "B"
0790	619-G8001		20	Each	Warning Lights, Type "C"
0800	619-K2001		4	Each	Installation and Removal of Guard Rail, Bridge End Section
0810	619-K4001		4	Each	Installation and Removal of Guardrail, Terminal End Section
0820	620-A001		1	Lump Sum	Mobilization
0830	626-C001		24,400	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0840	626-D002		9,020	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
0850	626-E002		7,925	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0860	627-L001		306	Each	Two-Way Yellow Reflective High Performance Raised Markers
0870	630-A003		108	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0880	630-C001		180	Linear Feet	Square Tube Posts, 4.0 lb/ft
0890	630-F006		100	Each	Delineators, Guard Rail, White
0900	630-G004		32	Each	Type 3 Object Markers, OM-3R or OM-3L
0910	699-A001		1	Lump Sum	Roadway Construction Stakes
0920	815-A002	(S)	228	Ton	Loose Riprap, Size 100
0930	815-A007	(S)	762	Ton	Loose Riprap, Size 300
0940	815-E001	(S)	707	Square Yard	Geotextile under Riprap
0950	815-F002	(S)	85	Ton	Sediment Control Stone
0960	907-253-A001		400	Linear Feet	Coir Fiber Baffle
0970	907-906001		1,040	Hours	Trainees [\$5.00]
			ALTERNATE G	ROUP AA NUMBE	R 1
0980	304-F001	(GT)	12,792	Ton	3/4" and Down Crushed Stone Base
			ALTERNATE G	ROUP AA NUMBE	R 2

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0990	304-F002	(GT)	12,792	Ton	Size 610 Crushed Stone Base
			ALTERNATE O	GROUP AA NUMBE	R 3
1000	304-F003	(GT)	12,792	Ton	Size 825B Crushed Stone Base
			ALTERNATE (ROUP BB NUMBE	R 1
1010	605-W002	(GY)	579	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
				ROUP BB NUMBE	
1020	605-W003	(GY)	579	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type C, FM
				idge Items	
1030	501-K001		6,797	Square Yard	Transverse Grooving
1040	803-P001	(S)	7,530	Linear Feet	24" Steel Pipe Piling, Wall Thickness 0.500"
1050	803-P003	(S)	3,040	Linear Feet	30" Steel Pipe Piling, Wall Thickness 0.500"
1060	803-P007	(S)	1,425	Linear Feet	18" Steel Pipe Piling, Wall Thickness 0.500"
1070	804-C169	(S)	498	Linear Feet	100' Prestressed Concrete Beam, Type FIB-45
1080	804-C170	(S)	807	Linear Feet	135' Prestressed Concrete Beam, Type FIB-54
1082	804-C192	(S)	697	Linear Feet	100' Prestressed Concrete Beam, Type FIB-36
1090	804-C186	(S)	1,096	Linear Feet	110' Prestressed Concrete Beam, Type FIB-45
1100	804-C202	(S)	777	Linear Feet	130' Prestressed Concrete Beam, Type FIB-54
1110	804-C218	(S)	2,189	Linear Feet	101' Prestressed Concrete Beam, Type FIB-45
1120	804-C219	(S)	2,190	Linear Feet	111' Prestressed Concrete Beam, Type FIB-45
1130	804-C220	(S)	1,113	Linear Feet	81' Prestressed Concrete Beam, Type FIB-36
1140	805-A001	(S)	549,200	Pounds	Reinforcement
1150	805-C001	(S)	14,930	Pounds	Reinforcement, Corrosion Resistant
1160	813-A004	(S)	3,397	Linear Feet	Concrete Railing, 36"
1170	815-A007	(S)	9,925	Ton	Loose Riprap, Size 300
1180	815-E001	(S)	5,775	Square Yard	Geotextile under Riprap
1190	907-803-B001	(S)	6	Each	Conventional Static Pile Load Test [\$5,000.00]
1200	907-803-1004	(S)	12	Each	PDA Test Pile, Steel Pipe Pile
1210	907-803-J001	(S)	11	Each	Pile Restrike
1220	907-804-A001	(S)	2,068	Cubic Yard	Bridge Concrete, Class BDX
1230	907-804-A002	(S)	739	Cubic Yard	Bridge Concrete, Class AA
1240	907-823-A001		440	Linear Feet	Preformed Joint Seal, Type I
1250	907-823-A002		81	Linear Feet	Preformed Joint Seal, Type II