### SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| ADDENDUM NO. ADDENDUM NO ADDENDUM NO  |              | DATED _<br>DATED _<br>DATED _ | 2/17/2022  | ADDENDUM NO. ADDENDUM NO. ADDENDUM NO.                                | DATED DATED DATED        | <u> </u>  |       |        |
|---|--------------|-------------------------------|------------|---|--------------------------|-----------|-------|--------|
| Number  1 Revised Notice to Amendment EBSx Do   |              | 3943; Revised                 | Bid Items; | TOTAL ADDENDA: (Must agree with total ad Respectfully Submitted, DATE | denda issued prior to op | pening of | bids) |        |
|   |              |                               |            | BY  TITLE ADDRESS CITY, STATE, ZIP PHONE FAX                          |                          |           |       |        |
| (To be filled in if a corpor<br>Our corporation is charter<br>titles and business address | ed under the |                               |            | E-MAIL  |                          |           |       | names, |
|   | esident      |                               |            |   | Address                  |           |       |        |
| Tre   | asurer       |                               |            |   | Address                  |           |       |        |

The following is my (our) itemized proposal.

NH-0002-01(051)/ 107662301000

Jackson County(ies)

Revised 01/26/2016

### MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 3943

DATE: February 17, 2022 SUBJECT: Specialty Items

PROJECT: NH-0002-01(051)/107662301 - JACKSON

Pursuant to the provisions of Section 108, the following work items are hereby designated as "Specialty Items" for this contract. Bidders are reminded that these items must be subcontracted in order to be considered as specialty items.

### CATEGORY: GUARDRAIL, GUIDERAIL

| Line No | Pay Item | Description                           |
|---------|----------|---------------------------------------|
| 0090    | 606-B002 | Guard Rail, Class A, Type 1, 'W' Beam |
| 0100    | 606-D001 | Guard Rail, Bridge End Section        |
| 0110    | 606-E001 | Guard Rail, Terminal End Section      |

#### CATEGORY: MISCELLANEOUS/ SPECIALTY WORK ITEMS

| Line No | Pay Item | Description              |
|---------|----------|--------------------------|
| 0062    | 423-A001 | Rumble Strips, Ground In |

### CATEGORY: PAVEMENT STRIPING AND MARKING

| Line No | Pay Item     | Description   |
|---------|--------------|---|
| 0210    | 626-A001     | 6" Thermoplastic Double Drop Traffic Stripe, Skip White             |
| 0220    | 626-B002     | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White       |
| 0230    | 626-E001     | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow      |
| 0240    | 626-G002     | Thermoplastic Detail Stripe, White                                  |
| 0250    | 626-G003     | Thermoplastic Detail Stripe, Yellow                                 |
| 0260    | 626-H004     | Thermoplastic Legend, White   |
| 0270    | 626-H005     | Thermoplastic Legend, White   |
| 0280    | 627-J001     | Two-Way Clear Reflective High Performance Raised Markers            |
| 0290    | 627-K001     | Red-Clear Reflective High Performance Raised Markers                |
| 0300    | 627-L001     | Two-Way Yellow Reflective High Performance Raised Markers           |
| 0420    | 628-G001     | 6" High Performance Cold Plastic Traffic Stripe, Skip White         |
| 0430    | 628-H001     | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| 0440    | 628-J001     | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow  |
| 0450    | 907-624-A002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White        |
| 0460    | 907-624-B002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 0470    | 907-624-D002 | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
|         |              |   |

### CATEGORY: TRAFFIC CONTROL - PERMANENT

| Line No | Pay Item | Description                     |
|---------|----------|---------------------------------|
| 0310    | 630-F006 | Delineators, Guard Rail, White  |
| 0320    | 630-F007 | Delineators, Guard Rail, Yellow |

# CATEGORY: TRAFFIC CONTROL - PERMANENT

| Line No | Pay Item     | Description   |
|---------|--------------|---|
| 0330    | 630-G005     | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 0350    | 907-632-D001 | Solid State Traffic Actuated Controller, Type 1     |
| 0360    | 907-643-A004 | Video Vehicle Detection Sensor, Type 1A             |
| 0370    | 907-643-B001 | Video Vehicle Detection Cable                       |
| 0380    | 907-643-C001 | Video Vehicle Detection Power Cable                 |
| 0390    | 907-643-E001 | Multi-Sensor Vehicle Detection Sensor               |
| 0400    | 907-643-F001 | Multi-Sensor Vehicle Detection Cable                |
| 0410    | 907-643-G001 | Multi-Sensor Vehicle Detection Power Cable          |

## CATEGORY: TRAFFIC CONTROL - TEMPORARY

| Line No | Pay Item  | Description                                 |
|---------|-----------|---|
| 0140    | 619-A1001 | Temporary Traffic Stripe, Continuous White  |
| 0150    | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 0160    | 619-A3001 | Temporary Traffic Stripe, Skip White        |
| 0170    | 619-A5001 | Temporary Traffic Stripe, Detail            |
| 0180    | 619-A6001 | Temporary Traffic Stripe, Legend            |
| 0190    | 619-A6002 | Temporary Traffic Stripe, Legend            |

Overlay approximately 7 miles on SR 63 from 0.2 miles south of SR 614 to the George County Line, known as Federal Aid Project No. NH-0002-01(051) / 107662301 in Jackson County.

| Line No. | Item Code | Adj Code | Quantity<br>Roady | Units<br>way Items | Description [Fixed Unit Price]                                 |
|----------|-----------|----------|-------------------|--------------------|--|
| 0010     | 202-B136  |          | 1,720             | Linear Feet        | Removal of Guard Rail  |
| 0020     | 202-B183  |          | 8                 | Each               | Removal of Object Markers                                      |
| 0030     | 202-B240  |          | 1,980             | Linear Feet        | Removal of Traffic Stripe                                      |
| 0040     | 304-F003  | (GT)     | 4,368             | Ton                | Size 825B Crushed Stone Base                                   |
| 0050     | 403-A014  | (BA1)    | 17,022            | Ton                | 9.5-mm, MT, Asphalt Pavement                                   |
| 0060     | 403-A015  | (BA1)    | 6,004             | Ton                | 9.5-mm, ST, Asphalt Pavement                                   |
| 0062     | 423-A001  |          | 28                | Mile               | Rumble Strips, Ground In                                       |
| 0070     | 406-A002  |          | 23,161            | Square Yard        | Cold Milling of Bituminous Pavement, All Depths                |
| 0800     | 407-A001  | (A2)     | 28,828            | Gallon             | Asphalt for Tack Coat  |
| 0090     | 606-B002  |          | 610               | Linear Feet        | Guard Rail, Class A, Type 1, 'W' Beam                          |
| 0100     | 606-D001  |          | 8                 | Each               | Guard Rail, Bridge End Section                                 |
| 0110     | 606-E001  |          | 8                 | Each               | Guard Rail, Terminal End Section                               |
| 0120     | 618-A001  |          | 1                 | Lump Sum           | Maintenance of Traffic   |
| 0130     | 618-B001  |          | 1                 | Square Feet        | Additional Construction Signs [\$10.00]                        |
| 0140     | 619-A1001 |          | 26                | Mile               | Temporary Traffic Stripe, Continuous White                     |
| 0150     | 619-A2001 |          | 22                | Mile               | Temporary Traffic Stripe, Continuous Yellow                    |
| 0160     | 619-A3001 |          | 28                | Mile               | Temporary Traffic Stripe, Skip White                           |
| 0170     | 619-A5001 |          | 25,954            | Linear Feet        | Temporary Traffic Stripe, Detail                               |
| 0180     | 619-A6001 |          | 88                | Square Feet        | Temporary Traffic Stripe, Legend                               |
| 0190     | 619-A6002 |          | 1,680             | Linear Feet        | Temporary Traffic Stripe, Legend                               |
| 0200     | 620-A001  |          | 1                 | Lump Sum           | Mobilization   |
| 0210     | 626-A001  |          | 14                | Mile               | 6" Thermoplastic Double Drop Traffic Stripe, Skip White        |
| 0220     | 626-B002  |          | 13                | Mile               | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White  |
| 0230     | 626-E001  |          | 11                | Mile               | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 0240     | 626-G002  |          | 30,352            | Linear Feet        | Thermoplastic Detail Stripe, White                             |
| 0250     | 626-G003  |          | 20,836            | Linear Feet        | Thermoplastic Detail Stripe, Yellow                            |
| 0260     | 626-H004  |          | 1,318             | Square Feet        | Thermoplastic Legend, White                                    |
| 0270     | 626-H005  |          | 3,255             | Linear Feet        | Thermoplastic Legend, White                                    |
| 0280     | 627-J001  |          | 830               | Each               | Two-Way Clear Reflective High Performance Raised Markers       |
| 0290     | 627-K001  |          | 1,585             | Each               | Red-Clear Reflective High Performance Raised Markers           |
| 0300     | 627-L001  |          | 1,672             | Each               | Two-Way Yellow Reflective High Performance Raised Markers      |
| 0310     | 630-F006  |          | 28                | Each               | Delineators, Guard Rail, White                                 |
|          |           |          |                   |                    |  |

| Line No. | Item Code    | Adj Code | Quantity     | Units         | Description [Fixed Unit Price]                                      |
|----------|--------------|----------|--------------|---------------|---|
| 0320     | 630-F007     |          | 28           | Each          | Delineators, Guard Rail, Yellow                                     |
| 0330     | 630-G005     |          | 8            | Each          | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted                 |
| 0340     | 907-411-A001 | (BA1)    | 10,213       | Ton           | Ultra Thin Asphalt Pavement   |
| 0350     | 907-632-D001 |          | 1            | Each          | Solid State Traffic Actuated Controller, Type 1                     |
| 0360     | 907-643-A004 |          | 2            | Each          | Video Vehicle Detection Sensor, Type 1A                             |
| 0370     | 907-643-B001 |          | 455          | Linear Feet   | Video Vehicle Detection Cable                                       |
| 0380     | 907-643-C001 |          | 455          | Linear Feet   | Video Vehicle Detection Power Cable                                 |
| 0390     | 907-643-E001 |          | 2            | Each          | Multi-Sensor Vehicle Detection Sensor                               |
| 0400     | 907-643-F001 |          | 511          | Linear Feet   | Multi-Sensor Vehicle Detection Cable                                |
| 0410     | 907-643-G001 |          | 511          | Linear Feet   | Multi-Sensor Vehicle Detection Power Cable                          |
|          |              |          | ALTERNATE GR | OUP AA NUMBER | 1   |
| 0420     | 628-G001     |          | 880          | Linear Feet   | 6" High Performance Cold Plastic Traffic Stripe, Skip White         |
| 0430     | 628-H001     |          | 880          | Linear Feet   | 6" High Performance Cold Plastic Traffic Stripe, Continuous White   |
| 0440     | 628-J001     |          | 880          | Linear Feet   | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow  |
|          |              |          | ALTERNATE GR | OUP AA NUMBER | 2   |
| 0450     | 907-624-A002 |          | 880          | Linear Feet   | 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White        |
| 0460     | 907-624-B002 |          | 880          | Linear Feet   | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White  |
| 0470     | 907-624-D002 |          | 880          | Linear Feet   | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |