
STATE	PROJECT NO.
MISS.	STP-0034-01(008


DESCRIPTION OF SHEET	WORKING NO.	REV. DATE	SHEET NO.
TITLE SHEET			1
DETAILED INDEX	DI-1		2
GENERAL NOTES	GN-1		3
SUMMARY OF QUANTITIES	SQ-1		4
DETAIL OF CONSTRUCTION SIGNING	DCS-1		5
VEGETATION SCHEDULE	VS-1		6
ROADWAY STANDARD DRAWINGS SHEETS (14)			
TYPICAL TEMPORARY EROSION/ SEDIMENT CONTROL APPLICATIONS	ECD-1		6101
DETAILS OF SEDIMENT BARRIER APPLICATIONS	ECD-2		6102
DETAILS OF SILT FENCE INSTALLATION	ECD-3		6103
DITCH CHECK STRUCTURES, TYPICAL APPLICATIONS & DETAILS	ECD-4		6104
TEMPORARY EROSION, SEDIMENT, & WATER POLLUTION CONTROL MEASURES	ECD-5		6105
DETAILS OF EROSION CONTROL WATTLE DITCH CHECK	ECD-6		6106
DETAILS OF EROSION CONTROL SILT DIKE DITCH CHECK	ECD-7		6107
ROCK DITCH CHECK	ECD-8		6108
ROCK FILTER DAM	ECD-9		6109
ROCK DITCH CHECK WITH SUMP EXCAVATION & ROCK FILTER DAM	ECD-10		6110
STABILIZED CONSTRUCTION ENTRANCE	ECD-16		6116
TRAFFIC CONTROL PLAN WITH FLAGGER	TCP-1		6351
HIGHWAY SIGN & BARRICADE DETAILS FOR CONSTRUCTION PROJECTS	TCP-8		6358
TRAFFIC CONTROL DETAILS DRUM PLACEMENT & SHOULDER CLOSURE	TCP-16		6366

FOR INDEX OF BRIDGE SHEETS SEE SHEET NO. 8001



STATE	PROJECT NO.
MISS.	STP-0034-01(008

- 1) THE LOCATION AND SPACING OF SIGNS, SHOWN ON THE TRAFFIC CONTROL PLANS, ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.
- 2) ALL TRAFFIC CONTROL DEVICES ON THIS PROJECT SHALL COMPLY WITH PART VI OF THE MUTCD (LATEST EDITION).
- 3) THE COST OF ALL TRAFFIC CONTROL DEVICES WILL BE ABSORBED IN MAINTENANCE OF TRAFFIC.
- 4) ALL PLASTIC DRUMS SHALL HAVE A BALLASTING COLLAR MADE FROM RECYCLED TRUCK TIRES OR OTHER SUITABLE MATERIAL.
- THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING EXISTING STRUCTURES SUCH AS, BUT NOT LIMITED TO, PIPES, INLETS, APRONS, AND BRIDGES FROM DAMAGE WHICH MIGHT OCCUR DURING CONSTRUCTION. THE CONTRACTOR SHALL REPLACE OR REPAIR, AS DIRECTED BY THE ENGINEER, ANY STRUCTURES DAMAGED DURING THE LIFE OF THE CONTRACT. NO PAYMENT WILL BE MADE FOR REPLACEMENT OR REPAIR OF DAMAGED ITEMS.
- 6) FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED ON THE PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.
- 7) THE CONTRACTOR SHALL REPAIR ANY DAMAGE TO THE EXISTING ROADWAY THAT MIGHT OCCUR DURING CONSTRUCTION. ANY REPAIR TO ROADWAY WILL BE IN ACCORDANCE WITH SECTION 410 OF THE MISSISSIPPI STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION. NO PAYMENT WILL BE MADE FOR REPAIR OF DAMAGED ROADWAY.
- 8) THE CONTRACTOR SHALL COVER ANY TEMPORARY TRAFFIC CONTROL SIGNS SHOWN IN THE TRAFFIC CONTROL PLAN THAT DO NOT APPLY TO THE CURRENT PHASE.
- 9) ALL ITEMS OF WORK ASSOCIATED WITH THE INSTALLATION OF A CONSTRUCTION ENTRANCE, INCLUDING EROSION CONTROL AND VEGATATION RE-ESTABLISHMENT, SHALL BE ABSORBED IN OTHER ITEMS OF WORK.
- 10) SEE BRIDGE PLANS FOR DETAILED INDEX SHEET(S), ESTIMATED AND SUMMARY OF QUANTITY SHEETS, AND EROSION CONTROL SHEETS.
- 11) STORAGE OF FLAMMABLE MATERIALS WILL NOT BE ALLOWED UNDER ANY BRIDGE STRUCTURES.
- 12) INSTALLATION DATES SHALL BE CLEARLY WRITTEN IN BOLD BLACK MARKINGS ON THE BACK BOTTOM HALF OF ALL SIGNS WITH A PERMANENT MARKING STICK THAT IS WATERPROOF, FADE RESISTANT AND MARKS ON WET OR DRY SURFACES.



PLAN ROADWAY DESIGN DIVISION MISSISSIPPI DEPARTMENT OF TRANSPORTATIO