

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u>1</u>	DATED	<u>2/17/2022</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	<u>2</u>	DATED	<u>2/22/2022</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	<u>3</u>	DATED	<u>2/23/2022</u>	ADDENDUM NO.	_____	DATED	_____

Number

Description

- 1 Revised Table of Contents; Revised NTB No. 3775; Added Notice to Bidder Nos. 3713, & 4061; Added S.P No. 907-207-2; Revised Bid Items; Revised Progress Schedule; Revised Plan Sheet Nos. 8001, 8032, 8043, 8051, 8059, 8097, 8098 & 8099; Amendment EBSx Download Required.
- 2 Postponed til March 02, 2022; Amendment EBSx Download Required.
- 3 Revised Advertisement; Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 3

(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____

Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President

Address

Secretary

Address

Treasurer

Address

The following is my (our) itemized proposal.

STP-0050-01(034)/ 106984301000

Calhoun County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 901 - ADVERTISEMENT

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, March 02, 2022, from Bid Express Service and shortly thereafter publicly read in the Construction Division for:

Bridge Replacements on SR 9 (Bridge Nos. 35.5, 40.7, 40.9 & 41.2), known as Federal Aid Project No. STP-0050-01(034) / 106984301 in Calhoun County.

The attention of bidders is directed to the Contract Provisions governing selection and employment of labor. Minimum wage rates have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the Contract Provisions.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, age, disability, religion or national origin in consideration for an award.

The award of this contract will be contingent upon the Contractor satisfying the DBE requirements.

Contractors may request permission to bid online at <http://shopmdot.ms.gov> at no cost. Upon approval, Contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <https://shopmdot.ms.gov>. Specimen proposals are available at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Agent or Qualified Nonresident Agent, with Power of Attorney attached, a Cashier's check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR

Bridge Replacements on SR 9 (Bridge Nos. 35.5, 40.7, 40.9 & 41.2), known as Federal Aid Project No. STP-0050-01(034) / 106984301 in Calhoun County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		1	Acre	Clearing and Grubbing
0030	202-A001		1	Lump Sum	Removal of Obstructions
0040	202-B007		11,211	Square Yard	Removal of Asphalt Pavement, All Depths
0050	202-B018		2	Each	Removal of Box Culvert
0060	202-B069		7,522	Square Yard	Removal of Concrete Pavement w/ Variable Depth Overlay
0070	202-B150		2,259	Linear Feet	Removal of Guard Rail Including Post, Blockouts & Hardware
0080	202-B191		208	Linear Feet	Removal of Pipe, 8" And Above
0090	203-A001	(E)	25,776	Cubic Yard	Unclassified Excavation, FM, AH
0100	203-EX020	(E)	148,359	Cubic Yard	Borrow Excavation, AH, FME, Class B9
0110	203-G001	(E)	52,853	Cubic Yard	Excess Excavation, FM, AH
0120	206-A001	(S)	3,438	Cubic Yard	Structure Excavation
0130	206-B001	(E)	402	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0140	209-A005		16,105	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0150	211-B001	(E)	7,235	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0160	213-C001		10	Ton	Superphosphate
0170	216-A001		301	Square Yard	Solid Sodding
0180	217-A001		225	Square Yard	Ditch Liner
0190	219-A001		7	Thousand Gallon	Watering [\$20.00]
0200	220-A001		9	Acre	Insect Pest Control [\$30.00]
0210	221-A001	(S)	42	Cubic Yard	Concrete Paved Ditch
0220	223-A001		36	Acre	Mowing [\$50.00]
0230	225-A001		18	Acre	Grassing
0240	225-B001		12	Ton	Agricultural Limestone
0250	225-C001		34	Ton	Mulch, Vegetative Mulch
0260	226-A001		18	Acre	Temporary Grassing
0290	234-F001		400	Linear Feet	Turbidity Barrier
0300	235-A001		182	Each	Temporary Erosion Checks
0310	237-A002		520	Linear Feet	Wattles, 20"
0320	239-A001		280	Linear Feet	Temporary Slope Drains
0330	245-A001		520	Linear Feet	Silt Dike
0340	246-B002		520	Linear Feet	Rockbags
0350	247-A001		2	Each	Temporary Stream Diversion

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0360	249-A001		50	Ton	Riprap for Erosion Control
0370	249-B001		30	Cubic Yard	Remove and Reset Riprap
0380	304-B002	(GT)	14,150	Ton	Granular Material, Class 3, Group D
0390	403-A002	(BA1)	2,421	Ton	12.5-mm, MT, Asphalt Pavement
0400	403-A003	(BA1)	905	Ton	12.5-mm, ST, Asphalt Pavement
0410	403-A005	(BA1)	2,473	Ton	19-mm, MT, Asphalt Pavement
0420	403-A006	(BA1)	1,163	Ton	19-mm, ST, Asphalt Pavement
0430	403-A014	(BA1)	1,496	Ton	9.5-mm, MT, Asphalt Pavement
0440	403-A015	(BA1)	737	Ton	9.5-mm, ST, Asphalt Pavement
0450	403-B002	(BA1)	520	Ton	12.5-mm, MT, Asphalt Pavement, Leveling
0460	403-C003	(BA1)	23	Ton	19-mm, ST, Asphalt Pavement, Trench Widening
0470	406-D001		7,602	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0480	407-A001	(A2)	3,930	Gallon	Asphalt for Tack Coat
0490	408-A002	(A3)	1,875	Gallon	Asphalt for Prime Coat, Cut-Back MC-70 or Emulsified EA-1
0500	413-E001		336	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
0510	423-A001		3	Mile	Rumble Strips, Ground In
0520	501-K001		113	Square Yard	Transverse Grooving
0530	502-A001	(C)	774	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0540	503-C010		1,556	Linear Feet	Saw Cut, Full Depth
0550	601-A001	(S)	467	Cubic Yard	Class "B" Structural Concrete
0560	602-A001	(S)	219,736	Pounds	Reinforcing Steel
0570	603-ALT003	(S)	192	Linear Feet	18" Type A Alternate Pipe
0580	603-ALT006	(S)	64	Linear Feet	24" Type A Alternate Pipe
0590	603-CA011	(S)	144	Linear Feet	18" Reinforced Concrete Pipe, Class III
0600	605-AA001	(S)	251	Square Yard	Geotextile for Subsurface Drainage, Type III
0610	605-O002	(S)	359	Linear Feet	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
0620	605-P002	(S)	132	Linear Feet	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
0630	605-W001	(GY)	17	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
0640	606-B001		1,013	Linear Feet	Guard Rail, Class A, Type 1
0650	606-D022		15	Each	Guard Rail, Bridge End Section, Type I
0660	606-E005		15	Each	Guard Rail, Terminal End Section, Flared
0670	609-D004	(S)	181	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0680	612-B001		10	Cubic Yard	Flowable Fill, Non-Excavatable

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0690	615-A024	(S)	160	Linear Feet	Concrete Bridge End Barrier, 37.5"
0700	617-A001		24	Each	Right-of-Way Marker
0710	618-A001		1	Lump Sum	Maintenance of Traffic
0720	618-C001		1	Lump Sum	Construction and Removal of Detour Bridge
0730	618-E001		2,260	Linear Feet	Detour Bridge Piling
0740	618-F001		1	Lump Sum	Detour Bridge PDA Test Pile
0750	619-A1002		26,850	Linear Feet	Temporary Traffic Stripe, Continuous White
0760	619-A1010		2,946	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 2 Tape
0770	619-A2002		28,020	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0780	619-A2010		2,946	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 2 Tape
0790	619-A5001		992	Linear Feet	Temporary Traffic Stripe, Detail
0800	619-A6004		404	Linear Feet	Temporary Traffic Stripe, Legend, Paint
0810	619-C7001		143	Each	Two-Way Yellow Reflective High Performance Raised Marker
0820	619-D1001		133	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0830	619-D2001		782	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0840	619-F3001		8	Each	Delineators, Guard Rail, White
0850	619-G4001		24	Linear Feet	Barricades, Type III, Double Faced
0860	619-G4005		276	Linear Feet	Barricades, Type III, Single Faced
0870	619-G5001		174	Each	Free Standing Plastic Drums
0880	619-G7001		17	Each	Warning Lights, Type "B"
0890	619-G8001		29	Each	Warning Lights, Type "C"
0900	619-K2001		4	Each	Installation and Removal of Guard Rail, Bridge End Section
0910	619-K4001		4	Each	Installation and Removal of Guardrail, Terminal End Section
0920	620-A001		1	Lump Sum	Mobilization
0930	626-C001		16,136	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0940	626-E002		16,721	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0950	626-G004		764	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0960	626-H002		202	Linear Feet	Thermoplastic Double Drop Legend, White
0970	627-K001		49	Each	Red-Clear Reflective High Performance Raised Markers
0980	627-L001		180	Each	Two-Way Yellow Reflective High Performance Raised Markers
0990	629-A005		1	Each	Vehicular Impact Attenuator, 70 MPH
1000	630-A001		10	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1010	630-A003		81	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1020	630-A005		17	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1030	630-B002		28	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1040	630-C001		275	Linear Feet	Square Tube Posts, 4.0 lb/ft
1050	630-E005		12	Pounds	Structural Steel Angles & Bars, Aluminum Unistrut
1060	630-F006		73	Each	Delineators, Guard Rail, White
1070	630-G003		12	Each	Type 3 Object Markers, OM-3L, Post Mounted
1080	630-G007		12	Each	Type 3 Object Markers, OM-3R, Post Mounted
1090	699-A001		1	Lump Sum	Roadway Construction Stakes
1100	815-A007	(S)	3,323	Ton	Loose Riprap, Size 300
1110	815-E001	(S)	4,103	Square Yard	Geotextile under Riprap
1120	815-F002	(S)	50	Ton	Sediment Control Stone
1122	907-207-A001		12	Each	Settlement Plate
1130	907-234-A001		4,450	Linear Feet	Temporary Silt Fence
1140	907-234-C001		5,170	Linear Feet	Super Silt Fence
1150	907-252-A001		500	Linear Feet	Sediment Retention Barrier
1160	907-630-O004		1	Each	Remove and Reset Sign, All Sizes
1170	907-804-B001	(S)	629	Cubic Yard	Box Bridge Concrete, Class B
1180	907-906001		1,040	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
1190	304-F001	(GT)	9,900	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2					
1200	304-F002	(GT)	9,900	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					
1210	304-F003	(GT)	9,900	Ton	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1					
1220	605-W002	(GY)	310	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2					
1230	605-W003	(GY)	310	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items					
1240	501-K001		7,442	Square Yard	Transverse Grooving
1250	803-D007	(S)	8,615	Linear Feet	HP 14 x 89 Steel Piling
1260	803-K008	(S)	750	Linear Feet	Drilled Shaft, 60" Diameter
1270	803-L004	(S)	1	Each	Test Shaft, 60" Diameter
1280	803-M007	(S)	124	Linear Feet	Trial Shaft, 60" Diameter
1290	803-N001	(S)	180	Linear Feet	Exploration

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1300	803-O020	(S)	270	Linear Feet	Temporary Casing, 60" Diameter
1310	804-C188	(S)	1,431	Linear Feet	80' Prestressed Concrete Beam, Type FIB-36
1320	804-C192	(S)	4,179	Linear Feet	100' Prestressed Concrete Beam, Type FIB-36
1330	804-C196	(S)	2,093	Linear Feet	140' Prestressed Concrete Beam, Type FIB-63
1340	805-A001	(S)	628,562	Pounds	Reinforcement
1350	805-C001	(S)	12,365	Pounds	Reinforcement, Corrosion Resistant
1360	810-A007	(S)	807,376	Pounds	Structural Steel, A 709, Grade 50W
1370	811-D001	(S)	20	Each	Disc Bearing Device
1380	813-A004	(S)	3,517	Linear Feet	Concrete Railing, 36"
1390	815-A007	(S)	10,268	Ton	Loose Riprap, Size 300
1400	815-E001	(S)	7,607	Square Yard	Geotextile under Riprap
1410	907-803-B001	(S)	4	Each	Conventional Static Pile Load Test [\$5,000.00]
1420	907-803-I003	(S)	5	Each	PDA Test Pile, HP Steel Pile
1430	907-803-I004	(S)	4	Each	PDA Test Pile, Steel Pipe Pile
1440	907-803-J001	(S)	9	Each	Pile Restrike
1450	907-803-PP003		3,815	Linear Feet	30" Steel Pipe Piling, Wall Thickness 0.500"
1460	907-804-A001	(S)	2,212	Cubic Yard	Bridge Concrete, Class BDx
1470	907-804-A002	(S)	656	Cubic Yard	Bridge Concrete, Class AA
1480	907-822-B003		91	Linear Feet	3" Reinforced Elastomeric Molded Rubber Expansion Joint