

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| | | | | | | | |
|--------------|----------|-------|------------------|--------------|-------|-------|-------|
| ADDENDUM NO. | <u>1</u> | DATED | <u>7/21/2022</u> | ADDENDUM NO. | _____ | DATED | _____ |
| ADDENDUM NO. | _____ | DATED | _____ | ADDENDUM NO. | _____ | DATED | _____ |
| ADDENDUM NO. | _____ | DATED | _____ | ADDENDUM NO. | _____ | DATED | _____ |

Number

Description

- 1 Revised Table of Contents; Added Notice To Bidders No. 446;
Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 1

(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____

Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President

Address

Secretary

Address

Treasurer

Address

The following is my (our) itemized proposal.

SP-9483-00(002)/ 108197301000

Lee County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS

PROJECT: SP-9483-00(002)/108197301 - Lee

Section 901 - Advertisement

Section 904 - Notice to Bidders

| | |
|-------|--|
| #1 | Governing Specification, w/ Supplement |
| #3 | Final Cleanup |
| #9 | Federal Bridge Formula |
| #13 | Safety Edge |
| #113 | Tack Coat |
| #296 | Reduced Speed Limit Signs |
| #445 | Mississippi Agent or Qualified Nonresident Agent |
| #446 | Traffic on Milled Surface in Urban Areas |
| #516 | Errata and Modifications to the 2017 Standard Specifications |
| #1225 | Early Notice to Proceed |
| #1226 | Material Storage Under Bridges |
| #1241 | Fuel and Material Adjustments |
| #2206 | MASH Compliant Devices |
| #2273 | Mississippi Special Fuel Tax Law |
| #2654 | Disadvantaged Business Enterprises In Special Funded Projects, w/ Supplement |
| #2812 | Traffic Signal and ITS Components |
| #2954 | Reflective Sheeting for Signs |
| #3318 | DBE Prebid Meeting |
| #3676 | Asphalt Gyratory Compactor Internal Angle Calibration |
| #3875 | General ITS Requirements |
| #4383 | Contract Time |
| #4386 | Project Number Change |
| #4387 | Temporary Transverse Joints |

Section 907 - Special Provisions

| | |
|-----------|--|
| 907-102-2 | Bidding Requirements and Conditions |
| 907-103-2 | Award and Execution of Contract |
| 907-105-1 | Authority of the Engineer |
| 907-108-4 | Subletting of Contract |
| 907-109-4 | Measurement and Payment |
| 907-619-5 | Traffic Control for Construction Zones |
| 907-631-1 | Traffic Signal Systems - General |
| 907-632-1 | Traffic Signal Cabinet Assemblies |
| 907-641-3 | Radar Vehicle Detection |
| 907-701-3 | Hydraulic Cement |
| 907-702-4 | Bituminous Materials |
| 907-703-1 | Gradation |
| 907-705-1 | Stone Riprap |
| 907-707-3 | Joint Materials |
| 907-711-2 | Plain Steel Wire |
| 907-712-1 | Fence and Guardrail |
| 907-714-3 | Miscellaneous Materials |

PROJECT: SP-9483-00(002)/108197301 - Lee

| | |
|-----------|---|
| 907-718-1 | Timber and Dimension Lumber |
| 907-720-2 | Acceptance Procedure for Glass Beads |
| 907-721-4 | Materials for Signing |
| 907-722-1 | Materials for Traffic Signal Installation |

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal
State Board of Contractors Requirement
State Certification Regarding Non-Collusion, Debarment and Suspensions
Section 902 - Contract Form
Section 903 - Contract Bond Forms

OCR-485
Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

07/21/2022 11:49 AM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 446

CODE: (SP)

DATE: 10/18/2017

SUBJECT: Traffic on Milled Surface in Urban Areas

Bidders are hereby advised that when the main lanes of a roadway are fine milled, traffic will be allowed to run on a milled surfaces for up to five (5) calendar days. The Contractor will be assessed a penalty of **\$5,000 per calendar day** afterwards until the milled surfaces are covered with the next lift of asphalt. It shall be the Contractor's responsibility to ensure that the milling operations do not commence until such time as forecasted weather conditions are suitable enough to allow the placement of the asphalt pavement after the milling operations.

Mill & Overlay approximately 3 miles of SR 178 from Belden to the beginning of the Concrete Section, known as State Project No. SP-9483-00(002) / 108197301 in Lee County.

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------------------|-----------|----------|----------|-------------|--|
| Roadway Items | | | | | |
| 0010 | 202-B007 | | 287 | Square Yard | Removal of Asphalt Pavement, All Depths |
| 0020 | 202-B069 | | 115 | Square Yard | Removal of Concrete Pavement w/ Variable Depth Overlay |
| 0030 | 202-B241 | | 6 | Mile | Removal of Traffic Stripe |
| 0040 | 203-G001 | (E) | 135 | Cubic Yard | Excess Excavation, FM, AH |
| 0050 | 304-A003 | (GY) | 1,000 | Cubic Yard | Granular Material, LVM, Class 3, Group D |
| 0060 | 403-A006 | (BA1) | 270 | Ton | 19-mm, ST, Asphalt Pavement |
| 0070 | 403-A014 | (BA1) | 11,800 | Ton | 9.5-mm, MT, Asphalt Pavement |
| 0080 | 403-A015 | (BA1) | 1,375 | Ton | 9.5-mm, ST, Asphalt Pavement |
| 0090 | 406-D001 | | 159,400 | Square Yard | Fine Milling of Bituminous Pavement, All Depths |
| 0100 | 407-A001 | (A2) | 12,000 | Gallon | Asphalt for Tack Coat |
| 0110 | 503-C010 | | 455 | Linear Feet | Saw Cut, Full Depth |
| 0120 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 0130 | 618-B001 | | 1 | Square Feet | Additional Construction Signs [\$10.00] |
| 0140 | 619-A1001 | | 14 | Mile | Temporary Traffic Stripe, Continuous White |
| 0150 | 619-A2001 | | 14 | Mile | Temporary Traffic Stripe, Continuous Yellow |
| 0160 | 619-A3001 | | 14 | Mile | Temporary Traffic Stripe, Skip White |
| 0170 | 619-A4002 | | 13 | Mile | Temporary Traffic Stripe, Skip Yellow |
| 0180 | 619-A5001 | | 9,400 | Linear Feet | Temporary Traffic Stripe, Detail |
| 0190 | 619-A6001 | | 7,100 | Square Feet | Temporary Traffic Stripe, Legend |
| 0200 | 619-A6002 | | 6,660 | Linear Feet | Temporary Traffic Stripe, Legend |
| 0210 | 620-A001 | | 1 | Lump Sum | Mobilization |
| 0220 | 626-A001 | | 10 | Mile | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 0230 | 626-B002 | | 9 | Mile | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 0240 | 626-D001 | | 7 | Mile | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 0250 | 626-E001 | | 9 | Mile | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 0260 | 626-G004 | | 6,800 | Linear Feet | Thermoplastic Double Drop Detail Stripe, White |
| 0270 | 626-G005 | | 2,800 | Linear Feet | Thermoplastic Double Drop Detail Stripe, Yellow |
| 0280 | 626-H001 | | 3,600 | Square Feet | Thermoplastic Double Drop Legend, White |
| 0290 | 626-H002 | | 3,400 | Linear Feet | Thermoplastic Double Drop Legend, White |
| 0300 | 627-J001 | | 90 | Each | Two-Way Clear Reflective High Performance Raised Markers |
| 0310 | 627-K001 | | 1,850 | Each | Red-Clear Reflective High Performance Raised Markers |
| 0320 | 627-L001 | | 3,115 | Each | Two-Way Yellow Reflective High Performance Raised Markers |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|------------------------------------|---------------|----------|----------|-------------|---|
| 0330 | 630-A001 | | 41 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 0340 | 630-A003 | | 89 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 0350 | 630-C001 | | 113 | Linear Feet | Square Tube Posts, 4.0 lb/ft |
| 0360 | 630-C005 | | 88 | Linear Feet | Square Tube Posts, 2.0 lb/ft |
| 0370 | 630-F010 | | 65 | Each | Delineators, Post Mounted, Double White |
| 0380 | 630-F011 | | 25 | Each | Delineators, Post Mounted, Double Yellow |
| 0390 | 630-F012 | | 25 | Each | Delineators, Post Mounted, Single White |
| 0400 | 630-F013 | | 20 | Each | Delineators, Post Mounted, Single Yellow |
| 0410 | 630-G003 | | 5 | Each | Type 3 Object Markers, OM-3L, Post Mounted |
| 0420 | 907-619-E3001 | | 2 | Each | Changeable Message Sign |
| 0430 | 907-632-C001 | | 5 | Each | Modify Existing Traffic Signal Cabinet Assembly |
| 0440 | 907-632-D001 | | 4 | Each | Solid State Traffic Actuated Controller, Type 1 |
| 0450 | 907-632-G001 | | 3 | Each | Malfunction Management Unit |
| 0460 | 907-641-A002 | | 18 | Each | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2 |
| 0470 | 907-641-B002 | | 10 | Each | Signal Advanced Radar Vehicle Detection Sensor, Type 2 |
| 0480 | 907-641-D001 | | 5,375 | Linear Feet | Radar Vehicle Detection Cable |
| ALTERNATE GROUP AA NUMBER 1 | | | | | |
| 0490 | 304-H001 | (GY) | 210 | Cubic Yard | 3/4" and Down Crushed Stone Base, LVM |
| ALTERNATE GROUP AA NUMBER 2 | | | | | |
| 0500 | 304-H002 | (GY) | 210 | Cubic Yard | Size 610 Crushed Stone Base, LVM |
| ALTERNATE GROUP AA NUMBER 3 | | | | | |
| 0510 | 304-H003 | (GY) | 210 | Cubic Yard | Size 825B Crushed Stone Base, LVM |