

1st O.REV.


GENERAL INDEX

	INCLUDED THIS PROJECT	BEGIN WITH SHEET
<input checked="" type="checkbox"/>	ROADWAY	1
<input type="checkbox"/>	PERMANENT SIGNS	1001
<input type="checkbox"/>	TRAFFIC SIGNALS	2001
<input type="checkbox"/>	ITS COMPONENTS	3001
<input type="checkbox"/>	LIGHTING	4001
<input type="checkbox"/>	(RESERVED)	5001
<input type="checkbox"/>	ROADWAY STANDARD DWGS	6001
<input type="checkbox"/>	BOX CULVERT STD. DRAWINGS (LRFD) ...	7001
<input type="checkbox"/>	BOX CULVERT STD. DRAWINGS (STD. SPEC.)	7501
<input checked="" type="checkbox"/>	BRIDGE	8001
<input type="checkbox"/>	CROSS SECTIONS	9001

BRIDGE STRUCTURES REQ'D.

BOX BRIDGES REQ'D.

CONVENTIONAL SYMBOLS

COUNTY LINE
TOWN CORPORATION LINE
SECTION LINE § § §
EXISTING ROAD OR TRAVELED WAY
PROPOSED ROAD OR TRAVELED WAY
RAILROAD
SURVEY LINE
BRIDGES 

EQUATIONS

LENGTH DATA

LENGTH OF ROADWAY
LENGTH OF BRIDGES
LENGTH OF PROJECT (NET)
LENGTH OF EXCEPTIONS
LENGTH OF PROJECT (GROSS)

FT.		MI.
FT.		MI.
	_____	MI.
FT.		MI.
	_____	MI.

EXCEPTIONS

STATE OF MISSISSIPPI


MISSISSIPPI DEPARTMENT OF TRANSPORTATION

**PLAN AND PROFILE OF PROPOSED
STATE HIGHWAY
FEDERAL AID PROJECT NO. NHPP-0020-01(265)**


I 20 ramp over KCS RR/County Road (47.4) FMS CON. NO. 108870/ 301000
RANKIN

SCALES

PLAN		1 IN. = 100 FT.
PROFILE	{	
	HOR.	1 IN. = 100 FT.
	VERT.	1 IN. = 10 FT.
LAYOUT		1 IN. = 1500 FT.



STATE	PROJECT NUMBER	SHEET NO.
MISSISSIPPI	NHPP-0020-01(265)	1



NOTE
★ INDICATES APPROXIMATE
LOCATION OF PROJECT.

LAT. 32.273818 LONG. -90.165315
(APPROX. MIDDLE OF PROJECT)

DESIGN CONTROL _____ MPH = V (SPEED DESIGN) ADT (____) = _____ : ADT (____) = _____ DHV = _____ : D = _____% T = _____%	
-----------------------------------------------------------------------------------------------------------------------------------------	--

PERMITS ACQUIRED BY MDOT

WETLANDS AND WATERS PERMITS		
	WATERS	WETLANDS
NATIONWIDE #14	<input type="checkbox"/>	<input type="checkbox"/>
NATIONWIDE (OTHER)*	<input type="checkbox"/>	<input type="checkbox"/>
GENERAL *	<input type="checkbox"/>	<input type="checkbox"/>
INDIVIDUAL (404)*	<input type="checkbox"/>	<input type="checkbox"/>

	STORMWATER PERMIT	<input checked="" type="checkbox"/> N
Y	REQUIRED, CNOI SUBMITTED BY MOOT (DISTURBED AREA = 5 ACRES)	
S	REQUIRED, SCNOI TO BE SUBMITTED BY CONTRACTOR (1 TO 4.99 ACRES)	
N	NO STORMWATER PERMIT REQUIRED (<1 ACRE)	
APPROVED BY: _____		

<div style="border: 1px solid black; width: 40px; height: 40px; margin: 0 auto; display: flex; align-items: center; justify-content: center;">1</div>	
P S & E DATE: 6-16-22	
PROVED:	
DEPUTY EXECUTIVE DIRECTOR / CHIEF ENGINEER	
EXECUTIVE DIRECTOR	

STATE	PROJECT NO.
MISS.	NHPP-0020-01(265)

FOR INDEX OF BRIDGE SHEETS SEE SHEET NO. 8001.

E. GREEN			
PS & E PLANS-DATE 6-16-22			
FMS CON. # 108870/301000			
REVISIONS			
DATE	SHEET NO.		BY
6-16-22	1,2,4,7,8,9		SR

			SR	BY	MISSISSIPPI DEPARTMENT OF TRANSPORTATION DETAILED INDEX DETAILED INDEX	
			ADDED PM&E DATE	REVISION		
6-16-22					PROJ. NO.: NHPP-0020-01(265)	WORKING NUMBER
			DATE	FILE NAME: DI.dgn	COUNTY: RANKIN	DI-1
			DESIGN TEAM	GREEN	CHECKED	SHEET NUMBER
					DATE	2

STATE	PROJECT NO.
MISS.	NHPP-0020-01(265)

GENERAL NOTES

- (1) THE LOCATION AND SPACING OF SIGNS, SHOWN ON THE TRAFFIC CONTROL PLANS, ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.
- (2) ALL TRAFFIC CONTROL DEVICES ON THIS PROJECT SHALL COMPLY WITH PART VI OF THE **MUTCD** (LATEST EDITION).
- (3) ALL PLASTIC DRUMS SHALL HAVE A BALLASTING COLLAR MADE FROM RECYCLED TRUCK TIRES OR OTHER SUITABLE MATERIAL.
- (4) THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING EXISTING STRUCTURES SUCH AS, BUT NOT LIMITED TO, PIPES, INLETS, APRONS, AND BRIDGES FROM DAMAGE WHICH MIGHT OCCUR DURING CONSTRUCTION. THE CONTRACTOR SHALL REPLACE OR REPAIR, AS DIRECTED BY THE ENGINEER, ANY STRUCTURES DAMAGED DURING THE LIFE OF THE CONTRACT. NO PAYMENT WILL BE MADE FOR REPLACEMENT OR REPAIR OF DAMAGED ITEMS.
- (5) FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED ON THE PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.
- (6) THE CONTRACTOR SHALL COVER OR REMOVE ANY TEMPORARY TRAFFIC CONTROL SIGNS SHOWN IN THE TRAFFIC CONTROL PLAN THAT DO NOT APPLY TO THE CURRENT PHASE.
- (7) SEE BRIDGE PLANS FOR DETAILED INDEX SHEET(S), ESTIMATED AND SUMMARY OF QUANTITY SHEETS, AND EROSION CONTROL SHEETS.
- (8) ALL ADDENDA TO THESE PLANS WILL BE POSTED TO WWW.MDOT.MS.GOV UNDER THE PROPOSAL ADDENDA COLUMN. BIDDERS ARE ADVISED THAT HARD COPIES OF ANY ADDENDA FOR THIS PROJECT WILL NOT BE MAILED. IT IS THE BIDDER'S RESPONSIBILITY TO CHECK AND SEE IF ANY ADDENDA HAVE BEEN POSTED FOR THIS PROJECT.
- (9) STORAGE OF FLAMMABLE MATERIALS WILL NOT BE ALLOWED UNDER ANY BRIDGE STRUCTURES.
- (10) THE RETROREFLECTIVE SIGN SHEETING ON RIGID, TEMPORARY TRAFFIC CONTROL (ORANGE) SIGNS SHALL BE MINIMUM TYPE IX.

[illegible]