

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

| | | | | | | | |
|--------------|----------|-------|-----------------|--------------|-------|-------|-------|
| ADDENDUM NO. | <u>1</u> | DATED | <u>9/6/2022</u> | ADDENDUM NO. | _____ | DATED | _____ |
| ADDENDUM NO. | _____ | DATED | _____ | ADDENDUM NO. | _____ | DATED | _____ |
| ADDENDUM NO. | _____ | DATED | _____ | ADDENDUM NO. | _____ | DATED | _____ |

Number

Description

1 Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 1

(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____

Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President

Address

Secretary

Address

Treasurer

Address

The following is my (our) itemized proposal.

BR-0145-00(006)/ 102485302000

Clarke County(ies)

Revised 01/26/2016

Section 905

BR-0145-00(006)/102485302

Proposal (Sheet 2 - 1)

CLARKE

Bridge Replacements on SR 145 (Bridge Nos. 35.0 & 43.8), known as Federal Aid Project No. BR-0145-00(006) / 102485302 in Clarke County.

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------------------|-----------|----------|----------|-----------------|---|
| Roadway Items | | | | | |
| 0010 | 201-B001 | | 1 | Acre | Clearing and Grubbing |
| 0020 | 202-B007 | | 2,992 | Square Yard | Removal of Asphalt Pavement, All Depths |
| 0030 | 202-B023 | | 2 | Each | Removal of Bridge |
| 0040 | 202-B080 | | 30 | Square Yard | Removal of Concrete Sidewalk |
| 0050 | 202-B088 | | 100 | Linear Feet | Removal of Curb & Gutter, All Types |
| 0060 | 202-B136 | | 656 | Linear Feet | Removal of Guard Rail |
| 0070 | 202-B191 | | 16 | Linear Feet | Removal of Pipe, 8" And Above |
| 0080 | 202-B215 | | 9 | Each | Removal of Sign Including Post & Footing |
| 0090 | 203-A001 | (E) | 2,432 | Cubic Yard | Unclassified Excavation, FM, AH |
| 0100 | 203-EX017 | (E) | 11,271 | Cubic Yard | Borrow Excavation, AH, FME, Class B7 |
| 0110 | 206-A001 | (S) | 4 | Cubic Yard | Structure Excavation |
| 0120 | 209-A005 | | 5,660 | Square Yard | Geotextile Stabilization, Type V, Non-Woven |
| 0130 | 211-B001 | (E) | 1,500 | Cubic Yard | Topsoil for Slope Treatment, Contractor Furnished |
| 0140 | 213-C001 | | 3 | Ton | Superphosphate |
| 0150 | 216-A001 | | 54 | Square Yard | Solid Sodding |
| 0160 | 217-A001 | | 134 | Square Yard | Ditch Liner |
| 0170 | 219-A001 | | 1 | Thousand Gallon | Watering [\$20.00] |
| 0180 | 220-A001 | | 5 | Acre | Insect Pest Control [\$30.00] |
| 0190 | 221-A001 | (S) | 6 | Cubic Yard | Concrete Paved Ditch |
| 0200 | 223-A001 | | 9 | Acre | Mowing [\$50.00] |
| 0210 | 225-A001 | | 5 | Acre | Grassing |
| 0220 | 225-B001 | | 3 | Ton | Agricultural Limestone |
| 0230 | 225-C001 | | 9 | Ton | Mulch, Vegetative Mulch |
| 0240 | 226-A001 | | 5 | Acre | Temporary Grassing |
| 0250 | 229-A001 | | 134 | Square Yard | Erosion Mat |
| 0260 | 236-A008 | | 1 | Each | Silt Basin, Type D |
| 0270 | 237-A002 | | 14,000 | Linear Feet | Wattles, 20" |
| 0280 | 239-A001 | | 400 | Linear Feet | Temporary Slope Drains |
| 0290 | 246-B001 | | 128 | Each | Rockbags |
| 0300 | 249-A001 | | 500 | Ton | Riprap for Erosion Control |
| 0310 | 403-A002 | (BA1) | 517 | Ton | 12.5-mm, MT, Asphalt Pavement |
| 0320 | 403-A006 | (BA1) | 701 | Ton | 19-mm, ST, Asphalt Pavement |
| 0330 | 403-A014 | (BA1) | 559 | Ton | 9.5-mm, MT, Asphalt Pavement |

(Date Printed 09/06/22) (Addendum No. 1)

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|------------|----------|----------|-------------|--|
| 0340 | 406-D001 | | 2,170 | Square Yard | Fine Milling of Bituminous Pavement, All Depths |
| 0350 | 407-A001 | (A2) | 1,026 | Gallon | Asphalt for Tack Coat |
| 0360 | 413-E001 | | 144 | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 0370 | 423-A001 | | 1 | Mile | Rumble Strips, Ground In |
| 0380 | 501-E001 | | 144 | Linear Feet | Expansion Joints, Without Dowels |
| 0390 | 501-K001 | | 48 | Square Yard | Transverse Grooving |
| 0400 | 502-A001 | (C) | 333 | Square Yard | Reinforced Cement Concrete Bridge End Pavement |
| 0410 | 601-B001 | (S) | 1 | Cubic Yard | Class "B" Structural Concrete, Minor Structures |
| 0420 | 603-ALT009 | (S) | 40 | Linear Feet | 30" Type A Alternate Pipe |
| 0430 | 603-CA026 | (S) | 16 | Linear Feet | 24" Reinforced Concrete Pipe, Class III |
| 0440 | 603-CB004 | (S) | 1 | Each | 24" Reinforced Concrete End Section |
| 0450 | 605-AA001 | (S) | 92 | Square Yard | Geotextile for Subsurface Drainage, Type III |
| 0460 | 605-O002 | (S) | 158 | Linear Feet | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 0470 | 605-P003 | (S) | 120 | Linear Feet | 4" Non-perforated Sewer Pipe for Underdrains, SDR 35 |
| 0480 | 605-W001 | (GY) | 20 | Cubic Yard | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 0490 | 606-B001 | | 175 | Linear Feet | Guard Rail, Class A, Type 1 |
| 0500 | 606-D022 | | 8 | Each | Guard Rail, Bridge End Section, Type I |
| 0510 | 606-E005 | | 8 | Each | Guard Rail, Terminal End Section, Flared |
| 0520 | 608-B001 | (S) | 30 | Square Yard | Concrete Sidewalk, With Reinforcement |
| 0530 | 609-D002 | (S) | 114 | Linear Feet | Combination Concrete Curb and Gutter Type 1 Modified |
| 0540 | 615-A024 | (S) | 80 | Linear Feet | Concrete Bridge End Barrier, 37.5" |
| 0550 | 617-A001 | | 11 | Each | Right-of-Way Marker |
| 0560 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 0570 | 619-A1002 | | 3,199 | Linear Feet | Temporary Traffic Stripe, Continuous White |
| 0580 | 619-A2002 | | 1,690 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow |
| 0590 | 619-A4001 | | 623 | Linear Feet | Temporary Traffic Stripe, Skip Yellow |
| 0600 | 619-A6002 | | 40 | Linear Feet | Temporary Traffic Stripe, Legend |
| 0610 | 619-C7001 | | 131 | Each | Two-Way Yellow Reflective High Performance Raised Marker |
| 0620 | 619-D1001 | | 711 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 0630 | 619-D2001 | | 200 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More |
| 0640 | 619-G4001 | | 30 | Linear Feet | Barricades, Type III, Double Faced |
| 0650 | 619-G4005 | | 68 | Linear Feet | Barricades, Type III, Single Faced |
| 0660 | 619-G5001 | | 50 | Each | Free Standing Plastic Drums |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|------------------------------------|---------------|----------|----------|-------------|--|
| 0670 | 619-G7001 | | 41 | Each | Warning Lights, Type "B" |
| 0680 | 620-A001 | | 1 | Lump Sum | Mobilization |
| 0690 | 626-C001 | | 3,199 | Linear Feet | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 0700 | 626-D002 | | 623 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 0710 | 626-E002 | | 1,690 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 0720 | 626-G004 | | 685 | Linear Feet | Thermoplastic Double Drop Detail Stripe, White |
| 0730 | 626-G005 | | 2,222 | Linear Feet | Thermoplastic Double Drop Detail Stripe, Yellow |
| 0740 | 626-H002 | | 328 | Linear Feet | Thermoplastic Double Drop Legend, White |
| 0750 | 627-J001 | | 27 | Each | Two-Way Clear Reflective High Performance Raised Markers |
| 0760 | 627-L001 | | 131 | Each | Two-Way Yellow Reflective High Performance Raised Markers |
| 0770 | 630-A001 | | 55 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 0780 | 630-A003 | | 44 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 0790 | 630-C002 | | 66 | Linear Feet | Steel U-Section Posts, 2.0 lb/ft |
| 0800 | 630-C003 | | 187 | Linear Feet | Steel U-Section Posts, 3.0 lb/ft |
| 0810 | 630-E004 | | 145 | Pounds | Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar |
| 0820 | 630-F006 | | 30 | Each | Delineators, Guard Rail, White |
| 0830 | 630-G005 | | 8 | Each | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 0840 | 630-K002 | | 42 | Linear Feet | Welded & Seamless Steel Pipe Posts, 3" |
| 0850 | 699-A001 | | 1 | Lump Sum | Roadway Construction Stakes |
| 0860 | 815-A003 | (S) | 230 | Ton | Loose Riprap, Size 150 |
| 0870 | 815-E001 | (S) | 357 | Square Yard | Geotextile under Riprap |
| 0880 | 815-F002 | (S) | 100 | Ton | Sediment Control Stone |
| 0890 | 907-234-A001 | | 4,000 | Linear Feet | Temporary Silt Fence |
| 0900 | 907-234-C001 | | 1,581 | Linear Feet | Super Silt Fence |
| 0910 | 907-234-D001 | | 1 | Each | Inlet Siltation Guard |
| 0920 | 907-253-A001 | | 96 | Linear Feet | Coir Fiber Baffle |
| 0930 | 907-608-C001 | | 20 | Square Feet | Detectable Warning Panels |
| 0940 | 907-619-E3001 | | 10 | Each | Changeable Message Sign |
| 0950 | 907-630-PP002 | | 42 | Square Feet | Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted |
| ALTERNATE GROUP AA NUMBER 1 | | | | | |
| 0960 | 304-F001 | (GT) | 2,167 | Ton | 3/4" and Down Crushed Stone Base |
| ALTERNATE GROUP AA NUMBER 2 | | | | | |
| 0970 | 304-F002 | (GT) | 2,167 | Ton | Size 610 Crushed Stone Base |
| ALTERNATE GROUP AA NUMBER 3 | | | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|------------------------------------|--------------|----------|----------|-------------|--|
| 0980 | 304-F003 | (GT) | 2,167 | Ton | Size 825B Crushed Stone Base |
| ALTERNATE GROUP BB NUMBER 1 | | | | | |
| 0990 | 605-W002 | (GY) | 132 | Cubic Yard | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| ALTERNATE GROUP BB NUMBER 2 | | | | | |
| 1000 | 605-W003 | (GY) | 132 | Cubic Yard | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
| ALTERNATE GROUP CC NUMBER 1 | | | | | |
| 1010 | 907-624-B002 | | 640 | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White |
| 1020 | 907-624-D002 | | 640 | Linear Feet | 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow |
| ALTERNATE GROUP CC NUMBER 2 | | | | | |
| 1030 | 628-H001 | | 640 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous White |
| 1040 | 628-J001 | | 640 | Linear Feet | 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow |
| Bridge Items | | | | | |
| 1050 | 501-K001 | | 1,153 | Square Yard | Transverse Grooving |
| 1060 | 803-D006 | (S) | 4,435 | Linear Feet | HP 14 x 73 Steel Piling |
| 1070 | 804-C186 | (S) | 547 | Linear Feet | 110' Prestressed Concrete Beam, Type FIB-45 |
| 1080 | 804-C199 | (S) | 1,043 | Linear Feet | 70' Prestressed Concrete Beam, Type FIB-36 |
| 1090 | 805-A001 | (S) | 102,641 | Pounds | Reinforcement |
| 1100 | 805-C001 | (S) | 2,632 | Pounds | Reinforcement, Corrosion Resistant |
| 1110 | 813-A004 | (S) | 648 | Linear Feet | Concrete Railing, 36" |
| 1120 | 815-A007 | (S) | 3,042 | Ton | Loose Riprap, Size 300 |
| 1130 | 815-E001 | (S) | 2,550 | Square Yard | Geotextile under Riprap |
| 1140 | 907-803-B001 | (S) | 2 | Each | Conventional Static Pile Load Test [\$5,000.00] |
| 1150 | 907-803-I003 | (S) | 3 | Each | PDA Test Pile, HP Steel Pile |
| 1160 | 907-803-J001 | (S) | 3 | Each | Pile Restrike |
| 1170 | 907-804-A001 | (S) | 362 | Cubic Yard | Bridge Concrete, Class BDx |
| 1180 | 907-804-A002 | (S) | 182 | Cubic Yard | Bridge Concrete, Class AA |
| 1190 | 907-823-A001 | | 146 | Linear Feet | Preformed Joint Seal, Type I |