SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): 9/14/2022 ADDENDUM NO. **DATED** ADDENDUM NO. DATED ADDENDUM NO DATED ADDENDUM NO. DATED DATED ADDENDUM NO **DATED** ADDENDUM NO. Number TOTAL ADDENDA: Description (Must agree with total addenda issued prior to opening of bids) Revised Bid Items; Amendment EBSx Download Required. Respectfully Submitted, DATE __ Contractor Signature TITLE ADDRESS CITY, STATE, ZIP ____ FAX E-MAIL (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of and the names, titles and business addresses of the executives are as follows: Address President Address Secretary

Address

The following is my (our) itemized proposal.

NHPP-0020-01(263)/ 108848301000

Rankin County(ies)

Treasurer

Revised 01/26/2016

Proposal (Sheet 2 - 1) RANKIN

Bridge Preservation on I-20 over US 80 (Bridge Nos. 60.1A & 60.1B), known as Federal Aid Project No. NHPP-0020-01(263) / 108848301 in Rankin County.

| Line No. | Item Code | Adj Code | Quantity Roady | Units way Items | Description [Fixed Unit Price] | | | |
|-----------------------------|-----------|----------|-------------------|--------------------|---|--|--|--|
| 0010 | 202-B045 | | 47 | Square Yard | Removal of Cement Treated Base, All Depths | | | |
| 0020 | 202-B056 | | 205 | Linear Feet | Removal of Concrete Integral Curb & Gutter | | | |
| 0030 | 202-B069 | | 126 | Square Yard | Removal of Concrete Pavement w/ Variable Depth Overlay | | | |
| 0040 | 203-A002 | (E) | 151 | Cubic Yard | Unclassified Excavation, LVM, AH | | | |
| 0050 | 203-EX041 | (E) | 107 | Cubic Yard | Borrow Excavation, AH, LVM, Class B9-6 | | | |
| 0060 | 203-G002 | (E) | 15 | Cubic Yard | Excess Excavation, LVM, AH | | | |
| 0070 | 209-A005 | . , | 460 | Square Yard | Geotextile Stabilization, Type V, Non-Woven | | | |
| 0080 | 227-A001 | | 1 | Acre | Hydroseeding | | | |
| | | | ALTERNATE GR | OUP AA NUMBER | .1 | | | |
| 0090 | 304-F001 | (GT) | 186 | Ton | 3/4" and Down Crushed Stone Base | | | |
| ALTERNATE GROUP AA NUMBER 2 | | | | | | | | |
| 0100 | 304-F002 | (GT) | 186 | Ton | Size 610 Crushed Stone Base | | | |
| ALTERNATE GROUP AA NUMBER 3 | | | | | | | | |
| 0110 | 304-F003 | (GT) | 186 | Ton | Size 825B Crushed Stone Base | | | |
| 0120 | 403-A001 | (BA1) | 46 | Ton | 12.5-mm, HT, Asphalt Pavement | | | |
| 0130 | 403-A004 | (BA1) | 69 | Ton | 19-mm, HT, Asphalt Pavement | | | |
| 0140 | 403-A006 | (BA1) | 80 | Ton | 19-mm, ST, Asphalt Pavement | | | |
| 0150 | 403-A013 | (BA1) | 35 | Ton | 9.5-mm, HT, Asphalt Pavement | | | |
| 0160 | 403-B004 | (BA1) | 10 | Ton | 19-mm, HT, Asphalt Pavement, Leveling | | | |
| 0170 | 403-D007 | (BA1) | 52 | Ton | 9.5-mm, HT, Asphalt Pavement, Polymer Modified | | | |
| 0180 | 406-D001 | | 1,250 | Square Yard | Fine Milling of Bituminous Pavement, All Depths | | | |
| 0190 | 407-A001 | (A2) | 94 | Gallon | Asphalt for Tack Coat | | | |
| 0200 | 413-E001 | | 36 | Linear Feet | Sawing and Sealing Transverse Joints in Asphalt Pavement | | | |
| 0210 | 502-A001 | (C) | 61 | Square Yard | Reinforced Cement Concrete Bridge End Pavement | | | |
| 0220 | 503-A001 | (C) | 91 | Square Yard | 8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish | | | |
| 0230 | 503-A002 | (C) | 35 | Square Yard | 8" and Variable Jointed Concrete Pavement | | | |
| 0240 | 503-B001 | | 42 | Linear Feet | Saw Cut, Longitudinal Joints | | | |
| 0250 | 503-C004 | | 48 | Linear Feet | Saw Cut, 3-inch | | | |
| 0260 | 503-C010 | | 72 | Linear Feet | Saw Cut, Full Depth | | | |
| 0270 | 503-D001 | | 15 | Cubic Yard | Concrete for Base Repair | | | |
| 0280 | 503-E002 | | 49 | Each | Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted | | | |
| 0290 | 615-B001 | (S) | 30 | Linear Feet | Precast Concrete Median Barrier | | | |
| 0300 | 618-A001 | | 1 | Lump Sum | Maintenance of Traffic | | | |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] | | | | |
|--------------|---------------|----------|----------|-------------|--|--|--|--|--|
| 0310 | 619-A1002 | ., | 1,124 | Linear Feet | Temporary Traffic Stripe, Continuous White | | | | |
| 0320 | 619-A2002 | | 1,124 | Linear Feet | Temporary Traffic Stripe, Continuous Yellow | | | | |
| 0330 | 619-A3002 | | 1,124 | Linear Feet | Temporary Traffic Stripe, Skip White | | | | |
| 0340 | 619-D1001 | | 8 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet | | | | |
| 0350 | 619-D2001 | | 194 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More | | | | |
| 0360 | 619-E1001 | | 1 | Each | Flashing Arrow Panel, Type C | | | | |
| 0370 | 619-F2001 | | 30 | Linear Feet | Remove and Reset Concrete Median Barrier, Precast | | | | |
| 0380 | 619-F2002 | | 30 | Linear Feet | Remove and Reset Portable Median Barrier | | | | |
| 0390 | 619-G4005 | | 186 | Linear Feet | Barricades, Type III, Single Faced | | | | |
| 0400 | 619-G5001 | | 207 | Each | Free Standing Plastic Drums | | | | |
| 0410 | 619-G7001 | | 2 | Each | Warning Lights, Type "B" | | | | |
| 0420 | 620-A001 | | 1 | Lump Sum | Mobilization | | | | |
| 0430 | 626-A002 | | 1,124 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Skip White | | | | |
| 0440 | 626-B001 | | 1,124 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White | | | | |
| 0450 | 626-E002 | | 1,124 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow | | | | |
| 0460 | 626-G004 | | 463 | Linear Feet | Thermoplastic Double Drop Detail Stripe, White | | | | |
| 0470 | 627-K001 | | 17 | Each | Red-Clear Reflective High Performance Raised Markers | | | | |
| 0480 | 699-A001 | | 1 | Lump Sum | Roadway Construction Stakes | | | | |
| 0490 | 907-202-B001 | | 2,091 | Square Yard | Removal of Bridge Deck, Hydrodemolition | | | | |
| 0500 | 907-234-A001 | | 319 | Linear Feet | Temporary Silt Fence | | | | |
| 0510 | 907-619-E3001 | | 10 | Each | Changeable Message Sign | | | | |
| Bridge Items | | | | | | | | | |
| 0520 | 501-K001 | | 2,091 | Square Yard | Transverse Grooving | | | | |
| 0530 | 907-202-B001 | | 2,091 | Square Yard | Removal of Bridge Deck, Hydrodemolition | | | | |
| 0540 | 907-420-A001 | | 3,200 | Pounds | Undersealing | | | | |
| 0550 | 907-804-0001 | (S) | 110 | Cubic Yard | Bridge Deck Overlay Concrete | | | | |
| 0560 | 907-808-A002 | (S) | 1,110 | Linear Feet | Joint Repair | | | | |
| 0570 | 907-823-A001 | | 650 | Linear Feet | Preformed Joint Seal, Type I | | | | |
| 0580 | 907-823-B001 | | 328 | Linear Feet | Saw Cut, Type I | | | | |
| 0590 | 907-824-PP003 | | 100 | Square Feet | Bridge Repair, Epoxy Repair | | | | |
| 0600 | 907-824-PP003 | | 1,120 | Square Feet | Bridge Repair, Removal of Bridge Deck | | | | |
| 0610 | 907-824-PP006 | | 40 | Each | Bridge Repair, Bearing Replacement | | | | |
| 0620 | 907-824-PP006 | | 1 | Each | Bridge Repair, Bridge End Rail Repair | | | | |