

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u> 1 </u>	DATED	<u> 8/11/2023 </u>	ADDENDUM NO.	<u> </u>	DATED	<u> </u>
ADDENDUM NO.	<u> 2 </u>	DATED	<u> 8/11/2023 </u>	ADDENDUM NO.	<u> </u>	DATED	<u> </u>
ADDENDUM NO.	<u> </u>	DATED	<u> </u>	ADDENDUM NO.	<u> </u>	DATED	<u> </u>

Number	Description
1	Revised Table of Contents; Added NTB No. 5069; Revised Bid Items; Amendment EBSx Download Required.
2	Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 2
(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____
Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President Address

Secretary Address

Treasurer Address

The following is my (our) itemized proposal.

BR-0046-01(016)/ 100888301000

Franklin County(ies)

Revised 01/26/2016

Bridge Replacements on US 98 over the Homochitto River (Bridge Nos. 44.7 & 45.0), known as Federal Aid Project No. BR-0046-01(016) / 100888301 in Franklin County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
Roadway Items					
0010	201-B001		15	Acre	Clearing and Grubbing
0020	202-A001		1	Lump Sum	Removal of Obstructions
0030	202-B007		10,178	Square Yard	Removal of Asphalt Pavement, All Depths
0040	202-B017		1	Each	Removal of Box Bridge
0050	202-B018		1	Each	Removal of Box Culvert
0060	202-B136		539	Linear Feet	Removal of Guard Rail
0070	202-B240		6,160	Linear Feet	Removal of Traffic Stripe
0080	203-A001	(E)	16,837	Cubic Yard	Unclassified Excavation, FM, AH
0090	203-EX021	(E)	68,306	Cubic Yard	Borrow Excavation, AH, FME, Class B9-6
0100	206-A001	(S)	1,511	Cubic Yard	Structure Excavation
0110	206-B001	(E)	200	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM
0120	211-B001	(E)	8,503	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0130	213-C001		11	Ton	Superphosphate
0140	216-A001		196	Square Yard	Solid Sodding
0150	217-A001		1,572	Square Yard	Ditch Liner
0160	219-A001		4	Thousand Gallon	Watering [\$20.00]
0170	220-A001		11	Acre	Insect Pest Control [\$30.00]
0180	221-A001	(S)	13	Cubic Yard	Concrete Paved Ditch
0190	223-A001		42	Acre	Mowing [\$50.00]
0200	224-A001		1,063	Square Yard	Soil Reinforcing Mat
0210	225-A001		21	Acre	Grassing
0220	225-B001		11	Ton	Agricultural Limestone
0230	225-C001		42	Ton	Mulch, Vegetative Mulch
0240	226-A001		21	Acre	Temporary Grassing
0250	235-A001		140	Each	Temporary Erosion Checks
0260	236-A008		1	Each	Silt Basin, Type D
0270	237-A002		504	Linear Feet	Wattles, 20"
0280	239-A001		310	Linear Feet	Temporary Slope Drains
0290	245-A001		504	Linear Feet	Silt Dike
0300	246-B001		466	Each	Rockbags
0310	247-A001		2	Each	Temporary Stream Diversion
0320	249-A001		504	Ton	Riprap for Erosion Control

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0328	304-A007	(GY)	10,100	Cubic Yard	Granular Material, LVM, Class 6, Group C
0340	304-D001	(GT)	550	Ton	Granular Material, Crushed Concrete
0350	308-A001		124	Ton	Cement
0360	308-B002	(M)	14,700	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base
0370	308-S001	(A3)	3,675	Gallon	Bituminous Curing Seal
0380	403-A002	(BA1)	1,765	Ton	12.5-mm, MT, Asphalt Pavement
0390	403-A005	(BA1)	4,103	Ton	19-mm, MT, Asphalt Pavement
0400	403-A014	(BA1)	1,785	Ton	9.5-mm, MT, Asphalt Pavement
0410	403-A015	(BA1)	11,021	Ton	9.5-mm, ST, Asphalt Pavement
0420	403-B012	(BA1)	744	Ton	9.5-mm, ST, Asphalt Pavement, Leveling
0430	406-D001		15,192	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0440	407-A001	(A2)	12,227	Gallon	Asphalt for Tack Coat
0450	408-A001	(A3)	515	Gallon	Asphalt for Prime Coat, Cut-Back MC-70
0460	423-A001		1	Mile	Rumble Strips, Ground In
0470	502-A001	(C)	203	Square Yard	Reinforced Cement Concrete Bridge End Pavement
0480	601-A001	(S)	348	Cubic Yard	Class "B" Structural Concrete
0490	601-B001	(S)	1	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0500	602-A001	(S)	231,303	Pounds	Reinforcing Steel
0510	603-ALT003	(S)	68	Linear Feet	18" Type A Alternate Pipe
0520	603-ALT006	(S)	80	Linear Feet	24" Type A Alternate Pipe
0530	603-CA026	(S)	104	Linear Feet	24" Reinforced Concrete Pipe, Class III
0540	603-CB004	(S)	2	Each	24" Reinforced Concrete End Section
0550	605-AA001	(S)	63	Square Yard	Geotextile for Subsurface Drainage, Type III
0560	605-O002	(S)	112	Linear Feet	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
0570	605-P002	(S)	10	Linear Feet	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
0580	605-W001	(GY)	4	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
0590	606-B001		275	Linear Feet	Guard Rail, Class A, Type 1
0600	606-D018		2	Each	Guard Rail, Bridge End Section, Type G, Modified
0610	606-D022		4	Each	Guard Rail, Bridge End Section, Type I
0620	606-E005		6	Each	Guard Rail, Terminal End Section, Flared
0630	609-D004	(S)	429	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
0640	613-D005		8	Each	Adjustment of Manhole
0650	615-A024	(S)	40	Linear Feet	Concrete Bridge End Barrier, 37.5"
0660	617-A001		26	Each	Right-of-Way Marker

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	618-A001		1	Lump Sum	Maintenance of Traffic
0680	619-A1001		37	Mile	Temporary Traffic Stripe, Continuous White
0690	619-A1002		8,975	Linear Feet	Temporary Traffic Stripe, Continuous White
0700	619-A2001		22	Mile	Temporary Traffic Stripe, Continuous Yellow
0710	619-A2002		3,601	Linear Feet	Temporary Traffic Stripe, Continuous Yellow
0720	619-A4001		3,880	Linear Feet	Temporary Traffic Stripe, Skip Yellow
0730	619-A4002		5	Mile	Temporary Traffic Stripe, Skip Yellow
0740	619-A5001		17,432	Linear Feet	Temporary Traffic Stripe, Detail
0750	619-A6001		286	Square Feet	Temporary Traffic Stripe, Legend
0760	619-A6002		6,346	Linear Feet	Temporary Traffic Stripe, Legend
0770	619-D1001		1,345	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0780	619-D2001		1,417	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0790	619-G4001		174	Linear Feet	Barricades, Type III, Double Faced
0800	619-G4005		96	Linear Feet	Barricades, Type III, Single Faced
0810	619-G7001		28	Each	Warning Lights, Type "B"
0820	620-A001		1	Lump Sum	Mobilization
0830	626-C001		8,975	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0840	626-C002		3	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0850	626-D001		2	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
0860	626-D004		3,880	Linear Feet	6" Thermoplastic Traffic Stripe, Skip Yellow
0870	626-E001		15	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0880	626-E002		3,416	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0890	626-G004		7,254	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0900	626-G005		2,290	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
0910	626-H001		143	Square Feet	Thermoplastic Double Drop Legend, White
0920	626-H002		3,267	Linear Feet	Thermoplastic Double Drop Legend, White
0930	627-J001		390	Each	Two-Way Clear Reflective High Performance Raised Markers
0940	627-L001		853	Each	Two-Way Yellow Reflective High Performance Raised Markers
0950	627-P001		16	Each	Two-Way Blue Reflective High Performance Raised Markers
0960	630-A001		84	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
0970	630-A003		54	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
0980	630-A005		13	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
0990	630-C001		15	Linear Feet	Square Tube Posts, 4.0 lb/ft

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1000	630-C005		255	Linear Feet	Square Tube Posts, 2.0 lb/ft
1010	630-E005		10	Pounds	Structural Steel Angles & Bars, Aluminum Unistrut
1020	630-F006		22	Each	Delineators, Guard Rail, White
1030	630-G005		14	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1040	699-A001		1	Lump Sum	Roadway Construction Stakes
1050	815-A007	(S)	990	Ton	Loose Riprap, Size 300
1060	815-E001	(S)	972	Square Yard	Geotextile under Riprap
1070	815-F002	(S)	34	Ton	Sediment Control Stone
1080	907-234-A001		10,677	Linear Feet	Temporary Silt Fence
1090	907-234-C001		611	Linear Feet	Super Silt Fence
1100	907-253-A001		125	Linear Feet	Coir Fiber Baffle
1110	907-413-E001		93	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
1120	907-619-B001		66	Linear Feet	Temporary Portable Rumble Strips
1130	907-619-E3001		6	Each	Changeable Message Sign
1140	907-626-C003		11	Mile	Thermoplastic Audible Edge Stripe
1150	907-626-H004		1	Linear Feet	Thermoplastic Legend, White, 4" Equivalent Length
1160	907-804-B001	(S)	618	Cubic Yard	Box Bridge Concrete, Class B
1170	907-906001		1,040	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1					
1180	307-B003	(M)	5,764	Square Yard	6" Soil-Lime-Water Mixing, Class B
1190	307-D001		78	Ton	Lime
1200	307-S001	(A3)	1,441	Gallon	Bituminous Curing Seal
ALTERNATE GROUP AA NUMBER 2					
1210	308-A001		49	Ton	Cement
1220	308-B003	(M)	5,764	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
1230	308-S001	(A3)	1,441	Gallon	Bituminous Curing Seal
ALTERNATE GROUP BB NUMBER 1					
1240	605-W002	(GY)	67	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
ALTERNATE GROUP BB NUMBER 2					
1250	605-W003	(GY)	67	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
Bridge Items					
1260	501-K001		4,166	Square Yard	Transverse Grooving
1270	803-K010	(S)	1,647	Linear Feet	Drilled Shaft, 72" Diameter
1280	803-L006	(S)	1	Each	Test Shaft, 72" Diameter

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1290	803-M009	(S)	166	Linear Feet	Trial Shaft, 72" Diameter
1300	803-N001	(S)	150	Linear Feet	Exploration
1310	803-P001	(S)	1,200	Linear Feet	24" Steel Pipe Piling, Wall Thickness 0.500"
1320	804-C256	(S)	1,868	Linear Feet	125' Prestressed Concrete Beam, Type FIB-54
1330	805-A001	(S)	509,738	Pounds	Reinforcement
1340	805-C001	(S)	1,586	Pounds	Reinforcement, Corrosion Resistant
1350	811-D001	(S)	20	Each	Disc Bearing Device
1360	813-A004	(S)	1,875	Linear Feet	Concrete Railing, 36"
1370	815-A007	(S)	3,600	Ton	Loose Riprap, Size 300
1380	815-E001	(S)	2,880	Square Yard	Geotextile under Riprap
1390	907-803-B001	(S)	2	Each	Conventional Static Pile Load Test [\$5,000.00]
1400	907-803-I004	(S)	2	Each	PDA Test Pile, Steel Pipe Pile
1410	907-803-J001	(S)	2	Each	Pile Restrike
1420	907-804-A001	(S)	1,276	Cubic Yard	Bridge Concrete, Class BDx
1430	907-804-A002	(S)	581	Cubic Yard	Bridge Concrete, Class AA
1440	907-804-A002	(S)	60	Cubic Yard	Bridge Concrete, Class AA 6000 psi
1450	907-804-PP004	(S)	1	Lump Sum	Post Tensioning System
1460	907-804-PP005	(S)	980	Linear Feet	98' Post-Tensioned Concrete Beam, Per Plans
1470	907-804-PP013	(S)	1,143	Linear Feet	115' Post-Tensioned Concrete Beam, Per Plans
1480	907-804-PP014	(S)	645	Linear Feet	129' Post-Tensioned Concrete Beam, Per Plans
1490	907-822-B002		45	Linear Feet	2" Reinforced Elastomeric Molded Rubber Expansion Joint
1500	907-822-B011		45	Linear Feet	2 1/4" Reinforced Elastomeric Molded Rubber Expansion Joint
1510	907-823-A001		89	Linear Feet	Preformed Joint Seal, Type I