

## SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u>1</u>	DATED	<u>10/16/2023</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	<u>2</u>	DATED	<u>10/19/2023</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____

Number	Description
1	Revised 1273 w/ Supplement; Revised Sections 902 & 903; Amendment EBSx Download Required.
2	Revised Table of Contents; Added NTB Nos. 5449 & 5450; Revised Bid Items; Amendment EBSx Download Required.

TOTAL ADDENDA: 2  
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE \_\_\_\_\_

\_\_\_\_\_  
 Contractor

BY \_\_\_\_\_  
 Signature

TITLE \_\_\_\_\_

ADDRESS \_\_\_\_\_

CITY, STATE, ZIP \_\_\_\_\_

PHONE \_\_\_\_\_

FAX \_\_\_\_\_

E-MAIL \_\_\_\_\_

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of \_\_\_\_\_ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
_____ Secretary	_____ Address
_____ Treasurer	_____ Address

The following is my (our) itemized proposal.  
 NHPP-0010-01(161)/ 107509301000  
 Hancock County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION  
TABLE OF CONTENTS**

**PROJECT: NHPP-0010-01(161)/107509301 - Hancock**

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification, w/ Supplement
#2	Status of ROW, w/ Attachments
#9	Federal Bridge Formula
#113	Tack Coat
#296	Reduced Speed Limit Signs
#445	Mississippi Agent or Qualified Nonresident Agent
#516	Errata and Modifications to the 2017 Standard Specifications
#757	Additional Erosion Control Requirements
#1225	Early Notice to Proceed
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#1434	Erosion Control Plan
#1963	Guardrail Pads
#2172	App for Storm Water Reports
#2206	MASH Compliant Devices
#2273	Mississippi Special Fuel Tax Law
#2611	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#2782	DBE Pre-Bid Meeting
#2954	Reflective Sheeting for Signs
#3676	Asphalt Gyratory Compactor Internal Angle Calibration
#3963	Super Silt Fence
#4113	Unique Entity ID Requirement For Federal Funded Projects
#4638	Storm Water Discharge Associated with Construction Activity (> 5 Acres)
#4699	Right-of-Way Plat
#4702	App for Traffic Control Report
#5071	Contract Time
#5072	Specialty Items
#5073	Cooperation Between Contractors
#5074	Removal of Obstructions
#5075	A+C Bidding
#5449	Pay Item Correction
#5450	Lane Closure Restrictions

906	Required Federal Contract Provisions -- FHWA 1273, w/Supplements
-----	--

Section 907 - Special Provisions

907-101-1	Definitions and Terms
907-102-2	Bidding Requirements and Conditions
907-105-2	Control of Work
907-106-1	Control of Materials
907-107-2	Contractor's Erosion Control Plan

**PROJECT: NHPP-0010-01(161)/107509301 - Hancock**

907-108-4	Subletting of Contract
907-109-4	Measurement and Payment
907-234-1	Silt Fence
907-608-2	Detectable Warning Panels
9007-609-1	Prefabricated Curb
907-616-1	Colored and Imprinted Concrete Median and Island Pavement
907-619-5	Traffic Control for Construction Zones
907-624-1	Inverted Profile Thermoplastic Traffic Stripe
907-682-2	Branch Circuit Wire
907-700-1	Materials and Tests
907-701-3	Hydraulic Cement
907-702-4	Bituminous Materials
907-703-2	Gradation
907-705-1	Stone Riprap
907-707-3	Joint Materials
907-708-4	Concrete Pipe
907-711-2	Plain Steel Wire
907-712-1	Fence and Guardrail
907-713-1	Waterproofing Admixture
907-714-3	Miscellaneous Materials
907-718-1	Timber and Dimension Lumber
907-720-2	Acceptance Procedure for Glass Beads
907-721-4	Materials for Signing
907-803-5	Test Piles
907-804-11	Concrete Bridges and Structures, w/ Supplement
907-808-1	Joint Repair
907-823-7	Preformed Joint Seal

906-8 Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and Unique Entity ID

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Pile and Driving Equipment Data Form

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET  
OF SECTION 905 AS ADDENDA)

10/19/2023 02:43 PM

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 5449**

**CODE: (SP)**

**DATE: 10/19/2023**

**SUBJECT: Pay Item Correction**

**PROJECT: NHPP-0010-01(161) / 107509301 – Hancock County**

The Bidder's attention is called to the Summary of Quantities in the plans (SQ-2).

The quantity shown for pay item 907-616-C002, Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness, 879 SF, is in error. The correct quantity is 7,911 SF.

The bid sheets are correct.

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**

**SECTION 904 - NOTICE TO BIDDERS NO. 5450**

**CODE: (SP)**

**DATE: 10/19/2023**

**SUBJECT: Lane Closure Restrictions**

**PROJECT: NHPP-0010-01(161) / 107509301 – Hancock County**

Bidders are hereby advised of the following lane closure restrictions on I-10.

Lane closures will only be allowed between the hours of 7:00 PM to 6:00 AM, Sunday through Thursday.

If the above restriction is violated, the Contractor will be assessed a penalty of \$1,500 for each full or partial five-minute period where closures or obstructions result in less than two lanes of traffic being open to the traveling public.

Failure to begin work within one hour after the lane closure is in place will result in a lane rental fee of \$1,500 for each full or partial five minute period until work begins.

Interchange Reconstruction on I-10 at Diamondhead, known as Federal Aid Project No. NHPP-0010-01(161) / 107509301 in Hancock County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
<b>Roadway Items</b>					
0010	201-A001		1	Lump Sum	Clearing and Grubbing
0020	201-B001		1	Acre	Clearing and Grubbing
0030	202-B006		2,149	Square Yard	Removal of Asphalt Paved Shoulders, All Depths
0040	202-B007		4,720	Square Yard	Removal of Asphalt Pavement, All Depths
0050	202-B052		1,160	Square Yard	Removal of Concrete Driveways, All Depths
0060	202-B059		157	Square Yard	Removal of Concrete Median & Island Pavement, All Depths
0070	202-B063		328	Square Yard	Removal of Concrete Paved Ditch
0080	202-B073		9,030	Square Yard	Removal of Concrete Pavement, All Depths
0090	202-B089		1,769	Linear Feet	Removal of Curb &/or Curb and Gutter, All Types
0100	202-B090		1	Each	Removal of Curb Inlet
0110	202-B092		1,410	Linear Feet	Removal of Curb, All Types
0120	202-B158		619	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
0130	202-B170		2	Each	Removal of Junction Box
0140	202-B178		2	Each	Removal of Low Mast Lighting Assembly and Foundation
0150	202-B191		6	Linear Feet	Removal of Pipe, 8" And Above
0160	202-B240		19,670	Linear Feet	Removal of Traffic Stripe
0170	202-B251		1,680	Linear Feet	Removal of Underground Electric Wire
0180	203-A001	(E)	4,965	Cubic Yard	Unclassified Excavation, FM, AH
0190	203-EX017	(E)	29,847	Cubic Yard	Borrow Excavation, AH, FME, Class B7
0200	206-A001	(S)	575	Cubic Yard	Structure Excavation
0210	209-A005		15,744	Square Yard	Geotextile Stabilization, Type V, Non-Woven
0220	211-B001	(E)	3,411	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished
0230	213-C001		7	Ton	Superphosphate
0240	216-A001		3,360	Square Yard	Solid Sodding
0250	217-A001		847	Square Yard	Ditch Liner
0260	219-A001		78	Thousand Gallon	Watering [\$20.00]
0270	220-A001		14	Acre	Insect Pest Control [\$30.00]
0280	221-A001	(S)	234	Cubic Yard	Concrete Paved Ditch
0290	223-A001		14	Acre	Mowing [\$50.00]
0300	225-A001		14	Acre	Grassing
0310	225-B001		6	Ton	Agricultural Limestone
0320	225-C001		25	Ton	Mulch, Vegetative Mulch
0330	226-A001		14	Acre	Temporary Grassing

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0340	237-A002		13,900	Linear Feet	Wattles, 20"
0350	239-A001		732	Linear Feet	Temporary Slope Drains
0360	246-B001		2,213	Each	Rockbags
0370	249-A001		80	Ton	Riprap for Erosion Control
0380	403-A002	(BA1)	2,614	Ton	12.5-mm, MT, Asphalt Pavement
0390	403-A003	(BA1)	501	Ton	12.5-mm, ST, Asphalt Pavement
0400	403-A005	(BA1)	3,098	Ton	19-mm, MT, Asphalt Pavement
0410	403-A006	(BA1)	4,236	Ton	19-mm, ST, Asphalt Pavement
0420	403-A014	(BA1)	2,470	Ton	9.5-mm, MT, Asphalt Pavement
0430	403-A015	(BA1)	376	Ton	9.5-mm, ST, Asphalt Pavement
0440	403-B002	(BA1)	679	Ton	12.5-mm, MT, Asphalt Pavement, Leveling
0450	406-D001		2,199	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0460	407-A001	(A2)	6,035	Gallon	Asphalt for Tack Coat
0470	423-A001		1	Mile	Rumble Strips, Ground In
0480	503-C010		1,670	Linear Feet	Saw Cut, Full Depth
0490	601-B001	(S)	110	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0500	602-A001	(S)	9,498	Pounds	Reinforcing Steel
0510	603-CA012	(S)	648	Linear Feet	18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0520	603-CA027	(S)	296	Linear Feet	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0530	603-CA041	(S)	80	Linear Feet	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0540	603-CA056	(S)	96	Linear Feet	36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
0550	603-CB003	(S)	3	Each	18" Reinforced Concrete End Section
0560	603-CB004	(S)	5	Each	24" Reinforced Concrete End Section
0570	603-CB005	(S)	3	Each	30" Reinforced Concrete End Section
0580	603-CB006	(S)	2	Each	36" Reinforced Concrete End Section
0590	603-CE003	(S)	24	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
0600	603-CE009	(S)	424	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
0610	604-A001		1,817	Pounds	Castings
0620	604-B001		300	Pounds	Gratings
0630	606-B001		113	Linear Feet	Guard Rail, Class A, Type 1
0640	606-D022		3	Each	Guard Rail, Bridge End Section, Type I
0650	606-E007		3	Each	Guard Rail, Terminal End Section, Non-Flared
0660	608-A001	(S)	2,085	Square Yard	Concrete Sidewalk, Without Reinforcement

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0670	609-B003	(S)	1,157	Linear Feet	Concrete Curb, Special Design
0680	609-C001	(S)	811	Linear Feet	Concrete Integral Curb, Type 1
0690	609-D003	(S)	190	Linear Feet	Combination Concrete Curb and Gutter Type 2
0700	609-D009	(S)	8,511	Linear Feet	Combination Concrete Curb and Gutter Type 3A Mod1
0710	614-A001	(S)	1,378	Square Yard	Concrete Driveway, Without Reinforcement
0720	616-A001	(S)	308	Square Yard	Concrete Median and/or Island Pavement, 10-inch
0730	616-A004	(S)	2,054	Square Yard	Concrete Median and/or Island Pavement, 4-inch
0740	617-A001		10	Each	Right-of-Way Marker
0750	618-A001		1	Lump Sum	Maintenance of Traffic
0760	619-A1001		6	Mile	Temporary Traffic Stripe, Continuous White
0770	619-A1005		2,196	Linear Feet	Temporary Traffic Stripe, Continuous White, Type 1 Tape
0780	619-A2001		6	Mile	Temporary Traffic Stripe, Continuous Yellow
0790	619-A2006		2,196	Linear Feet	Temporary Traffic Stripe, Continuous Yellow, Type 1 Tape
0800	619-A3002		2,318	Linear Feet	Temporary Traffic Stripe, Skip White
0810	619-A5001		14,552	Linear Feet	Temporary Traffic Stripe, Detail
0820	619-A6001		2,303	Square Feet	Temporary Traffic Stripe, Legend
0830	619-A6002		184	Linear Feet	Temporary Traffic Stripe, Legend
0840	619-D1001		209	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0850	619-D2001		1,006	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0860	619-E1001		1	Each	Flashing Arrow Panel, Type C
0870	619-F1001		2,620	Linear Feet	Concrete Median Barrier, Precast
0880	619-F2001		4,360	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0890	619-G4005		372	Linear Feet	Barricades, Type III, Single Faced
0900	619-G5001		210	Each	Free Standing Plastic Drums
0910	619-G7001		9	Each	Warning Lights, Type "B"
0920	619-J1001		4	Each	Impact Attenuator, 40 MPH
0930	619-J2001		8	Each	Impact Attenuator, 40 MPH, Replacement Package
0940	620-A001		1	Lump Sum	Mobilization
0950	626-A002		1,833	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0960	626-C001		3,804	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
0970	626-E002		2,542	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0980	626-F002		1,039	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0990	626-G004		8,332	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
1000	626-G005		5,815	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow



Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1010	626-H001		2,303	Square Feet	Thermoplastic Double Drop Legend, White
1020	627-K001		114	Each	Red-Clear Reflective High Performance Raised Markers
1030	627-L001		32	Each	Two-Way Yellow Reflective High Performance Raised Markers
1040	630-A001		200	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1050	630-A003		106	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1060	630-A005		111	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
1070	630-B002		161	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1080	630-C003		637	Linear Feet	Steel U-Section Posts, 3.0 lb/ft
1090	630-D008		195	Linear Feet	Structural Steel Beams, W6 x 9
1100	630-E002		227	Pounds	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1110	630-E004		106	Pounds	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
1120	630-F006		9	Each	Delineators, Guard Rail, White
1130	630-G003		2	Each	Type 3 Object Markers, OM-3L, Post Mounted
1140	630-G007		2	Each	Type 3 Object Markers, OM-3R, Post Mounted
1150	630-K001		166	Linear Feet	Welded & Seamless Steel Pipe Posts, 3 1/2"
1160	630-K003		18	Linear Feet	Welded & Seamless Steel Pipe Posts, 4"
1170	682-A028		490	Linear Feet	Underground Branch Circuit, AWG 4, 3 Conductor
1180	682-A038		160	Linear Feet	Underground Branch Circuit, AWG 8, 2 Conductor
1190	682-A039		4,360	Linear Feet	Underground Branch Circuit, AWG 8, 3 Conductor
1200	682-A041		230	Linear Feet	Underground Branch Circuit, AWG 8, 5 Conductor
1210	682-B037		310	Linear Feet	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
1220	682-E003		28	Each	Underground Junction Box With Concrete Pad
1230	683-B001		28	Each	Lighting Assembly, Low Mast, LED, Type 15-1-0-90
1240	684-A003		30	Cubic Yard	Pole Foundation, 24" Diameter
1250	699-A001		1	Lump Sum	Roadway Construction Stakes
1260	815-A007	(S)	80	Ton	Loose Riprap, Size 300
1270	815-E001	(S)	107	Square Yard	Geotextile under Riprap
1280	907-234-A001		13,400	Linear Feet	Temporary Silt Fence
1290	907-234-C001		400	Linear Feet	Super Silt Fence
1300	907-234-D001		2	Each	Inlet Siltation Guard
1310	907-234-E001		2	Each	Reset Inlet Siltation Guard
1320	907-604-PP001		1	Each	Modify Existing Inlet, Per Plans
1330	907-608-C001		126	Square Feet	Detectable Warning Panels

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1340	907-609-F002		815	Linear Feet	Prefabricated Curb
1350	907-616-C002	(S)	7,911	Square Feet	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness
1360	907-619-E3001		8	Each	Changeable Message Sign
1370	907-682-A1007		310	Linear Feet	Branch Circuit Wire, AWG #10, 1 Conductor
1380	907-682-A1018		1,060	Linear Feet	Branch Circuit Wire, AWG #4, 1 Conductor
1390	907-906001		720	Hours	Trainees [\$5.00]
<b>ALTERNATE GROUP AA NUMBER 1</b>					
1400	304-F001	(GT)	16,650	Ton	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>					
1410	304-F002	(GT)	16,650	Ton	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>					
1420	304-F003	(GT)	16,650	Ton	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>					
1430	907-624-A002		366	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
1440	907-624-B002		732	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1450	907-624-D002		732	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
<b>ALTERNATE GROUP BB NUMBER 2</b>					
1460	628-G001		366	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
1470	628-H001		732	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1480	628-J001		732	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
<b>Bridge Items</b>					
1490	202-B027		837	Square Yard	Removal of Bridge Deck, Curb and Railing
1500	202-B275		54	Square Yard	Removal of Part of End Bent Cap, Curb, and Wingwall
1510	202-B277		24	Square Yard	Removal of Part of Int. Bent Cap
1520	503-C001		1,684	Linear Feet	Saw Cut, 1-inch
1530	608-B001	(S)	564	Square Yard	Concrete Sidewalk, With Reinforcement
1540	803-D005	(S)	580	Linear Feet	HP 14 x 117 Steel Piling
1550	803-P001	(S)	1,390	Linear Feet	24" Steel Pipe Piling, Wall Thickness 0.500"
1560	804-C209	(S)	1,370	Linear Feet	115' Prestressed Concrete Beam, Type FIB-45
1570	804-C269	(S)	808	Linear Feet	68' Prestressed Concrete Beam, Type FIB-45
1580	805-A001	(S)	132,840	Pounds	Reinforcement
1590	805-C001	(S)	3,570	Pounds	Reinforcement, Corrosion Resistant
1600	813-A004	(S)	366	Linear Feet	Concrete Railing, 36"
1610	813-E007	(S)	366	Linear Feet	Modified Railing

<b>Line No.</b>	<b>Item Code</b>	<b>Adj Code</b>	<b>Quantity</b>	<b>Units</b>	<b>Description [Fixed Unit Price]</b>
1620	815-D001	(S)	18	Cubic Yard	Concrete Slope Paving
1630	907-803-B001	(S)	1	Each	Conventional Static Pile Load Test [\$5,000.00]
1640	907-803-I003	(S)	1	Each	PDA Test Pile, HP Steel Pile
1650	907-803-I004	(S)	1	Each	PDA Test Pile, Steel Pipe Pile
1660	907-803-J001	(S)	2	Each	Pile Restrike
1670	907-804-A001	(S)	398	Cubic Yard	Bridge Concrete, Class BDx
1680	907-804-A002	(S)	141	Cubic Yard	Bridge Concrete, Class AA
1690	907-808-A002	(S)	66	Linear Feet	Joint Repair
1700	907-823-A002		105	Linear Feet	Preformed Joint Seal, Type II