

Pavement Restoration of approximately 16 miles of I-20 from the Warren County Line to the Natchez Trace, known as Federal Aid Project No. IM-0020-01(254) / 108143301 in Hinds County.					Superior Asphalt, Inc.	Dickerson & Bowen, Inc.	A J Construction, Inc.
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$12,458,834.25					\$9,921,331.74	\$10,271,844.64	\$12,154,336.11
Ref#	Item	Item Description	Item Qty	Units	1	2	3
0010	202-B045	Removal of Cement Treated Base, All Depths	110.000	SY	16.00	15.00	15.00
0020	202-B073	Removal of Concrete Pavement, All Depths	110.000	SY	350.00	315.00	315.00
0030	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width	1,113.000	LF	60.00	60.00	60.00
0040	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends	15,778.000	LF	6.50	6.25	6.25
0050	202-B162	Removal of Impact Attenuator	2.000	EA	700.00	650.00	650.00
0060	202-B240	Removal of Traffic Stripe	75,836.000	LF	3.00	2.75	2.75
0070	202-B273	Removal of Debris and Sand From Box Culvert, 6-foot to Less than 10-foot Width	477.000	LF	60.00	60.00	60.00
0080	203-G002	Excess Excavation, LVM, AH	3,075.000	CY	15.00	35.00	35.00
0090	209-A005	Geotextile Stabilization, Type V, Non-Woven	5,250.000	SY	3.00	5.00	5.00
0100	304-D002	Granular Material, Crushed Stone	300.000	TON	110.00	175.00	182.37
0110	403-A001	12.5-mm, HT, Asphalt Pavement	725.000	TON	160.00	153.00	175.16
0120	403-A003	12.5-mm, ST, Asphalt Pavement	3,234.000	TON	158.00	178.00	212.79
0130	403-A004	19-mm, HT, Asphalt Pavement	1,010.000	TON	135.00	132.00	118.25
0140	403-A013	9.5-mm, HT, Asphalt Pavement	1,732.000	TON	145.00	153.00	75.00
0150	403-S002	Joint Sealant	5,930.000	LF	2.00	0.85	3.50
0160	406-D001	Fine Milling of Bituminous Pavement, All Depths	505,150.000	SY	2.50	2.75	2.20
0170	407-A001	Asphalt for Tack Coat	5,856.000	GAL	3.00	3.35	2.87
0180	413-B001	Cleaning and Sealing Joints	54,437.000	LF	3.50	3.50	3.50
0190	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish	110.000	SY	550.00	510.00	510.00
0200	503-B001	Saw Cut, Longitudinal Joints	164.000	LF	0.01	0.01	0.01
0210	503-C010	Saw Cut, Full Depth	7,010.000	LF	2.50	0.01	0.01
0220	503-D001	Concrete for Base Repair	12.000	CY	350.00	350.00	350.00
0230	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted	256.000	EA	10.00	10.00	10.00
0240	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted	144.000	EA	12.50	12.50	12.50
0250	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post	13,301.000	LF	35.00	34.40	34.40
0260	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post	100.000	LF	65.00	63.00	63.00

Pavement Restoration of approximately 16 miles of I-20 from the Warren County Line to the Natchez Trace, known as Federal Aid Project No. IM-0020-01(254) / 108143301 in Hinds County.					Superior Asphalt, Inc.	Dickerson & Bowen, Inc.	A J Construction, Inc.
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$12,458,834.25					\$9,921,331.74	\$10,271,844.64	\$12,154,336.11
Ref#	Item	Item Description	Item Qty	Units	1	2	3
0270	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section	25.000	LF	70.00	65.00	65.00
0280	606-C003	Guard Rail, Cable Anchor, Type 1	28.000	EA	1,350.00	1,225.00	1,225.00
0290	606-D009	Guard Rail, Bridge End Section, Type C	8.000	EA	2,200.00	2,100.00	2,100.00
0300	606-D012	Guard Rail, Bridge End Section, Type D Modified	2.000	EA	2,900.00	2,650.00	2,650.00
0310	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post	6.000	EA	2,900.00	2,650.00	2,650.00
0320	606-D022	Guard Rail, Bridge End Section, Type I	5.000	EA	4,200.00	4,000.00	4,000.00
0330	606-E005	Guard Rail, Terminal End Section, Flared	19.000	EA	4,000.00	3,805.00	3,805.00
0340	606-E007	Guard Rail, Terminal End Section, Non-Flared	28.000	EA	4,100.00	3,855.00	3,855.00
0350	618-A001	Maintenance of Traffic	1.000	LS	100,000.00	250,000.00	1,373,032.82
0360	619-A1001	Temporary Traffic Stripe, Continuous White	74.000	MI	1,100.00	1,000.00	1,000.00
0370	619-A2001	Temporary Traffic Stripe, Continuous Yellow	72.000	MI	1,100.00	1,000.00	1,000.00
0380	619-A3001	Temporary Traffic Stripe, Skip White	105.000	MI	1,100.00	1,000.00	1,000.00
0390	619-A5001	Temporary Traffic Stripe, Detail	18,808.000	LF	0.40	0.35	0.35
0400	619-C6001	Red-Clear Reflective High Performance Raised Marker	5,017.000	EA	4.25	4.00	4.00
0410	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	129.000	SF	10.00	7.66	17.00
0420	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	496.000	SF	10.00	7.66	17.00
0430	619-G4005	Barricades, Type III, Single Faced	48.000	LF	21.00	15.94	37.00
0440	619-G7001	Warning Lights, Type "B"	8.000	EA	175.00	134.81	470.00
0450	620-A001	Mobilization	1.000	LS	600,000.00	675,000.00	1,234,194.53
0460	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White	35.000	MI	4,200.00	4,000.00	4,000.00
0470	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White	37.000	MI	8,000.00	7,800.00	7,800.00
0480	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	36.000	MI	8,000.00	7,700.00	7,700.00
0490	626-G004	Thermoplastic Double Drop Detail Stripe, White	18,808.000	LF	2.60	2.50	2.50
0500	627-K001	Red-Clear Reflective High Performance Raised Markers	5,017.000	EA	11.00	10.00	10.00
0510	629-A005	Vehicular Impact Attenuator, 70 MPH	2.000	EA	50,000.00	42,850.00	42,850.00
0520	630-F006	Delineators, Guard Rail, White	358.000	EA	25.00	23.00	23.00

Pavement Restoration of approximately 16 miles of I-20 from the Warren County Line to the Natchez Trace, known as Federal Aid Project No. IM-0020-01(254) / 108143301 in Hinds County.					Superior Asphalt, Inc.	Dickerson & Bowen, Inc.	A J Construction, Inc.
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$12,458,834.25					\$9,921,331.74	\$10,271,844.64	\$12,154,336.11
Ref#	Item	Item Description	Item Qty	Units	1	2	3
0530	630-F007	Delineators, Guard Rail, Yellow	100.000	EA	25.00	23.00	23.00
0540	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	18.000	EA	150.00	125.00	125.00
0550	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture	21,043.000	TON	160.00	157.00	167.91
0560	907-402-B001	Bituminous Tack Coat	54,123.000	GAL	3.45	4.00	3.51
0570	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture	1,391.000	TON	200.00	220.00	414.68
0580	907-420-A001	Undersealing	1,000.000	LBS	8.00	8.00	8.00
0590	907-515-A001	Fiber Reinforced Polymer Patching Material	15,640.000	LBS	5.50	5.00	5.00
0600	907-906001	Trainees	520.000	HRS	5.00	5.00	5.00
0610	304-F001	3/4" and Down Crushed Stone Base	1,500.000	TON			
0620	304-F002	Size 610 Crushed Stone Base	1,500.000	TON	80.00		
0630	304-F003	Size 825B Crushed Stone Base	1,500.000	TON		85.00	85.00

Pavement Restoration of approximately 16 miles of I-20 from the Warren County Line to the Natchez Trace, known as Federal Aid Project No. IM-0020-01(254) / 108143301 in Hinds County.					APAC - Mississippi, Inc.		
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$12,458,834.25					\$13,125,674.90		
Ref#	Item	Item Description	Item Qty	Units	4		
0010	202-B045	Removal of Cement Treated Base, All Depths	110.000	SY	15.00		
0020	202-B073	Removal of Concrete Pavement, All Depths	110.000	SY	315.00		
0030	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width	1,113.000	LF	60.00		
0040	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends	15,778.000	LF	6.25		
0050	202-B162	Removal of Impact Attenuator	2.000	EA	650.00		
0060	202-B240	Removal of Traffic Stripe	75,836.000	LF	2.75		
0070	202-B273	Removal of Debris and Sand From Box Culvert, 6-foot to Less than 10-foot Width	477.000	LF	60.00		
0080	203-G002	Excess Excavation, LVM, AH	3,075.000	CY	35.00		
0090	209-A005	Geotextile Stabilization, Type V, Non-Woven	5,250.000	SY	5.00		
0100	304-D002	Granular Material, Crushed Stone	300.000	TON	198.00		
0110	403-A001	12.5-mm, HT, Asphalt Pavement	725.000	TON	218.00		
0120	403-A003	12.5-mm, ST, Asphalt Pavement	3,234.000	TON	278.00		
0130	403-A004	19-mm, HT, Asphalt Pavement	1,010.000	TON	154.00		
0140	403-A013	9.5-mm, HT, Asphalt Pavement	1,732.000	TON	183.00		
0150	403-S002	Joint Sealant	5,930.000	LF	3.25		
0160	406-D001	Fine Milling of Bituminous Pavement, All Depths	505,150.000	SY	2.66		
0170	407-A001	Asphalt for Tack Coat	5,856.000	GAL	3.86		
0180	413-B001	Cleaning and Sealing Joints	54,437.000	LF	3.50		
0190	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish	110.000	SY	510.00		
0200	503-B001	Saw Cut, Longitudinal Joints	164.000	LF	0.01		
0210	503-C010	Saw Cut, Full Depth	7,010.000	LF	0.01		
0220	503-D001	Concrete for Base Repair	12.000	CY	350.00		
0230	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted	256.000	EA	10.00		
0240	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted	144.000	EA	12.50		
0250	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post	13,301.000	LF	34.40		
0260	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post	100.000	LF	63.00		

Pavement Restoration of approximately 16 miles of I-20 from the Warren County Line to the Natchez Trace, known as Federal Aid Project No. IM-0020-01(254) / 108143301 in Hinds County.					APAC - Mississippi, Inc.		
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$12,458,834.25					\$13,125,674.90		
Ref#	Item	Item Description	Item Qty	Units	4		
0270	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section	25.000	LF	65.00		
0280	606-C003	Guard Rail, Cable Anchor, Type 1	28.000	EA	1,225.00		
0290	606-D009	Guard Rail, Bridge End Section, Type C	8.000	EA	2,100.00		
0300	606-D012	Guard Rail, Bridge End Section, Type D Modified	2.000	EA	2,650.00		
0310	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post	6.000	EA	2,650.00		
0320	606-D022	Guard Rail, Bridge End Section, Type I	5.000	EA	4,000.00		
0330	606-E005	Guard Rail, Terminal End Section, Flared	19.000	EA	3,805.00		
0340	606-E007	Guard Rail, Terminal End Section, Non-Flared	28.000	EA	3,855.00		
0350	618-A001	Maintenance of Traffic	1.000	LS	1,000,000.00		
0360	619-A1001	Temporary Traffic Stripe, Continuous White	74.000	MI	1,000.00		
0370	619-A2001	Temporary Traffic Stripe, Continuous Yellow	72.000	MI	1,000.00		
0380	619-A3001	Temporary Traffic Stripe, Skip White	105.000	MI	1,000.00		
0390	619-A5001	Temporary Traffic Stripe, Detail	18,808.000	LF	0.35		
0400	619-C6001	Red-Clear Reflective High Performance Raised Marker	5,017.000	EA	4.00		
0410	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	129.000	SF	10.00		
0420	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	496.000	SF	10.00		
0430	619-G4005	Barricades, Type III, Single Faced	48.000	LF	23.00		
0440	619-G7001	Warning Lights, Type "B"	8.000	EA	250.00		
0450	620-A001	Mobilization	1.000	LS	1,480,000.00		
0460	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White	35.000	MI	4,000.00		
0470	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White	37.000	MI	7,800.00		
0480	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	36.000	MI	7,700.00		
0490	626-G004	Thermoplastic Double Drop Detail Stripe, White	18,808.000	LF	2.50		
0500	627-K001	Red-Clear Reflective High Performance Raised Markers	5,017.000	EA	10.00		
0510	629-A005	Vehicular Impact Attenuator, 70 MPH	2.000	EA	42,850.00		
0520	630-F006	Delineators, Guard Rail, White	358.000	EA	23.00		

Pavement Restoration of approximately 16 miles of I-20 from the Warren County Line to the Natchez Trace, known as Federal Aid Project No. IM-0020-01(254) / 108143301 in Hinds County.					APAC - Mississippi, Inc.		
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$12,458,834.25					\$13,125,674.90		
Ref#	Item	Item Description	Item Qty	Units	4		
0530	630-F007	Delineators, Guard Rail, Yellow	100.000	EA	23.00		
0540	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	18.000	EA	125.00		
0550	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture	21,043.000	TON	192.25		
0560	907-402-B001	Bituminous Tack Coat	54,123.000	GAL	3.85		
0570	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture	1,391.000	TON	320.00		
0580	907-420-A001	Undersealing	1,000.000	LBS	8.00		
0590	907-515-A001	Fiber Reinforced Polymer Patching Material	15,640.000	LBS	5.00		
0600	907-906001	Trainees	520.000	HRS	5.00		
0610	304-F001	3/4" and Down Crushed Stone Base	1,500.000	TON			
0620	304-F002	Size 610 Crushed Stone Base	1,500.000	TON			
0630	304-F003	Size 825B Crushed Stone Base	1,500.000	TON	85.00		