

Proposal & Plan Sales Will Begin on January 23, 2024



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For January - January 31, 2024

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JANUARY - Wednesday, January 31, 2024

Bids will be opened publicly in the Construction Division conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 23, 2024

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, January 31, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Construction Division Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
09	BR-0535-00(028)/102504301	NESHOBA
10	STP-0722-00(011)/107010301	CHOCTAW
11	STP-2901-00(036)/105338302	YALOBUSHA
14	STBG-9327-00(009)/109321301	DESOTO

CALL No. 09

Bridge Replacements on SR 395 between SR 19 and the Winston County Line (Bridge Nos. 1.4 & 2.6), known as Federal Aid Project No. BR-0535-00(028) / 102504301 in Neshoba County.

PROJECT COMPLETION: OCTOBER 24, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

5 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
36 Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
5,450 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B023	Removal of Bridge
18 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
900 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
110 Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,368 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
12,796 Cubic Yard	203-EX010	Borrow Excavation, AH, FME, Class B17
3,032 Cubic Yard	203-G001	Excess Excavation, FM, AH
10,187 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,054 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4 Ton	213-C001	Superphosphate
178 Square Yard	216-A001	Solid Sodding
320 Square Yard	217-A001	Ditch Liner
4 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
6 Cubic Yard	221-A001	Concrete Paved Ditch
8 Acre	223-A001	Mowing
2,225 Square Yard	224-A001	Soil Reinforcing Mat
8 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
16 Ton	225-C001	Mulch, Vegetative Mulch

8 Acre	226-A001	Temporary Grassing
120 Linear Feet	237-A002	Wattles, 20"
500 Ton	249-A001	Riprap for Erosion Control
350 Cubic Yard	249-B001	Remove and Reset Riprap
1,477 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
787 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
96 Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
1,434 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
442 Gallon	407-A001	Asphalt for Tack Coat
1 Mile	423-A001	Rumble Strips, Ground In
49 Square Yard	501-K001	Transverse Grooving
320 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
70 Linear Feet	603-ALT006	24" Type A Alternate Pipe
48 Linear Feet	603-CE013	36" x 23" Concrete Arch Pipe, Class A III
116 Linear Feet	603-CE039	73" x 45" Concrete Arch Pipe, Class A III
85 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
152 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
20 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D022	Guard Rail, Bridge End Section, Type I
8 Each	606-E001	Guard Rail, Terminal End Section
202 Square Yard	614-B001	Concrete Driveway, With Reinforcement
80 Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
31 Each	617-A001	Right-of-Way Marker
1 Lump Sum	618-A001	Maintenance of Traffic
5,610 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
5,610 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
274 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
804 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

44	Each	619-F3001	Delineators, Guard Rail, White
96	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5,610	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,610	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
72	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
53	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
240	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
236	Ton	815-A007	Loose Riprap, Size 300
3,100	Linear Feet	907-234-A001	Temporary Silt Fence
536	Linear Feet	907-234-C001	Super Silt Fence
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

3,361	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,361	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,361	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

110	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

110	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

882	Square Yard	501-K001	Transverse Grooving
3,205	Linear Feet	803-D006	HP 14 x 73 Steel Piling
686	Linear Feet	804-C199	70' Prestressed Concrete Beam, Type FIB-36

595	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
95,499	Pounds	805-A001	Reinforcement
2,632	Pounds	805-C001	Reinforcement, Corrosion Resistant
528	Linear Feet	813-A004	Concrete Railing, 36"
1,436	Ton	815-A007	Loose Riprap, Size 300
1,150	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
3	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
3	Each	907-803-J001	Pile Restrike
292	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
165	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
138	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 10

Bridge Replacements on SR 407 over the Yockanookany River & Relief (Bridge Nos. 6.1 & 6.2), known as Federal Aid Project No. STP-0722-00(011) / 107010301 in Choctaw County.

PROJECT COMPLETION: 244 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,196	Square Yard	501-K001	Transverse Grooving
5,575	Linear Feet	803-D007	HP 14 x 89 Steel Piling
995	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
1,309	Linear Feet	804-C216	60' Prestressed Concrete Beam, Type MFIB-25
112,902	Pounds	805-A001	Reinforcement
3,714	Pounds	805-C001	Reinforcement, Corrosion Resistant
769	Linear Feet	813-A004	Concrete Railing, 36"
4,997	Ton	815-A007	Loose Riprap, Size 300
3,998	Square Yard	815-E001	Geotextile under Riprap
2	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
362	Cubic Yard	907-804-A001	Bridge Concrete, Class BDY
158	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
132	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
4,167	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
809	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
10	Each	202-B190	Removal of Piling
30	Linear Feet	202-B191	Removal of Pipe, 8" And Above
9,427	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,323	Cubic Yard	203-G001	Excess Excavation, FM, AH

5,938	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,476	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
578	Square Yard	217-A001	Ditch Liner
2	Acre	220-A001	Insect Pest Control
15	Cubic Yard	221-A001	Concrete Paved Ditch
5	Acre	223-A001	Mowing
3	Acre	225-A001	Grassing
5	Ton	225-B001	Agricultural Limestone
5	Ton	225-C001	Mulch, Vegetative Mulch
3	Acre	226-A001	Temporary Grassing
400	Linear Feet	237-A002	Wattles, 20"
40	Linear Feet	245-A001	Silt Dike
20	Each	246-A002	Sandbags
110	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
495	Cubic Yard	304-C001	Granular Material, AEA, Class 3, Group C
662	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
715	Ton	403-A006	19-mm, ST, Asphalt Pavement
570	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
8	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
11	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
780	Gallon	407-A001	Asphalt for Tack Coat
298	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
64	Linear Feet	603-ALT003	18" Type A Alternate Pipe
96	Linear Feet	603-ALT005	22" x 13" Type A Alternate Pipe
81	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
145	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
20	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
100	Linear Feet	606-B001	Guard Rail, Class A, Type 1

8	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
80	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
29	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
481	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
59	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
30	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4,511	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,500	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
42	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
60	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
24	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
3,260	Ton	815-A007	Loose Riprap, Size 300
4,010	Square Yard	815-E001	Geotextile under Riprap
2,000	Linear Feet	907-234-A001	Temporary Silt Fence
142	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement

ALTERNATE GROUP AA NUMBER 1

1,462	Cubic Yard	304-G001	Size 3/4" and Down Crushed Stone Base, AEA
-------	------------	----------	--

ALTERNATE GROUP AA NUMBER 2

1,462	Cubic Yard	304-G002	Size 610 Crushed Stone Base, AEA
-------	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,462	Cubic Yard	304-G003	Size 825B Crushed Stone Base, AEA
-------	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

88 Cubic Yard

605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

88 Cubic Yard

605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

Bridge Replacement on US 51 at the Yocona River (Bridge No. 237.5), known as Federal Aid Project No. STP-2901-00(036) / 105338302 in Yalobusha County.

PROJECT COMPLETION: 370 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Each	202-B023	Removal of Bridge
580	Linear Feet	202-B136	Removal of Guard Rail
996	Square Yard	202-B188	Removal of Pavement, All Types and Depths
190	Linear Feet	202-B191	Removal of Pipe, 8" And Above
39,430	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
18,111	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
2,500	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,828	Cubic Yard	206-A001	Structure Excavation
199	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,747	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
6	Ton	213-C001	Superphosphate
127	Square Yard	216-A001	Solid Sodding
1,689	Square Yard	217-A001	Ditch Liner
3	Thousand Gallon	219-A001	Watering
6	Acre	220-A001	Insect Pest Control
17	Cubic Yard	221-A001	Concrete Paved Ditch
12	Acre	225-A001	Grassing
36	Ton	225-B001	Agricultural Limestone
24	Ton	225-C001	Mulch, Vegetative Mulch
12	Acre	226-A001	Temporary Grassing
38	Each	235-A001	Temporary Erosion Checks
2	Each	236-A008	Silt Basin, Type D
188	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	239-A001	Temporary Slope Drains

188	Linear Feet	245-A001	Silt Dike
375	Linear Feet	246-A001	Sandbags
1	Each	247-A001	Temporary Stream Diversion
54	Ton	249-A001	Riprap for Erosion Control
1,450	Ton	304-B004	Granular Material, Class 5, Group D
628	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
571	Ton	403-A006	19-mm, ST, Asphalt Pavement
471	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,100	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
739	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
24	Square Yard	501-K001	Transverse Grooving
167	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
588	Cubic Yard	601-A001	Class "B" Structural Concrete
97,128	Pounds	602-A001	Reinforcing Steel
56	Linear Feet	603-ALT003	18" Type A Alternate Pipe
55	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
98	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
225	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
26	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
4,700	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,051	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,180	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow

227	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
10	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4,700	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,180	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2,051	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
30	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
28	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
16	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,200	Ton	815-A007	Loose Riprap, Size 300
900	Ton	815-A009	Loose Riprap, Size 500
1,800	Square Yard	815-E001	Geotextile under Riprap
66	Ton	815-F002	Sediment Control Stone
2,868	Linear Feet	907-234-A001	Temporary Silt Fence
418	Linear Feet	907-234-C001	Super Silt Fence
204	Linear Feet	907-253-A001	Coir Fiber Baffle
78	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2	Each	907-619-E3001	Changeable Message Sign
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

2,100	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,100	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,100	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

37 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

37 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

Bridge Items

2,372	Square Yard	501-K001	Transverse Grooving
960	Linear Feet	803-K010	Drilled Shaft, 72" Diameter
1	Each	803-L006	Test Shaft, 72" Diameter
125	Linear Feet	803-M009	Trial Shaft, 72" Diameter
80	Linear Feet	803-N001	Exploration
420	Linear Feet	803-O011	Permanent Casing, 72" Diameter
1,800	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
2,485	Linear Feet	804-C256	125' Prestressed Concrete Beam, Type FIB-54
821	Linear Feet	804-C263	165' Prestressed Concrete Beam, Type FIB-72
233,491	Pounds	805-A001	Reinforcement
5,480	Pounds	805-C001	Reinforcement, Corrosion Resistant
1,334	Linear Feet	813-A004	Concrete Railing, 36"
4,102	Ton	815-A007	Loose Riprap, Size 300
2,410	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
3	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
3	Each	907-803-J001	Pile Restrike
748	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
360	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
73	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

CALL No. 14

Traffic Signal Installation and Intersection Improvements on US 51 at Turman Drive, known as Federal Aid Project No. STBG-9327-00(009) / 109321301 in Desoto County.

PROJECT COMPLETION: APRIL 11, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

384	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
49	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
305	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,076	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
2,299	Cubic Yard	203-G002	Excess Excavation, LVM, AH
48	Cubic Yard	206-A001	Structure Excavation
2,105	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
360	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
9	Square Yard	216-A001	Solid Sodding
100	Square Yard	217-A001	Ditch Liner
43	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
3	Each	235-A001	Temporary Erosion Checks
60	Linear Feet	237-A002	Wattles, 20"
15	Each	246-A002	Sandbags
170	Ton	304-B004	Granular Material, Class 5, Group D
240	Ton	403-A004	19-mm, HT, Asphalt Pavement
262	Ton	403-A006	19-mm, ST, Asphalt Pavement
175	Ton	403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
705	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified

6,890	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
304	Linear Feet	503-C010	Saw Cut, Full Depth
8	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
666	Pounds	602-A001	Reinforcing Steel
320	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
127	Pounds	604-B001	Gratings
860	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
34	Square Yard	614-A001	Concrete Driveway, Without Reinforcement
1	Lump Sum	618-A001	Maintenance of Traffic
5,288	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
9,689	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
496	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
56	Linear Feet	619-G4005	Barricades, Type III, Single Faced
37	Each	619-G5001	Free Standing Plastic Drums
52	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
710	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
540	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,812	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
140	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,080	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
53	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4,494	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,094	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
324	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
127	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
24	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
63	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
201	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

36	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
86	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A063	Traffic Signal Head, Type 2R
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
4	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
7	Cubic Yard	684-A005	Pole Foundation, 36" Diameter
100	Linear Feet	685-A003	Underground Electric Cable, UF, AWG 4, 3 Conductor
1	Lump Sum	699-A001	Roadway Construction Stakes
1,350	Linear Feet	907-234-A001	Temporary Silt Fence
3	Each	907-234-D001	Inlet Siltation Guard
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1	Each	907-634-A047	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
1	Each	907-634-A083	Traffic Signal Equipment Pole, Type II, 17' Shaft, 45' Arm
1	Each	907-634-A089	Traffic Signal Equipment Pole, Type II, 17' Shaft, 65' Arm
2	Each	907-634-PP004	Traffic Signal Equipment Pole Luminaire Fixture
300	Linear Feet	907-636-B011	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 2 Conductor
900	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
150	Linear Feet	907-636-D002	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 12, 2 Conductor
300	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
3	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
800	Linear Feet	907-637-C011	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
200	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
20	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
4	Each	907-639-B001	Type 1 Optical Detector

1,050	Linear Feet	907-639-C001	Type 1 Optical Detector Cable
1	Each	907-639-D001	Multimode Phase Selector
4	Each	907-641-A001	Signal Stop Bar Radar Vehicle Detection Sensor, Type 1
2	Each	907-641-B001	Signal Advanced Radar Vehicle Detection Sensor, Type 1
1,700	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
32	Square Feet	907-653-B001	Street Name Sign
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
2	Each	907-663-A001	Network Switch, Type A

ALTERNATE GROUP AA NUMBER 1

880	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

880	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

880	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR