

Proposal & Plan Sales Will Begin on March 25, 2024



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For April - April 02, 2024

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 2, 2024

Bids will be opened publicly in the Construction Division conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 25, 2024

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 2, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Construction Division Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR APRIL

| CALL | CONTRACT | COUNTY |
|------|-----------------------------|-----------|
| 03 | STBG-2901-00(025)/103332301 | YALOBUSHA |

CALL No. 03

Bridge Replacements on US 51 (Bridge Nos. 224.7, 227.0, 227.6 & 228.6), known as Federal Aid Project No. STBG-2901-00(025) / 103332301 in Yalobusha County.

PROJECT COMPLETION: 393 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Bridge Items

| | | | |
|---------|-------------|---------------|--|
| 3,946 | Square Yard | 501-K001 | Transverse Grooving |
| 1,650 | Linear Feet | 803-D007 | HP 14 x 89 Steel Piling |
| 4,705 | Linear Feet | 803-P001 | 24" Steel Pipe Piling, Wall Thickness 0.500" |
| 810 | Linear Feet | 803-P003 | 30" Steel Pipe Piling, Wall Thickness 0.500" |
| 1,360 | Linear Feet | 803-P007 | 18" Steel Pipe Piling, Wall Thickness 0.500" |
| 510 | Linear Feet | 803-P008 | 20" Steel Pipe Piling, Wall Thickness 0.500" |
| 546 | Linear Feet | 804-C186 | 110' Prestressed Concrete Beam, Type FIB-45 |
| 537 | Linear Feet | 804-C198 | 90' Prestressed Concrete Beam, Type FIB-36 |
| 897 | Linear Feet | 804-C207 | 150' Prestressed Concrete Beam, Type FIB-63 |
| 721 | Linear Feet | 804-C215 | 145' Prestressed Concrete Beam, Type FIB-63 |
| 793 | Linear Feet | 804-C220 | 81' Prestressed Concrete Beam, Type FIB-36 |
| 447 | Linear Feet | 804-C248 | 76' Prestressed Concrete Beam, Type FIB-36 |
| 387 | Linear Feet | 804-C249 | 66' Prestressed Concrete Beam, Type FIB-36 |
| 748 | Linear Feet | 804-C250 | 152' Prestressed Concrete Beam, Type FIB-63 |
| 422 | Linear Feet | 804-C251 | 86' Prestressed Concrete Beam, Type FIB-36 |
| 347 | Linear Feet | 804-C252 | 71' Prestressed Concrete Beam, Type FIB-36 |
| 391,330 | Pounds | 805-A001 | Reinforcement |
| 9,518 | Pounds | 805-C001 | Reinforcement, Corrosion Resistant |
| 2,218 | Linear Feet | 813-A004 | Concrete Railing, 36" |
| 5,640 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 111 | Cubic Yard | 815-D001 | Concrete Slope Paving |
| 4,512 | Square Yard | 815-E001 | Geotextile under Riprap |
| 290 | Linear Feet | 907-607-PP001 | Safety Fence |
| 4 | Each | 907-803-B001 | Conventional Static Pile Load Test |

| | | | |
|-------|-------------|--------------|--------------------------------|
| 2 | Each | 907-803-I003 | PDA Test Pile, HP Steel Pile |
| 6 | Each | 907-803-I004 | PDA Test Pile, Steel Pipe Pile |
| 8 | Each | 907-803-J001 | Pile Restrike |
| 1,219 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class BDx |
| 620 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |
| 73 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 252 | Linear Feet | 907-823-A002 | Preformed Joint Seal, Type II |

Roadway Items

| | | | |
|--------|-----------------|-----------|--|
| 1 | Lump Sum | 201-A001 | Clearing and Grubbing |
| 5 | Acre | 201-B001 | Clearing and Grubbing |
| 1 | Lump Sum | 202-A001 | Removal of Obstructions |
| 16,102 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 4 | Each | 202-B023 | Removal of Bridge |
| 20,782 | Square Yard | 202-B069 | Removal of Concrete Pavement w/ Variable Depth Overlay |
| 2,585 | Linear Feet | 202-B136 | Removal of Guard Rail |
| 427 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 160 | Linear Feet | 202-B240 | Removal of Traffic Stripe |
| 75,080 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 24,846 | Cubic Yard | 203-EX020 | Borrow Excavation, AH, FME, Class B9 |
| 25,369 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |
| 185 | Cubic Yard | 206-A001 | Structure Excavation |
| 18,249 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 26 | Ton | 213-C001 | Superphosphate |
| 338 | Square Yard | 216-A001 | Solid Sodding |
| 6,723 | Square Yard | 217-A001 | Ditch Liner |
| 7 | Thousand Gallon | 219-A001 | Watering |
| 33 | Acre | 220-A001 | Insect Pest Control |
| 61 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 66 | Acre | 223-A001 | Mowing |
| 51 | Acre | 225-A001 | Grassing |

| | | |
|--------------------|------------|---|
| 26 Ton | 225-B001 | Agricultural Limestone |
| 102 Ton | 225-C001 | Mulch, Vegetative Mulch |
| 51 Acre | 226-A001 | Temporary Grassing |
| 130 Each | 235-A001 | Temporary Erosion Checks |
| 10 Each | 236-A008 | Silt Basin, Type D |
| 2,520 Linear Feet | 237-A002 | Wattles, 20" |
| 815 Linear Feet | 239-A001 | Temporary Slope Drains |
| 520 Linear Feet | 245-A001 | Silt Dike |
| 445 Each | 246-B001 | Rockbags |
| 468 Ton | 249-A001 | Riprap for Erosion Control |
| 173 Cubic Yard | 249-B001 | Remove and Reset Riprap |
| 15,350 Ton | 304-B004 | Granular Material, Class 5, Group D |
| 2,593 Ton | 403-A003 | 12.5-mm, ST, Asphalt Pavement |
| 5,151 Ton | 403-A006 | 19-mm, ST, Asphalt Pavement |
| 4,214 Ton | 403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 10,180 Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 4,399 Gallon | 407-A001 | Asphalt for Tack Coat |
| 2 Mile | 423-A001 | Rumble Strips, Ground In |
| 741 Square Yard | 502-A001 | Reinforced Cement Concrete Bridge End Pavement |
| 1,292 Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 10 Cubic Yard | 601-B001 | Class "B" Structural Concrete, Minor Structures |
| 360 Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe |
| 40 Linear Feet | 603-ALT005 | 22" x 13" Type A Alternate Pipe |
| 40 Linear Feet | 603-ALT008 | 29" x 18" Type A Alternate Pipe |
| 40 Linear Feet | 603-ALT009 | 30" Type A Alternate Pipe |
| 704 Linear Feet | 603-CA011 | 18" Reinforced Concrete Pipe, Class III |
| 64 Linear Feet | 603-CA026 | 24" Reinforced Concrete Pipe, Class III |
| 20 Each | 603-CB003 | 18" Reinforced Concrete End Section |
| 2 Each | 603-CB004 | 24" Reinforced Concrete End Section |
| 207 Square Yard | 605-AA002 | Geotextile for Subsurface Drainage, Type V |

| | | | |
|-------|-------------|-----------|--|
| 315 | Linear Feet | 605-O002 | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 59 | Linear Feet | 605-P002 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 14 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 1,044 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |
| 16 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 16 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 160 | Linear Feet | 615-A024 | Concrete Bridge End Barrier, 37.5" |
| 44 | Each | 617-A001 | Right-of-Way Marker |
| 1 | Lump Sum | 618-A001 | Maintenance of Traffic |
| 1 | Lump Sum | 618-C001 | Construction and Removal of Detour Bridge |
| 1,238 | Linear Feet | 618-E001 | Detour Bridge Piling |
| 1 | Lump Sum | 618-F001 | Detour Bridge PDA Test Pile |
| 3 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 3 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 335 | Each | 619-C7001 | Two-Way Yellow Reflective High Performance Raised Marker |
| 338 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 893 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |
| 6 | Each | 619-D3001 | Remove and Reset Signs, All Sizes |
| 48 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 144 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 136 | Each | 619-G5001 | Free Standing Plastic Drums |
| 12 | Each | 619-G7001 | Warning Lights, Type "B" |
| 12 | Each | 619-K2004 | Installation and Removal of Guard Rail, Type I Bridge End Section |
| 12 | Each | 619-K4001 | Installation and Removal of Guardrail, Terminal End Section |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1 | Each | 621-A001 | Field Laboratory |
| 5 | Mile | 626-C002 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 2 | Mile | 626-D001 | 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow |
| 2 | Mile | 626-E001 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 137 | Linear Feet | 626-G002 | Thermoplastic Detail Stripe, White |

| | | | |
|-------|-------------|---------------|---|
| 212 | Linear Feet | 626-H005 | Thermoplastic Legend, White |
| 205 | Each | 627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 206 | Each | 627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 153 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 35 | Square Feet | 630-A005 | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness |
| 343 | Linear Feet | 630-C001 | Square Tube Posts, 4.0 lb/ft |
| 96 | Each | 630-F006 | Delineators, Guard Rail, White |
| 16 | Each | 630-G005 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 7,515 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 2,898 | Square Yard | 815-E001 | Geotextile under Riprap |
| 529 | Ton | 815-F002 | Sediment Control Stone |
| 2,520 | Linear Feet | 907-234-A001 | Temporary Silt Fence |
| 2,232 | Linear Feet | 907-253-A001 | Coir Fiber Baffle |
| 3,348 | Linear Feet | 907-413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 2 | Each | 907-619-E3001 | Changeable Message Sign |
| 1 | Lump Sum | 907-899-A001 | Railway-Highway Provisions |
| 720 | Hours | 907-906001 | Trainees |

ALTERNATE GROUP AA NUMBER 1

| | | | |
|--------|-----|----------|----------------------------------|
| 20,450 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
|--------|-----|----------|----------------------------------|

ALTERNATE GROUP AA NUMBER 2

| | | | |
|--------|-----|----------|-----------------------------|
| 20,450 | Ton | 304-F002 | Size 610 Crushed Stone Base |
|--------|-----|----------|-----------------------------|

ALTERNATE GROUP AA NUMBER 3

| | | | |
|--------|-----|----------|------------------------------|
| 20,450 | Ton | 304-F003 | Size 825B Crushed Stone Base |
|--------|-----|----------|------------------------------|

ALTERNATE GROUP BB NUMBER 1

| | | | |
|-----|------------|----------|--|
| 128 | Cubic Yard | 605-W002 | Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
|-----|------------|----------|--|

ALTERNATE GROUP BB NUMBER 2

| | | | |
|-----|------------|----------|--|
| 128 | Cubic Yard | 605-W003 | Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
|-----|------------|----------|--|

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR