

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. <u> 1 </u>	DATED <u> 4/11/2024 </u>	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____
ADDENDUM NO. _____	DATED _____	ADDENDUM NO. _____	DATED _____

Number	Description
1	Revised Table of Contents; Revised NTB Nos. 4638 & 5622; Added NTB Nos. 5808 & 5809; Amendment EBSx Download Required.

TOTAL ADDENDA: 1
 (Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

 Contractor

BY _____
 Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

_____ President	_____ Address
--------------------	------------------

_____ Secretary	_____ Address
--------------------	------------------

_____ Treasurer	_____ Address
--------------------	------------------

The following is my (our) itemized proposal.

STBG-0022-04(070)/ 101631301000 & STP-2911-00(001)/ 105890301000

Tippah County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

**PROJECT: STBG-0022-04(070)/101631301 - Tippah
STP-2911-00(001)/105890301 - Tippah**

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification, w/ Supplement
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#13	Safety Edge
#14	Railway-Highway Provision, w/Supplement
#20	Temporary Steel Bracing
#22	Exposure to Severe Sulfate Areas Below Ground Level
#113	Tack Coat
#296	Reduced Speed Limit Signs
#445	Mississippi Agent or Qualified Nonresident Agent
#516	Errata and Modifications to the 2017 Standard Specifications
#757	Additional Erosion Control Requirements
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#1434	Erosion Control Plan
#1606	Detour Bridge Piling
#1963	Guardrail Pads
#2172	App for Storm Water Reports
#2206	MASH Compliant Devices
#2273	Mississippi Special Fuel Tax Law
#2782	DBE Pre-Bid Meeting
#2954	Reflective Sheeting for Signs
#3676	Asphalt Gyrotory Compactor Internal Angle Calibration
#3963	Super Silt Fence
#4113	Unique Entity ID Requirement For Federal Funded Projects
#4638	Storm Water Discharge Associated with Construction Activity (> 5 Acres)
#4699	Right-of-Way Plat
#4702	App for Traffic Control Report
#5086	Detail of Square Tube Sign Posts
#5551	Federal Bridge Formula
#5605	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#5618	Contract Time
#5619	Specialty Items
#5620	Placement of Fill Material in Federally Regulated Areas
#5621	Temporary Transverse Joints
#5622	Disturbed Area
#5646	Removal of Obstructions
#5647	Clearing Restrictions and Additional Quantity Information
#5648	Project Number Change
#5808	Project Description Correction

**PROJECT: STBG-0022-04(070)/101631301 - Tippah
STP-2911-00(001)/105890301 - Tippah**

#5809 Tennessee Valley Authority

906 Required Federal Contract Provisions -- FHWA 1273, w/Supplements

Section 907 - Special Provisions

907-101-1 Definitions and Terms
907-102-2 Bidding Requirements and Conditions
907-105-2 Control of Work
907-106-1 Control of Materials
907-107-2 Contractor's Erosion Control Plan
907-108-4 Subletting of Contract
907-109-5 Measurement and Payment
907-204-1 Geogrid
907-234-1 Silt Fence
907-253-1 Coir Fiber Baffle
907-413-2 Cleaning and Sealing Joints and Cracks
907-624-1 Inverted Profile Thermoplastic Traffic Stripe
907-700-1 Materials and Tests
907-701-3 Hydraulic Cement
907-702-4 Bituminous Materials
907-703-2 Gradation
907-705-1 Stone Riprap
907-707-3 Joint Materials
907-708-4 Concrete Pipe
907-711-2 Plain Steel Wire
907-712-1 Fence and Guardrail
907-713-1 Waterproofing Admixture
907-714-3 Miscellaneous Materials
907-718-1 Timber and Dimension Lumber
907-720-2 Acceptance Procedure for Glass Beads
907-721-4 Materials for Signing
907-803-5 Test Piles
907-804-11 Concrete Bridges and Structures, w/ Supplement
907-809-2 Retaining Wall Systems
907-823-7 Preformed Joint Seal
907-899-1 Railway-Highway Provisions

906-8 Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and Unique Entity ID

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Pile and Driving Equipment Data Form

Progress Schedule

PROJECT: STBG-0022-04(070)/101631301 - Tippah
STP-2911-00(001)/105890301 - Tippah

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

04/11/2024 03:41 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 4638

CODE: (SP)

DATE: 10/05/2022

**SUBJECT: Storm Water Discharge Associated with Construction Activity
(≥ 5 Acres)**

**PROJECT: STP-2911-00(001) / 105890301 & STBG-0022-04(070) / 101631301
Tippah County**

A Construction Storm Water General NPDES Permit to discharge storm water associated with construction activity is required.

The Department has acquired Certificates of Permit Coverage MSR-109071 & MSR-109147 under the Mississippi Department of Environmental Quality's (MDEQ) Storm Water Large Construction General Permit. Projects issued a certificate of permit coverage are granted permission to discharge treated storm water associated with construction activity into State waters. Copies of said permit, completed Large Construction Notice of Intent (LCNOI), and Storm Water Pollution Prevention Plan (SWPPP) are on file with the Department.

Prior to the execution of the contract, the successful bidder shall execute and deliver to the Executive Director an original signed copy of the completed Prime Contractor Certification Forms.

Failure of the bidder to execute and file the completed Prime Contractor Certification Forms shall be just cause for the cancellation of the award.

The executed Prime Contractor Certification Forms shall be prima facie evidence that the bidder has examined the permit, is satisfied as to the terms and conditions contained therein, and that the bidder has the primary responsibility for meeting all permit terms including, but not limited to, the inspection and reporting requirements. For this project, the Contractor shall furnish, set up and read, as needed, an on-site rain gauge.

The Contractor shall make inspections in accordance with condition No. S-5, page 26, and shall furnish the Project Engineer with the results of each weekly inspection as soon as possible following the date of inspection. A copy of the inspection form is provided with the packet. The weekly inspections must be documented monthly on the Inspection and Certification Form. The Contractor's representative and the Project Engineer shall jointly review and discuss the results of the inspections so that corrective action can be taken. The Project Engineer shall retain copies of the inspection reports.

The Engineer will have the authority to suspend all work and/or withhold payments for failure of the Contractor to carry out provisions of MDEQ's Storm Water Construction General Permit, the erosion control plan, updates to the erosion control plan, and /or proper maintenance of the BMPs.

By a full maintenance release or confirmation by the Permit Closeout Committee that the permit is ready for termination, the Construction Division shall submit a completed Request for Termination (RFT) of Coverage to the Office of Pollution Control.

Securing a permit (s) for storm water discharge associated with the Contractor's activity on any other regulated area the Contractor occupies, shall be the responsibility of the Contractor.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 5622

CODE: (SP)

DATE: 4/11/2024

SUBJECT: Disturbed Area

**PROJECT: STP-2911-00(001) / 105890301 & STBG-0022-04(070) / 101631301
Tippah County**

Bidders are advised of Notice to Bidders No. 757 and Special Provision No. 907-107-2 that limit the maximum total acreage that can be disturbed at one time to 19 acres. The successful bidder may submit a request for additional acreage, which may be approved at the discretion of the Department, up to a maximum of one hundred twenty (120) acres for the entire project (105890 & 101631). The request shall include the following, which sufficiently supports the need for additional acreage:

- (1) a schedule for earthwork activity by means of a mass-haul diagram;
- (2) a narrative description of the phasing for the mass-haul diagram, which must describe the proposed acreages for each phase and anticipated locations for multiple crews; and
- (3) any proposed commitments to help maintain embankment stability during each phase.

The written request, with supporting documentation, shall be submitted to the Project Engineer who will review the request and submit it to Construction Division for approval. MDOT reserves the right, at any time during the project, to decrease the acreage requested by the Contractor based on the Contractor's erosion control performance and conditions existing on the project, or at the discretion of the Engineer.

The Contractor's CECP will be required to perform erosion control inspections twice per week.

Time associated with the submittal, review, and approval/denial of this change will run concurrent with the 60 days set aside in Special Provision No. 907-107-2 for the approval of the Contractor's Erosion Control Plan.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 5808

CODE: (SP)

DATE: 04/11/2024

SUBJECT: Project Description Correction

**PROJECT: STP-2911-00(001) / 105890301 & STBG-0022-04(070) / 101631301
Tippah County**

Bidders are hereby advised that the description in the original Contract documents (Grade, Drain, Pave on SR 2 from existing SR 15 to SR 15 Bypass & Grade, Bridge, 2 Lanes on SR 15 from just north of the Union County Line to 1 mile north of SR 4 at Ripley) contained errors. The correct description is shown below. Any reference to the original description in the Contract Plans or Proposal documents is understood to be replaced by the following.

Grade, Drain, Bridge, Pave on SR 2 from existing SR 15 to SR 15 Bypass & Grade, Drain, Bridge, 4 Lanes on SR 15 from just north of the Union County Line to 1 mile north of SR 4 at Ripley, known as Federal Aid Project Nos. STP-2911-00(001) / 105890301 & STBG-0022-04(070) / 101631301 in Tippah County.

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 5809

CODE: (SP)

DATE: 4/11/2024

SUBJECT: Tennessee Valley Authority

**PROJECT: STP-2911-00(001) / 105890301 & STBG-0022-04(070) / 101631301
Tippah County**

Bidders are hereby advised of the following requirements when working in the vicinity of the Tennessee Valley Authority (TVA) transmission lines.

Adequate clearances to the transmission lines should be maintained at all times and OSHA regulations shall be followed when working around energized high-voltage transmission lines. No stock or spoil piles should be located on the right of way at any time.

Nonhazardous annoyance shocks can be commonly experienced when contacting vehicles that have been parked beneath 500kV circuits such as these. These annoyance/nuisance shocks could give rise to complaints by people who park/walk within the TVA easement. The issue may be exaggerated for construction vehicles involved in development of areas near the lowest sag where electric field magnitudes are higher. For this reason, no construction vehicles shall be parked within the TVA easement.

The maximum sag, E values can reach levels of 6-6.5KV/m in the area of new bridge construction, and as such it is advised for the Contractor to contact TVA for any additional information or requirements regarding the existing electric fields in the areas around the new bridge(s).

Primary Contact: Stephen Williams, Program Manager Transmission / Right of Way
662-255-6272

Matt Darby, General Line Foreman
601-416-9285

Tanner Hopkins, Transmission Service Manager
662-231-3042