

**Proposal & Plan Sales Will Begin on May 6, 2024**



**MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION**

***Notice to Contractors***

**Letting Date For May - May 29, 2024**

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR MAY - Wednesday, May 29, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 6, 2024

Proposals must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, May 29, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR MAY

CALL	CONTRACT	COUNTY
*	01 STP-0002-02(080)/109268301 & STP-1232-00(009)/109268302	CLARKE
*	02 STP-0008-03(063)/109444301	RANKIN
	03 STBG-0019-02(058)/107834301	LAFAYETTE
*	04 HSIP-0043-01(038)/109576301 & MP-3001-28(004)/308306301	ISSAQUENA
*	05 STBG-0054-01(066)/109505301	COPIAH
	06 NHPP-0055-02(260)/108384301 & NHPP-0055-02(253)/107899301	RANKIN, HINDS
	07 STBG-0055-02(252)/107870301	MADISON
	08 STBG-0072-04(031)/109339301	SUNFLOWER
*	09 STBG-1109-00(007)/108686301	GEORGE
*	10 STBG-9999-07(379)/1087793070 & STBG-9999-07(379)/1087793071	LINCOLN, PIKE
	11 MP-1069-44(006)/308314301	LOWNDES
*	12 SP-1132-00(016)/109023301 & SP-2167-00(003)/109023302	WAYNE
	13 MP-1370-70(005)/307875301 & MP-1370- 73(002)/307875302	TIPPAH, UNION
*	14 MP-3032-06(005)/308280301	BOLIVAR
*	15 MP-5145-38(001)/308841301	LAUDERDALE

\* 16 MP-7024-03(014)/308851301  
\* 17 SP-9457-00(005)/109450301  
\* 18 BWO-5040-38(006)/503756301

AMITE  
LAUDERDALE  
LAUDERDALE



CALL No. 01

Thin Lift Overlay approximately 1 mile of US 45 from 0.133 miles north of SR 145 to the Lauderdale County Line & approximately 10 miles of SR 145 from US 45 to the Lauderdale County Line, known as Federal Aid Project Nos. STP-0002-02(080) / 109268301 & STP-1232-00(009) / 109268302 in Clarke County.

PROJECT COMPLETION: 74 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

477	Station	201-D001	Random Clearing
460	Linear Feet	202-B136	Removal of Guard Rail
576	Square Yard	202-B188	Removal of Pavement, All Types and Depths
1	Mile	202-B241	Removal of Traffic Stripe
7,590	Ton	304-F003	Size 825B Crushed Stone Base
311	Ton	403-A006	19-mm, ST, Asphalt Pavement
4,118	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
34,032	Gallon	407-A001	Asphalt for Tack Coat
22	Mile	423-A001	Rumble Strips, Ground In
464	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-E001	Guard Rail, Terminal End Section
1	Lump Sum	618-A001	Maintenance of Traffic
41	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
33	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A3001	Temporary Traffic Stripe, Skip White
9	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,030	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,598	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
2	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
21	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
2	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

786	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
516	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
258	Square Feet	626-H004	Thermoplastic Legend, White
258	Linear Feet	626-H005	Thermoplastic Legend, White
632	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
161	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,241	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,561	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
3	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
477	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
16,610	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 02

Mill & Overlay approximately 1 mile of US 49 from Richland Creek to US 80 & Frontage Roads from 0.6 miles south of Industrial Park Drive to north of Carrier Boulevard, known as Federal Aid project No. STP-0008-03(063) / 109444301 in Rankin County.

PROJECT COMPLETION: 128 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,138	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
983	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
4,756	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1	Each	202-B214	Removal of Sign Footing
6,927	Linear Feet	202-B240	Removal of Traffic Stripe
502	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,554	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
7,422	Ton	304-D002	Granular Material, Crushed Stone
4,891	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,258	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
22	Mile	403-S001	Joint Sealant
1,379	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
225,023	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
22,168	Gallon	407-A001	Asphalt for Tack Coat
7	Mile	423-A001	Rumble Strips, Ground In
983	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
611	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
240	Linear Feet	503-C004	Saw Cut, 3-inch
2,666	Linear Feet	503-C010	Saw Cut, Full Depth
164	Cubic Yard	503-D001	Concrete for Base Repair
306	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
4,450	Linear Feet	606-B001	Guard Rail, Class A, Type 1
5	Each	606-C003	Guard Rail, Cable Anchor, Type 1
7	Each	606-D005	Guard Rail, Bridge End Section, Type A
5	Each	606-D022	Guard Rail, Bridge End Section, Type I

8	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
8	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1	Lump Sum	618-A001	Maintenance of Traffic
15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
22	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A3001	Temporary Traffic Stripe, Skip White
17,825	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,821	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,684	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
264	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
8	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
8	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
13,749	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
4,076	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,821	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,684	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
3,693	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,009	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
116	Each	630-F006	Delineators, Guard Rail, White
5	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
15,270	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
120	Linear Feet	907-413-D001	Cleaning and Filling Joints and Cracks



120	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
700	Hours	907-618-M2001	Work Zone Law Enforcement
144	Square Feet	907-625-G001	Methyl Methacrylate Pavement Marking Interstate Route Shield Marker

**Bridge Items**

40	Linear Feet	907-808-A002	Joint Repair
20	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
40	Linear Feet	907-823-B001	Saw Cut, Type I
5	Square Feet	907-824-A003	General Epoxy Repair

CALL No. 03

Interchange Reconstruction at SR 7 and University Avenue in Oxford, known as Federal Aid Project No. STBG-0019-02(058) / 107834301 in Lafayette County.

PROJECT COMPLETION: JUNE 01, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
3,480	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
189	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
201	Square Yard	202-B063	Removal of Concrete Paved Ditch
459	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
532	Square Yard	202-B080	Removal of Concrete Sidewalk
4,786	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
2	Each	202-B129	Removal of Flared End Section, All Sizes
1	Each	202-B163	Removal of Inlet Tops
17	Each	202-B165	Removal of Inlets, All Sizes
1	Each	202-B170	Removal of Junction Box
464	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,347	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
5,849	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,085	Cubic Yard	206-A001	Structure Excavation
8,751	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,620	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
5,815	Square Yard	216-A001	Solid Sodding
132	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
37	Cubic Yard	221-A001	Concrete Paved Ditch
1	Acre	223-A001	Mowing
1	Acre	225-A001	Grassing

1	Ton	225-B001	Agricultural Limestone
1	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
2,630	Linear Feet	237-A002	Wattles, 20"
720	Linear Feet	246-A001	Sandbags
2,465	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,700	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,848	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
657	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
13,400	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,816	Gallon	407-A001	Asphalt for Tack Coat
7,565	Linear Feet	503-C010	Saw Cut, Full Depth
150	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
12,968	Pounds	602-A001	Reinforcing Steel
856	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
12	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
256	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
1	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB006	36" Reinforced Concrete End Section
2,291	Pounds	604-A001	Castings
1,000	Pounds	604-B001	Gratings
3,634	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
977	Linear Feet	609-B003	Concrete Curb, Special Design
2,179	Linear Feet	609-C001	Concrete Integral Curb, Type 1
3,625	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
19	Cubic Yard	612-A001	Flowable Fill, Excavatable
3	Each	613-D005	Adjustment of Manhole
1	Each	613-D010	Adjustment of Water Meter

2	Each	613-D011	Adjustment of Water Valve
1	Each	613-D012	Adjustment of Gas Valve
228	Square Yard	614-B001	Concrete Driveway, With Reinforcement
32	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
764	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
1,058	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
8	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21,355	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
21,794	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
950	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
750	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5,025	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,014	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,644	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
336	Linear Feet	619-G4005	Barricades, Type III, Single Faced
250	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
1	Lump Sum	620-A001	Mobilization
2,638	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6,655	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,325	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,178	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9,643	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,910	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,182	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,103	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow

2,114	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,904	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
119	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
70	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
445	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
276	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
629	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
7	Each	635-A059	Traffic Signal Head, Type 1
4	Each	635-A061	Traffic Signal Head, Type 2
1	Each	635-A070	Traffic Signal Head, Type 3
8	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
4,270	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
750	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
100	Linear Feet	682-C028	Structure Mounted Branch Circuit, AWG 6, 3 Conductor
21	Each	682-E002	Underground Junction Box
8	Each	683-C001	Lighting Assembly, Underpass, Type A
1	Lump Sum	699-A001	Roadway Construction Stakes
4,848	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-260-PP001	Utility Work - Sewer, Removal of Manhole
225	Linear Feet	907-282-C003	Sleeves, 4"
2,775	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
380	Square Feet	907-608-C001	Detectable Warning Panels
2	Each	907-609-PP001	Movable Curb Unit
4	Each	907-619-E3001	Changeable Message Sign
129	Linear Feet	907-630-E003	Structural Aluminum Angles & Bars, Aluminum Sign Bracing
1	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	907-633-A001	Uninterruptable Power Supply
2	Each	907-634-A043	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm

1	Each	907-634-A045	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
1	Each	907-634-A046	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
10	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
4	Each	907-634-PP009	Pedestrian Pushbutton Pole, Per Plans
400	Linear Feet	907-636-B011	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 2 Conductor
100	Linear Feet	907-636-B012	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 3 Conductor
1,525	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,134	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
3	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
388	Linear Feet	907-637-C011	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
350	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
250	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1	Each	907-639-B001	Type 1 Optical Detector
250	Linear Feet	907-639-C001	Type 1 Optical Detector Cable
2	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
420	Linear Feet	907-643-B001	Video Vehicle Detection Cable
2	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
400	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
8	Each	907-645-B001	Accessible Pedestrian Detection Assembly
1	Square Feet	907-653-A001	Traffic Sign
18	Square Feet	907-653-B001	Street Name Sign
1	Each	907-663-A001	Network Switch, Type A
35	Each	907-683-PP001	Lighting Assembly, Per Plans
35	Each	907-684-PP002	Pole Foundation

**ALTERNATE GROUP AA NUMBER 1**

3,550	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

3,550	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

3,550 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 04

Mill & Overlay approximately 7 miles of SR 1 from SR 14 to the Washington County Line near Grace, known as Federal Aid Project No. HSIP-0043-01(038) / 109576301 and State Project No. MP-3001-28(004) / 308306301 in Issaquena County.

PROJECT COMPLETION: 64 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

612	Linear Feet	202-B136	Removal of Guard Rail
700	Linear Feet	202-B240	Removal of Traffic Stripe
2,600	Cubic Yard	203-G001	Excess Excavation, FM, AH
4,000	Ton	304-D002	Granular Material, Crushed Stone
11,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
5,300	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
400	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
8,300	Gallon	407-A001	Asphalt for Tack Coat
14	Mile	423-A001	Rumble Strips, Ground In
350	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
16	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
14	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,900	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White



1,800	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,000	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
500	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
575	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 05

Bridge Repair on SR 27 over White Oak Creek (Bridge No. 84.9), known as Federal Aid Project No. STBG-0054-01(066) / 109505301 in Covich County.

PROJECT COMPLETION: MAY 16, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

175	Linear Feet	907-808-A002	Joint Repair
88	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2	Square Feet	907-824-A003	General Epoxy Repair
5	Each	907-824-C001	Cap Cleaning
30	Each	907-824-D001	Bearing Replacements
11	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
2,000	Pounds	907-420-A001	Undersealing

CALL No. 06

Bridge Preservation on I-20 E to I-55 N (Bridge No. 93.1) and I-55 (Bridge Nos. 94.3A & 94.3B), known as Federal Aid Project Nos. NHPP-0055-02(260) / 108384301 & NHPP-0055-02(253) / 107899301 in Rankin & Hinds Counties.

PROJECT COMPLETION: NOVEMBER 28, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

23,146	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
9,568	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
9,468	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
11,850	Linear Feet	619-A3008	Temporary Traffic Stripe, Skip White, Type 1 or 2 Tape
300	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
570	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
123	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
964	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
4	Each	619-E1001	Flashing Arrow Panel, Type C
2,850	Linear Feet	619-F1001	Concrete Median Barrier, Precast
3,630	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1,520	Linear Feet	619-F2002	Remove and Reset Portable Median Barrier
160	Linear Feet	619-G4005	Barricades, Type III, Single Faced
228	Each	619-G5001	Free Standing Plastic Drums
20	Each	619-G7001	Warning Lights, Type "B"
75	Each	619-G8001	Warning Lights, Type "C"
1	Each	619-J1003	Impact Attenuator, 50 MPH
2	Each	619-J2003	Impact Attenuator, 50 MPH, Replacement Package
1	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
14,104	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,800	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,254	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6,054	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

11,474	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,088	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,600	Each	627-A001	Type A, Non-Reflective White Raised Jiggle Markers
360	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	699-A001	Roadway Construction Stakes
1,500	Hours	907-618-M2001	Work Zone Law Enforcement
6	Each	907-619-E3001	Changeable Message Sign
520	Hours	907-906001	Trainees

**Bridge Items**

48	Linear Feet	202-B169	Removal of Joint Material
131	Linear Feet	813-A002	Concrete Railing, 32"
3,518	Ton	815-A007	Loose Riprap, Size 300
2,978	Square Yard	815-E001	Geotextile under Riprap
16,266	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
5,000	Pounds	907-420-A001	Undersealing
696	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
6,206	Linear Feet	907-808-A002	Joint Repair
1,920	Square Feet	907-809-A005	Retaining Wall System, Temporary Shoring
2,804	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
730	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
4,963	Linear Feet	907-823-B001	Saw Cut, Type I
599	Linear Feet	907-823-B002	Saw Cut, Type II
1,118	Square Feet	907-824-A003	General Epoxy Repair
40	Each	907-824-C001	Cap Cleaning
96	Each	907-824-D001	Bearing Replacements
260	Linear Feet	907-824-E001	Epoxy Injection
48,368	Square Feet	907-824-PP003	Bridge Repair, Class 2 Spray Finish Per Plans
5,534	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping, Per Plans
1	Lump Sum	907-824-PP004	Bridge Repair, Removal and Replacement of Superstructure

1	Lump Sum	907-824-PP004	Bridge Repair, Welding Repairs, Per Plans
8	Each	907-824-PP006	Bridge Repair, Bridge Jacking
2	Each	907-824-PP006	Bridge Repair, Pile Encasement, Per Plans
320	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair, Per Plans
234	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

CALL No. 07

Bridge Preservation on I-55 W Frontage Road (Bridge Nos. 116.9A, 116.9B, 116.9C & 116.9D), known as Federal Aid Project No. STBG-0055-02(252) / 107870301 in Madison County.

PROJECT COMPLETION: JUNE 30, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3 Acre	201-B001	Clearing and Grubbing
60 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
270 Square Yard	202-B063	Removal of Concrete Paved Ditch
650 Linear Feet	202-B126	Removal of Fence, All Types
2 Each	202-B138	Removal of Guard Rail Bridge End Section
1 Each	202-B165	Removal of Inlets, All Sizes
38 Linear Feet	202-B191	Removal of Pipe, 8" And Above
148 Square Yard	202-B267	Removal of Approach Slab
356 Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
2,699 Cubic Yard	203-G001	Excess Excavation, FM, AH
135 Cubic Yard	206-A001	Structure Excavation
26 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
667 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1 Ton	213-C001	Superphosphate
52 Square Yard	216-A001	Solid Sodding
667 Square Yard	217-A001	Ditch Liner
1 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
11 Cubic Yard	221-A001	Concrete Paved Ditch
1 Acre	223-A001	Mowing
1 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
2 Ton	225-C001	Mulch, Vegetative Mulch
500 Linear Feet	237-A002	Wattles, 20"
300 Each	246-B001	Rockbags

50 Ton	249-A001	Riprap for Erosion Control
738 Ton	304-D004	Granular Material, Size 57
13 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
19 Ton	403-A006	19-mm, ST, Asphalt Pavement
10 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
22 Gallon	407-A001	Asphalt for Tack Coat
66 Linear Feet	501-E001	Expansion Joints, Without Dowels
149 Square Yard	501-K001	Transverse Grooving
149 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
80 Linear Feet	503-C010	Saw Cut, Full Depth
5 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
194 Pounds	602-A001	Reinforcing Steel
16 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1 Each	603-CB004	24" Reinforced Concrete End Section
40 Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
64 Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
2 Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
1 Each	603-CF007	58" x 36" Concrete Arch Pipe End Section
108 Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
120 Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
124 Linear Feet	605-P004	6" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
14 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
2 Each	606-D022	Guard Rail, Bridge End Section, Type I
700 Linear Feet	607-B020	60" Type II Chain Link Fence, Class II
70 Each	607-P1008	Line Post, 7' x 1 1/2" Galvanized Steel
4 Each	607-P2004	Brace Post, 7 1/2' x 2" Galvanized Steel
182 Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1 Lump Sum	618-A001	Maintenance of Traffic
19 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
528 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

30 Square Feet	619-D4001	Directional Signs
48 Linear Feet	619-G4001	Barricades, Type III, Double Faced
24 Linear Feet	619-G4005	Barricades, Type III, Single Faced
26 Each	619-G5001	Free Standing Plastic Drums
9 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
40 Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
40 Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
60 Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
1 Each	630-F006	Delineators, Guard Rail, White
1 Each	630-F007	Delineators, Guard Rail, Yellow
2 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1 Lump Sum	699-A001	Roadway Construction Stakes
3,512 Ton	815-A007	Loose Riprap, Size 300
2,719 Square Yard	815-E001	Geotextile under Riprap
500 Ton	815-F002	Sediment Control Stone
2,000 Linear Feet	907-234-A001	Temporary Silt Fence
66 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
2 Each	907-619-E3001	Changeable Message Sign

**ALTERNATE GROUP AA NUMBER 1**

183 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

183 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

183 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

**Bridge Items**

1,050 Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
11,856 Pounds	805-A001	Reinforcement
1,000 Pounds	907-420-A001	Undersealing
1 Each	907-803-I004	PDA Test Pile, Steel Pipe Pile



1	Each	907-803-J001	Pile Restrike
121	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
70	Linear Feet	907-808-A002	Joint Repair
67	Linear Feet	907-823-A001	Prefomed Joint Seal, Type I
140	Linear Feet	907-823-B001	Saw Cut, Type I
20	Square Feet	907-824-PP003	Bridge Repair, Epoxy Repair, Per Plans
2	Each	907-824-PP006	Bridge Repair, Bearing Replacement, Per Plans
2	Each	907-824-PP006	Bridge Repair, Cap Cleaning, Per Plans
118	Linear Feet	907-824-PP008	Bridge Repair, Remove End Bent Endwall, Per Plans

CALL No. 08

Traffic Signal Installation on US 49W at SR 8, known as Federal Aid Project No. STBG-0072-04(031) / 109339301 in Sunflower County.

PROJECT COMPLETION: APRIL 30, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

234	Square Feet	202-B172	Removal of Legend, All Types
8	Each	202-B215	Removal of Sign Including Post & Footing
36	Square Feet	202-B216	Removal of Sign Panels Including Hardware
5,737	Linear Feet	202-B240	Removal of Traffic Stripe
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
400	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,062	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
800	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
885	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
800	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
468	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
880	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
70	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
80	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
6	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
2	Each	635-A070	Traffic Signal Head, Type 3
2	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	699-A001	Roadway Construction Stakes
16	Square Feet	907-608-C001	Detectable Warning Panels
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal

1	Each	907-634-A396	Traffic Signal Equipment Pole, Type III, 17' Shaft, 45' & 75' Arm
1	Each	907-634-A408	Traffic Signal Equipment Pole, Type III, 17' Shaft, 55' & 70' Arms
2	Each	907-634-A545	Traffic Signal Equipment Pole, Type VI, 8' Shaft
11	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
115	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
390	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
75	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
16	Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
309	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
40	Linear Feet	907-636-D020	Electric Cable, Aerial Supported in Conduit, THHN, AWG #6, 3 Conductor
5	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
135	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
15	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
200	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
40	Linear Feet	907-637-F005	Traffic Signal Conduit, Aerial Supported, Type 1, 2"
130	Linear Feet	907-640-B001	Shielded Cable, AWG #14, 2 Conductor
4	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
644	Linear Feet	907-643-B001	Video Vehicle Detection Cable
1	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
2	Each	907-645-B001	Accessible Pedestrian Detection Assembly
1	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
33	Square Feet	907-653-B001	Street Name Sign
1	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-C002	SD-WAN Router

CALL No. 09

Widen & Overlay approximately 7 miles on SR 612 from SR 613 to the Alabama State Line, known as Federal Aid Project No. STBG-1109-00(007) / 108686301 in George County.

PROJECT COMPLETION: 69 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

403	Station	201-D001	Random Clearing
2,922	Linear Feet	202-B136	Removal of Guard Rail
2,480	Linear Feet	202-B240	Removal of Traffic Stripe
2,935	Ton	304-F003	Size 825B Crushed Stone Base
7,994	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
8,764	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
9,818	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
11,760	Gallon	407-A001	Asphalt for Tack Coat
1,000	Square Feet	412-A001	Pre-Grinding
14	Mile	423-A001	Rumble Strips, Ground In
1,456	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-C003	Guard Rail, Cable Anchor, Type 1
16	Each	606-D001	Guard Rail, Bridge End Section
15	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,128	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,076	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
96	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
14	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

5 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,128 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
650 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
63 Square Feet	626-H004	Thermoplastic Legend, White
1,076 Linear Feet	626-H005	Thermoplastic Legend, White
312 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
925 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1 Lump Sum	907-899-A001	Railway-Highway Provisions

**ALTERNATE GROUP AA NUMBER 1**

1,690 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
765 Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
610 Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

1,690 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
765 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
610 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 10

Bridge Preventive Maintenance on I-55 (Bridge Nos. 37.5A, 37.5B, 30.3A, 30.3B, 29.4A, 29.4B, 26.4A, 26.4B, 24.8A, 24.8B, 22.6A, 22.6B, 8.4A & 8.4B), known as Federal Aid Project Nos. STBG-9999-07(379) / 108779307 & STBG-9999-07(379) / 1087793071 in Lincoln & Pike Counties.

PROJECT COMPLETION: 109 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

**Bridge Items**

2,204	Linear Feet	907-808-A002	Joint Repair
5,014	Linear Feet	907-808-A003	Joint Repair Without Epoxy
1,776	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,371	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
3,552	Linear Feet	907-823-B001	Saw Cut, Type I
2,742	Linear Feet	907-823-B002	Saw Cut, Type II
86	Each	907-824-C001	Cap Cleaning

CALL No. 11

Mill & Overlay approximately 3 miles of SR 69 from Granderson Creek to SR 182, known as State Project No. MP-1069-44(006) / 308314301 in Lowndes County.

PROJECT COMPLETION: 52 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

700	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
5,400	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
65,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,300	Gallon	407-A001	Asphalt for Tack Coat
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
880	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
650	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
440	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,600	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
7,800	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
650	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
3,500	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
200	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
80	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,000	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

88	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
109	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
129	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
91	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
380	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
24	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	907-899-A001	Railway-Highway Provisions

**ALTERNATE GROUP AA NUMBER 1**

50	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

50	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

50	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----	------------	----------	-----------------------------------



CALL No. 12

Thin Lift Overlay on approximately 9 miles of SR 63 from Clara to SR 184 & approximately 2 miles of SR 184 from US 84 to SR 63, known as State Project Nos. SP-1132-00(016) / 109023301 & SP-2167-00(003) / 109023302 in Wayne County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

30 Station	201-D001	Random Clearing
4,800 Square Yard	202-B188	Removal of Pavement, All Types and Depths
3,925 Linear Feet	202-B240	Removal of Traffic Stripe
12,400 Ton	304-F003	Size 825B Crushed Stone Base
835 Ton	403-A005	19-mm, MT, Asphalt Pavement
2,450 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
29,900 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
58,905 Gallon	407-A001	Asphalt for Tack Coat
15 Mile	423-A001	Rumble Strips, Ground In
1 Lump Sum	618-A001	Maintenance of Traffic
2 Square Feet	618-B001	Additional Construction Signs
37 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
39 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
15,250 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
5,500 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
19 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5 Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
20 Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,110 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,150 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
39 Square Feet	626-H004	Thermoplastic Legend, White
6,305 Linear Feet	626-H005	Thermoplastic Legend, White
1,030 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

1,924	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,850	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
112	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
20	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
26,360	Ton	907-411-A001	Ultra Thin Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
150	Linear Feet	907-640-A001	Vehicle Loop Assemblies
1	Each	907-643-A005	Video Vehicle Detection Sensor, Type 1B
50	Linear Feet	907-643-B001	Video Vehicle Detection Cable
1	Each	907-643-C002	Video Vehicle Detection Processor, Type 1
1	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-C002	SD-WAN Router

**ALTERNATE GROUP AA NUMBER 1**

2,110	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
590	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
1,190	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

2,110	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
590	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
1,190	Linear Feet	628-J001	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 13

Overlay approximately 5 miles of SR 370 from 0.1 mile east of Dumas to SR 30, known as State Project Nos. MP-1370-70(005) / 307875301 and MP-1370-73(002) / 307875302 in Tippah & Union Counties.

PROJECT COMPLETION: 47 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

450	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
450	Cubic Yard	203-G001	Excess Excavation, FM, AH
450	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
995	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
7,980	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
812	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,810	Gallon	407-A001	Asphalt for Tack Coat
698	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
2	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,817	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
924	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
11	Mile	626-B004	6" Thermoplastic Traffic Stripe, Continuous White
10	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,335	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
582	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
924	Linear Feet	626-H005	Thermoplastic Legend, White
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,178	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,138	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers

9 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
56 Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
108 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
450 Square Yard	907-204-A003	Geogrid, Type II, Biaxial

**ALTERNATE GROUP AA NUMBER 1**

400 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

400 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

400 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

CALL No. 14

Overlay approximately 10 miles of SR 32 from SR 1 to SR 161, known as State Project No. MP-3032-06(005) / 308280301 in Bolivar County.

PROJECT COMPLETION: 65 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

281	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
214	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
489	Linear Feet	202-B136	Removal of Guard Rail
1	Each	202-B197	Removal of Railroad Crossing
1,000	Linear Feet	202-B240	Removal of Traffic Stripe
108	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,200	Ton	304-D002	Granular Material, Crushed Stone
11,000	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
189	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
3,500	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
400	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
10,815	Gallon	407-A001	Asphalt for Tack Coat
3,204	Square Feet	412-A001	Pre-Grinding
50	Linear Feet	501-D001	Expansion Joints, With Dowels
50	Linear Feet	501-I001	Joint Filler, Wooden Board
214	Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
869	Linear Feet	503-C010	Saw Cut, Full Depth
11	Cubic Yard	503-D001	Concrete for Base Repair
230	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
231	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
27	Mile	619-A1001	Temporary Traffic Stripe, Continuous White

7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
750	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
20	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,500	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
700	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,200	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
300	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
54	Each	630-F006	Delineators, Guard Rail, White
700	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 15

Mill & Overlay approximately 10 miles of SR 145 from the Clarke County Line to I-59, known as State Project No. MP-5145-38(001) / 308841301 in Lauderdale County.

PROJECT COMPLETION: 185 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

102	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
2,134	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
30	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
275	Linear Feet	202-B153	Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail
3,675	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
776	Linear Feet	202-B171	Removal of Legend, All Types
492	Square Feet	202-B172	Removal of Legend, All Types
8,829	Linear Feet	202-B240	Removal of Traffic Stripe
70	Cubic Yard	203-EX031	Borrow Excavation, AH, LVM, Class B17
200	Cubic Yard	203-G002	Excess Excavation, LVM, AH
70	Square Yard	203-I002	Site Grading
799	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
65	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
836	Ton	304-D002	Granular Material, Crushed Stone
9,306	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
5,558	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,441	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
132,650	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,326	Gallon	407-A001	Asphalt for Tack Coat
1,891	Linear Feet	413-D002	Cleaning and Filling Joints
7	Mile	423-A001	Rumble Strips, Ground In
30	Square Yard	503-A002	8" and Variable Jointed Concrete Pavement
6,886	Linear Feet	503-C010	Saw Cut, Full Depth
7	Cubic Yard	503-D001	Concrete for Base Repair

52	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
8	Linear Feet	603-CA041	30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1	Each	603-CB005	30" Reinforced Concrete End Section
800	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
200	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
1,975	Linear Feet	606-B011	Guard Rail, Class A, Type 1, Thrie Beam, Metal Post
50	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
10	Each	606-D019	Guard Rail, Bridge End Section, Type H
2	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
8	Cubic Yard	612-A001	Flowable Fill, Excavatable
1	Lump Sum	618-A001	Maintenance of Traffic
35	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
45	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3001	Temporary Traffic Stripe, Skip White
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
47,031	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,807	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,856	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
354	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
756	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
10	Each	619-F4001	Snap-Back Delineator
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
18	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
15	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
22,167	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White



24,864	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
903	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
4,428	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,259	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
677	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,656	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
103	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-F007	Delineators, Guard Rail, Yellow
14	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
2	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
22,649	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
79,827	Square Yard	907-414-A001	Scrub Seal
9,632	Gallon	907-414-B001	Asphalt for Fog Seal
1,000	Hours	907-618-M2001	Work Zone Law Enforcement
55	Linear Feet	907-808-A003	Joint Repair Without Epoxy
55	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
110	Linear Feet	907-823-B002	Saw Cut, Type II
2	Square Feet	907-824-A003	General Epoxy Repair

CALL No. 16

Mill, Overlay, & Scrub Seal approximately 10 miles of SR 24 from Midway Road to SR 33, known as State Project No. MP-7024-03(014) / 308851301 in Amite County.

PROJECT COMPLETION: 60 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,106	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
8,921	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
500	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
26,848	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,967	Gallon	407-A001	Asphalt for Tack Coat
1	Square Feet	412-A001	Pre-Grinding
6	Mile	423-A001	Rumble Strips, Ground In
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,926	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
48	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,344	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,421	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
1,084	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
24	Square Feet	626-H004	Thermoplastic Legend, White
1,172	Linear Feet	626-H005	Thermoplastic Legend, White
333	Each	627-H001	Chip Seal Reflective Raised Markers
556	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers

493	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8	Each	627-P001	Two-Way Blue Reflective High Performance Raised Markers
64,907	Square Yard	907-414-A001	Scrub Seal
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 17

Mill & Overlay approximately 1.3 miles of US 11 from SR 39 to the end of the 4-Lane Section, known as State Project No. SP-9457-00(005) / 109450301 in Lauderdale County.

PROJECT COMPLETION: 145 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

77	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,125	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
25	Linear Feet	202-B171	Removal of Legend, All Types
51	Square Feet	202-B172	Removal of Legend, All Types
416	Linear Feet	202-B240	Removal of Traffic Stripe
185	Linear Feet	202-B273	Removal of Debris and Sand From Box Culvert, 6-foot to Less than 10-foot Width
54	Linear Feet	202-B276	Removal of Debris from Drainage Channel
200	Cubic Yard	203-G002	Excess Excavation, LVM, AH
300	Square Yard	203-I002	Site Grading
925	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
424	Ton	304-D002	Granular Material, Crushed Stone
7,373	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
811	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
56,640	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,582	Gallon	407-A001	Asphalt for Tack Coat
3,759	Linear Feet	503-C010	Saw Cut, Full Depth
800	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Lump Sum	618-A001	Maintenance of Traffic
7	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A3001	Temporary Traffic Stripe, Skip White
10,247	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
678	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,816	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
148	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
3	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
4	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,167	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
12,083	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
440	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
908	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
400	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
397	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,143	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
28	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
40	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
12,318	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
800	Hours	907-618-M2001	Work Zone Law Enforcement
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 18

Renovation of the Welcome Center Building, known as State Project No. BWO-5040-38(006) / 503756301 in Lauderdale County.

PROJECT COMPLETION: NOVEMBER 15, 2024

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1 Lump Sum                      1510-A001   Renovate Lauderdale Welcome Center Building

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Contractors may request permission to bid online at <http://shop.mdot.ms.gov> at no cost. Upon approval, contractors shall be eligible to submit a bid using Bid Express at <http://bidx.com>. Specimen proposals may be viewed and downloaded online at no cost at <http://mdot.ms.gov> or purchased online at <http://shop.mdot.ms.gov> at a cost of Ten Dollars (\$10.00) per proposal plus a small convenience fee. Cash or checks will not be accepted as payment.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR