

Proposal & Plan Sales Will Begin on May 31, 2024



MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION

***Notice to Contractors***

Letting Date For June - June 11, 2024

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JUNE - Tuesday, June 11, 2024

Bids will be opened publicly in the Construction Division conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON MAY 31, 2024

Proposals must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 11, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Construction Division Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

#### LIST OF CONTRACTS FOR JUNE

CALL	CONTRACT	COUNTY
03	STBG-0019-02(058)/107834301	LAFAYETTE



CALL No. 03

Interchange Reconstruction at SR 7 and University Avenue in Oxford, known as Federal Aid Project No. STBG-0019-02(058) / 107834301 in Lafayette County.

PROJECT COMPLETION: JULY 17, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change  
Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
3,480	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
189	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
201	Square Yard	202-B063	Removal of Concrete Paved Ditch
459	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
532	Square Yard	202-B080	Removal of Concrete Sidewalk
4,786	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
2	Each	202-B129	Removal of Flared End Section, All Sizes
1	Each	202-B163	Removal of Inlet Tops
17	Each	202-B165	Removal of Inlets, All Sizes
1	Each	202-B170	Removal of Junction Box
464	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,347	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
5,849	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,085	Cubic Yard	206-A001	Structure Excavation
8,751	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,620	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
5,815	Square Yard	216-A001	Solid Sodding
132	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
37	Cubic Yard	221-A001	Concrete Paved Ditch
1	Acre	223-A001	Mowing

1 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
1 Ton	225-C001	Mulch, Vegetative Mulch
1 Acre	226-A001	Temporary Grassing
2,630 Linear Feet	237-A002	Wattles, 20"
720 Linear Feet	246-A001	Sandbags
2,465 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,700 Ton	403-A005	19-mm, MT, Asphalt Pavement
1,848 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
657 Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
13,400 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,816 Gallon	407-A001	Asphalt for Tack Coat
7,565 Linear Feet	503-C010	Saw Cut, Full Depth
150 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
12,968 Pounds	602-A001	Reinforcing Steel
856 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
12 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
256 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
16 Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
1 Each	603-CB003	18" Reinforced Concrete End Section
1 Each	603-CB004	24" Reinforced Concrete End Section
1 Each	603-CB006	36" Reinforced Concrete End Section
2,291 Pounds	604-A001	Castings
1,000 Pounds	604-B001	Gratings
3,634 Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
977 Linear Feet	609-B003	Concrete Curb, Special Design
2,179 Linear Feet	609-C001	Concrete Integral Curb, Type 1
3,625 Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
19 Cubic Yard	612-A001	Flowable Fill, Excavatable
3 Each	613-D005	Adjustment of Manhole

1	Each	613-D010	Adjustment of Water Meter
2	Each	613-D011	Adjustment of Water Valve
1	Each	613-D012	Adjustment of Gas Valve
228	Square Yard	614-B001	Concrete Driveway, With Reinforcement
32	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
764	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
1,058	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
8	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
21,355	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
21,794	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
950	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
750	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
5,025	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,014	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,644	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
336	Linear Feet	619-G4005	Barricades, Type III, Single Faced
250	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
1	Lump Sum	620-A001	Mobilization
2,638	Linear Feet	626-A002	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6,655	Linear Feet	626-B001	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,325	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,178	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9,643	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,910	Linear Feet	626-F002	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
3,182	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
3,103	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow

2,114	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,904	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
119	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
70	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
445	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
276	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
629	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
7	Each	635-A059	Traffic Signal Head, Type 1
2	Each	635-A061	Traffic Signal Head, Type 2
2	Each	635-A065	Traffic Signal Head, Type 2 FYA
1	Each	635-A070	Traffic Signal Head, Type 3
8	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
3,700	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
510	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
100	Linear Feet	682-C033	Structure Mounted Branch Circuit, AWG 8, 3 Conductor
26	Each	682-E002	Underground Junction Box
8	Each	683-C001	Lighting Assembly, Underpass, Type A
1	Lump Sum	699-A001	Roadway Construction Stakes
4,848	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-260-PP001	Utility Work - Sewer, Removal of Manhole
225	Linear Feet	907-282-C003	Sleeves, 4"
2,775	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
380	Square Feet	907-608-C001	Detectable Warning Panels
2	Each	907-609-PP001	Movable Curb Unit
4	Each	907-619-E3001	Changeable Message Sign
129	Linear Feet	907-630-E003	Structural Aluminum Angles & Bars, Aluminum Sign Bracing
1	Each	907-632-A010	Solid State Traffic Cabinet Assembly, Type IV Cabinet, Type 1 Controller
1	Each	907-633-A001	Uninterruptable Power Supply

2	Each	907-634-A043	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm
1	Each	907-634-A045	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
1	Each	907-634-A046	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 50' Arm
10	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
4	Each	907-634-PP001	Luminaire Fixture and Arm, Per Plans
4	Each	907-634-PP009	Pedestrian Pushbutton Pole, Per Plans
1,525	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,134	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
3	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
388	Linear Feet	907-637-C011	Traffic Signal Conduit, Underground, Rolled Pipe, 3"
350	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
250	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
4	Each	907-639-B001	Type 1 Optical Detector
250	Linear Feet	907-639-C001	Type 1 Optical Detector Cable
1	Each	907-639-D001	Multimode Phase Selector
2	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A
420	Linear Feet	907-643-B001	Video Vehicle Detection Cable
2	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
400	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
8	Each	907-645-B001	Accessible Pedestrian Detection Assembly
40	Square Feet	907-653-A001	Traffic Sign
27	Square Feet	907-653-B001	Street Name Sign
100	Linear Feet	907-661-E001	Replace Fiber Optic Drop Cable
1	Each	907-663-A001	Network Switch, Type A
35	Each	907-683-PP001	Lighting Assembly, Per Plans
35	Each	907-684-PP002	Pole Foundation

**ALTERNATE GROUP AA NUMBER 1**

3,550	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**



3,550 Ton

304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

3,550 Ton

304-F003 Size 825B Crushed Stone Base

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR