

STATE	PROJECT NUMBER	SHEET NO.
MISSISSIPPI	STBG-0019-02(058)	1

GENERAL INDEX

INCLUDED THIS PROJECT	BEGIN WITH SHEET
<input checked="" type="checkbox"/> ROADWAY	1
<input checked="" type="checkbox"/> PERMANENT SIGNS	1001
<input checked="" type="checkbox"/> TRAFFIC SIGNALS	2001
<input type="checkbox"/> ITS COMPONENTS	3001
<input checked="" type="checkbox"/> LIGHTING	4001
<input type="checkbox"/> (RESERVED)	5001
<input type="checkbox"/> ROADWAY STANDARD DWGS	6001
<input type="checkbox"/> BOX CULVERT STD. DRAWINGS (LRFD)	7001
<input type="checkbox"/> BOX CULVERT STD. DRAWINGS (STD. SPEC.)	7501
<input type="checkbox"/> BRIDGE	8001
<input checked="" type="checkbox"/> CROSS SECTIONS	9001

BRIDGE STRUCTURES REQ'D.

NONE

BOX BRIDGE STRUCTURES REQ'D.

NONE

STATE OF MISSISSIPPI

MISSISSIPPI DEPARTMENT OF TRANSPORTATION



**PLAN AND PROFILE OF PROPOSED STATE HIGHWAY
FED. AID PROJECT NO. STBG-0019-02(058)**

**SR 7 & UNIVERSITY AVE IN OXFORD
ROUNDABOUT INTERCHANGE
LAFAYETTE COUNTY**

FMS. CONST. NO. 107834/301000

SCALES

PLAN	1 IN. = 20 FT.
PROFILE {	HOR. 1 IN. = 20 FT.
	VERT. 1 IN. = 5 FT.
LAYOUT	1 IN. = 200 FT.



DESIGN CONTROL	
40 MPH = V (SPEED DESIGN)	
ADT (2026) = 20,600; ADT (2036) = 22,750	
DHV = NA; D = NA % T = 4 %	
PERMITS ACQUIRED BY MDOT	
WETLANDS AND WATERS PERMITS (NECESSARY FOR ULTIMATE IMPROVEMENTS ONLY):	
NATIONWIDE #14	WATERS <input type="checkbox"/> WETLANDS <input type="checkbox"/>
NATIONWIDE (OTHER)*	WATERS <input type="checkbox"/> WETLANDS <input type="checkbox"/>
GENERAL*	WATERS <input type="checkbox"/> WETLANDS <input type="checkbox"/>
INDIVIDUAL (404)*	WATERS <input type="checkbox"/> WETLANDS <input type="checkbox"/>
STORMWATER PERMIT <input checked="" type="checkbox"/>	
Y	REQUIRED, CNOI SUBMITTED BY MDOT (DISTURBED AREA = 5 ACRES +)
S	REQUIRED, SCNOI TO BE SUBMITTED BY CONTRACTOR (1 TO 4.99 ACRES)
N	NO STORMWATER PERMIT REQUIRED (<1 ACRE)
APPROVED BY: _____	

EQUATIONS


WB ALIGNMENT	EB ALIGNMENT
STA. 32 + 40.944 BK = STA. 32 + 39.723 AH	STA. 40 + 12.222 BK = STA. 39 + 89.790 AH
STA. 40 + 55.962 BK = STA. 40 + 32.566 AH	STA. 46 + 45.779 BK = STA. 46 + 26.198 AH
STA. 47 + 22.732 BK = STA. 46 + 97.628 AH	

EXCEPTIONS

NONE

P S & E DATE:

APPROVED:
DEPUTY EXECUTIVE DIRECTOR / CHIEF ENGINEER
EXECUTIVE DIRECTOR



DESCRIPTION OF SHEET

WKG. NO. SH. NO.


TITLE SHEET (1)		1
DETAILED INDEX & GENERAL NOTES (4)		
DETAILED INDEX	DI-1	2
DETAILED INDEX	DI-2	3
GENERAL NOTES	GN-1	4
GENERAL NOTES	GN-2	5
TYPICAL SECTION SHEETS (8)		
TYPICAL SECTIONS - WIDEN AND OVERLAY UNIVERSITY AVE.	TS-1	6
TYPICAL SECTIONS - WIDEN AND OVERLAY UNIVERSITY AVE.	TS-2	7
TYPICAL SECTIONS - NEW CONSTRUCTION WEST CIRCULATORY ROADWAY	TS-3	8
TYPICAL SECTIONS - NEW CONSTRUCTION RAMP A & RAMP D	TS-4	9
TYPICAL SECTIONS - WIDEN AND OVERLAY UNIVERSITY AVE.	TS-5	10
TYPICAL SECTIONS - NEW CONSTRUCTION EAST CIRCULATORY ROADWAY	TS-6	11
TYPICAL SECTIONS - NEW CONSTRUCTION RAMP B & RAMP C	TS-7	12
TYPICAL SECTIONS - WIDEN AND OVERLAY UNIVERSITY AVE.	TS-8	13
QUANTITY SHEETS (12)		
SUMMARY OF QUANTITIES	SQ-1	14
SUMMARY OF QUANTITIES	SQ-2	15
SUMMARY OF QUANTITIES	SQ-3	16
SUMMARY OF QUANTITIES	SQ-4	17
ESTIMATED QUANTITIES UNIVERSITY AVE. REMOVAL ITEMS CURB & GUTTER SIDEWALK REMOVAL OF ASPHALT REMOVAL OF DRIVEWAYS REMOVAL DRAINAGE ITEMS REMOVAL OF ISLANDS	EQ-1	18
ESTIMATED QUANTITIES UNIVERSITY AVE. REQUIRED CURB & GUTTER REQUIRED DRIVEWAYS REQUIRED SIDEWALK CONCRETE MEDIAN AND ISLAND PAVEMENT REMOVAL OF PAVED DITCH	EQ-2	19
ESTIMATED QUANTITIES UNIVERSITY AVE. SUMMARY PAVEMENT MARKINGS SUMMARY OF TRAFFIC CONTROL ITEMS REQUIRED	EQ-3	20
ESTIMATED QUANTITIES UNIVERSITY AVE. STANDARD ROADSIDE ASSEMBLIES	EQ-4	21
ESTIMATED QUANTITIES UNIVERSITY AVE. STANDARD ROADSIDE ASSEMBLIES	EQ-5	22
ESTIMATED QUANTITIES UNIVERSITY AVE. TCPQ	EQ-6	23
ESTIMATED QUANTITIES UNIVERSITY AVE. JUNCTION BOX REQUIRED EARTHWORK REQUIRED	EQ-7	24
ESTIMATED QUANTITIES UNIVERSITY AVE. SUMMARY OF DRAINAGE	EQ-8	25
LAYOUT SHEETS (4)		
RIGHT-OF-WAY AND EASEMENT COORINATES	RCS-1	26
ALIGNMENT GEOMETRY- UNIVERSITY (W.B., E.B.)	LAY-1	27
ALIGNMENT GEOMETRY- CIRCULATORY (WEST & EAST) RAMPS (A,B,C,& D)	LAY-2	28
PROPERTY MAP UNIVERSITY	PROP-1	29
DEMO SHEET (6)		
DEMO UNIVERSITY AVE.	DM-1	30
DEMO UNIVERSITY AVE.	DM-2	31
DEMO UNIVERSITY AVE.	DM-3	32
DEMO UNIVERSITY AVE.	DM-4	33
DEMO UNIVERSITY AVE.	DM-5	34
DEMO UNIVERSITY AVE.	DM-6	35
PLAN & PROFILE SHEETS (14)		
UNIVERSITY AVE (WESTBOUND)	3-LT	36
UNIVERSITY AVE. (EASTBOUND)	3-RT	37
UNIVERSITY AVE. (WESTBOUND)	4-LT	38
UNIVERSITY AVE.(EASTBOUND)	4-RT	39
UNIVERSITY AVE. (WESTBOUND)	5-LT	40
UNIVERSITY AVE. (EASTBOUND)	5-RT	41
WEST CIRCULATORY ROADWAY	5A	42
RAMP A	5B	43
RAMP D	5C	44
UNIVERSITY AVE. (WESTBOUND)	6-LT	45
UNIVERSITY AVE. (EASTBOUND)	6-RT	46
EAST CIRCULATORY ROADWAY	6A	47
RAMP B	6B	48
RAMP C	6C	49
SPECIAL DESIGN SHEETS (69)		
UNIVERSITY AVE. (WESTBOUND)	ECP-3	50
UNIVERSITY AVE. - (WESTBOUND)	ECP-4	51
UNIVERSITY AVE. - (EASTBOUND)	ECP-4A	52
UNIVERSITY AVE. (WESTBOUND)	ECP-5	53
UNIVERSITY AVE. - (EASTBOUND)	ECP-5A	54
WEST CIRCULATORY ROADWAY	ECP-5B	55
RAMP A	ECP-5C	56
RAMP D	ECP-5D	57
UNIVERSITY AVE. (WESTBOUND)	ECP-6	58
UNIVERSITY AVE. - (EASTBOUND)	ECP-6A	59
EAST CIRCULATORY ROADWAY	ECP-6B	60
RAMP B	ECP-6C	61
RAMP C	ECP-6D	62

DESCRIPTION OF SHEET

WKG. NO. SH. NO.

SPECIAL DESIGN SHEETS (70)		
UNIVERSITY AVE. (WESTBOUND)	ECP-3	50
UNIVERSITY AVE. - (WESTBOUND)	ECP-4	51
UNIVERSITY AVE. - (EASTBOUND)	ECP-4A	52
UNIVERSITY AVE. (WESTBOUND)	ECP-5	53
UNIVERSITY AVE. - (EASTBOUND)	ECP-5A	54
WEST CIRCULATORY ROADWAY	ECP-5B	55
RAMP A	ECP-5C	56
RAMP D	ECP-5D	57
UNIVERSITY AVE. (WESTBOUND)	ECP-6	58
UNIVERSITY AVE. - (EASTBOUND)	ECP-6A	59
EAST CIRCULATORY ROADWAY	ECP-6B	60
RAMP B	ECP-6C	61
RAMP C	ECP-6D	62
DETAIL OF CONSTRUCTION SIGNING	DCS-1	63
SEQUENCE OF CONSTRUCTION PHASE 1	SC-1	64
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 1A	TCP-1A	65
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 1B	TCP-1B	66
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 1C	TCP-1C	67
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 1D	TCP-1D	68
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 1E	TCP-1E	69
SEQUENCE OF CONST. PHASE 2	SC-2	70
SEQUENCE OF CONST. PHASE 1 DETOUR	SC-1A	71
SEQUENCE OF CONST. PHASE 2 DETOUR	SC-2A	72
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2A	TCP-2A	73
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2B	TCP-2B	74
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2C	TCP-2C	75
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2D	TCP-2D	76
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2E	TCP-2E	77
SEQUENCE OF CONST. PHASE 2 FINAL	SC-2F	78
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2F-A	TCP-2FA	79
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2F-B	TCP-2FB	80
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2F-C	TCP-2FC	81
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2F-D	TCP-2FD	82
TRAFFIC CONTROL PHASE 1 DETAIL SHEET 2F-E	TCP-2FE	83
SEQUENCE OF CONST. PHASE 3	SC-3	84
TRAFFIC CONTROL PHASE 3 DETAIL SHEET 3A	TCP-3A	85
TRAFFIC CONTROL PHASE 3 DETAIL SHEET 3B	TCP-3B	86
TRAFFIC CONTROL PHASE 3 DETAIL SHEET 3C	TCP-3C	87
TRAFFIC CONTROL PHASE 3 DETAIL SHEET 3D	TCP-3D	88
TRAFFIC CONTROL PHASE 3 DETAIL SHEET 3E	TCP-3E	89
SEQUENCE OF CONST. PHASE 4	SC-4	90
TRAFFIC CONTROL PHASE 4 DETAIL SHEET 4A	TCP-4A	91
TRAFFIC CONTROL PHASE 4 DETAIL SHEET 4B	TCP-4B	92
TRAFFIC CONTROL PHASE 4 DETAIL SHEET 4C	TCP-4C	93
TRAFFIC CONTROL PHASE 4 DETAIL SHEET 4D	TCP-4D	94
TRAFFIC CONTROL PHASE 4 DETAIL SHEET 4E	TCP-4E	95
SEQUENCE OF CONST. PHASE 5	SC-5	96
TRAFFIC CONTROL PHASE 5 DETAIL SHEET 5A	TCP-5A	97
TRAFFIC CONTROL PHASE 5 DETAIL SHEET 5B	TCP-5B	98
TRAFFIC CONTROL PHASE 5 DETAIL SHEET 5C	TCP-5C	99
TRAFFIC CONTROL PHASE 5 DETAIL SHEET 5D	TCP-5D	100
TRAFFIC CONTROL PHASE 5 DETAIL SHEET 5E	TCP-5E	101
SEQUENCE OF CONST. PHASE 6	SC-6	102
TRAFFIC CONTROL PHASE 6 DETAIL SHEET 6A	TCP-6A	103
TRAFFIC CONTROL PHASE 6 DETAIL SHEET 6B	TCP-6B	104
TRAFFIC CONTROL PHASE 6 DETAIL SHEET 6C	TCP-6C	105
TRAFFIC CONTROL PHASE 6 DETAIL SHEET 6D	TCP-6D	106
TRAFFIC CONTROL PHASE 6 DETAIL SHEET 6E	TCP-6E	107
PAVEMENT MARKINGS UNIVERSITY AVE.	PM-1	108
PAVEMENT MARKINGS UNIVERSITY AVE.	PM-2	109
PAVEMENT MARKINGS UNIVERSITY AVE.	PM-3	110
PAVEMENT MARKINGS UNIVERSITY AVE.	PM-4	111
PAVEMENT MARKINGS UNIVERSITY AVE.	PM-5	112
INTERSECTION DETAIL UNIVERSITY AVE. AT NW & SW SR 7 RAMPS	ID-1	113
INTERSECTION DETAIL UNIVERSITY AVE. AT NE & SE SR 7 RAMPS	ID-2	114
FORM GRADES UNIVERSITY AVE. AT NW & SW SR 7 RAMPS	FG-1	115
FORM GRADES UNIVERSITY AVE. AT NE & SE SR 7 RAMPS	FG-2	116
VEGETATION SCHEDULE	VS-1	117
SIGN SUPPORT HARDWARE 2-5" SQUARE POST	TSS-1	118
SIGN SUPPORT HARDWARE 2-0" SQUARE POST	TSS-2	119

WEI		
PS&E PLANS - 05/01/24		
FMS CON. : 107834/301000		
REVISIONS		
DATE	SHEET NO.	BY

MISSISSIPPI DEPARTMENT OF TRANSPORTATION DETAILED INDEX	
UNIVERSITY AVE.	
	
PROJ. NO.: STP-0019-02(058) COUNTY: LAFAYETTE	
WORKING NUMBER DI-1	SHEET NUMBER 2
FILENAME:DI-1.dgn DESIGN TEAM WEI	CHECKED WEI DATE 11/27/2023

STATE	PROJECT NO.
MISS.	STP-0019-02(058)

DESCRIPTION OF SHEET

WKG. NO. SH. NO.


PERMANENT SIGNING SHEETS (6)		
PERMANENT SIGNING PLAN - UNIVERSITY AVE	PSP-1	1001
PERMANENT SIGNING PLAN - UNIVERSITY AVE	PSP-2	1002
PERMANENT SIGNING PLAN - UNIVERSITY AVE	PSP-3	1003
PERMANENT SIGNING PLAN - UNIVERSITY AVE	PSP-4	1004
PERMANENT SIGNING PLAN - UNIVERSITY AVE	PSP-5	1005
PERMANENT SIGN DETAIL	PSD-1	1006
TRAFFIC SIGNALS (16)		
TRAFFIC SIGNAL LAYOUT	TSI-1	2001
WIRING DIAGRAM UNIVERSITY AVE.	TSI-1A	2002
TEMPORARY SIGNAL UNIVERSITY AVE.	TSI-TEMP1	2003
TRAFFIC SIGNAL GENERAL	TDS-1	2004
TRAFFIC SIGNAL HEADS,TRAFFIC SIGNAL SIGNS AND WIND SPEEDS	TDS-2	2005
STRAIGHT MAST ARM AND PEDESTRAL POLE DETAILS	TDS-3S	2006
SIGNAL POLE AND PEDESTRAL POLE FOUNDATION DETAILS	TDS-4	2007
TRAFFIC SIGNAL GROUNDING DETAILS	TDS-5	2008
CONTROLLER CABINET AND POWER SERVICE DETAILS	TDS-6	2009
POWER SERVICE PEDESTAL	TDS-7	2010
PULL BOX AND CONDUIT TRENCHING DETAILS	TDS-8	2011
VIDEO/MULTI-SENSOR DETECTION INSTALLATION FOR TRAFFIC SIGNALS	TSD-9V	2012
TRAFFIC CONTROL PLAN (TYPICAL SIGNAL INSTALLATION)	TSD-10	2013
STREET NAME DETAILS	TSD-11	2014
TEMPORARY SIGNAL POLE DETAILS	TSD-13	2015
TYPICAL INTERSECTION LAYOUT	TSD-14	2016
LIGHTING (5)		
CITY OF OXFORD SR7 LIGHTING	E-100A	4001
CITY OF OXFORD SR7 LIGHTING	E-100B	4002
CITY OF OXFORD SR7 LIGHTING	E-101A	4003
CITY OF OXFORD SR7 LIGHTING	E-101B	4004
CITY OF OXFORD SR7 LIGHTING	LD-1	4005
STANDARD DRAWINGS - ROADWAY SHEETS (81)		
CONCRETE ISLAND PAVEMENT DETAILS	CIP-1	6011
PAVEMENT MARKING DETAILS FOR 2-LANE & 4-LANE DIVIDED ROADWAYS	PM-1	6051
PAVEMENT MARKING LEGEND DETAILS	PM-5	6055
PAVEMENT MARKING LEGEND DETAILS	PM-6	6056
RUMBLE STRIPES 2-LANE HIGHWAYS (ASPHALT LANES, 2-FT ASPHALT SHOULDERS)	RS-1	6064
TYPICAL TEMPORARY EROSION CONTROL/SEDIMENT CONTROL APPLICATIONS	ECD-1	6101
DETAILS OF SEDIMENT BARRIER APPLICATIONS	ECD-2	6102
DETAILS OF SILT FENCE INSTALLATION	ECD-3	6103
DITCH CHECK STRUCTURES, TYPICAL APPLICATIONS AND DETAILS	ECD-4	6104
TEMPORARY EROSION, SEDIMENT, & WATER POLLUTION CONTROL MEASURES (SILT FENCE & HAY BALE DITCH CHECKS)	ECD-5	6105
DETAILS OF EROSION CONTROL WATTLE DITCH CHECK	ECD-6	6106
DETAILS OF EROSION CONTROL SILT DIKE DITCH CHECK	ECD-7	6107
ROCK DITCH CHECK	ECD-8	6108
ROCK FILTER DAM	ECD-9	6109
ROCK DITCH CHECK WITH SUMP EXCAVATION AND ROCK FILTER DAM	ECD-10	6110
TYPICAL APPLICATIONS & DETAILS FOR INLET CONSTRUCTION	ECD-11	6111
INLET PROTECTION DETAILS FOR SEDIMENT CONTROL STONE ON GRADES AND SAGS	ECD-12	6112
INLET PROTECTION DETAILS OF WATTLES	ECD-13	6113
INLET PROTECTION DETAILS OF MANUFACTURED INLET PROTECTION DEVICE	ECD-14	6114
INLET PROTECTION DETAILS OF SANDBAGS	ECD-15	6115
STABILIZED CONSTRUCTION ENTRANCE	ECD-16	6116
TEMPORARY CULVERT STREAM CROSSING	ECD-17	6117
TEMPORARY STREAM DIVERSION	ECD-18	6118
TEMPORARY STREAM DIVERSION (BOX EXTENSION)	ECD-19	6119
FLOATING TURBIDITY CURTAIN	ECD-20	6120
DETAILS OF EROSION CONTROL SANDBAG DITCH CHECK	ECD-21	6121
SEDIMENT RETENTION BARRIER	ECD-22	6122

DESCRIPTION OF SHEET

WKG. NO. SH. NO.

DETAILS OF TYPICAL DITCH TREATMENTS	DT-1	6123
DITCH TREATMENT INSTALLATION DETAIL FOR SOIL REINFORCING MAT	DT-1A	6124
STANDARD DIRECTIONAL (GUIDE) SIGNS	SN-1	6301
ROUTE SHIELDS AND "EXIT ONLY" PANELS	SN-2	6302
STANDARD ROADSIDE SIGNS	SN-3	6303
STANDARD ROADSIDE SIGNS	SN-3A	6304
STANDARD ROADSIDE SIGNS	SN-3B	6305
STANDARD ROADSIDE SIGN ASSEMBLY AND INSTALLATION	SN-4	6306
STANDARD ROADSIDE SIGN ASSEMBLY AND INSTALLATION	SN-4A	6307
STANDARD ROADSIDE SIGN ASSEMBLY AND INSTALLATION	SN-4B	6308
TYPICAL INSTALLATION OF GROUND MOUNTED DIRECTIONAL SIGNS	SN-5	6309
BREAKAWAY SIGN SUPPORTS	SN-6	6310
BREAKAWAY SIGN SUPPORTS	SN-6A	6311
BREAKAWAY SIGN SUPPORTS	SN-6B	6312
SIGN FACE CONST. AND ATTACHMENT OF GROUND MOUNTED DIRECTIONAL SIGNS TO STEEL BEAMS (EXTRUDED ALUMINUM PANELS)	SN-7	6313
SIGN SUPPORT HARDWARE 2.0" SQUARE POST	SN-10C	6323
SIGN SUPPORT HARDWARE 2.5" SQUARE POST	SN-10D	6324
TRAFFIC CONTROL PLAN WITH FLAGGER (ONE-LANE CLOSURE OF TWO-WAY TRAFFIC)	TCP-1	6351
SHORT DURATION CLOSING OF TWO-LANE TWO-WAY HIGHWAYS	TCP-6	6356
SHORT DURATION CLOSING OF DIVIDED HIGHWAYS	TCP-7	6357
HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS	TCP-8	6358
TRAFFIC CONTROL PLAN MOBILE OPERATIONS MULTILANE ROADS AND TWO-LANE ROADS	TCP-9	6359
TRAFFIC CONTROL PLAN : UNEVEN PAVEMENT DETAILS	TCP-12	6362
TEMPORARY STRIPING FOR TRAFFIC CONTROL 2-LANE AND 4-LANE DIVIDED HIGHWAYS	TCP-13	6363
LOCATION OF R16-3 SIGNS (SPEEDING FINES DOUBLED)	TCP-15	6365
TRAFFIC CONTROL DETAILS DRUM PLACEMENT AND SHOULDER CLOSURE	TCP-16	6366
RIGHT-OF-WAY MARKER FOR USE ON LPA PROJECTS	RW-1L	6402
BRIDGE OVERHEAD SIGN SUPPORT STRUCTURES		
SUPERELEVATION RUNOFF CASE 1 ROTATION ABOUT CENTERLINE	SE-3A	6413
DRIVEWAYS,CURB & GUTTER, & SIDEWALK	SD-1	6419
DRIVEWAYS INTEGRAL CURB & SIDEWALK	SD-2	6420
CURB RAMPS RAMP DESIGN ELEMENTS	CR-1	6421
CURB RAMPS PLACEMENT DETAILS	CR-2	6422
CURB RAMPS PLACEMENT DETAILS	CR-3	6423
CURB RAMPS PLACEMENT DETAILS	CR-4	6424
MISCELLANEOUS DETAIL SHEET 1. STACKED PIPE JOINTS 2. EXCAVATION AT GRADE POINTS	MDS-1	6425
DETAILS OF PAVED FLUMES	PF-1	6426
PIPE CULVERT INSTALLATION	PI-1	6501
CONCRETE PIPE COLLAR	PC-1	6503
JUNCTION BOX FOR PIPE CULVERTS	JB-1	6504
JUNCTION BOX TYPE 2 FOR TRAFFIC LOAD (MAXIMUM "W" = 9.3 FT.)	JB-2	6506
DETAILS OF PAVED FLUMES	PF-1	6426
PIPE CULVERT INSTALLATION	PI-1	6501
CONCRETE PIPE COLLARS	PC-1	6508
STORM SEWER INLET - TYPE SS-2	SS-2	6524
DROP INLET AND GRATE DETAILS FOR PIPE AND BOX CULVERTS	B-9	6527
TYPE I MEDIAN INLET (24" PIPE AND UNDER)	MI-1	6508
DETAILS OF GRATES FOR MEDIAN INLETS	IG-1	6516
BRANCH CONNECTIONS	BC-1	6507
PAVED INLET APRON AND MEDIAN DITCH PLUG	PA-1	6520
STORM SEWER INLET TYPE SS-2	SS-2	6524
DROP INLET AND GRATE DETAILS FOR PIPE AND BOX CULVERTS	B-9	6527
FLARED END SECTION FOR CONCRETE PIPE	FE-1	6530
CROSS SECTIONS (33)		
UNIVERSITY AVENUE		9001 - 9014
RAMP A		9015 - 9017
RAMP B		9018 - 9024
RAMP C		9025 - 9027
RAMP D		9028 - 9034
TOTAL SHEETS	260	

11/27/2023 3:28:19 PM:DI-1.dgn

MISSISSIPPI DEPARTMENT OF TRANSPORTATION DETAILED INDEX UNIVERSITY AVE.		 WORKING NUMBER DI-2
PROJ. NO.: STP-0019-02(058) COUNTY: LAFAYETTE		
DATE	FILENAME:DI-1.dgn	SHEET NUMBER 3
DESIGN TEAM	WEI	CHECKED WEI
		DATE 11/27/2023

STATE	PROJECT NO.
MISS.	STP-0019-02(058)

GENERAL NOTES

BRIDGES AND WALLS

- (1) STORAGE OF FLAMMABLE MATERIALS WILL NOT BE ALLOWED UNDER ANY BRIDGE STRUCTURES WITHOUT WRITTEN APPROVAL FROM THE PROJECT ENGINEER. SEE NOTICE TO BIDDERS ENTITLED "MATERIAL STORAGE UNDER BRIDGES" FOR MORE INFORMATION.

DRAINAGE STRUCTURES

- (2) ALL PIPE JOINTS ARE TO BE WRAPPED IN 24-INCH WIDE TYPE V GEOTEXTILE FABRIC. ALL PICKUP HOLES SHALL BE PLUGGED PLASTIC INSERT, THE COST OF WHICH SHALL BE ABSORBED IN OTHER ITEMS BID.
- (3) THE COST OF ANY COLLARS REQUIRED TO CONNECT CONCRETE FLARED END SECTIONS TO NON-CONCRETE PIPE SECTIONS SHALL BE ABSORBED IN THE COST FOR NON-CONCRETE PIPE.
- (4) CURB AND GUTTER VERTICAL DIMENSIONS SHOWN IN THE DETAIL DRAWINGS ARE FOR A CURB IN THE "CATCH" CONFIGURATION AND SHALL BE CONSIDERED TO BE MINIMUM DIMENSIONS. THE DIMENSIONS MAY BE MODIFIED AS NECESSARY FOR "SPILL" CURB AND GUTTER, BUT SHALL NOT BE LESS THAN THE MINIMUM SHOWN.
- (5) THE COST FOR REMOVAL OF ALL HEADWALLS AND WINGWALLS (PIPES, BOX CULVERTS, BOX BRIDGES) SHALL BE ABSORBED IN OTHER ITEMS BID.
- (6) THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING EXISTING STRUCTURES SUCH AS, BUT NOT LIMITED TO, PIPES, INLETS, APRONS, AND BRIDGES FROM DAMAGE WHICH MIGHT OCCUR DURING CONSTRUCTION. THE CONTRACTOR SHALL REPLACE OR REPAIR, AS DIRECTED BY THE ENGINEER, ANY STRUCTURES DAMAGED DURING THE LIFE OF THE CONTRACT. NO PAYMENT WILL BE MADE FOR REPLACEMENT OR REPAIR OF DAMAGED ITEMS.

EARTHWORK

- (7) 20% SHRINKAGE FACTOR USED IN THE EARTHWORK CALCULATIONS IS FOR DESIGN ESTIMATING PURPOSES ONLY.
- (8) VOIDS CREATED BY THE REMOVAL OF, BUT NOT LIMITED TO, POSTS, CONCRETE ANCHORS, AND FOOTINGS SHALL BE BACKFILLED AND TAMPED IN ACCORDANCE WITH SECTION 203 OF *THE MISSISSIPPI STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION*, THE COST OF WHICH WILL BE ABSORBED IN OTHER ITEMS BID.
- (9) WORK ON STRUCTURES FOR THIS PROJECT REQUIRES EXCAVATION IN THE IMMEDIATE VICINITY OF TRAFFIC AND ADJACENT PROPERTIES. THEREFORE, THE RISK OF A FAILURE OCCURRING DURING EXCAVATION REQUIRES THAT EXTREME CAUTION BE EXERCISED. THE CONTRACTOR SHALL BE RESPONSIBLE FOR PLACING WHAT BRACING, SHORING, OR GROUND SUPPORT SYSTEM THAT IS DEEMED NECESSARY TO PREVENT A FAILURE AND PROTECT THE PERSONS WORKING NEAR THE EXCAVATION, THE PUBLIC THAT MAY BE ABOVE THE EXCAVATION, OR ANY STRUCTURES ADJACENT TO THE EXCAVATION. ALL COSTS FOR DESIGNING, DRAWING, AND CONSTRUCTING THE FACILITY SHALL BE INCLUDED IN THE PRICE BID FOR CONTRACT ITEMS.
- (10) VEGETATIVE MATERIAL WILL BE REMOVED PRIOR TO PLACEMENT OF GRANULAR MATERIAL. THE COST OF WHICH SHALL BE ABSORBED IN OTHER ITEMS BID.
- (11) PRIOR TO EARTHWORK OPERATIONS, THE EXISTING TOP 6" TOPSOIL IS TO BE STRIPPED AND STOCKPILED. AFTER THE GRADING OPERATIONS ARE COMPLETED, SAID TOPSOIL SHALL BE PLACED ON ALL AREAS THAT ARE NOT TO BE PAVED OR OTHERWISE PROTECTED, IN ACCORDANCE WITH SECTION 211 OF THE SPECIFICATIONS, OR THE VEGETATION SCHEDULE (SEE WK. SH. VS-1). EXISTING TOPSOIL AND ALL COSTS ASSOCIATED WITH STRIPPING, HAULING, STOCKPILING, AND PLACEMENT OF THE EXISTING TOPSOIL IS TO BE ABSORBED IN OTHER EARTHWORK ITEMS.

EROSION CONTROL - TEMPORARY

- (12) WIRE FENCE BACKING WILL BE REQUIRED FOR ALL SILT FENCE. (SEE WK. NO. ECD-3)

GENERAL NOTES (CONT.)

- (13) THE EROSION CONTROL DEVICES REFERENCED IN THESE PLANS ARE A MINIMUM REQUIREMENT. IT IS THE RESPONSIBILITY OF THE CONTRACTOR TO ENSURE THAT SILT DOES NOT LEAVE THE RIGHT OF WAY OR CONTAMINATE WATERS OF THE U. S. DURING CONSTRUCTION. THE CONTRACTOR SHALL SUBMIT AN EROSION CONTROL PLAN PRIOR TO COMMENCEMENT OF WORK AND MAINTAIN THE PLAN DURING CONSTRUCTION. ANY ADDITIONAL SILT BASINS NOT SHOWN IN THE PLANS SHALL BE INCLUDED IN THE CONTRACTOR'S EROSION CONTROL PLAN PRIOR TO SUBMITTING FOR APPROVAL.

- (14) ALL ITEMS OF WORK ASSOCIATED WITH THE INSTALLATION OF A CONSTRUCTION ENTRANCE SHALL BE ABSORBED IN OTHER ITEMS OF WORK.

PAVEMENT, BASE, AND SHOULDERS

- (15) THE CONTRACTOR SHALL REPAIR ANY DAMAGE TO THE PAVED OR UNPAVED SHOULDER THAT MIGHT OCCUR DURING CONSTRUCTION. ANY REPAIR TO SHOULDER WILL BE IN ACCORDANCE WITH THE APPLICABLE SECTIONS OF *THE MISSISSIPPI STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION*. NO PAYMENT WILL BE MADE FOR REPAIR OF DAMAGED SHOULDER.
- (16) TEMPORARY PAVEMENT JOINTS (PAPER JOINTS) SHALL BE EMPLOYED AT ALL LOCATIONS REQUIRING TRAFFIC TO TRAVERSE AN UNEVEN PAVEMENT JOINT. PAPER JOINTS SHALL BE A MINIMUM OF 3' TAPER FOR 1" DROP AND SHALL BE ADEQUATELY MAINTAINED.
- (17) WHERE MILLING IS REQUIRED, THE CONTRACTOR SHALL PROVIDE OUTLETS IN THE EXISTING SHOULDERS AT SUFFICIENT INTERVALS TO PREVENT POOLING OR STANDING WATER ON THE MILLED SURFACE, THE COST OF WHICH SHALL BE ABSORBED IN OTHER ITEMS BID.

PLANS

- (18) IF COLORS ARE USED ON PLAN/PROFILE SHEETS, THEY ARE INTENDED TO VISUALLY EASE THE LOCATION OF ELEMENTS FOR USERS OF THESE DRAWINGS. ALTHOUGH THE INTENT IS TO CATEGORIZE EVERYTHING AS EITHER EXISTING OR PROPOSED, IT IS THE END USER'S RESPONSIBILITY TO ENSURE ALL ELEMENTS ARE INTERPRETED CORRECTLY, REGARDLESS OF COLOR.
- (19) ALL ADDENDA TO THESE PLANS WILL BE POSTED TO WWW.MDOT.MS.GOV UNDER THE PROPOSAL ADDENDA COLUMN. BIDDERS ARE ADVISED THAT HARD COPIES OF ANY ADDENDA FOR THIS PROJECT WILL NOT BE MAILED. IT IS THE BIDDERS RESPONSIBILITY TO CHECK AND SEE IF ANY ADDENDA HAVE BEEN POSTED FOR THIS PROJECT.


TRAFFIC CONTROL - PERMANENT

- (20) INSTALLATION DATES SHALL BE CLEARLY WRITTEN IN BOLD BLACK MARKINGS ON THE BACK BOTTOM HALF OF ALL SIGNS WITH A PERMANENT MARKING STICK THAT IS WATERPROOF, FADE RESISTANT AND MARKS ON WET OR DRY SURFACES.
- (21) ALL POST, PIPE, AND I-BEAM LENGTHS IN THESE PLANS ARE ESTIMATES. POST LENGTHS FOR ALL SIGNS SHALL BE VERIFIED IN THE FIELD BY THE CONTRACTOR PRIOR TO FABRICATION.
- (22) ALL EXISTING SIGNS WHICH ARE TO BE REMOVED AS A PART OF THIS PROJECT THAT ARE NOT IN CONFLICT WITH CONSTRUCTION SHALL REMAIN IN PLACE UNTIL NEW SIGNS ARE INSTALLED UNLESS NOTED OR DIRECTED OTHERWISE BY THE PROJECT ENGINEER. ROADWAY SIGNS THAT ARE IN CONFLICT WITH CONSTRUCTION SHALL BE REMOVED AND RELOCATED BY THE CONTRACTOR AS DIRECTED BY THE ENGINEER, THE COST OF WHICH SHALL BE ABSORBED IN OTHER ITEMS BID. ALL EXISTING SIGNS AND SUPPORTS REMOVED UNDER THIS PROJECT SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND ARE NOT A SEPARATE PAY ITEM.
- (23) DIRECT-APPLIED LEGEND, BORDER, AND/OR SHIELDS ARE TO BE USED ON ALL GUIDE SIGNS. DIGITALLY PRODUCED SIGN COPY, SHIELDS, LEGEND, SYMBOLS, OR IMAGES WILL NOT BE ALLOWED WITHOUT WRITTEN APPROVAL FROM MDOT'S PROJECT ENGINEER.
- (24) ALL PERMANENT SIGNS SHALL CONFORM TO THE LATEST EDITION OF THE MANUAL ON UNIFORM TRAFFIC CONTROL DEVICES.

PLAN DIVISION MISSISSIPPI DEPARTMENT OF TRANSPORTATION

1/8/2024 2:58 PM GN-1.dgn

		MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
		GENERAL NOTES	
		UNIVERSITY AVE.	
		PROJ. NO.: STP-0019-02(058)	
		COUNTY: LAFAYETTE	
		WORKING NUMBER GN-1	
		SHEET NUMBER 4	
DATE	DESIGN TEAM	CHECKED	DATE
	WE1	WE1	1/8/2024



GENERAL NOTES

GENERAL NOTES

- (25) ALL SIGN LOCATIONS SHALL BE APPROVED BY THE PROJECT ENGINEER PRIOR TO INSTALLATION.
- (26) THE RETROREFLECTIVE SIGN SHEETING ON PERMANENT GROUND-MOUNTED SIGNS SHALL BE AS FOLLOWS: BROWN BACKGROUND SHEETING ON GUIDE SIGNS SHALL BE MINIMUM TYPE VIII; GREEN AND BLUE BACKGROUND SHEETING ON GUIDE SIGNS SHALL BE MINIMUM TYPE IX; ALL WHITE, YELLOW, FLUORESCENT YELLOW AND FLUORESCENT YELLOW/GREEN SHEETING SHALL BE TYPE XI. ALL SIGN SHEETING ON OVERHEAD SIGNS SHALL BE TYPE XI.
- (27) ALL EXISTING SIGNS AND SUPPORTS REMOVED UNDER THIS PROJECT SHALL BECOME THE PROPERTY OF THE CONTRACTOR AND ARE NOT A SEPARATE PAY ITEM.
- (28) REMOVAL OF RAISED PAVEMENT MARKERS THAT ARE IN CONFLICT WITH REQUIRED CONSTRUCTION IS NOT CONSIDERED A SEPARATE PAY ITEM. COST TO BE ABSORBED IN OTHER ITEMS BID.
- (29) REMOVAL OF OBJECT MARKERS IS NOT CONSIDERED A SEPARATE PAY ITEM, AND SHALL BE ABSORBED IN OTHER ITEMS BID.
- (30) EXISTING SPECIFIC SERVICE (BUSINESS LOGO) SIGNS ARE TO REMAIN IN PLACE UNLESS NOTED IN THE PLANS OR DIRECTED OTHERWISE BY THE PROJECT ENGINEER. LOGO SIGNS THAT REQUIRE RELOCATION OR REMOVAL WILL BE DONE SO BY MISSISSIPPI LOGOS, INC. (601-853-7100).
- (31) MISSISSIPPI LOGOS, INC. SHALL BE NOTIFIED (601-853-7100) IF THERE ARE ANY CHANGES MADE TO ANY INTERCHANGE RAMP DESIGNATION OR CONFIGURATION.

TRAFFIC CONTROL - TEMPORARY

- (32) THE LOCATION AND SPACING OF SIGNS, SHOWN ON THE TRAFFIC CONTROL PLANS, ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.
- (33) ALL TRAFFIC CONTROL DEVICES ON THIS PROJECT SHALL COMPLY WITH PART VI OF THE **MUTCD** (LATEST EDITION).
- (34) ALL PLASTIC DRUMS SHALL HAVE A BALLASTING COLLAR MADE FROM RECYCLED TRUCK TIRES OR OTHER SUITABLE MATERIAL.
- (35) FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED ON THE PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.
- (36) THE CONTRACTOR SHALL COORDINATE WITH THE CONTRACTOR FROM ADJACENT PROJECT(S) IN IMPLEMENTING THE TRAFFIC CONTROL PLAN AS DIRECTED BY THE ENGINEER. ALL CONFLICTING SIGNS SHALL BE COVERED OR REMOVED AS DIRECTED BY THE ENGINEER.
- (37) THE CONTRACTOR SHALL COVER OR REMOVE ANY TEMPORARY TRAFFIC CONTROL SIGNS SHOWN IN THE TRAFFIC CONTROL PLAN THAT DO NOT APPLY TO THE CURRENT PHASE.
- (38) THE RETROREFLECTIVE SIGN SHEETING ON RIGID, TEMPORARY TRAFFIC CONTROL (ORANGE) SIGNS SHALL BE MINIMUM TYPE IX.
- (39) TEMPORARY STRIPING SHALL CONFORM TO FINISHED STRIPE SPECIFICATIONS FOR ALIGNMENT, NEATNESS, AND STRAIGHTNESS.

UTILITIES

- (40) UTILITIES ON THE DRAWINGS ARE SHOWN IN THEIR ORIGINAL LOCATION BASED UPON THE BEST INFORMATION AVAILABLE TO THE ENGINEER. UTILITIES THAT WERE FOUND TO BE IN CONFLICT WITH CONSTRUCTION HAVE BEEN RELOCATED. PERMITS ARE ON FILE WITH THE DEPARTMENT SHOWING THE APPROXIMATE LOCATION OF UTILITIES RELOCATED WITHIN THE RIGHT-OF-WAY. THE ENGINEER CAN NOT AND DOES NOT WARRANT THAT THIS INFORMATION IS COMPLETE OR ACCURATE. THE CONTRACTOR MUST COORDINATE DIRECTLY WITH THE INVOLVED UTILITY OWNERS TO HAVE UNDERGROUND UTILITY LINES FIELD LOCATED IN ADVANCE OF CONSTRUCTION.
- (41) FOR LIST OF PUBLIC UTILITIES, SEE WORKING NO. 3-LT.

MISCELLANEOUS

- (42) SOME WORK IS REQUIRED OUTSIDE THE PROJECT LIMITS. NO ADDITIONAL COMPENSATION WILL BE MADE FOR SUCH WORK EXCEPT AS PROVIDED BY SPECIFIC PAY ITEMS INCLUDED IN THE PLANS.
- (43) THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAINTAINING AND RELOCATING MAIL BOXES AS NECESSARY TO MAINTAIN CONTINUOUS MAIL SERVICE THROUGHOUT THE LIFE OF THE PROJECT, THE COST OF WHICH SHALL BE ABSORBED IN OTHER ITEMS BID.
- (44) THE CONTRACTOR IS RESPONSIBLE FOR FIELD-VERIFICATION OF EXISTING GRADES AND MAKING ADJUSTMENTS AS NECESSARY WITH THE APPROVAL OF THE PROJECT ENGINEER.
- (45) THE CONTRACTOR SHALL COORDINATE AND CONDUCT WORK AT LOCAL ROADS AND DRIVEWAYS IN A MANNER SUCH THAT ACCESS IS NOT INTERRUPTED UNNECESSARILY. ACCESS SHALL BE PRESERVED IN THE BEST MANNER POSSIBLE. COORDINATION AND COMMUNICATION WITH LANDOWNERS MAY BE NECESSARY TO PREVENT INTERRUPTION OF DRIVEWAY ACCESS.

1/8/2024 2:58 PM GN-1.DGN ROADWAY PLAN DIVISION MISSISSIPPI DEPARTMENT OF TRANSPORTATION

REVISION		BY		MISSISSIPPI DEPARTMENT OF TRANSPORTATION GENERAL NOTES UNIVERSITY AVE.	
DATE		DESIGN TEAM WEI		PROJ. NO.: STP-0019-02(058) COUNTY: LAFAYETTE	
CHECKED WEI		DATE 1/8/2024		WORKING NUMBER GN-2	
FILENAME:GN-1.dgn				SHEET NUMBER 5	

