

Proposal & Plan Sales Will Begin on July 1, 2024



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For July - July 23, 2024

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 23, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JULY 1, 2024

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
 For Information Please Contact:
 Contract Administration Division
 Jackson, MS
 Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
 For Information Please Contact:
 MDOT Plans Print Shop
 Jackson, MS
 Telephone: (601) 359-7460
 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 23, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
01	NHPP-0008-04(066)/108150301	YAZOO
* 02	NH-0011-02(093)/108264301	MONTGOMERY
03	BR-0016-01(034)/106912301	SUNFLOWER
* 04	STBG-0055-02(280)/109526301	HOLMES
* 05	STP-2171-00(029)/108273301	LAMAR
* 06	STBG-9999-05(396)/1087793050 & STBG-9999-05(396)/1087793051 & STBG-9999-05(396)/1087793052	LEAKE, NESHOPA, NEWTON
* 07	SP-0009-05(037)/108971301	TUNICA
* 08	SP-0020-01(281)/109555301	RANKIN
* 09	SP-0032-01(047)/108992301 & HSIP-0032-01(050)/109541301	MARION
* 10	SP-0072-04(032)/109468301 & SP-0072-04(032)/109468302	SUNFLOWER
* 11	SP-0306-00(025)/108943301	COPIAH
* 12	SP-0335-00(012)/109470301	SMITH
13	SP-2841-00(015)/108905301 & SP-2841-00(015)/108905302	CHICKASAW, LEE
* 14	MP-5016-40(015)/308840304 & MP-5016-50(012)/308840305	LEAKE, NESHOPA
* 15	MP-6000-00(409)/308886301	DISTRICT 6

*	16	SP-9999-07(396)/109469301 & SP-9999-07(396)/109469302	AMITE, PIKE
	17	BWO-1182-02(002)/503757301 & BWO-1181-29(004)/503757302	ALCORN, ITAWAMBA
	18	BWO-2162-14(002)/503757303 & BWO-2199-17(003)/503757304	COAHOMA, DESOTO
	19	BWO-6070-23(003)/503755301 & BWO-6197-55(004)/503755302	HANCOCK, PEARL RIVER
	20	BWO-7124-57(003)/503755303 & BWO-7135-79(003)/503755304	PIKE, WILKINSON

CALL No. 01

Pavement Restoration on approximately 11 miles of US 49 from 0.8 miles north of Old Highway 49 to SR 16 & US 49 Frontage Road just South of Yazoo High School, known as Federal Aid Project No. NHPP-0008-04(066) / 108150301 in Yazoo County.

PROJECT COMPLETION: NOVEMBER 20, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

3 Acre	201-B001	Clearing and Grubbing
1 Each	202-B018	Removal of Box Culvert
15 Linear Feet	202-B019	Removal of Box Culvert
852 Square Yard	202-B045	Removal of Cement Treated Base, All Depths
275 Square Yard	202-B063	Removal of Concrete Paved Ditch
9,955 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
3,072 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
1,849 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
2 Each	202-B129	Removal of Flared End Section, All Sizes
586 Square Yard	202-B168	Removal of Island Pavement, All Types
234 Linear Feet	202-B191	Removal of Pipe, 8" And Above
200 Each	202-B219	Removal of Sign, Ground Mounted with Posts
100 Square Yard	202-B229	Removal of Soil Cement, All Depths
8,156 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
12,537 Cubic Yard	203-G001	Excess Excavation, FM, AH
7 Cubic Yard	206-A001	Structure Excavation
50 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4,914 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,311 Square Yard	209-A006	Geotextile Stabilization, Type VI
2,024 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
15 Ton	213-C001	Superphosphate
1,000 Square Yard	217-A001	Ditch Liner
2 Cubic Yard	221-A001	Concrete Paved Ditch
30 Acre	223-A001	Mowing

30 Acre	225-A001	Grassing
90 Ton	225-B001	Agricultural Limestone
60 Ton	225-C001	Mulch, Vegetative Mulch
30 Acre	226-A001	Temporary Grassing
1,726 Square Yard	229-A001	Erosion Mat
437 Linear Feet	237-A002	Wattles, 20"
2,592 Linear Feet	246-B002	Rockbags
49 Ton	249-A001	Riprap for Erosion Control
350 Cubic Yard	249-B001	Remove and Reset Riprap
61,879 Ton	304-B004	Granular Material, Class 5, Group D
1 Mile	321-A001	12" In-Grade Preparation
43,264 Ton	403-A001	12.5-mm, HT, Asphalt Pavement
26,021 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,306 Ton	403-A006	19-mm, ST, Asphalt Pavement
2,597 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
20,283 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
16,258 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
119,457 Gallon	407-A001	Asphalt for Tack Coat
36 Mile	423-A001	Rumble Strips, Ground In
2,872 Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
2,390 Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,152 Linear Feet	503-C004	Saw Cut, 3-inch
3,542 Linear Feet	503-C010	Saw Cut, Full Depth
347 Cubic Yard	503-D001	Concrete for Base Repair
252 Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
14 Cubic Yard	601-A001	Class "B" Structural Concrete
1 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2,115 Pounds	602-A001	Reinforcing Steel
105 Linear Feet	603-ALT003	18" Type A Alternate Pipe
76 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III

2	Each	603-CB003	18" Reinforced Concrete End Section
389	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
500	Linear Feet	605-O004	6" Perforated Sewer Pipe for Underdrains, SDR 23.5
76	Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
593	Cubic Yard	605-X003	Filter Material for Filter Beds, Type B
240	Each	606-A002	Guard Post, Type II Modified
2,131	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
73	Square Yard	614-B003	Concrete Driveway, With Reinforcement, 6-inch Thickness
112	Square Yard	614-B004	Concrete Driveway, With Reinforcement, 8-inch Thickness
37	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
585	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Lump Sum	618-A001	Maintenance of Traffic
19	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
35	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
21	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
61,681	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
70	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
9,461	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
3,208	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
859	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
189	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
672	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
432	Linear Feet	619-G4005	Barricades, Type III, Single Faced
144	Linear Feet	619-G4007	Barricades, Type III, Single Faced, Permanent, Red/White
167	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
53	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization

21	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
19	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
35	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
38,379	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
24,306	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
70	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
9,296	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
3,208	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
859	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
811	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,133	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
370	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
770	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
3,053	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
177	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
18	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
80	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
40	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
1	Lump Sum	699-A001	Roadway Construction Stakes
615	Ton	815-A007	Loose Riprap, Size 300
1,211	Square Yard	815-E001	Geotextile under Riprap
3,510	Linear Feet	907-234-A001	Temporary Silt Fence
1,260	Linear Feet	907-234-C001	Super Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard
26,790	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
36,074	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
1,305	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
18	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

3,445 Ton

304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

3,445 Ton

304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

3,445 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 02

Seal & Overlay approximately 3 miles of US 82 from the end of the concrete section to west of Greensboro Road, known as Project No. NH-0011-02(093) / 108264301 in Montgomery County.

PROJECT COMPLETION: 102 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

143	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,953	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
160	Each	202-B215	Removal of Sign Including Post & Footing
3,902	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,200	Ton	304-B004	Granular Material, Class 5, Group D
100	Ton	403-A006	19-mm, ST, Asphalt Pavement
6,575	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
5,390	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
100	Ton	403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
1,675	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
800	Square Yard	406-B001	Cold Milling of Concrete Pavement, All Depths
80,713	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,000	Gallon	407-A001	Asphalt for Tack Coat
1,824	Square Feet	412-A001	Pre-Grinding
10	Mile	423-A001	Rumble Strips, Ground In
168	Linear Feet	503-C010	Saw Cut, Full Depth
2,304	Linear Feet	606-B001	Guard Rail, Class A, Type 1
14	Each	606-D019	Guard Rail, Bridge End Section, Type H
10	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A3001	Temporary Traffic Stripe, Skip White
30,300	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

1	Lump Sum	620-A001	Mobilization
7	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,550	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,450	Linear Feet	626-E002	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5	Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
19,820	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
10,500	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
650	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,000	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
2,000	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
750	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
590	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
979	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
169	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
930	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,485	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
58	Each	630-F004	Delineators, Guard Rail, Double White
48	Each	630-F005	Delineators, Guard Rail, Double Yellow
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
580	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
79,300	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Each	907-688-A002	Traffic Recorder WIM Kistler System, 4-Lane
ALTERNATE GROUP AA NUMBER 1			
100	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
100	Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3			
100	Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 03

Bridge Replacement on SR 8 over the Quiver River (Bridge No. 31.2), known as Federal Aid Project No. BR-0016-01(034) / 106912301 in Sunflower County.

PROJECT COMPLETION: 295 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,789	Square Yard	501-K001	Transverse Grooving
1,155	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,615	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
1,070	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
805	Linear Feet	804-C170	135' Prestressed Concrete Beam, Type FIB-54
1,130	Linear Feet	804-C201	95' Prestressed Concrete Beam, Type FIB-36
712	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
255,704	Pounds	805-A001	Reinforcement
6,060	Pounds	805-C001	Reinforcement, Corrosion Resistant
894	Linear Feet	813-A004	Concrete Railing, 36"
940	Ton	815-A007	Loose Riprap, Size 300
752	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
3	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
3	Each	907-803-J001	Pile Restrike
548	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
225	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
88	Linear Feet	907-823-A002	Preformed Joint Seal, Type II

Roadway Items

7	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
4,490	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
600	Linear Feet	202-B136	Removal of Guard Rail
16	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,831	Cubic Yard	203-A001	Unclassified Excavation, FM, AH

12,625	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
49	Square Yard	209-A001	Geotextile Stabilization, Type III
5,525	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
14	Ton	213-A001	Agricultural Limestone
4	Ton	213-C001	Superphosphate
14	Ton	215-A001	Vegetative Materials for Mulch
83	Square Yard	216-A001	Solid Sodding
1,111	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
14	Cubic Yard	221-A001	Concrete Paved Ditch
14	Acre	223-A001	Mowing
7	Acre	225-A001	Grassing
7	Acre	226-A001	Temporary Grassing
70	Each	235-A001	Temporary Erosion Checks
315	Linear Feet	237-A002	Wattles, 20"
500	Linear Feet	239-A001	Temporary Slope Drains
125	Each	246-B001	Rockbags
1,000	Ton	304-B004	Granular Material, Class 5, Group D
1,396	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
550	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
671	Ton	403-A006	19-mm, ST, Asphalt Pavement
650	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
902	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
966	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
89	Linear Feet	501-E001	Expansion Joints, Without Dowels
89	Linear Feet	501-I001	Joint Filler, Wooden Board
183	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
3	Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures

48	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
89	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
8	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge
1	Lump Sum	618-D001	Construction and Removal of Detour
970	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
6,300	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,000	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
2,000	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
96	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
25	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
46	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
263	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
18	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
20	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
4,000	Linear Feet	626-C001	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,000	Linear Feet	626-D002	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
25	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
36	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
6	Linear Feet	630-C1001	Square Post Inner Sleeve
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
200	Linear Feet	907-234-A001	Temporary Silt Fence
500	Linear Feet	907-234-C001	Super Silt Fence
625	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

1,500	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,500	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,500	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

54	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

54	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

CALL No. 04

Bridge Repair on Browns Quarter Road over I-55 (Bridge No. 141.6), known as Federal Aid Project No. STBG-0055-02(280) / 109526301 in Holmes County.

PROJECT COMPLETION: APRIL 18, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
924	Linear Feet	626-E003	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,354	Square Yard	907-417-A001	Polymer Cement Surface System
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-824-C001	Cap Cleaning
10	Each	907-824-D001	Bearing Replacements

CALL No. 05

Overlay approximately 7 miles of US 11 from Talowah Cutoff Road to SR 589, known as Federal Aid Project No. STP-2171-00(029) / 108273301 in Lamar County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

215 Station	201-D001	Random Clearing
2,075 Linear Feet	202-B240	Removal of Traffic Stripe
200 Cubic Yard	203-EX037	Borrow Excavation, AH, LVM, Class B7
200 Square Yard	216-A001	Solid Sodding
4,275 Ton	304-F003	Size 825B Crushed Stone Base
11,400 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
16,425 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
25,025 Gallon	407-A001	Asphalt for Tack Coat
12 Mile	423-A001	Rumble Strips, Ground In
3 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
89 Pounds	602-A001	Reinforcing Steel
8 Linear Feet	603-CA027	24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
1 Each	603-CB004	24" Reinforced Concrete End Section
8 Linear Feet	603-CE019	44" x 27" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
1 Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
1 Square Feet	618-B001	Additional Construction Signs
23 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
8,700 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
350 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,400 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
180 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
1 Lump Sum	620-A001	Mobilization
1 Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White

12 Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8 Mile	626-F001	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
8,500 Linear Feet	626-G002	Thermoplastic Detail Stripe, White
8,850 Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
350 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
2,400 Linear Feet	626-H005	Thermoplastic Legend, White
510 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
880 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
160 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
4,425 Ton	907-411-A001	Ultra Thin Asphalt Pavement
24,700 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1 Lump Sum	907-618-A001	Maintenance of Traffic
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
ALTERNATE GROUP AA NUMBER 1		
1,775 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
900 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
ALTERNATE GROUP AA NUMBER 2		
1,775 Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
900 Mile	628-I001	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 06

Bridge Preventive Maintenance on SR 16 (Bridge No. 122.8), SR 15 (Bridge Nos. 172.2, 172.4, & 172.6) & I-20 (Bridge Nos. 100.5B, 110.7A & 110.7B), known as Federal Aid Project No. STBG-9999-05(396) / 1087793050, 3051, & 3052 in Leake, Neshoba, & Newton Counties.

PROJECT COMPLETION: 190 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

89	Square Yard	202-B063	Removal of Concrete Paved Ditch
1,500	Ton	815-A007	Loose Riprap, Size 300
670	Square Yard	815-E001	Geotextile under Riprap
1,272	Linear Feet	907-808-A002	Joint Repair
636	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,272	Linear Feet	907-823-B001	Saw Cut, Type I
71	Square Feet	907-824-A003	General Epoxy Repair
57	Each	907-824-C001	Cap Cleaning
178	Each	907-824-D001	Bearing Replacements
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping

Roadway Items

80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
160	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
70	Linear Feet	619-F1001	Concrete Median Barrier, Precast
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Each	619-J1002	Impact Attenuator, 45 MPH
1	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
7,500	Pounds	907-420-A001	Undersealing
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 07

Scrub Seal & Overlay approximately 10 miles of US 61 from Clayton to State Aid Road 72, known as Project No. SP-0009-05(037) / 108971301 in Tunica County.

PROJECT COMPLETION: 137 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,700 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
191 Each	202-B215	Removal of Sign Including Post & Footing
1,084 Linear Feet	202-B240	Removal of Traffic Stripe
100 Cubic Yard	203-G001	Excess Excavation, FM, AH
20,600 Ton	304-B004	Granular Material, Class 5, Group D
100 Ton	403-A006	19-mm, ST, Asphalt Pavement
5,800 Ton	403-A013	9.5-mm, HT, Asphalt Pavement
2,300 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
26,225 Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
155,150 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
42,000 Gallon	407-A001	Asphalt for Tack Coat
3,432 Square Feet	412-A001	Pre-Grinding
30 Mile	423-A001	Rumble Strips, Ground In
1,200 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
6 Each	606-D019	Guard Rail, Bridge End Section, Type H
2 Each	606-D022	Guard Rail, Bridge End Section, Type I
8 Each	606-E005	Guard Rail, Terminal End Section, Flared
32 Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
1 Square Feet	618-B001	Additional Construction Signs
42 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
39 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
38 Mile	619-A3001	Temporary Traffic Stripe, Skip White
7 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
31,875 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

5,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Mile	626-A001	6" Thermoplastic Double Drop Traffic Stripe, Skip White
21	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
20	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
22,560	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
9,300	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
2,520	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
5,000	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
735	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,280	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
1,244	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
491	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
572	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
485	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
585	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,205	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
68	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
24	Each	630-F006	Delineators, Guard Rail, White
24	Each	630-F007	Delineators, Guard Rail, Yellow
78	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
239,310	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 08

Bridge Repair on I-20 over SR 43 (Bridge No. 69.0B), known as State Project No. SP-0020-01(281) / 109555301 in Rankin County.

PROJECT COMPLETION: 76 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

8 Square Feet	907-824-A003	General Epoxy Repair
11 Linear Feet	907-824-B005	FRP Wrap, Bi-directional
2 Each	907-824-PP006	Bridge Repair, Prestress Strand Repair

Roadway Items

1 Square Feet	618-B001	Additional Construction Signs
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 09

Overlay approximately 12 miles of SR 43 from the Pearl River County Line to SR 13, known as Project Nos. HSIP-0032-01(050) / 109541301 & SP-0032-01(047) / 108992301 in Marion County.

PROJECT COMPLETION: 107 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

573	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
5,776	Linear Feet	202-B240	Removal of Traffic Stripe
1,215	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
63	Ton	403-A006	19-mm, ST, Asphalt Pavement
16,846	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,285	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,982	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
13,056	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,736	Gallon	407-A001	Asphalt for Tack Coat
5,820	Square Feet	412-A001	Pre-Grinding
23	Mile	423-A001	Rumble Strips, Ground In
502	Linear Feet	503-C010	Saw Cut, Full Depth
2	Square Feet	618-B001	Additional Construction Signs
39	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,578	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,433	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
89	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
22	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,098	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
480	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

2,348	Linear Feet	626-H005	Thermoplastic Legend, White
438	Each	627-H001	Chip Seal Reflective Raised Markers
6,341	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,061	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
23,114	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 10

Mill & Overlay approximately 8 miles of US 49W from US 82 to Sunflower & Overlay approximately 1 mile of SR 3 from A.J. Riley Road to US 49W, known as Project Nos. SP-0072-04(032) / 109468301 & 302 in Sunflower County.

PROJECT COMPLETION: 102 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,708	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,382	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
660	Linear Feet	202-B136	Removal of Guard Rail
900	Linear Feet	202-B240	Removal of Traffic Stripe
552	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,025	Ton	304-D002	Granular Material, Crushed Stone
11,975	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,614	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
1,320	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
11,525	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
9,800	Gallon	407-A001	Asphalt for Tack Coat
16	Mile	423-A001	Rumble Strips, Ground In
4,237	Linear Feet	503-C010	Saw Cut, Full Depth
400	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Square Feet	618-B001	Additional Construction Signs
33	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,225	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,060	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
17	Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

3	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,225	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
1,830	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,660	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
740	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
840	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
16	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
40,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 11

Overlay approximately 6 miles of SR 547 from SR 28 to the Claiborne County Line, known as Project No. SP-0306-00(025) / 108943301 in Copiah County.

PROJECT COMPLETION: 96 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

400 Station	201-D001	Random Clearing
2 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Cubic Yard	203-G001	Excess Excavation, FM, AH
3,600 Ton	304-B004	Granular Material, Class 5, Group D
6,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
1,850 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,700 Gallon	407-A001	Asphalt for Tack Coat
28 Linear Feet	503-C010	Saw Cut, Full Depth
1 Square Feet	618-B001	Additional Construction Signs
12 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
750 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
200 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
12 Mile	626-B002	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5 Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
850 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
500 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
450 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
150 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
600 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1 Lump Sum	907-618-A001	Maintenance of Traffic

66 Linear Feet

907-619-B001 Temporary Portable Rumble Strips

CALL No. 12

Overlay approximately 8 miles of SR 531 from SR 28 to CR 99, known as State Project No. SP-0335-00(012) / 109470301 in Smith County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,339	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
11,994	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
798	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
933	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
10,433	Gallon	407-A001	Asphalt for Tack Coat
16	Mile	423-A001	Rumble Strips, Ground In
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,745	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,422	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
16	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
11	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,110	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
635	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow
1,962	Linear Feet	626-H005	Thermoplastic Legend, White
395	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
782	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
28	Each	630-F006	Delineators, Guard Rail, White
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

CALL No. 13

Mill & Overlay approximately 13 miles of SR 245 from US 45A to SR 145, known as Project No. SP-2841-00(015) / 108905301 & 302 in Chickasaw & Lee Counties.

PROJECT COMPLETION: 135 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

140	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
950	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
170	Cubic Yard	203-G001	Excess Excavation, FM, AH
7,840	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
630	Ton	403-A006	19-mm, ST, Asphalt Pavement
27,716	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
231,020	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
34,710	Gallon	407-A001	Asphalt for Tack Coat
26	Mile	423-A001	Rumble Strips, Ground In
1,650	Linear Feet	503-C010	Saw Cut, Full Depth
2	Square Feet	618-B001	Additional Construction Signs
78	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
27	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
38	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
26,820	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,600	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,960	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
27	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
10,840	Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
2,570	Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
800	Square Feet	626-H001	Thermoplastic Double Drop Legend, White
4,490	Linear Feet	626-H002	Thermoplastic Double Drop Legend, White

1,860	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
140	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,260	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
150	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
180	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
4	Each	907-619-E3001	Changeable Message Sign

ALTERNATE GROUP AA NUMBER 1

310	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

310	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

310	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 14

Micro-Surface approximately 12 miles of SR 16 from 0.5 miles east of the Leake County Line to the beginning of 4-Lane in Choctaw & from end of 4-Lane east of SR 25 to the end of 4-Lane East of the Carthage City Limits, known as Project Nos. MP-5016-40(015) / 308840304 & MP-5016-50(012) / 308840305 in Leake & Neshoba Counties.

PROJECT COMPLETION: 110 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,309	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
1,239	Square Feet	202-B172	Removal of Legend, All Types
177,607	Linear Feet	202-B240	Removal of Traffic Stripe
200	Cubic Yard	203-G002	Excess Excavation, LVM, AH
157	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
442	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
3,182	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
450	Gallon	407-A001	Asphalt for Tack Coat
1,450	Linear Feet	413-C001	Cleaning and Sealing Cracks
1,592	Linear Feet	503-C010	Saw Cut, Full Depth
46	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3001	Temporary Traffic Stripe, Skip White
18	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
7,373	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,239	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,294	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
675	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
360	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
6	Mile	626-A004	6" Thermoplastic Traffic Stripe, Skip White
22	Mile	626-C002	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	626-D001	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

10 Mile	626-E001	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,959 Linear Feet	626-G004	Thermoplastic Double Drop Detail Stripe, White
5,414 Linear Feet	626-G005	Thermoplastic Double Drop Detail Stripe, Yellow
1,239 Square Feet	626-H001	Thermoplastic Double Drop Legend, White
1,294 Linear Feet	626-H002	Thermoplastic Double Drop Legend, White
1,529 Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
942 Each	627-K001	Red-Clear Reflective High Performance Raised Markers
2,461 Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,549 Gallon	907-414-B001	Asphalt for Fog Seal
79,900 Gallon	907-418-A001	Emulsified Asphalt for Micro-Surfacing
2,702 Ton	907-418-B001	Aggregate for Micro-Surfacing
1 Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 15

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. MP-6000-00(409) / 308886301 in District 6.

PROJECT COMPLETION: 115 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	618-A001	Maintenance of Traffic
1	Lump Sum	620-A001	Mobilization
86,115	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
62,020	Each	627-K001	Red-Clear Reflective High Performance Raised Markers
22,600	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 16

Clean & Seal Cracks on SR 946 from the Wilkinson County Line to SR 24, and on SR 570 from 0.3 miles west of Thompson Road to Enterprise Road, known as Project Nos. SP-9999-07(396) / 109469301 & 302 in Amite & Pike Counties.

PROJECT COMPLETION: 87 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

95,000	Linear Feet	413-C001	Cleaning and Sealing Cracks
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 17

Renovation of Welcome Centers, known as State Project Nos. BWO-1182-02(002) / 503757301 & BWO-1181-29(004) / 503757302, in Alcorn & Itawamba Counties.

PROJECT COMPLETION: DECEMBER 13, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	1510-A001	Renovate Alcorn Welcome Center
1 Lump Sum	1510-A001	Renovate Itawamba Welcome Center

CALL No. 18

Renovation of Delma Furniss Hospitality Station & Desoto Welcome Center, known as State Project Nos. BWO-2162-14(002) / 503757303 & BWO-2199-17(003) / 503757304 in Coahoma & Desoto Counties.

PROJECT COMPLETION: FEBRUARY 14, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	1510-A001	Renovate Delma Furniss Hospitality Station
1 Lump Sum	1510-A001	Renovate Desoto Welcome Center

CALL No. 19

Renovation of Welcome Centers, known as State Project Nos. BWO-6070-23(003) / 503755301 & BWO-6197-55(004) / 503755302 in Hancock & Pearl River Counties.

PROJECT COMPLETION: DECEMBER 13, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Lump Sum	1510-A001	Renovate Welcome Center in Hancock County
1 Lump Sum	1510-A001	Renovate Welcome Center in Pearl River County

CALL No. 20

Renovation of Welcome Center & Woodville Hospitality Station, known as State Project Nos. BWO-7124-57(003) / 503755303 & BWO-7135-79(003) / 503755304 in Pike & Wilkinson Counties.

PROJECT COMPLETION: DECEMBER 13, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Lump Sum	1510-A001	Renovate Hospitality Station in Wilkinson County
1 Lump Sum	1510-A001	Renovate Welcome Center in Pike County

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR