

Proposal & Plan Sales Will Begin on August 5, 2024



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For August - August 27, 2024

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR AUGUST - Tuesday, August 27, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 5, 2024

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 27, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
*	01 SP-0013-03(031)/109237301	JONES
	02 BR-0018-01(026)/106109301 & BR-0018-01(026)/106109302	HUMPHREYS, WASHINGTON
	03 SP-0033-02(005)/108918301	ALCORN
	04 HSIP-0055-04(118)/109063301 & HSIP-0055-04(118)/109063302 & HSIP-0055-04(118)/109063303	PANOLA, YALOBUSHA
	05 IM-0055-01(130)/109475301 & IM-0055-01(131)/109478301	LINCOLN, PIKE
*	06 STBG-0059-02(120)/109530301	JONES
*	07 STBG-0063-04(011)/108706301	GREENE
	08 STBG-0072-04(030)/109303301	SUNFLOWER
*	09 SP-0306-00(024)/108942301	CLAIBORNE
*	10 SP-0350-00(018)/109247301	SIMPSON
*	11 SP-1441-00(007)/108944301	WARREN
*	12 STBG-8362-00(001)/109534301	LOWNDES
*	13 SP-0008-02(128)/109568301	SIMPSON
*	14 BWO-5040-38(006)/503756301	LAUDERDALE

CALL No. 01

Widen, Level, & Overlay on SR 28 from the intersection of US 84 west approximately 5 miles, known as Project No. SP-0013-03(031) / 109237301 in Jones County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items**

141	Station	201-D001	Random Clearing
887	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
410	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
32	Linear Feet	202-B191	Removal of Pipe, 8" And Above
10	Square Yard	202-B208	Removal of Riprap
44	Cubic Yard	206-A001	Structure Excavation
10	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
10	Cubic Yard	221-A001	Concrete Paved Ditch
2,040	Ton	304-F003	Size 825B Crushed Stone Base
310	Ton	403-A005	19-mm, MT, Asphalt Pavement
8,690	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
5,800	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
1,334	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
14,285	Gallon	407-A001	Asphalt for Tack Coat
9	Mile	423-A001	Rumble Strips, Ground In
30	Cubic Yard	601-A001	Class "B" Structural Concrete
310	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,144	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,132	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
16	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
9	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,168	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
976	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,132	Linear Feet	907-626-H010	Thermoplastic Legend, White
320	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
619	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,240	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
10	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers

CALL No. 02

Bridge Replacement on SR 12 over the Sunflower River (Bridge No. 23.9), known as Federal Aid Project Nos. BR-0018-01(026) / 106109301 & 302 in Humphreys & Washington Counties.

PROJECT COMPLETION: 325 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

3,638	Square Yard	501-K001	Transverse Grooving
900	Linear Feet	803-K014	Drilled Shaft, 84" Diameter
1	Each	803-L009	Test Shaft, 84" Diameter
145	Linear Feet	803-M012	Trial Shaft, 84" Diameter
90	Linear Feet	803-N001	Exploration
900	Linear Feet	803-O028	Temporary Casing, 84" Diameter
2,720	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
383,522	Pounds	805-A001	Reinforcement
2,317,494	Pounds	810-A007	Structural Steel, A 709, Grade 50W
338,644	Pounds	810-A008	Structural Steel, A 709, Grade HPS 70W
16	Each	811-D001	Disc Bearing Device
1,819	Linear Feet	813-A003	Concrete Railing, 42"
3,260	Ton	815-A007	Loose Riprap, Size 300
1,947	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
4	Each	907-803-J001	Pile Restrike
509	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,153	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
83	Linear Feet	907-822-PP004	7" Segmental Expansion Joint

Roadway Items

11	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
991	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
8,276	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths

43	Linear Feet	202-B019	Removal of Box Culvert
2	Each	202-B023	Removal of Bridge
664	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
111	Linear Feet	202-B191	Removal of Pipe, 8" And Above
14,122	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
182,324	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
13,308	Cubic Yard	203-G001	Excess Excavation, FM, AH
253	Cubic Yard	206-A001	Structure Excavation
26	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,488	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
13	Ton	213-C001	Superphosphate
214	Square Yard	216-A001	Solid Sodding
779	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
27	Acre	220-A001	Insect Pest Control
2	Cubic Yard	221-A001	Concrete Paved Ditch
52	Acre	223-A001	Mowing
223	Square Yard	224-A001	Soil Reinforcing Mat
27	Acre	225-A001	Grassing
52	Ton	225-B001	Agricultural Limestone
52	Ton	225-C001	Mulch, Vegetative Mulch
27	Acre	226-A001	Temporary Grassing
200	Square Yard	229-A001	Erosion Mat
500	Linear Feet	237-A002	Wattles, 20"
1	Each	247-A001	Temporary Stream Diversion
500	Ton	249-A001	Riprap for Erosion Control
95	Ton	304-D002	Granular Material, Crushed Stone
9,277	Square Yard	307-C004	6" Soil-Lime-Water Mixing, Class C
125	Ton	307-D001	Lime
2,320	Gallon	307-S001	Bituminous Curing Seal

84	Ton	308-A001	Cement
9,277	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
2,320	Gallon	308-S001	Bituminous Curing Seal
1,486	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
4,082	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,791	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
65	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
2,722	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,624	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
186	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
94	Cubic Yard	601-A001	Class "B" Structural Concrete
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
15,390	Pounds	602-A001	Reinforcing Steel
256	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
120	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
56	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
50	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
90	Linear Feet	605-T001	4" Perforated Pipe for Underdrains
10	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
250	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A003	Concrete Bridge End Barrier, 42"
46	Each	617-A001	Right-of-Way Marker
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
698	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More

72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
117	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1	Each	622-B001	Engineer's Field Office Building, Type 2 LO
40	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
270	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
18	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
80	Ton	815-A007	Loose Riprap, Size 300
54	Square Yard	815-E001	Geotextile under Riprap
10,550	Linear Feet	907-234-C001	Super Silt Fence
90	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
11,087	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,276	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4,709	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,771	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
801	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
144	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
101	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
34	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1,040	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
13,970	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			
13,970	Ton	304-F002	Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

13,970 Ton 304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

56 Cubic Yard 605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

56 Cubic Yard 605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 03

Mill & Overlay approximately 15 miles of SR 2 from the Tippah County Line to US 72, known as Project No. SP-0033-02(005) / 108918301 in Alcorn County.

PROJECT COMPLETION: 94 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

110	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
80	Each	202-B213	Removal of Sign
6,080	Linear Feet	202-B240	Removal of Traffic Stripe
73	Cubic Yard	203-G001	Excess Excavation, FM, AH
110	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
4,250	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
80	Ton	403-A005	19-mm, MT, Asphalt Pavement
19,150	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
220,550	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,050	Gallon	407-A001	Asphalt for Tack Coat
26	Mile	423-A001	Rumble Strips, Ground In
380	Linear Feet	503-C010	Saw Cut, Full Depth
1	Lump Sum	618-A001	Maintenance of Traffic
1	Square Feet	618-B001	Additional Construction Signs
58	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
35	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,525	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,300	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
31	Mile	626-C004	6" Thermoplastic Edge Stripe, Continuous White
9	Mile	626-D003	6" Thermoplastic Traffic Stripe, Skip Yellow
19	Mile	626-E004	6" Thermoplastic Traffic Stripe, Continuous Yellow
4,350	Linear Feet	626-G002	Thermoplastic Detail Stripe, White
2,200	Linear Feet	626-G003	Thermoplastic Detail Stripe, Yellow

3,050	Linear Feet	626-H005	Thermoplastic Legend, White
450	Each	627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,050	Each	627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,500	Each	627-M001	One-Way Clear Reflective High Performance Raised Markers
250	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
150	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
950	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
110	Square Yard	907-204-A003	Geogrid, Type II, Biaxial

ALTERNATE GROUP AA NUMBER 1

190	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

190	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

190	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

3,050	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,525	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

3,040	Linear Feet	628-H001	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,525	Linear Feet	628-I002	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 04

Installation of approximately 19 miles of Median Cable Barrier along I-55 from 0.7 miles south of SR 315 to Shiloh Road, from the Yalobusha County Line to Pope Water Valley Road, & from Tillatoba Creek to the Panola County Line, known as Federal Aid Project No. HSIP-0055-04(118) / 109063301, 302 & 303 in Panola & Yalobusha Counties.

PROJECT COMPLETION: 259 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

358	Square Yard	202-B063	Removal of Concrete Paved Ditch
76	Each	202-B165	Removal of Inlets, All Sizes
752	Linear Feet	202-B191	Removal of Pipe, 8" And Above
17,612	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
61,797	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
381	Cubic Yard	206-A001	Structure Excavation
22,185	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
34	Ton	213-C001	Superphosphate
41,819	Square Yard	216-A001	Solid Sodding
41,184	Square Yard	217-A001	Ditch Liner
837	Thousand Gallon	219-A001	Watering
31	Acre	220-A001	Insect Pest Control
3,475	Cubic Yard	221-A001	Concrete Paved Ditch
55	Acre	223-A001	Mowing
55	Acre	225-A001	Grassing
29	Ton	225-B001	Agricultural Limestone
110	Ton	225-C001	Mulch, Vegetative Mulch
55	Acre	226-A001	Temporary Grassing
3,467	Linear Feet	237-A002	Wattles, 20"
6,934	Each	246-B001	Rockbags
88	Ton	249-A001	Riprap for Erosion Control
31,346	Ton	304-B004	Granular Material, Class 5, Group D
88	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
5,495	Pounds	602-A001	Reinforcing Steel

608	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
120	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
32	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
19,000	Pounds	604-B001	Gratings
92,661	Linear Feet	610-A001	Cable Barrier
81	Each	610-B001	Cable Barrier Terminal Section
3	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
102,550	Linear Feet	907-234-A001	Temporary Silt Fence
76	Each	907-234-D001	Inlet Siltation Guard
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 05

Remove & Replace OGFC on approximately 9 miles of I-55 from US 98W to the bridge south of the Bouge Chitto Interchange, known as Federal Aid Project Nos. IM-0055-01(130) / 109475301 & IM-0055-01(131) / 109478301 in Lincoln & Pike Counties.

PROJECT COMPLETION: 146 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

96 Acre	201-D002	Random Clearing
6,740 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
9,408 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,560 Linear Feet	202-B240	Removal of Traffic Stripe
593 Cubic Yard	203-G002	Excess Excavation, LVM, AH
201 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
1,610 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
500 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
288,442 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
21,633 Gallon	407-A001	Asphalt for Tack Coat
8,978 Linear Feet	503-C010	Saw Cut, Full Depth
7,263 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
400 Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
32 Each	606-C003	Guard Rail, Cable Anchor, Type 1
4 Each	606-D005	Guard Rail, Bridge End Section, Type A
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
32 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4 Each	606-G001	Special Sections, Bridge Connector
32 Each	606-G004	Special Sections, Thrie Beam, Transition Section
2 Square Feet	618-B001	Additional Construction Signs
37 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
37 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
35 Mile	619-A3001	Temporary Traffic Stripe, Skip White
12,178 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
84 Square Feet	619-A6001	Temporary Traffic Stripe, Legend

608	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
153	Each	630-F006	Delineators, Guard Rail, White
135	Each	630-F007	Delineators, Guard Rail, Yellow
14,791	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
1	Lump Sum	907-618-A001	Maintenance of Traffic
18	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
18	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
19	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,619	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
470	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
42	Square Feet	907-626-H009	Thermoplastic Legend, White
304	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,405	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
19	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

2,339	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,339	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,339	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 06

Bridge Repair on Airport Road over I-59 (Bridge No. 75.0), known as Federal Aid Project No. STBG-0059-02(120) / 109530301 in Jones County.

PROJECT COMPLETION: JULY 11, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

166	Linear Feet	202-B169	Removal of Joint Material
1,688	Square Yard	907-417-A001	Polymer Cement Surface System
1	Lump Sum	907-618-A001	Maintenance of Traffic
166	Linear Feet	907-808-A003	Joint Repair Without Epoxy
85	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
166	Linear Feet	907-823-B002	Saw Cut, Type II
24	Square Feet	907-824-A003	General Epoxy Repair
120	Square Feet	907-824-B003	FRP Wrap, Bi-directional
6	Each	907-824-C001	Cap Cleaning
10	Each	907-824-D001	Bearing Replacements
4	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
83	Linear Feet	907-824-PP008	Bridge Repair, End wall Repair, Per Plans

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization

CALL No. 07

Widen & Overlay approximately 5 miles of SR 42 from 0.5 miles east of Pat James Road, East, known as Federal Aid Project No. STBG-0063-04(011) / 108706301 in Greene County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

540 Square Yard	202-B188	Removal of Pavement, All Types and Depths
3,225 Ton	304-F003	Size 825B Crushed Stone Base
94 Ton	403-A005	19-mm, MT, Asphalt Pavement
400 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
6,000 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
2,100 Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
16,350 Gallon	407-A001	Asphalt for Tack Coat
10 Mile	423-A001	Rumble Strips, Ground In
1 Square Feet	618-B001	Additional Construction Signs
21 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
8 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
10 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
470 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
185 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
12 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
10 Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
3,710 Ton	907-411-A001	Ultra Thin Asphalt Pavement
1 Lump Sum	907-618-A001	Maintenance of Traffic
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
11 Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5 Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
4 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
285 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
185 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

185	Linear Feet	907-626-H010	Thermoplastic Legend, White
45	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
685	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 08

Bridge Repair on US 49W at the Sunflower River (Bridge Nos. 255.2 & 255.2B), known as Federal Aid Project No. STBG-0072-04(030) / 109303301 in Sunflower County.

PROJECT COMPLETION: 126 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
2,177	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
905	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
17,170	Linear Feet	202-B240	Removal of Traffic Stripe
466	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
355	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
286	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,426	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-C001	Superphosphate
1	Acre	223-A001	Mowing
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
200	Linear Feet	237-A002	Wattles, 20"
54	Linear Feet	245-A001	Silt Dike
100	Each	246-B001	Rockbags
35	Ton	249-A001	Riprap for Erosion Control
717	Ton	304-D002	Granular Material, Crushed Stone
1,131	Ton	304-F001	3/4" and Down Crushed Stone Base
1,131	Ton	304-F002	Size 610 Crushed Stone Base
1,131	Ton	304-F003	Size 825B Crushed Stone Base
236	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
354	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,767	Ton	403-A014	9.5-mm, MT, Asphalt Pavement

150	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
22,047	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
162	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
1,722	Linear Feet	503-C010	Saw Cut, Full Depth
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
150	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
2	Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
2	Each	606-D019	Guard Rail, Bridge End Section, Type H
2	Each	606-E001	Guard Rail, Terminal End Section
2	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
2	Each	606-G001	Special Sections, Bridge Connector
9,650	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
14,420	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5,300	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
256	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
81	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
84	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
137	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
733	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
643	Linear Feet	619-F1001	Concrete Median Barrier, Precast
643	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
288	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
146	Each	619-G5001	Free Standing Plastic Drums
10	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1006	Impact Attenuator, 55 MPH
1	Each	619-J2006	Impact Attenuator, 55 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
12	Each	630-F006	Delineators, Guard Rail, White

12	Each	630-F007	Delineators, Guard Rail, Yellow
8	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
1,320	Linear Feet	907-234-A001	Temporary Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic
7,117	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6,396	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5,753	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,701	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,203	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
269	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
45	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
163	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

Bridge Items

2,934	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
1,000	Pounds	907-420-A001	Undersealing
157	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
933	Linear Feet	907-808-A002	Joint Repair
427	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
41	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
852	Linear Feet	907-823-B001	Saw Cut, Type I
138	Square Feet	907-824-A003	General Epoxy Repair
82	Linear Feet	907-824-B002	FRP Wrap, Uni-directional
14	Each	907-824-C001	Cap Cleaning
852	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
2	Each	907-824-PP006	Bridge Repair, Installation of Saddles, Per Plans
845	Linear Feet	907-824-PP008	Bridge Repair, Class II, Spray Finish, Per Plans
845	Linear Feet	907-824-PP008	Bridge Repair, Rail Cleaning, Per Plans

CALL No. 09

Overlay approximately 19 miles of SR 547 from the Covich County Line to US 61 in Port Gibson, known as Project No. SP-0306-00(024) / 108942301 in Claiborne County.

PROJECT COMPLETION: 173 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

840 Station	201-D001	Random Clearing
140 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,808 Linear Feet	202-B136	Removal of Guard Rail
2,300 Linear Feet	202-B240	Removal of Traffic Stripe
47 Cubic Yard	203-G001	Excess Excavation, FM, AH
1,800 Ton	304-B004	Granular Material, Class 5, Group D
22,500 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
93 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
750 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
16,200 Gallon	407-A001	Asphalt for Tack Coat
9,960 Square Feet	412-A001	Pre-Grinding
590 Linear Feet	503-C010	Saw Cut, Full Depth
2,350 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D003	Guard Rail, Bridge End Section, Special Design
8 Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
4 Each	606-D019	Guard Rail, Bridge End Section, Type H
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
24 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
12 Each	606-G001	Special Sections, Bridge Connector
1 Square Feet	618-B001	Additional Construction Signs
38 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
23 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,800 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

1	Lump Sum	620-A001	Mobilization
102	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
38	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
12	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
23	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,000	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,200	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,100	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
700	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,900	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 10

Overlay approximately 6 miles of SR 478 from Shivers Road to SR 43, known as Project No. SP-0350-00(018) / 109247301 in Simpson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

778	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
723	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
14,751	Gallon	407-A001	Asphalt for Tack Coat
576	Square Feet	412-A001	Pre-Grinding
1	Square Feet	618-B001	Additional Construction Signs
12	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,894	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,358	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
4,313	Ton	907-411-A001	Ultra Thin Asphalt Pavement
600	Ton	907-411-A001	Ultra Thin Asphalt Pavement Leveling
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
12	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
12	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
9	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,655	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,194	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
908	Linear Feet	907-626-H010	Thermoplastic Legend, White
3,205	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
809	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 11

Mill & Overlay approximately 5 miles of SR 822 from the Glenwood Funeral Home to the EOSM near Bovina, known as Project No. SP-1441-00(007) / 108944301 in Warren County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

146	Station	201-D001	Random Clearing
587	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
10	Cubic Yard	203-G001	Excess Excavation, FM, AH
100	Ton	304-F003	Size 825B Crushed Stone Base
6,425	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
350	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
5,000	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
4,400	Gallon	407-A001	Asphalt for Tack Coat
920	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
12	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
8	Mile	619-A4004	Temporary Traffic Stripe, Skip Yellow, Paint
4,560	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
684	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
17,500	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
10	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
6	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,660	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,900	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
684	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White

450 Each

907-627-J001 Two-Way Clear Reflective High Performance Raised Markers

730 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 12

Bridge Repair on SR 182 (Bridge No.18.9), known as Federal Aid Project No. STBG-8362-00(001) / 109534301 in Lowndes County.

PROJECT COMPLETION: 72 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

162	Linear Feet	907-808-A002	Joint Repair
81	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
162	Linear Feet	907-823-B001	Saw Cut, Type I
20	Square Feet	907-824-A003	General Epoxy Repair Epoxy Repair
7	Each	907-824-C001	Cap Cleaning Cap Cleaning
20	Linear Feet	907-824-PP008	Bridge Repair, Railing Repair
15	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

Roadway Items

300	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
240	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
347	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
2,900	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
320	Linear Feet	615-B001	Precast Concrete Median Barrier
920	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
920	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
320	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
800	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
400	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

10 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

2 Each

907-643-A004 Video Vehicle Detection Sensor, Type 1A

CALL No. 13

Bridge Repair on US 49 over SR 13 (Bridge Nos. 127.4A & 127.4B), known as State Project No. SP-0008-02(128) / 109568301 in Simpson County.

PROJECT COMPLETION: DECEMBER 13, 2024

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
288	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
31	Square Feet	907-824-A003	General Epoxy Repair
77	Linear Feet	907-824-B002	FRP Wrap, Uni-directional
10	Each	907-824-PP006	Bridge Repair, Prestress Strand Repair

CALL No. 14

Renovation of the Welcome Center Building, known as State Project No. BWO-5040-38(006) / 503756301 in Lauderdale County.

PROJECT COMPLETION: DECEMBER 13, 2024

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items**

1 Lump Sum 1510-A001 Renovate Lauderdale Welcome Center Building

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR