

Proposal & Plan Sales Will Begin on September 3, 2024



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For September - September 25, 2024

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR SEPTEMBER - Wednesday, September 25, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 3, 2024

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Wednesday, September 25, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR SEPTEMBER

CALL	CONTRACT	COUNTY
*	01 SP-0002-03(096)/109003301	NOXUBEE
*	02 NHPP-0008-02(121)/108719301	COVINGTON
	03 NHPP-0011-01(076)/109504301	WASHINGTON
*	04 STBG-0020-01(283)/108902306	HINDS
*	05 HSIP-0050-01(042)/109485301	PONTOTOC
	06 NHPP-0056-01(105)/108281301	RANKIN
*	07 STBG-0059-03(104)/109528301 & STBG-0020-02(107)/109529301	LAUDERDALE, NEWTON
*	08 STBG-0066-02(009)/108688301 & STBG-0066-02(006)/108701301	JACKSON, GEORGE
*	09 STBG-0224-00(053)/108956301	PERRY
*	10 STBG-0836-00(016)/109498301	PANOLA
*	11 SP-2161-00(002)/108990301	FRANKLIN
*	12 STBG-9999-06(380)/108779306	JACKSON

CALL No. 01

Mill & Overlay approximately 10 miles of US 45 from the Kemper County Line to south of the Macon Bypass, known as Project No. SP-0002-03(096) / 109003301 in Noxubee County.

PROJECT COMPLETION: 170 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

88	Station	201-D001	Random Clearing
117	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
200	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
293	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
2,550	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
5,088	Linear Feet	202-B240	Removal of Traffic Stripe
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
698	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,600	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
217	Cubic Yard	304-E003	Granular Material, LVM, Crushed Stone
5,650	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
429	Ton	403-B001	12.5-mm, HT, Asphalt Pavement, Leveling
98,838	Linear Feet	403-S002	Joint Sealant
362,408	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
36,241	Gallon	407-A001	Asphalt for Tack Coat
35	Mile	423-A001	Rumble Strips, Ground In
293	Square Yard	501-B004	6" Plain Cement Concrete Pavement, Drag Finish
350	Linear Feet	501-D001	Expansion Joints, With Dowels
350	Linear Feet	501-I001	Joint Filler, Wooden Board
264	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
1,386	Linear Feet	503-C010	Saw Cut, Full Depth
25	Cubic Yard	503-D001	Concrete for Base Repair
853	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,800	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post

12	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
60	Mile	619-A3001	Temporary Traffic Stripe, Skip White
100,320	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
540	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,180	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
264	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
112	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
42	Each	630-F006	Delineators, Guard Rail, White
42	Each	630-F007	Delineators, Guard Rail, Yellow
6	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
6	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
28,350	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
14,588	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
20	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
19	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
23,037	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
27,123	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
270	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
3,090	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
977	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,408	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
127	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

1,992 Linear Feet

907-808-A002 Joint Repair

996 Linear Feet

907-823-A001 Preformed Joint Seal, Type I

1,992 Linear Feet

907-823-B001 Saw Cut, Type I

CALL No. 02

Mill & Overlay approximately 5 miles of US 49 from Richard Kendrick Drive to Seminary, known as Project No. NHPP-0008-02(121) / 108719301 in Covington County.

PROJECT COMPLETION: 103 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,338	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
870	Square Yard	202-B188	Removal of Pavement, All Types and Depths
180	Linear Feet	202-B240	Removal of Traffic Stripe
107	Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,220	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
1,885	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
15,667	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
204,409	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,310	Gallon	407-A001	Asphalt for Tack Coat
19	Mile	423-A001	Rumble Strips, Ground In
1,410	Linear Feet	503-C010	Saw Cut, Full Depth
938	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
7	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D005	Guard Rail, Bridge End Section, Type A
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
7	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A3001	Temporary Traffic Stripe, Skip White
48,966	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
205	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,320	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization

16	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
45	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-F007	Delineators, Guard Rail, Yellow
5,096	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
39,350	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
11	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12,081	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
12,402	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
205	Square Feet	907-626-H009	Thermoplastic Legend, White
660	Linear Feet	907-626-H010	Thermoplastic Legend, White
441	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,186	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,203	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

102	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

102	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

102	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

CALL No. 03

Bridge Repair on US 82 over Bogue Phalia (Bridge Nos. 22.1 A & B), known as Federal Aid Project No. NHPP-0011-01(076) / 109504301 in Washington County.

PROJECT COMPLETION: 117 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,220	Linear Feet	615-B001	Precast Concrete Median Barrier
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
286	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,220	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
78	Linear Feet	619-G4005	Barricades, Type III, Single Faced
8	Each	619-G7001	Warning Lights, Type "B"
24	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
7	Each	907-619-E3001	Changeable Message Sign
684	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
684	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
684	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

Bridge Items

240	Ton	815-A007	Loose Riprap, Size 300
3,040	Square Yard	815-E001	Geotextile under Riprap
2,868	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2	Each	907-202-B002	Removal of Debris
3,200	Pounds	907-420-A001	Undersealing
160	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
162	Linear Feet	907-808-A002	Joint Repair
162	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
162	Linear Feet	907-823-B001	Saw Cut, Type I
50	Square Feet	907-824-A003	General Epoxy Repair

2,223	Square Feet	907-824-B004	FRP Wrap, Uni-directional
76	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
1	Lump Sum	907-824-PP004	Bridge Repair, Dewatering and Water Diversion Measurements
24	Each	907-824-PP006	Bridge Repair, Bearing Replacement
19	Each	907-824-PP006	Bridge Repair, Cap Cleaning
25	Each	907-824-PP006	Bridge Repair, Pile Encasement
1,367	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish

CALL No. 04

Electrical Repairs to the Lighting System on I-20 from SR 18 to I-55 & on I-55 from I-20 to the Rankin County Line, known as Federal Aid Project No. STBG-0020-01(283) / 108902306 in Hinds County.

PROJECT COMPLETION: OCTOBER 15, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

7	Each	202-B210	Removal of Secondary Power Controller
100	Linear Feet	202-B287	Removal of Structural Conduit
200	Linear Feet	237-A002	Wattles, 20"
135	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
64	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
25	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
4,888	Linear Feet	682-A001	Underground Branch Circuit, AWG 1, 3 Conductor
1,934	Linear Feet	682-A002	Underground Branch Circuit, AWG 1, 4 Conductor
2,231	Linear Feet	682-A005	Underground Branch Circuit, AWG 1/0, 3 Conductor
1,016	Linear Feet	682-A006	Underground Branch Circuit, AWG 1/0, 4 Conductor
370	Linear Feet	682-A011	Underground Branch Circuit, AWG 10, 4 Conductor
3,832	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
614	Linear Feet	682-A019	Underground Branch Circuit, AWG 2, 4 Conductor
2,230	Linear Feet	682-A023	Underground Branch Circuit, AWG 2/0, 3 Conductor
3,978	Linear Feet	682-A024	Underground Branch Circuit, AWG 3, 3 Conductor
4,594	Linear Feet	682-A025	Underground Branch Circuit, AWG 3/0, 3 Conductor
12,467	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
270	Linear Feet	682-A029	Underground Branch Circuit, AWG 4, 4 Conductor
3,900	Linear Feet	682-A031	Underground Branch Circuit, AWG 4/0, 3 Conductor
12,496	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
14,572	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
540	Linear Feet	682-A040	Underground Branch Circuit, AWG 8, 4 Conductor
220	Linear Feet	682-A041	Underground Branch Circuit, AWG 8, 5 Conductor

2,250	Linear Feet	682-A042	Underground Branch Circuit, AWG 2/0, 4 Conductor
3,222	Linear Feet	682-A043	Underground Branch Circuit, AWG 2/0, 5 Conductor
254	Linear Feet	682-A044	Underground Branch Circuit, AWG 3, 4 Conductor
1,123	Linear Feet	682-B001	Underground Branch Circuit, Jacked or Bored, AWG 1, 3 Conductor
238	Linear Feet	682-B002	Underground Branch Circuit, Jacked or Bored, AWG 1, 4 Conductor
543	Linear Feet	682-B005	Underground Branch Circuit, Jacked or Bored, AWG 1/0, 3 Conductor
892	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
395	Linear Feet	682-B020	Underground Branch Circuit, Jacked or Bored, AWG 2/0, 3 Conductor
939	Linear Feet	682-B021	Underground Branch Circuit, Jacked or Bored, AWG 3, 3 Conductor
354	Linear Feet	682-B022	Underground Branch Circuit, Jacked or Bored, AWG 3/0, 3 Conductor
1,826	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
990	Linear Feet	682-B028	Underground Branch Circuit, Jacked or Bored, AWG 4/0, 3 Conductor
782	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
1,642	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
93	Linear Feet	682-B038	Underground Branch Circuit, Jacked or Bored, AWG 8, 4 Conductor
385	Linear Feet	682-B040	Underground Branch Circuit, Jacked or Bored, AWG 2/0, 4 Conductor
170	Linear Feet	682-B041	Underground Branch Circuit, Jacked or Bored, AWG 2/0, 5 Conductor
225	Linear Feet	682-B042	Underground Branch Circuit, Jacked or Bored, AWG 3, 4 Conductor
200	Linear Feet	682-C001	Structure Mounted Branch Circuit, AWG 1, 3 Conductor
1,815	Linear Feet	682-C010	Structure Mounted Branch Circuit, AWG 10, 4 Conductor
710	Linear Feet	682-C018	Structure Mounted Branch Circuit, AWG 2/0, 3 Conductor
3,605	Linear Feet	682-C035	Structure Mounted Branch Circuit, AWG 8, 5 Conductor
3	Each	682-D002	Structure Mounted Pull Box
1	Each	682-D003	Underground Pull Box Type 2
1	Each	682-D003	Underground Pull Box Type 3
7	Each	682-F001	Secondary Power Controller
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Hours	907-618-M2001	Work Zone Law Enforcement
100	Linear Feet	907-637-C006	Traffic Signal Conduit, Underground, Rolled Pipe, 1 1/2"
100	Linear Feet	907-637-C008	Traffic Signal Conduit, Underground, Rolled Pipe, 2 @ 2"

10	Linear Feet	907-637-C013	Traffic Signal Conduit, Underground, Type 1, 1 1/2" , PVC Conduit
10	Linear Feet	907-637-C017	Traffic Signal Conduit, Underground, Type 1, 2" , PVC Conduit
40	Linear Feet	907-637-E001	Traffic Signal Conduit, Structural Conduit, Type 1, 1 1/2" , Rigid Conduit, Structure
200	Linear Feet	907-637-E002	Traffic Signal Conduit, Structural Conduit, Type 1, 2" , Rigid Conduit, Structure
1	Each	907-683-G2002	Repair of High Mast Lowering Device, Type 120-10
3	Each	907-683-G2003	Repair of High Mast Lowering Device, Type 110-10
1	Each	907-683-G2004	Repair of High Mast Lowering Device, Type 110-6
708	Each	907-683-PP002	Lighting Assembly, Installation of High Mast LED Retrofit
170	Each	907-683-PP002	Lighting Assembly, Installation of Low Mast LED Retrofit
4	Each	907-683-PP002	Lighting Assembly, Installation of Power Service Riser
10	Each	907-683-PP002	Lighting Assembly, Installation of Pullbox Cover, Underground
3	Each	907-683-PP002	Lighting Assembly, Installation of Structure Mounted Cover
54	Each	907-683-PP002	Lighting Assembly, Installation of Wall Pack LED Retrofit

CALL No. 05

Installation of an Intersection Conflict Warning System & Clearing at the intersection of SR 9 & SR 334, known as Federal Aid Project No. HSIP-0050-01(042) / 109485301 in Pontotoc County.

PROJECT COMPLETION: AUGUST 08, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

17	Station	201-D001	Random Clearing
6	Each	202-B215	Removal of Sign Including Post & Footing
1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
99	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
120	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
2	Each	638-A004	Flasher Assembly, ICWS, Watch For Traffic
1	Lump Sum	907-618-A001	Maintenance of Traffic
40	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow
2,240	Linear Feet	907-626-F006	6" Thermoplastic Edge Stripe, Continuous Yellow
2,400	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
286	Linear Feet	907-626-H010	Thermoplastic Legend, White
61	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
32	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-A001	Solid State Traffic Cabinet Assembly, Type I Cabinet, Type 1 Controller
1	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
117	Linear Feet	907-636-B007	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 12, 5 Conductor
165	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
4	Each	907-637-A002	Pullbox Enclosure, Type 2
133	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
187	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
190	Linear Feet	907-641-D001	Radar Vehicle Detection Cable

CALL No. 06

Bridge Preservation on SR 25 over Plummer Slough (Bridge No. 12.7), known as Federal Aid Project No. NHPP-0056-01(105) / 108281301 in Rankin County.

PROJECT COMPLETION: 128 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,720	Cubic Yard	203-F001	Channel Excavation, FM
150	Ton	304-D004	Granular Material, Size 57
43,369	Pounds	805-A001	Reinforcement
7,483	Ton	815-A007	Loose Riprap, Size 300
4,223	Square Yard	815-E001	Geotextile under Riprap
235	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1	Lump Sum	907-824-PP004	Bridge Repair, Dewatering and Water Diversion Measurements
1	Lump Sum	907-824-PP004	Bridge Repair, Removal of Existing Headwall, Apron, Wing Walls, and a Portion of Barrel

Roadway Items

1	Acre	201-B001	Clearing and Grubbing
79	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
27	Cubic Yard	203-G001	Excess Excavation, FM, AH
74	Cubic Yard	206-A001	Structure Excavation
33	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1	Ton	213-C001	Superphosphate
1	Acre	220-A001	Insect Pest Control
1	Acre	223-A001	Mowing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	227-A001	Hydroseeding
100	Linear Feet	237-A002	Wattles, 20"
8	Each	617-B001	Permanent Easement Marker
8	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
78	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
78	Linear Feet	619-G4005	Barricades, Type III, Single Faced

12	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
1,560	Linear Feet	907-234-A001	Temporary Silt Fence
100	Linear Feet	907-234-C001	Super Silt Fence
130	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Each	907-619-E3001	Changeable Message Sign

CALL No. 07

Bridge Repair on Dunns Fall Road over I-59 (Bridge No. 139.4) & Norman Road over I-20 (Bridge No. 111.3), known as Federal Aid Project Nos. STBG-0059-03(104) / 109528301 & STBG-0020-02(107) / 109529301 in Lauderdale & Newton Counties.

PROJECT COMPLETION: 141 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

71	Linear Feet	202-B169	Removal of Joint Material
8	Cubic Yard	815-D001	Concrete Slope Paving
1,664	Square Yard	907-417-A001	Polymer Cement Surface System
2,500	Pounds	907-420-A001	Undersealing
71	Linear Feet	907-808-A002	Joint Repair
71	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
142	Linear Feet	907-823-B002	Saw Cut, Type II
62	Square Feet	907-824-A003	General Epoxy Repair
4	Each	907-824-C001	Cap Cleaning
16	Each	907-824-D001	Bearing Replacements
2	Each	907-824-PP006	Bridge Repair, Joint Cleaning
528	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish

ALTERNATE GROUP AA NUMBER 1

195	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

195	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

195	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

Roadway Items

72	Square Yard	202-B083	Removal of Concrete Slope Paving
52	Square Yard	203-I002	Site Grading
1,025	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
325	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
325	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
350	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

652	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
120	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
28	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
325	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,025	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
350	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
325	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 08

Overlay approximately 16 miles of SR 57 from Ratliff Lane to the George County Line & overlay approximately 9 miles of SR 57 from SR 26 to the Greene County Line, known as Project Nos. STBG-0066-02(009) / 108688301 & STBG-0066-02(006) / 108701301 in Jackson & George Counties.

PROJECT COMPLETION: 134 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

626	Station	201-D001	Random Clearing
28	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,230	Linear Feet	202-B136	Removal of Guard Rail
725	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
3,626	Square Yard	202-B188	Removal of Pavement, All Types and Depths
40	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,440	Linear Feet	202-B240	Removal of Traffic Stripe
24	Cubic Yard	206-A001	Structure Excavation
1,954	Ton	403-A005	19-mm, MT, Asphalt Pavement
15,374	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
9,271	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
8,170	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
57,420	Gallon	407-A001	Asphalt for Tack Coat
51	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	503-C010	Saw Cut, Full Depth
40	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
3,035	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12	Each	606-D001	Guard Rail, Bridge End Section
24	Each	606-E001	Guard Rail, Terminal End Section
2	Square Feet	618-B001	Additional Construction Signs
102	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
77	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
32	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow

8,541	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,469	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
92	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
28	Each	630-F006	Delineators, Guard Rail, White
41	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
36	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
19,125	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
51	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
16	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
23	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
16	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
5,878	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,663	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,469	Linear Feet	907-626-H010	Thermoplastic Legend, White
744	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,075	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
3,323	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
6,625	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

9,876	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

9,876	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

1,726	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,576	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

1,726	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-------	-------------	--------------	---

1,576 Linear Feet

907-628-J003 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 09

Overlay approximately 11 miles of SR 29 from 1 mile south of US 98 to Daughtry Hill Road, known as Project No. STBG-0224-00(053) / 108956301 in Perry County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

50	Station	201-D001	Random Clearing
3,341	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
7,935	Linear Feet	202-B240	Removal of Traffic Stripe
4,811	Ton	304-F003	Size 825B Crushed Stone Base
295	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,201	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
16,381	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
29,332	Gallon	407-A001	Asphalt for Tack Coat
20	Mile	423-A001	Rumble Strips, Ground In
2,621	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
15,302	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
100	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
16,362	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
22	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow

1,800	Linear Feet	907-626-G003	Thermoplastic Detail Stripe, Blue-ADA
5,972	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
252	Square Feet	907-626-H009	Thermoplastic Legend, White
1,883	Linear Feet	907-626-H010	Thermoplastic Legend, White
500	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,000	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,000	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

3,824	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
680	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
3,940	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

3,824	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
680	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
3,940	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 10

Bridge Repair on SR 322 over the Panola & Quitman Floodway (Bridge No. 41.9), known as Federal Aid Project No. STBG-0836-00(016) / 109498301 in Panola County.

PROJECT COMPLETION: NOVEMBER 25, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

880	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
880	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
80	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
880	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
880	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

Bridge Items

1,272	Square Yard	907-417-A001	Polymer Cement Surface System
392	Linear Feet	907-808-A002	Joint Repair
196	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
112	Linear Feet	907-823-B001	Saw Cut, Type I
38	Square Feet	907-824-A003	General Epoxy Repair
9	Each	907-824-C001	Cap Cleaning
160	Linear Feet	907-824-E001	Epoxy Injection
29	Each	907-824-PP006	Bridge Repair, Pile Encasement, Per Plans
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

Overlay approximately 4 miles of SR 184/98 from US 84 W to US 84 E, known as Project No. SP-2161-00(002) / 108990301 in Franklin County.

PROJECT COMPLETION: 75 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,198	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
4,178	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
400	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
9,750	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
6,424	Gallon	407-A001	Asphalt for Tack Coat
1	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
11,182	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
326	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,512	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,576	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
28,781	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
326	Square Feet	907-626-H009	Thermoplastic Legend, White
4,804	Linear Feet	907-626-H010	Thermoplastic Legend, White
580	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
229	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
928	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

21	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 12

Bridge Preventive Maintenance on I-10 over the Pascagoula River (Bridge Nos. 65.4A & 65.4 B), known as Federal Aid Project No. STBG-9999-06(380) / 108779306 in Jackson County.

PROJECT COMPLETION: 135 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign

Bridge Items

12,478	Linear Feet	907-808-A002	Joint Repair
1,153	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
5,086	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,306	Linear Feet	907-823-B001	Saw Cut, Type I
10,172	Linear Feet	907-823-B002	Saw Cut, Type II
147	Each	907-824-C001	Cap Cleaning

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR