SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): 10/16/2024 ADDENDUM NO. **DATED** ADDENDUM NO. DATED DATED ADDENDUM NO. DATED ADDENDUM NO DATED ADDENDUM NO **DATED** ADDENDUM NO. Number TOTAL ADDENDA: Description (Must agree with total addenda issued prior to opening of bids) Revised Bid Items; Amendment EBSx Download Required. Respectfully Submitted, DATE Contractor Signature TITLE ADDRESS CITY, STATE, ZIP ____ FAX E-MAIL (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of and the names, titles and business addresses of the executives are as follows: Address President Secretary Treasurer Address

The following is my (our) itemized proposal.

NHPP-0020-01(272)/ 109172301000 & NHPP-0020-01(272)/ 109172302000

Hinds & Warren County(ies)

Revised 01/26/2016

Bridge Repair on I-20 over the Big Black River & Reliefs (Bridge Nos. 17.3A, 17.3B, 17.7A, 17.7B, 17.9A & 17.9B), known as Federal Aid Project No. NHPP-0020-01(272) / 109172301 & 302 in Hinds & Warren Counties.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]	
Roadway Items						
0010	201-A001		1	Lump Sum	Clearing and Grubbing	
0020	202-B007		6,247	Square Yard	Removal of Asphalt Pavement, All Depths	
0030	202-B039		3,173	Linear Feet	Removal of Cable Barrier	
0040	202-B040		2	Each	Removal of Cable Barrier Terminal Section	
0050	202-B063		1,083	Square Yard	Removal of Concrete Paved Ditch	
0060	202-B129		2	Each	Removal of Flared End Section, All Sizes	
0070	202-B164		4	Each	Removal of Inlet and Junction Box, All Types & Sizes	
0800	202-B191		907	Linear Feet	Removal of Pipe, 8" And Above	
0090	202-B241		10	Mile	Removal of Traffic Stripe	
0100	203-A001	(E)	3,154	Cubic Yard	Unclassified Excavation, FM, AH	
0110	203-EX020	(E)	1,729	Cubic Yard	Borrow Excavation, AH, FME, Class B9	
0120	203-G001	(E)	1,099	Cubic Yard	Excess Excavation, FM, AH	
0130	206-A001	(S)	31	Cubic Yard	Structure Excavation	
0140	209-A005		11,216	Square Yard	Geotextile Stabilization, Type V, Non-Woven	
0150	211-B001	(E)	1,074	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished	
0160	213-C001		2	Ton	Superphosphate	
0170	220-A001		3	Acre	Insect Pest Control [\$30.00]	
0180	221-A001	(S)	121	Cubic Yard	Concrete Paved Ditch	
0190	225-A001		4	Acre	Grassing	
0200	225-B001		12	Ton	Agricultural Limestone	
0210	225-C001		8	Ton	Mulch, Vegetative Mulch	
0220	226-A001		4	Acre	Temporary Grassing	
0230	237-A002		3,098	Linear Feet	Wattles, 20"	
0240	246-B002		130	Linear Feet	Rockbags	
0250	403-A001	(BA1)	664	Ton	12.5-mm, HT, Asphalt Pavement	
0260	403-A004	(BA1)	1,662	Ton	19-mm, HT, Asphalt Pavement	
0270	403-A013	(BA1)	706	Ton	9.5-mm, HT, Asphalt Pavement	
0280	403-A015	(BA1)	43	Ton	9.5-mm, ST, Asphalt Pavement	
0290	403-B003	(BA1)	175	Ton	12.5-mm, ST, Asphalt Pavement, Leveling	
0300	406-D001		13,315	Square Yard	Fine Milling of Bituminous Pavement, All Depths	
0310	406-E002		1,185	Square Yard	Fine Milling of Concrete Pavement, All Depths	
0320	407-A001	(A2)	1,717	Gallon	Asphalt for Tack Coat	

Line No. 0330	Item Code 423-A001	Adj Code	Quantity	Units Mile	Description [Fixed Unit Price] Rumble Strips, Ground In
0340	601-B001	(S)	5	Cubic Yard	Class "B" Structural Concrete, Minor Structures
0350	602-A001	(S)	294	Pounds	Reinforcing Steel
0360	603-CA011	(S)	407	Linear Feet	18" Reinforced Concrete Pipe, Class III
0370	603-CE002	(S)	500	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
0380	603-CF002	(S)	2	Each	22" x 13" Concrete Arch Pipe End Section
0390	604-B001	(-)	750	Pounds	Gratings
0400	610-A001		3,182	Linear Feet	Cable Barrier
0410	610-B001		2	Each	Cable Barrier Terminal Section
0420	619-A1001		10	Mile	Temporary Traffic Stripe, Continuous White
0430	619-A2001		10	Mile	Temporary Traffic Stripe, Continuous Yellow
0440	619-A3001		3	Mile	Temporary Traffic Stripe, Skip White
0450	619-C6001		851	Each	Red-Clear Reflective High Performance Raised Marker
0460	619-C7001		851	Each	Two-Way Yellow Reflective High Performance Raised Marker
0470	619-D1001		64	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
0480	619-D2001		1,229	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
0490	619-E1001		2	Each	Flashing Arrow Panel, Type C
0500	619-F1001		6,610	Linear Feet	Concrete Median Barrier, Precast
0510	619-F2001		5,800	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0520	619-F3001		18	Each	Delineators, Guard Rail, White
0530	619-G4005		168	Linear Feet	Barricades, Type III, Single Faced
0540	619-G5001		73	Each	Free Standing Plastic Drums
0550	619-G7001		23	Each	Warning Lights, Type "B"
0560	619-G8001		19	Each	Warning Lights, Type "C"
0570	619-J1004		2	Each	Impact Attenuator, 60 MPH
0580	619-J2004		2	Each	Impact Attenuator, 60 MPH, Replacement Package
0590	619-K1001		38	Linear Feet	Installation and Removal of Guard Rail, Type I, Class A
0600	619-K2004		6	Each	Installation and Removal of Guard Rail, Type I Bridge End Section
0610	619-K4001		6	Each	Installation and Removal of Guardrail, Terminal End Section
0620	619-L001		6,753	Linear Feet	Glare Paddles
0630	620-A001		1	Lump Sum	Mobilization
0640	699-A001		1	Lump Sum	Roadway Construction Stakes
0650	907-234-A001		1,000	Linear Feet	Temporary Silt Fence
0660	907-234-D001		3	Each	Inlet Siltation Guard

0670 907-234-E001 3 Each Reset Inlet Siltation Guard 0680 907-234-F001 400 Linear Feet Turbidity Barrier 0690 907-402-A002 (BA1) 458 Ton Open Graded Friction Course, 9.5-mm Mixture 0700 907-402-B001 (A3) 730 Gallon Bituminous Tack Coat 0710 907-618-A001 1 Lump Sum Maintenance of Traffic 0720 907-619-E3001 2 Each Changeable Message Sign 0730 907-626-A008 18,373 Linear Feet 6" Thermoplastic Double Drop Traffic Stripe, Skip White 0740 907-626-C011 18,373 Linear Feet 6" Thermoplastic Double Drop Edge Stripe, Continuous White 0750 907-626-F004 18,373 Linear Feet 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0690 907-402-A002 (BA1) 458 Ton Open Graded Friction Course, 9.5-mm Mixture 0700 907-402-B001 (A3) 730 Gallon Bituminous Tack Coat 0710 907-618-A001 1 Lump Sum Maintenance of Traffic 0720 907-619-E3001 2 Each Changeable Message Sign 0730 907-626-A008 18,373 Linear Feet 6" Thermoplastic Double Drop Traffic Stripe, Skip White 0740 907-626-C011 18,373 Linear Feet 6" Thermoplastic Double Drop Edge Stripe, Continuous White	0670	907-234-E001		3	Each	Reset Inlet Siltation Guard
0700 907-402-B001 (A3) 730 Gallon Bituminous Tack Coat 0710 907-618-A001 1 Lump Sum Maintenance of Traffic 0720 907-619-E3001 2 Each Changeable Message Sign 0730 907-626-A008 18,373 Linear Feet 6" Thermoplastic Double Drop Traffic Stripe, Skip White 0740 907-626-C011 18,373 Linear Feet 6" Thermoplastic Double Drop Edge Stripe, Continuous White	0680	907-234-F001		400	Linear Feet	Turbidity Barrier
0710907-618-A0011Lump SumMaintenance of Traffic0720907-619-E30012EachChangeable Message Sign0730907-626-A00818,373Linear Feet6" Thermoplastic Double Drop Traffic Stripe, Skip White0740907-626-C01118,373Linear Feet6" Thermoplastic Double Drop Edge Stripe, Continuous White	0690	907-402-A002	(BA1)	458	Ton	Open Graded Friction Course, 9.5-mm Mixture
907-619-E3001 2 Each Changeable Message Sign 0730 907-626-A008 18,373 Linear Feet 6" Thermoplastic Double Drop Traffic Stripe, Skip White 0740 907-626-C011 18,373 Linear Feet 6" Thermoplastic Double Drop Edge Stripe, Continuous White	0700	907-402-B001	(A3)	730	Gallon	Bituminous Tack Coat
907-626-A008 18,373 Linear Feet 6" Thermoplastic Double Drop Traffic Stripe, Skip White 907-626-C011 18,373 Linear Feet 6" Thermoplastic Double Drop Edge Stripe, Continuous White	0710	907-618-A001		1	Lump Sum	Maintenance of Traffic
907-626-C011 18,373 Linear Feet 6" Thermoplastic Double Drop Edge Stripe, Continuous White	0720	907-619-E3001		2	Each	Changeable Message Sign
	0730	907-626-A008		18,373	Linear Feet	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0750 907-626-F004 18,373 Linear Feet 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	0740	907-626-C011		18,373	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous White
	0750	907-626-F004		18,373	Linear Feet	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
0760 907-627-K001 268 Each Red-Clear Reflective High Performance Raised Markers	0760	907-627-K001		268	Each	Red-Clear Reflective High Performance Raised Markers
0770 907-906001 1,040 Hours Trainees [\$5.00]	0770	907-906001		1,040	Hours	Trainees [\$5.00]
ALTERNATE GROUP AA NUMBER 1						
0780 304-F001 (GT) 6,900 Ton 3/4" and Down Crushed Stone Base	0780	304-F001	(GT)	6,900	Ton	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2						
0790 304-F002 (GT) 6,900 Ton Size 610 Crushed Stone Base	0790	304-F002	(GT)	6,900	Ton	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3					ROUP AA NUMBEF	
0800 304-F003 (GT) 6,900 Ton Size 825B Crushed Stone Base	0800	304-F003	(GT)			Size 825B Crushed Stone Base
Bridge Items	0040	000 5004	(5)			0. 15 514
0810 203-F001 (E) 4,796 Cubic Yard Channel Excavation, FM			(E)			
0820 501-K001 3,996 Square Yard Transverse Grooving				•	•	•
0830 805-A001 (S) 346,640 Pounds Reinforcement				,		
0840 810-A006 (S) 33,606 Pounds Structural Steel, A 709, Grade 50						
0850 813-A002 (S) 1,920 Linear Feet Concrete Railing, 32"					Linear Feet	•
0860 815-A007 (S) 7,532 Ton Loose Riprap, Size 300	0860	815-A007			Ton	Loose Riprap, Size 300
0870 815-E001 (S) 5,808 Square Yard Geotextile under Riprap	0870	815-E001	(S)	5,808	Square Yard	Geotextile under Riprap
0880 907-202-B001 7,122 Square Yard Removal of Bridge Deck, Hydrodemolition	0880	907-202-B001		7,122	Square Yard	Removal of Bridge Deck, Hydrodemolition
0890 907-420-A001 4,000 Pounds Undersealing	0890	907-420-A001		4,000	Pounds	Undersealing
0900 907-804-A001 (S) 1,132 Cubic Yard Bridge Concrete, Class BDX	0900	907-804-A001	(S)	1,132	Cubic Yard	Bridge Concrete, Class BDX
0910 907-804-O001 (S) 402 Cubic Yard Bridge Deck Overlay Concrete	0910	907-804-0001	(S)	402	Cubic Yard	Bridge Deck Overlay Concrete
0920 907-808-A002 (S) 1,052 Linear Feet Joint Repair	0920	907-808-A002	(S)	1,052	Linear Feet	Joint Repair
0930 907-808-A003 (S) 1,562 Linear Feet Joint Repair Without Epoxy	0930	907-808-A003	(S)	1,562	Linear Feet	Joint Repair Without Epoxy
0940 907-823-A001 1,222 Linear Feet Preformed Joint Seal, Type I	0940	907-823-A001		1,222	Linear Feet	Preformed Joint Seal, Type I
9950 907-823-A002 86 Linear Feet Preformed Joint Seal, Type II	0950	907-823-A002		86	Linear Feet	Preformed Joint Seal, Type II
0960 907-823-B001 2,448 Linear Feet Saw Cut, Type I	0960	907-823-B001		2,448	Linear Feet	Saw Cut, Type I

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0970	907-823-B002		172	Linear Feet	Saw Cut, Type II
0980	907-824-A003		14	Square Feet	General Epoxy Repair
0990	907-824-B002		2,103	Linear Feet	FRP Wrap, Uni-directional
0992	907-824-B003		469	Square Feet	FRP Wrap, Bi-directional
1010	907-824-C001		52	Each	Cap Cleaning
1020	907-824-D001		120	Each	Bearing Replacements
1030	907-824-PP003		44,160	Square Feet	Bridge Repair, Removal of Bridge Deck
1040	907-824-PP008		540	Linear Feet	Bridge Repair, Endwall Repair
1050	907-824-PP008		168	Linear Feet	Bridge Repair, Removal of Existing Fingerjoints