

Proposal & Plan Sales Will Begin on September 30, 2024



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For October - October 22, 2024

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR OCTOBER - Tuesday, October 22, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON SEPTEMBER 30, 2024

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
 For Information Please Contact:
 Contract Administration Division
 Jackson, MS
 Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
 For Information Please Contact:
 MDOT Plans Print Shop
 Jackson, MS
 Telephone: (601) 359-7460
 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 22, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	BR-0018-01(026)/106109301 & BR-0018-01(026)/106109302	HUMPHREYS, WASHINGTON
02	STBG-0018-02(054)/107012301	HOLMES
03	NHPP-0020-01(272)/109172301 & NHPP-0020-01(272)/109172302	HINDS, WARREN
04	HSIP-0037-02(006)/109195301	YAZOO
* 05	HSIP-0040-01(038)/109542301	MONROE
06	IM-0055-01(130)/109475301 & IM-0055-01(131)/109478301	LINCOLN, PIKE
07	HSIP-0056-01(115)/109316301	RANKIN
08	HSIP-0056-02(040)/109359301	OKTIBBEHA
* 09	IM-0059-02(118)/109251301	JONES
10	HSIP-0080-01(020)/109129301	FORREST
11	STBG-0858-00(016)/107862301	PONTOTOC
12	HSIP-9999-07(394)/109314301	DISTRICT 7
* 13	SP-9999-07(387)/108994301	FRANKLIN
14	BWO-1182-02(002)/503757301 & BWO-1181-29(004)/503757302	ALCORN, ITAWAMBA
15	BWO-2162-14(002)/503757303 & BWO-2199-17(003)/503757304	COAHOMA, DESOTO
16	BWO-5222-25(003)/502891301	HINDS

17 BWO-6070-23(003)/503755301 &
BWO-6197-55(004)/503755302
18 BWO-7124-57(003)/503755303 &
BWO-7135-79(003)/503755304

HANCOCK, PEARL RIVER

PIKE, WILKINSON

CALL No. 01

Bridge Replacement on SR 12 over the Sunflower River (Bridge No. 23.9), known as Federal Aid Project Nos. BR-0018-01(026) / 106109301 & 302 in Humphreys & Washington Counties.

PROJECT COMPLETION: 307 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

3,638	Square Yard	501-K001	Transverse Grooving
900	Linear Feet	803-K014	Drilled Shaft, 84" Diameter
1	Each	803-L009	Test Shaft, 84" Diameter
145	Linear Feet	803-M012	Trial Shaft, 84" Diameter
90	Linear Feet	803-N001	Exploration
900	Linear Feet	803-O028	Temporary Casing, 84" Diameter
2,720	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
383,522	Pounds	805-A001	Reinforcement
2,317,494	Pounds	810-A007	Structural Steel, A 709, Grade 50W
338,644	Pounds	810-A008	Structural Steel, A 709, Grade HPS 70W
16	Each	811-D001	Disc Bearing Device
1,819	Linear Feet	813-A003	Concrete Railing, 42"
3,260	Ton	815-A007	Loose Riprap, Size 300
1,947	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
4	Each	907-803-J001	Pile Restrike
509	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
1,153	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
83	Linear Feet	907-822-PP004	7" Segmental Expansion Joint

Roadway Items

11	Acre	201-B001	Clearing and Grubbing
1	Lump Sum	202-A001	Removal of Obstructions
991	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
8,276	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths

43	Linear Feet	202-B019	Removal of Box Culvert
1	Each	202-B023	Removal of Bridge
664	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
111	Linear Feet	202-B191	Removal of Pipe, 8" And Above
7,719	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
87,887	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
12,126	Cubic Yard	203-G001	Excess Excavation, FM, AH
253	Cubic Yard	206-A001	Structure Excavation
26	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
5,488	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
13	Ton	213-C001	Superphosphate
214	Square Yard	216-A001	Solid Sodding
779	Square Yard	217-A001	Ditch Liner
5	Thousand Gallon	219-A001	Watering
27	Acre	220-A001	Insect Pest Control
2	Cubic Yard	221-A001	Concrete Paved Ditch
52	Acre	223-A001	Mowing
223	Square Yard	224-A001	Soil Reinforcing Mat
27	Acre	225-A001	Grassing
52	Ton	225-B001	Agricultural Limestone
52	Ton	225-C001	Mulch, Vegetative Mulch
27	Acre	226-A001	Temporary Grassing
200	Square Yard	229-A001	Erosion Mat
500	Linear Feet	237-A002	Wattles, 20"
1	Each	247-A001	Temporary Stream Diversion
500	Ton	249-A001	Riprap for Erosion Control
95	Ton	304-D002	Granular Material, Crushed Stone
9,277	Square Yard	307-C004	6" Soil-Lime-Water Mixing, Class C
125	Ton	307-D001	Lime

2,320	Gallon	307-S001	Bituminous Curing Seal
84	Ton	308-A001	Cement
9,277	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
2,320	Gallon	308-S001	Bituminous Curing Seal
1,486	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
4,082	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,791	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
65	Ton	403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
2,722	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,624	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
186	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
94	Cubic Yard	601-A001	Class "B" Structural Concrete
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
15,390	Pounds	602-A001	Reinforcing Steel
256	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
120	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
2	Each	603-CB004	24" Reinforced Concrete End Section
56	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
50	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
90	Linear Feet	605-T001	4" Perforated Pipe for Underdrains
10	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
250	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
40	Linear Feet	615-A003	Concrete Bridge End Barrier, 42"
46	Each	617-A001	Right-of-Way Marker
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

698	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
98	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1	Each	622-B001	Engineer's Field Office Building, Type 2 LO
40	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
198	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
18	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
80	Ton	815-A007	Loose Riprap, Size 300
54	Square Yard	815-E001	Geotextile under Riprap
10,550	Linear Feet	907-234-C001	Super Silt Fence
90	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
11,087	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,276	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4,709	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,771	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
801	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
144	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
101	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
34	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
1,040	Hours	907-906001	Trainees
ALTERNATE GROUP AA NUMBER 1			
13,970	Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2			

13,970 Ton

304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

13,970 Ton

304-F003 Size 825B Crushed Stone Base

ALTERNATE GROUP BB NUMBER 1

56 Cubic Yard

605-W002 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM

ALTERNATE GROUP BB NUMBER 2

56 Cubic Yard

605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

CALL No. 02

Bridge Replacement on SR 12 over Moccasin Creek (Bridge No. 69.2), known as Federal Aid Project No. STBG-0018-02(054) / 107012301 in Holmes County.

PROJECT COMPLETION: 145 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

536	Square Yard	501-K001	Transverse Grooving
810	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
850	Linear Feet	803-P007	18" Steel Pipe Piling, Wall Thickness 0.500"
347	Linear Feet	804-C199	70' Prestressed Concrete Beam, Type FIB-36
495	Linear Feet	804-C213	50' Prestressed Concrete Beam, Type MFIB-25
58,599	Pounds	805-A001	Reinforcement
2,884	Pounds	805-C001	Reinforcement, Corrosion Resistant
345	Linear Feet	813-A004	Concrete Railing, 36"
172	Linear Feet	813-E012	42" Pedestrian Railing
279	Ton	815-A007	Loose Riprap, Size 300
3,385	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
2	Each	907-803-J001	Pile Restrike
120	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
197	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
86	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
301	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
1,493	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B023	Removal of Bridge
60	Linear Feet	202-B051	Removal of Concrete Curb
165	Square Yard	202-B080	Removal of Concrete Sidewalk
550	Linear Feet	202-B136	Removal of Guard Rail

184	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,384	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
3,132	Cubic Yard	203-G001	Excess Excavation, FM, AH
3	Cubic Yard	206-A001	Structure Excavation
1,960	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2	Ton	213-C001	Superphosphate
620	Square Yard	216-A001	Solid Sodding
189	Square Yard	217-A001	Ditch Liner
13	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
8	Cubic Yard	221-A001	Concrete Paved Ditch
6	Acre	223-A001	Mowing
3	Acre	225-A001	Grassing
7	Ton	225-B001	Agricultural Limestone
6	Ton	225-C001	Mulch, Vegetative Mulch
3	Acre	226-A001	Temporary Grassing
2	Each	236-A008	Silt Basin, Type D
500	Linear Feet	237-A002	Wattles, 20"
50	Each	246-B001	Rockbags
932	Ton	304-B004	Granular Material, Class 5, Group D
219	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
294	Ton	403-A005	19-mm, MT, Asphalt Pavement
245	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,378	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
332	Gallon	407-A001	Asphalt for Tack Coat
90	Linear Feet	501-E001	Expansion Joints, Without Dowels
183	Square Yard	501-K001	Transverse Grooving
183	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
169	Pounds	602-A001	Reinforcing Steel

176	Linear Feet	603-ALT006	24" Type A Alternate Pipe
56	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1	Each	603-CB004	24" Reinforced Concrete End Section
547	Pounds	604-A001	Castings
488	Pounds	604-B001	Gratings
50	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
89	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
5	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
389	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
305	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
20	Linear Feet	615-A003	Concrete Bridge End Barrier, 42"
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
23	Each	617-A001	Right-of-Way Marker
2,253	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
2,245	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
127	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
33	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
22	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
344	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
90	Linear Feet	619-G4001	Barricades, Type III, Double Faced
10	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
9	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
8	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft

16	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
279	Ton	815-A007	Loose Riprap, Size 300
57	Ton	815-F002	Sediment Control Stone
2,300	Linear Feet	907-234-A001	Temporary Silt Fence
500	Linear Feet	907-234-C001	Super Silt Fence
324	Linear Feet	907-253-A001	Coir Fiber Baffle
48	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Each	907-619-E3001	Changeable Message Sign
2,253	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,245	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
127	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
39	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
86	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
30	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
28	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

768	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

768	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

768	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

55	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

55	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

CALL No. 03

Bridge Repair on I-20 over the Big Black River & Reliefs (Bridge Nos. 17.3A, 17.3B, 17.7A, 17.7B, 17.9A & 17.9B), known as Federal Aid Project No. NHPP-0020-01(272) / 109172301 & 302 in Hinds & Warren Counties.

PROJECT COMPLETION: OCTOBER 16, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
6,247	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
3,173	Linear Feet	202-B039	Removal of Cable Barrier
2	Each	202-B040	Removal of Cable Barrier Terminal Section
1,083	Square Yard	202-B063	Removal of Concrete Paved Ditch
2	Each	202-B129	Removal of Flared End Section, All Sizes
4	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
907	Linear Feet	202-B191	Removal of Pipe, 8" And Above
10	Mile	202-B241	Removal of Traffic Stripe
3,154	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,729	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,099	Cubic Yard	203-G001	Excess Excavation, FM, AH
31	Cubic Yard	206-A001	Structure Excavation
11,216	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,074	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
3	Acre	220-A001	Insect Pest Control
121	Cubic Yard	221-A001	Concrete Paved Ditch
4	Acre	225-A001	Grassing
12	Ton	225-B001	Agricultural Limestone
8	Ton	225-C001	Mulch, Vegetative Mulch
4	Acre	226-A001	Temporary Grassing
3,098	Linear Feet	237-A002	Wattles, 20"
130	Linear Feet	246-B002	Rockbags
664	Ton	403-A001	12.5-mm, HT, Asphalt Pavement

1,662	Ton	403-A004	19-mm, HT, Asphalt Pavement
706	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
43	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
175	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
13,315	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,185	Square Yard	406-E002	Fine Milling of Concrete Pavement, All Depths
1,717	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
5	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
294	Pounds	602-A001	Reinforcing Steel
407	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
500	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
2	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
750	Pounds	604-B001	Gratings
3,182	Linear Feet	610-A001	Cable Barrier
2	Each	610-B001	Cable Barrier Terminal Section
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
3	Mile	619-A3001	Temporary Traffic Stripe, Skip White
851	Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
851	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,229	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
6,610	Linear Feet	619-F1001	Concrete Median Barrier, Precast
5,800	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
18	Each	619-F3001	Delineators, Guard Rail, White
168	Linear Feet	619-G4005	Barricades, Type III, Single Faced
73	Each	619-G5001	Free Standing Plastic Drums
23	Each	619-G7001	Warning Lights, Type "B"

19	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-J1004	Impact Attenuator, 60 MPH
2	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
38	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
6	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
6	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
6,753	Linear Feet	619-L001	Glare Paddles
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
3	Each	907-234-D001	Inlet Siltation Guard
3	Each	907-234-E001	Reset Inlet Siltation Guard
400	Linear Feet	907-234-F001	Turbidity Barrier
458	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
730	Gallon	907-402-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
18,373	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
18,373	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
18,373	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
268	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,040	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

6,900	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

6,900	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

6,900	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

Bridge Items

4,796	Cubic Yard	203-F001	Channel Excavation, FM
-------	------------	----------	------------------------

3,996	Square Yard	501-K001	Transverse Grooving
346,640	Pounds	805-A001	Reinforcement
33,606	Pounds	810-A006	Structural Steel, A 709, Grade 50
1,920	Linear Feet	813-A002	Concrete Railing, 32"
7,532	Ton	815-A007	Loose Riprap, Size 300
5,808	Square Yard	815-E001	Geotextile under Riprap
7,122	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
4,000	Pounds	907-420-A001	Undersealing
1,132	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
402	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,052	Linear Feet	907-808-A002	Joint Repair
1,562	Linear Feet	907-808-A003	Joint Repair Without Epoxy
1,222	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
86	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,448	Linear Feet	907-823-B001	Saw Cut, Type I
172	Linear Feet	907-823-B002	Saw Cut, Type II
14	Square Feet	907-824-A003	General Epoxy Repair
2,103	Linear Feet	907-824-B002	FRP Wrap, Uni-directional
469	Linear Feet	907-824-B005	FRP Wrap, Bi-directional
52	Each	907-824-C001	Cap Cleaning
120	Each	907-824-D001	Bearing Replacements
44,160	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
540	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair
168	Linear Feet	907-824-PP008	Bridge Repair, Removal of Existing Fingerjoints

CALL No. 04

Construction of a Roundabout on SR 3 at Willie Morris Parkway, known as Federal Aid Project No. HSIP-0037-02(006) / 109195301 in Yazoo County.

PROJECT COMPLETION: 143 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
5,644	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,425	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
6	Each	202-B129	Removal of Flared End Section, All Sizes
3	Each	202-B165	Removal of Inlets, All Sizes
477	Square Yard	202-B168	Removal of Island Pavement, All Types
9	Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
119	Linear Feet	202-B191	Removal of Pipe, 8" And Above
200	Linear Feet	202-B240	Removal of Traffic Stripe
694	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,428	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,844	Cubic Yard	203-G001	Excess Excavation, FM, AH
48	Cubic Yard	206-A001	Structure Excavation
5,079	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
619	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
11,132	Square Yard	216-A001	Solid Sodding
223	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
28	Cubic Yard	221-A001	Concrete Paved Ditch
10	Acre	223-A001	Mowing
2	Ton	225-B001	Agricultural Limestone
5	Ton	225-C001	Mulch, Vegetative Mulch
3	Acre	226-A001	Temporary Grassing
231	Linear Feet	237-A002	Wattles, 20"

203	Linear Feet	245-A001	Silt Dike
203	Linear Feet	246-B002	Rockbags
158	Ton	249-A001	Riprap for Erosion Control
79	Cubic Yard	249-B001	Remove and Reset Riprap
1,121	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
295	Ton	403-A005	19-mm, MT, Asphalt Pavement
863	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
151	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
1,296	Gallon	407-A001	Asphalt for Tack Coat
3,144	Linear Feet	503-C010	Saw Cut, Full Depth
6	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
113	Pounds	602-A001	Reinforcing Steel
104	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
6	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
2	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
390	Linear Feet	609-B003	Concrete Curb, Special Design
308	Linear Feet	609-C001	Concrete Integral Curb, Type 1
1,817	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
535	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
3,393	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
6,646	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
1	Square Feet	618-B001	Additional Construction Signs
11,101	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
4,268	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
19,228	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
664	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
286	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

96	Linear Feet	619-G4001	Barricades, Type III, Double Faced
105	Each	619-G5001	Free Standing Plastic Drums
39	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
159	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
72	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
176	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
158	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
249	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
62	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
125	Pounds	630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
57	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
3,281	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
157	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
21	Each	682-E002	Underground Junction Box
1	Each	682-F001	Secondary Power Controller
30	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
16	Ton	815-F002	Sediment Control Stone
2,500	Linear Feet	907-234-A001	Temporary Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
4,566	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
748	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,027	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
8,165	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
299	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
127	Linear Feet	907-626-H010	Thermoplastic Legend, White
126	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

1 Each 907-630-O008 Remove and Reset Signs, Post Mounted

18 Each 907-683-PP001 Lighting Assembly, Per Plans

ALTERNATE GROUP AA NUMBER 1

5,794 Ton 304-F001 3/4" and Down Crushed Stone Base

ALTERNATE GROUP AA NUMBER 2

5,794 Ton 304-F002 Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

5,794 Ton 304-F003 Size 825B Crushed Stone Base

CALL No. 05

Placement of Audible Stripe and Signing Improvements along SR 25 from 0.3 miles north of SR 8 to the SR 25 Bypass, known as Federal Aid Project No. HSIP-0040-01(038) / 109542301 in Monroe County.

PROJECT COMPLETION: 47 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
19	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
326	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
330	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
330	Linear Feet	630-C002	Steel U-Section Posts, 2.0 lb/ft
16	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
10	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
2,800	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,832	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
890	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
330	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
68	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

CALL No. 06

Remove & Replace OGFC on approximately 9 miles of I-55 from US 98W to the bridge south of the Bouge Chitto Interchange, known as Federal Aid Project Nos. IM-0055-01(130) / 109475301 & IM-0055-01(131) / 109478301 in Lincoln & Pike Counties.

PROJECT COMPLETION: 128 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

96 Acre	201-D002	Random Clearing
6,740 Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
9,408 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1,560 Linear Feet	202-B240	Removal of Traffic Stripe
593 Cubic Yard	203-G002	Excess Excavation, LVM, AH
201 Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
1,610 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
500 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
288,442 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,463 Gallon	407-A001	Asphalt for Tack Coat
8,978 Linear Feet	503-C010	Saw Cut, Full Depth
7,263 Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
400 Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
32 Each	606-C003	Guard Rail, Cable Anchor, Type 1
4 Each	606-D005	Guard Rail, Bridge End Section, Type A
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
32 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
4 Each	606-G001	Special Sections, Bridge Connector
32 Each	606-G004	Special Sections, Thrie Beam, Transition Section
2 Square Feet	618-B001	Additional Construction Signs
37 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
37 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
35 Mile	619-A3001	Temporary Traffic Stripe, Skip White
12,178 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
84 Square Feet	619-A6001	Temporary Traffic Stripe, Legend

608	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
153	Each	630-F006	Delineators, Guard Rail, White
135	Each	630-F007	Delineators, Guard Rail, Yellow
14,791	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
20,170	Gallon	907-402-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
18	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
18	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
19	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5,619	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
470	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
42	Square Feet	907-626-H009	Thermoplastic Legend, White
304	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,405	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
19	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

2,339	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,339	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,339	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 07

Intersection Improvements on SR 25 at Mt. Helm Road and at Pisgah Road, known as Federal Aid Project No. HSIP-0056-01(115) / 109316301 in Rankin County.

PROJECT COMPLETION: 108 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3,951	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,523	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,376	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
16	Linear Feet	202-B191	Removal of Pipe, 8" And Above
16	Each	202-B215	Removal of Sign Including Post & Footing
1,530	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
5,248	Cubic Yard	203-G001	Excess Excavation, FM, AH
11	Cubic Yard	206-A001	Structure Excavation
18,667	Square Yard	209-A004	Geotextile Stabilization, Type V
1,230	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
3	Acre	220-A001	Insect Pest Control
6	Cubic Yard	221-A001	Concrete Paved Ditch
6	Acre	223-A001	Mowing
3	Acre	225-A001	Grassing
2	Ton	225-B001	Agricultural Limestone
6	Ton	225-C001	Mulch, Vegetative Mulch
3	Acre	226-A001	Temporary Grassing
400	Linear Feet	237-A002	Wattles, 20"
400	Linear Feet	245-A001	Silt Dike
200	Each	246-B001	Rockbags
1,846	Ton	304-D002	Granular Material, Crushed Stone
1,485	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,080	Ton	403-A005	19-mm, MT, Asphalt Pavement
1,229	Ton	403-A014	9.5-mm, MT, Asphalt Pavement

3,250	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,733	Gallon	407-A001	Asphalt for Tack Coat
8,087	Linear Feet	503-C010	Saw Cut, Full Depth
4	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
185	Pounds	602-A001	Reinforcing Steel
168	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
4	Each	603-CB003	18" Reinforced Concrete End Section
250	Pounds	604-B001	Gratings
226	Linear Feet	609-B003	Concrete Curb, Special Design
1,879	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
251	Linear Feet	609-D013	Combination Concrete Curb and Gutter Type 3B
86	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
64	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,041	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
7	Each	619-D3001	Remove and Reset Signs, All Sizes
912	Linear Feet	619-G4005	Barricades, Type III, Single Faced
18	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
514	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
27	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
91	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
780	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
7,850	Linear Feet	907-234-A001	Temporary Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic
722	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,061	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,700	Linear Feet	907-626-C013	6" Thermoplastic Edge Stripe, Continuous White
136	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

2,761	Linear Feet	907-626-F006	6" Thermoplastic Edge Stripe, Continuous Yellow
6,211	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
3,496	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,151	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
322	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
140	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
13	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

ALTERNATE GROUP AA NUMBER 1

7,919	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

7,919	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

7,919	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 08

Safety Improvements on SR 25 at Longview Road, known as Federal Aid Project No. HSIP-0056-02(040) / 109359301 in Oktibbeha County.

PROJECT COMPLETION: 116 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
734	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
55	Square Yard	202-B063	Removal of Concrete Paved Ditch
374	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
2,875	Linear Feet	202-B121	Removal of Edge Drain
25	Each	202-B122	Removal of Edge Drain Outlet
6,485	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,692	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,405	Cubic Yard	203-G001	Excess Excavation, FM, AH
101	Cubic Yard	206-A001	Structure Excavation
10,999	Square Yard	209-A004	Geotextile Stabilization, Type V
100	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
4	Ton	213-C001	Superphosphate
450	Square Yard	216-A001	Solid Sodding
9	Thousand Gallon	219-A001	Watering
4	Acre	220-A001	Insect Pest Control
8	Acre	223-A001	Mowing
8	Acre	225-A001	Grassing
4	Ton	225-B001	Agricultural Limestone
16	Ton	225-C001	Mulch, Vegetative Mulch
8	Acre	226-A001	Temporary Grassing
550	Linear Feet	237-A002	Wattles, 20"
4,888	Ton	304-B001	Granular Material, Class 3, Group C
2,503	Ton	403-A005	19-mm, MT, Asphalt Pavement
2,784	Ton	403-A014	9.5-mm, MT, Asphalt Pavement

17,067	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,689	Gallon	407-A001	Asphalt for Tack Coat
3	Mile	423-A001	Rumble Strips, Ground In
400	Linear Feet	503-C010	Saw Cut, Full Depth
3	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
9	Cubic Yard	601-B002	Class "C" Structural Concrete, Minor Structures
224	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
48	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
7	Each	603-CB003	18" Reinforced Concrete End Section
3	Each	603-CB005	30" Reinforced Concrete End Section
2,875	Linear Feet	605-H001	Edge Drain
429	Linear Feet	605-I001	Edge Drain Outlets/Vents
1,839	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
843	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 3
40	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
692	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
7,005	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
9,966	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
10,127	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
5,604	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
62	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
337	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
132	Linear Feet	619-G4001	Barricades, Type III, Double Faced
360	Linear Feet	619-G4005	Barricades, Type III, Single Faced
169	Each	619-G5001	Free Standing Plastic Drums
57	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
312	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

36	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
135	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
188	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
6,500	Linear Feet	907-234-A001	Temporary Silt Fence
4	Each	907-234-D001	Inlet Siltation Guard
1	Lump Sum	907-618-A001	Maintenance of Traffic
5,686	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,432	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5,127	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
685	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,436	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,930	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,726	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
760	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
186	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
243	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
56	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

10,672	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

10,672	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

10,672	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

CALL No. 09

Remove and Replace OGFC on approximately 20 miles of I-59 from North of Rocky Creek to the Jasper County Line, known as Federal Aid Project No. IM-0059-02(118) / 109251301 in Jones County.

PROJECT COMPLETION: 136 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,260	Station	201-D001	Random Clearing
195	Square Yard	202-B068	Removal of Concrete Pavement Punchouts, 9" Depth
25,943	Linear Feet	202-B240	Removal of Traffic Stripe
2,000	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
649,616	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,800	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
60	Linear Feet	501-D001	Expansion Joints, With Dowels
195	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
292	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
48	Linear Feet	503-C010	Saw Cut, Full Depth
49	Cubic Yard	503-D001	Concrete for Base Repair
73	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
48	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
1	Square Feet	618-B001	Additional Construction Signs
80	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
80	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
84	Mile	619-A3001	Temporary Traffic Stripe, Skip White
1,585	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
30,432	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
64,960	Gallon	907-402-B001	Bituminous Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
690	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign

42 Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
40 Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
40 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,585 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
5,303 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
520 Hours	907-906001	Trainees

CALL No. 10

Safety Improvements along US 49 from WSF Tatum Blvd. to Sims Road, known as Federal Aid Project No. HSIP-0080-01(020) / 109129301 in Forrest County.

PROJECT COMPLETION: NOVEMBER 14, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,726	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
175	Each	202-B117	Removal of Delineator, All Types
581	Square Yard	202-B188	Removal of Pavement, All Types and Depths
12	Each	202-B215	Removal of Sign Including Post & Footing
4	Mile	202-B241	Removal of Traffic Stripe
25	Linear Feet	237-A001	Wattles, 12"
24	Linear Feet	246-A001	Sandbags
111	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
144	Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
101	Gallon	407-A001	Asphalt for Tack Coat
9,139	Linear Feet	503-C010	Saw Cut, Full Depth
4	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
327	Pounds	602-A001	Reinforcing Steel
4,426	Linear Feet	609-B003	Concrete Curb, Special Design
5	Each	613-D001	Adjustment of Existing Curb Inlet
30	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
4	Mile	619-A1004	Temporary Traffic Stripe, Continuous White, Paint
4	Mile	619-A2004	Temporary Traffic Stripe, Continuous Yellow, Paint
440	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
948	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
5,740	Linear Feet	619-F1001	Concrete Median Barrier, Precast
20,090	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
877	Linear Feet	625-D002	Traffic Stripe, Continuous Yellow

90	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
108	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
192	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
4,431	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
7,742	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,520	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
1,723	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
80	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
464	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
11	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-630-O001	Remove and Reset Sign Assembly

ALTERNATE GROUP AA NUMBER 1

638	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

638	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

638	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 11

Bridge Replacements on SR 346 over Mud Creek & Ditch (Bridge Nos. 3.6 & 3.8), known as Federal Aid Project No. STBG-0858-00(016) / 107862301 in Pontotoc County.

PROJECT COMPLETION: 225 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	201-A001	Clearing and Grubbing
2 Acre	201-B001	Clearing and Grubbing
7,626 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B023	Removal of Bridge
1,367 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
320 Linear Feet	202-B191	Removal of Pipe, 8" And Above
11,000 Linear Feet	202-B240	Removal of Traffic Stripe
3,740 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
32,400 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
25,350 Cubic Yard	203-G001	Excess Excavation, FM, AH
989 Cubic Yard	206-A001	Structure Excavation
58 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
10,017 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,179 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5 Ton	213-C001	Superphosphate
338 Square Yard	216-A001	Solid Sodding
7 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
14 Cubic Yard	221-A001	Concrete Paved Ditch
18 Acre	223-A001	Mowing
9 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
17 Ton	225-C001	Mulch, Vegetative Mulch
9 Acre	226-A001	Temporary Grassing
134 Each	235-A001	Temporary Erosion Checks

503	Linear Feet	237-A002	Wattles, 20"
503	Linear Feet	245-A001	Silt Dike
313	Ton	249-A001	Riprap for Erosion Control
5,818	Ton	304-B001	Granular Material, Class 3, Group C
909	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,097	Ton	403-A006	19-mm, ST, Asphalt Pavement
865	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,199	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,324	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
24	Square Yard	501-K001	Transverse Grooving
160	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
1,029	Linear Feet	503-C010	Saw Cut, Full Depth
411	Cubic Yard	601-A001	Class "B" Structural Concrete
83,535	Pounds	602-A001	Reinforcing Steel
292	Linear Feet	603-ALT003	18" Type A Alternate Pipe
112	Linear Feet	603-ALT006	24" Type A Alternate Pipe
48	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
2	Each	603-CF003	29" x 18" Concrete Arch Pipe End Section
66	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
86	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
40	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E001	Guard Rail, Terminal End Section
126	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
20	Each	617-A001	Right-of-Way Marker
11,504	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White

11,504	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
269	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
142	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
334	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
770	Linear Feet	619-F1001	Concrete Median Barrier, Precast
350	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
342	Linear Feet	619-G4001	Barricades, Type III, Double Faced
53	Each	619-G5001	Free Standing Plastic Drums
30	Each	619-G7001	Warning Lights, Type "B"
1	Each	619-J1002	Impact Attenuator, 45 MPH
1	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
25	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
40	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
20	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
13	Ton	815-A002	Loose Riprap, Size 100
492	Ton	815-A007	Loose Riprap, Size 300
381	Square Yard	815-E001	Geotextile under Riprap
7,460	Linear Feet	907-234-A001	Temporary Silt Fence
72	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
6,674	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,665	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,451	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
285	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
212	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
83	Linear Feet	907-626-H010	Thermoplastic Legend, White

30	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
259	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
266	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

3,344	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

3,344	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

3,344	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

49	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

49	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

ALTERNATE GROUP CC NUMBER 1

580	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
-----	-------------	--------------	--

580	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
-----	-------------	--------------	---

ALTERNATE GROUP CC NUMBER 2

580	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
-----	-------------	--------------	---

580	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
-----	-------------	--------------	--

Bridge Items

1,039	Square Yard	501-K001	Transverse Grooving
745	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
1,105	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
546	Linear Feet	804-C186	110' Prestressed Concrete Beam, Type FIB-45
893	Linear Feet	804-C198	90' Prestressed Concrete Beam, Type FIB-36
98,640	Pounds	805-A001	Reinforcement
2,812	Pounds	805-C001	Reinforcement, Corrosion Resistant
584	Linear Feet	813-A004	Concrete Railing, 36"
779	Ton	815-A007	Loose Riprap, Size 300
717	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
2	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile

2	Each	907-803-J001	Pile Restrike
336	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
128	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
73	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 12

Intersection Improvements on various routes throughout the District, known as Federal Aid Project No. HSIP-9999-07(394) / 109314301 in District 7.

PROJECT COMPLETION: MAY 15, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

65,057	Linear Feet	202-B171	Removal of Legend, All Types
19,974	Square Feet	202-B172	Removal of Legend, All Types
557	Each	202-B215	Removal of Sign Including Post & Footing
609,466	Linear Feet	202-B240	Removal of Traffic Stripe
123	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	620-A001	Mobilization
2,246	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
9,315	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
1,205	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
11,241	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
80	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
44	Each	638-C001	Flasher Assembly - Solar Powered
1	Lump Sum	907-618-A001	Maintenance of Traffic
11,858	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
229,546	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3,700	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
211,070	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
49,330	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
72,286	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
4,149	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
19,974	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
64,517	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
3,944	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,102	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
5,573	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

524	Square Feet	907-630-A001	Standard Roadside Signs, LED Enhanced
701	Each	907-630-N001	Reflective Sign Post Panel

CALL No. 13

Microsurface approximately 14 miles of SR 33 from the Homochitto River to US 84, known as State Project No. SP-9999-07(387) / 108994301 in Franklin County.

PROJECT COMPLETION: 41 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

5,388	Linear Feet	202-B240	Removal of Traffic Stripe
1	Square Feet	618-B001	Additional Construction Signs
27	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,180	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,208	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
1,007	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
97,804	Gallon	907-418-A001	Emulsified Asphalt for Micro-Surfacing
3,217	Ton	907-418-B001	Aggregate for Micro-Surfacing
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
27	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,546	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,634	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,748	Linear Feet	907-626-H010	Thermoplastic Legend, White
399	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,247	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 14

Renovation of Welcome Centers, known as State Project Nos. BWO-1182-02(002) / 503757301 & BWO-1181-29(004) / 503757302, in Alcorn & Itawamba Counties.

PROJECT COMPLETION: MARCH 11, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	1510-A001	Renovate Alcorn Welcome Center
1 Lump Sum	1510-A001	Renovate Itawamba Welcome Center

CALL No. 15

Renovation of Delma Furniss Hospitality Station & Desoto Welcome Center, known as State Project Nos. BWO-2162-14(002) / 503757303 & BWO-2199-17(003) / 503757304 in Coahoma & Desoto Counties.

PROJECT COMPLETION: MAY 06, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	1510-A001	Renovate Delma Furniss Hospitality Station
1 Lump Sum	1510-A001	Renovate Desoto Welcome Center

CALL No. 16

Building Improvements at the Clinton Maintenance Area Headquarters Office Building, HVAC Upgrades, known as State Project No. BWO-5222-25(003) / 502891301210 in Hinds County.

PROJECT COMPLETION: AUGUST 20, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Lump Sum 1510-A001 Renovate HVAC Upgrade

CALL No. 17

Renovation of Welcome Centers, known as State Project Nos. BWO-6070-23(003) / 503755301 & BWO-6197-55(004) / 503755302 in Hancock & Pearl River Counties.

PROJECT COMPLETION: MARCH 11, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Lump Sum	1510-A001	Renovate Welcome Center in Hancock County
1 Lump Sum	1510-A001	Renovate Welcome Center in Pearl River County

CALL No. 18

Renovation of Welcome Center & Woodville Hospitality Station, known as State Project Nos. BWO-7124-57(003) / 503755303 & BWO-7135-79(003) / 503755304 in Pike & Wilkinson Counties.

PROJECT COMPLETION: MARCH 11, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	1510-A001	Renovate Hospitality Station in Wilkinson County
1 Lump Sum	1510-A001	Renovate Welcome Center in Pike County

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR