SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO. ADDENDUM NO	1	DATED DATED	11/21/2024	ADDENDUM NO.	DATED DATED	
ADDENDUM NO		DATED		ADDENDUM NO.	DATED	
907-414-1; Added SF			tems; Revised	TOTAL ADDENDA: (Must agree with total adder Respectfully Submitted, DATE BY TITLE ADDRESS CITY, STATE, ZIP PHONE EAY	Contractor Signature	
(To be filled in if a corporation of the corporatio	d under the			FAX		
Pre	sident				Address	
Sec	retary				Address	
Tre	asurer				Address	
The following is my (our) IM-0006-01(100) / Lee & Pontotoc C Revised 01/26/2016	10814130	•	006-02(037) / 10	08141302000		

MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

PROJECT: IM-0006-01(100)/108141301 - Lee IM-0006-02(037)/108141302 - Pontotoc

Section 901 - Advertisement

Section 904 - Notice	to Bidders				
#1	Governing Specification, w/ Supplement				
#2	Status of ROW, w/ Attachments				
#3	Final Cleanup				
#13	Safety Edge				
#296	Reduced Speed Limit Signs				
#445	Mississippi Agent or Qualified Nonresident Agent				
#446	Traffic on Milled Surface in Urban Areas				
#516	Errata and Modifications to the 2017 Standard Specifications				
#1225	Early Notice to Proceed				
#1226	Material Storage Under Bridges				
#1241	Fuel and Material Adjustments				
#2206	MASH Compliant Devices				
#2273	Mississippi Special Fuel Tax Law				
#2782	DBE Pre-Bid Meeting				
#2954	Reflective Sheeting for Signs				
#3676	Asphalt Gyratory Compactor Internal Angle Calibration				
#4113	Unique Entity ID Requirement For Federal Funded Projects				
#4702	App for Traffic Control Report				
#5551	Federal Bridge Formula				
#5605	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/				
	Supplement				
#5750	Manual on Uniform Traffic Control Devices (MUTCD)				
#6195	Retroreflectivity Requirements				
#6431	Contract Time				
#6434	Temporary Transverse Joints				
#6435	Pay Item Correction				
906	Required Federal Contract Provisions FHWA 1273, w/Supplements				
200					
Section 907 - Special	Provisions				
907-101-1	Definitions and Terms				
907-102-2	Bidding Requirements and Conditions				
907-105-2	Control of Work				
907-106-2	Control of Materials				
907-108-4	Subletting of Contract				
907-109-5	Measurement and Payment				
907-204-1	Geogrid				
907-401-1	Tack Coat				
907-402-8	Open Graded Friction Course (OGFC)				
907-405-1	Stone Matrix Asphalt				
907-410-3	Fog Seals				

PROJECT: IM-0006-01(100)/108141301 - Lee IM-0006-02(037)/108141302 - Pontotoc

907-618-12 907-619-6	Traffic Control Management Temporary Portable Rumble Strips
907-624-1	Inverted Profile Thermoplastic Traffic Stripe
907-626-11	Thermoplastic Markings
907-627-1	Raised Pavement Markings
907-628-6	Cold Plastic Pavement Markings
907-700-1	Materials and Tests
907-701-3	Hydraulic Cement
907-702-4	Bituminous Materials
907-703-2	Gradation
907-705-1	Stone Riprap
907-707-3	Joint Materials
907-711-2	Plain Steel Wire
907-712-1	Fence and Guardrail
907-714-3	Miscellaneous Materials
907-718-1	Timber and Dimension Lumber
907-720-3	Pavement Marking Materials
907-721-4	Materials for Signing
907-824-3	Routine Bridge Repair
906-9	Training Special Provision

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal Certification of Performance - Prior Federal-Aid Contracts Certification Regarding Non-Collusion, Debarment and Suspension SAM.GOV Registration and Unique Entity ID Section 902 - Contract Form Section 903 - Contract Bond Forms Form -- OCR-485

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA) 11/21/2024 12:24 PM

2

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 6435

CODE: (SP)

DATE: 11/21/2024

SUBJECT: Pay Item Number Correction

PROJECT: IM-0006-01(100) / 108141301 - Lee County IM-0006-02(037) / 108141302 - Pontotoc County

Bidders are hereby advised that Pay Item No. 907-410-D001, Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF, will be used in lieu of Pay Item No. 907-414-B001, Asphalt for Fog Seal. Anywhere the Contract Plans refer to Asphalt for Fog Seal it shall be understood to mean Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF. Pay Item No. 907-414-B001, Asphalt for Fog Seal, has been deleted from the bid sheets.

Bidders are further advised that the following quantities have been added to the bid sheets.

Pay Item No.	Description	108141/301000	108141/302000
907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF	8,174 Gallons	9,534 Gallons

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SPECIAL PROVISION NO. 907-410-3

CODE: (SP)

DATE: 06/14/2018

SUBJECT: Fog Seals

Section 410, Bituminous Surface Treatment, of the 2017 Edition of the Mississippi Standard Specifications for Road and Bridge Construction is hereby amended as follows.

<u>907-410.01--Description.</u> After the paragraph in Subsection 410.01 on page 313, add the following.

When specified on the plans or in the contract documents, this work may require the placement of a fog seal coat on an existing or newly placed surface, or a rejuvenating fog seal coat on an existing pavement. The fog seals shall be placed at locations shown on the plans or as directed by the Engineer.

<u>907-410.03--Construction Requirements.</u> After Subsection 410.03.7 on page 319, add the following.

<u>907-410.03.8--Fog Seals</u>. The placement of the fog seals shall be in accordance with the requirements set forth in Subsections 410.03.2, 410.03.3, 410.03.5, and 410.03.7, as applicable.

Fog seals shall be placed at a rate of 0.11 gallons per square yard, or as directed by the Engineer. When placing on a newly installed surface, the fog seal shall not be placed until after final brooming.

<u>907-410.04--Method of Measurement.</u> After the last paragraph of Subsection 410.04 on page 319, add the following.

Accepted quantities for asphalt for fog seal and asphalt for rejuvenating fog seal will be measured by the gallon as prescribed in Subsection 109.01. Unless otherwise specified, distributor tank measurement will be used. The volume of material over five percent (5%) above the quantity ordered for each shot will be deducted from measured quantities, except that 15 percent will be allowed for irregular areas where hand spraying is necessary.

<u>907-410.05--Basis of Payment.</u> After the paragraph in Subsection 410.05 on page 319, add the following.

Asphalt for fog seal and asphalt for rejuvenating fog seal, measured as prescribed above, will be paid for at the contract unit price per gallon, which shall be full compensation for furnishing all labor, materials, equipment, applying and protecting the fog seal, and all incidentals necessary to complete the work.

After the last pay item listed on page 319, add the following.


l

907-410-C:	Asphalt for Fog Seal, Grade	- per gallon
907-410-D:	Asphalt for Rejuvenating Fog Seal, Grade	- per gallon

Mill & Overlay approximately 5 miles of I-22 from the Union County Line to the Belden Exit at SR 178, known as Federal Aid Project Nos. IM-0006-01(100) / 108141301 & IM-0006-02(037) / 108141302 in Lee & Pontotoc Counties.

Line No.	Item Code	Adj Code	Quantity Road	Units way Items	Description [Fixed Unit Price]
0010	201-D001		213	Station	Random Clearing
0020	202-B006		108	Square Yard	Removal of Asphalt Paved Shoulders, All Depths
0030	202-B069		6,401	Square Yard	Removal of Concrete Pavement w/ Variable Depth Overlay
0040	202-B240		4,348	Linear Feet	Removal of Traffic Stripe
0050	203-G001	(E)	6,401	Cubic Yard	Excess Excavation, FM, AH
0060	209-A009		6,401	Square Yard	Geotextile Stabilization, Type VII, Non-Woven
0070	304-A002	(GY)	2,300	Cubic Yard	Granular Material, LVM, Class 3, Group C
0080	403-A006	(BA1)	4,226	Ton	19-mm, ST, Asphalt Pavement
0090	403-A013	(BA1)	4,006	Ton	9.5-mm, HT, Asphalt Pavement
0100	403-S001		23	Mile	Joint Sealant
0110	406-D001		240,226	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0120	407-A001	(A2)	28,782	Gallon	Asphalt for Tack Coat
0130	423-A001		22	Mile	Rumble Strips, Ground In
0140	503-C010		7,376	Linear Feet	Saw Cut, Full Depth
0150	618-B001		2	Square Feet	Additional Construction Signs [\$10.00]
0160	619-A1001		31	Mile	Temporary Traffic Stripe, Continuous White
0170	619-A2001		30	Mile	Temporary Traffic Stripe, Continuous Yellow
0180	619-A3003		28	Mile	Temporary Traffic Stripe, Skip White, Paint
0190	619-A5002		9,462	Linear Feet	Temporary Traffic Stripe, Detail, Paint
0200	619-A6001		886	Square Feet	Temporary Traffic Stripe, Legend
0210	619-A6002		766	Linear Feet	Temporary Traffic Stripe, Legend
0220	619-F1001		3,290	Linear Feet	Concrete Median Barrier, Precast
0230	619-F2001		3,290	Linear Feet	Remove and Reset Concrete Median Barrier, Precast
0240	620-A001		1	Lump Sum	Mobilization
0250	630-F010		264	Each	Delineators, Post Mounted, Double White
0260	630-F011		58	Each	Delineators, Post Mounted, Double Yellow
0270	630-F012		80	Each	Delineators, Post Mounted, Single White
0280	630-F013		81	Each	Delineators, Post Mounted, Single Yellow
0290	907-204-A003		6,401	Square Yard	Geogrid, Type II, Biaxial
0300	907-402-A002	(BA1)	12,212	Ton	Open Graded Friction Course, 9.5-mm Mixture
0310	907-402-B001	(A3)	3,990	Gallon	Bituminous Tack Coat
0320	907-405-A001	(BA1)	15,650	Ton	Stone Matrix Asphalt, 9.5 mm Mixture

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0322	907-410-D001	(A2)	17,708	Gallon	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
0340	907-618-A001		1	Lump Sum	Maintenance of Traffic
0350	907-619-B001		66	Linear Feet	Temporary Portable Rumble Strips
0360	907-626-A007		12	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip White
0370	907-626-B004		15	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
0380	907-626-E003		14	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
0390	907-626-G005		5,358	Linear Feet	Thermoplastic Detail Stripe, Yellow
0400	907-626-G006		1,100	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
0410	907-626-G007		1,904	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
0420	907-626-H006		886	Square Feet	Thermoplastic Double Drop Legend, White
0430	907-626-H007		766	Linear Feet	Thermoplastic Double Drop Legend, White
0440	907-627-K001		3,050	Each	Red-Clear Reflective High Performance Raised Markers
0450	907-627-L001		464	Each	Two-Way Yellow Reflective High Performance Raised Markers
0460	907-824-A003		200	Square Feet	General Epoxy Repair
0470	907-906001		720	Hours	Trainees [\$5.00]
			ALTERNATE G	ROUP AA NUMBE	R 1
0480	304-F001	(GT)	7,488	Ton	3/4" and Down Crushed Stone Base
			ALTERNATE G	ROUP AA NUMBE	R 2
0490	304-F002	(GT)	7,488	Ton	Size 610 Crushed Stone Base
			ALTERNATE G	ROUP AA NUMBE	R 3
0500	304-F003	(GT)	7,488	Ton	Size 825B Crushed Stone Base
				ROUP BB NUMBE	
0510	907-624-A002		2,220	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
0520	907-624-B002		1,255	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
0530	907-624-D002		1,255	Linear Feet	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2					
0540	907-628-G003		2,220	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Skip White
0550	907-628-H005		1,255	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous White
0560	907-628-J003		1,255	Linear Feet	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow



NOTE: THE ANTICIPATED WORKING DAYS SHOWN ON THIS SCHEDULE ARE FOR INFORMATIONAL PURPOSES ONLY. THE ACTUAL WORKING DAY TOTAL AS ASSESSED BY THE PROJECT ENGINEER ON FORM CSD-765 SHALL GOVERN.