

Proposal & Plan Sales Will Begin on November 4, 2024



MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION

***Notice to Contractors***

Letting Date For November - November 26, 2024

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR NOVEMBER - Tuesday, November 26, 2024

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON NOVEMBER 4, 2024

Proposals must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, November 26, 2024; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR NOVEMBER

CALL	CONTRACT	COUNTY
01	IM-0006-01(100)/108141301 & IM-0006-02(037)/108141302	LEE, PONTOTOC
02	HSIP-0008-02(117)/108247301	COVINGTON
* 03	STBG-0008-04(074)/108979301	HOLMES
* 04	STP-0008-02(125)/109249301	COVINGTON
* 05	STP-0024-05(016)/109445301 & STP-0074-02(016)/109445302	KEMPER
06	SP-0027-01(006)/108912301 & SP-1989-00(012)/108912302	ALCORN
07	STBG-0033-02(006)/109533301	ALCORN
08	STBG-0054-01(065)/109503301 & STBG-0055-01(132)/109525301	COPIAH
09	CRP-0059-03(102)/108158302	LAUDERDALE
10	HSIP-0059-01(131)/1091253010 & HSIP-0059-01(131)/1091253011 & HSIP-0059-01(131)/1091253020	CLARKE, JASPER, PEARL RIVER
* 11	SP-0060-03(023)/108254301	MARSHALL
12	STBG-0071-06(012)/109573301 & NHPP-0022-04(072)/109574301	TIPPAH
13	NHPP-0077-01(009)/109646301	LEE
14	NHPP-0079-01(039)/108913301	LOWNDES

15	STBG-0091-01(011)/109501301 & NHPP-0072-03(027)/109506301	YAZOO
* 16	SP-0301-00(012)/108940301	JEFFERSON
18	STBG-0834-00(034)/109507301	LAFAYETTE
19	STBG-1989-00(013)/109572301	TISHOMINGO
* 20	MP-6605-24(004)/307900301	HARRISON
21	STBG-7366-00(001)/109390301	RANKIN



CALL No. 01

Mill & Overlay approximately 5 miles of I-22 from the Union County Line to the Belden Exit at SR 178, known as Federal Aid Project Nos. IM-0006-01(100) / 108141301 & IM-0006-02(037) / 108141302 in Lee & Pontotoc Counties.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change  
Roadway Items**

213	Station	201-D001	Random Clearing
108	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
6,401	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
4,348	Linear Feet	202-B240	Removal of Traffic Stripe
6,401	Cubic Yard	203-G001	Excess Excavation, FM, AH
6,401	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
2,300	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
4,226	Ton	403-A006	19-mm, ST, Asphalt Pavement
4,006	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
23	Mile	403-S001	Joint Sealant
240,226	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
28,782	Gallon	407-A001	Asphalt for Tack Coat
22	Mile	423-A001	Rumble Strips, Ground In
7,376	Linear Feet	503-C010	Saw Cut, Full Depth
2	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
28	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
9,462	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
886	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
766	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
3,290	Linear Feet	619-F1001	Concrete Median Barrier, Precast
3,290	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1	Lump Sum	620-A001	Mobilization

264	Each	630-F010	Delineators, Post Mounted, Double White
58	Each	630-F011	Delineators, Post Mounted, Double Yellow
80	Each	630-F012	Delineators, Post Mounted, Single White
81	Each	630-F013	Delineators, Post Mounted, Single Yellow
6,401	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
12,212	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
3,990	Gallon	907-402-B001	Bituminous Tack Coat
15,650	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
17,708	Gallon	907-414-B001	Asphalt for Fog Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
12	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
15	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
14	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,358	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,100	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,904	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
886	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
766	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
3,050	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
464	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
200	Square Feet	907-824-A003	General Epoxy Repair
720	Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>			
7,488	Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
7,488	Ton	304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
7,488	Ton	304-F003	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>			
2,220	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

1,255	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
1,255	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

2,220	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
1,255	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
1,255	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Intersection Improvements on US 49 at SR 35, known as Federal Aid Project No. HSIP-0008-02(117) / 108247301 in Covington County.

PROJECT COMPLETION: MARCH 17, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2 Acre	201-B001	Clearing and Grubbing
1 Acre	201-C002	Random Clearing and Grubbing
4,536 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
56 Linear Feet	202-B191	Removal of Pipe, 8" And Above
13 Each	202-B215	Removal of Sign Including Post & Footing
2,860 Cubic Yard	203-E001	Borrow Excavation, AH, LVM, State Furnished
901 Cubic Yard	203-G001	Excess Excavation, FM, AH
12,780 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
857 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1 Ton	213-C001	Superphosphate
8,220 Square Yard	216-A001	Solid Sodding
164 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
2 Acre	223-A001	Mowing
2 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
4 Ton	225-C001	Mulch, Vegetative Mulch
2 Acre	226-A001	Temporary Grassing
200 Linear Feet	237-A002	Wattles, 20"
200 Linear Feet	245-A001	Silt Dike
200 Linear Feet	246-A001	Sandbags
80 Ton	249-A001	Riprap for Erosion Control
870 Ton	304-B006	Granular Material, Class 6, Group C
946 Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,891 Ton	403-A006	19-mm, ST, Asphalt Pavement



630	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,146	Gallon	407-A001	Asphalt for Tack Coat
1,693	Linear Feet	503-C010	Saw Cut, Full Depth
6	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
345	Pounds	602-A001	Reinforcing Steel
32	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
8	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
266	Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
212	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
7	Each	617-A001	Right-of-Way Marker
3,789	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
4,205	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,388	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
160	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
424	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
147	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
521	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
54	Linear Feet	619-G4001	Barricades, Type III, Double Faced
318	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
43	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
123	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
53	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
112	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
227	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
1	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
6	Each	635-A059	Traffic Signal Head, Type 1

2	Each	635-A061	Traffic Signal Head, Type 2
2	Each	635-A070	Traffic Signal Head, Type 3
4	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Lump Sum	699-A001	Roadway Construction Stakes
10	Ton	815-F002	Sediment Control Stone
1,000	Linear Feet	907-234-A001	Temporary Silt Fence
3,600	Square Yard	907-416-A001	High Friction Surface Treatment
1	Lump Sum	907-618-A001	Maintenance of Traffic
3,789	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,205	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
794	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
594	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
160	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
424	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
49	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
33	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
2	Each	907-634-A107	Traffic Signal Equipment Pole, Type II, 22' Shaft, 40' Arm
1	Each	907-634-A115	Traffic Signal Equipment Pole, Type II, 22' Shaft, 80' Arm
1	Each	907-634-A117	Traffic Signal Equipment Pole, Type II, 22' Shaft, 90' Arm
16	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1,958	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
1,023	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
78	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
4	Each	907-637-A001	Pullbox Enclosure, Type 1
4	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3

212	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
51	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
1,785	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
190	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,133	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
1	Each	907-650-A003	On Street Video Equipment, PTZ Type
18	Square Feet	907-653-B001	Street Name Sign
1	Each	907-663-A001	Network Switch, Type A

**ALTERNATE GROUP AA NUMBER 1**

4,860	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

4,860	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

4,860	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 03

Overlay approximately 8 miles of US 49E from the Yazoo County Line to 0.2 miles north of the SR 12W Intersection, known as Project No. STBG-0008-04(074) / 108979301 in Holmes County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

267 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,688 Linear Feet	202-B136	Removal of Guard Rail
7,000 Linear Feet	202-B240	Removal of Traffic Stripe
45 Cubic Yard	203-G001	Excess Excavation, FM, AH
12,500 Ton	304-B004	Granular Material, Class 5, Group D
12,600 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
180 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
2,000 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
2,200 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
372 Square Feet	412-A001	Pre-Grinding
16 Mile	423-A001	Rumble Strips, Ground In
381 Linear Feet	503-C010	Saw Cut, Full Depth
1,700 Linear Feet	606-B001	Guard Rail, Class A, Type 1
8 Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
8 Each	606-D022	Guard Rail, Bridge End Section, Type I
16 Each	606-E005	Guard Rail, Terminal End Section, Flared
1 Square Feet	618-B001	Additional Construction Signs
18 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,000 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1 Lump Sum	620-A001	Mobilization
80 Each	630-F006	Delineators, Guard Rail, White
16 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

10,000 Pounds	907-420-A001	Undersealing
1 Lump Sum	907-618-A001	Maintenance of Traffic
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
17 Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8 Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5 Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,000 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,000 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,200 Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
350 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
850 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 04

Mill & Overlay approximately 5 miles of US 49 from the Forrest County Line to Richard Kendrick Drive, known as Project No. STP-0008-02(125) / 109249301 in Covington County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

357	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
505	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
73	Cubic Yard	203-G002	Excess Excavation, LVM, AH
2,283	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
2,277	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
13,107	Ton	403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
183,835	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,779	Gallon	407-A001	Asphalt for Tack Coat
19	Mile	423-A001	Rumble Strips, Ground In
768	Linear Feet	503-C010	Saw Cut, Full Depth
850	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Square Feet	618-B001	Additional Construction Signs
20	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
20	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3001	Temporary Traffic Stripe, Skip White
56,250	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
282	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
2,624	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
44	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
28	Each	630-F006	Delineators, Guard Rail, White
5,670	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
29,584	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement

1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,955	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
17,170	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
141	Square Feet	907-626-H009	Thermoplastic Legend, White
1,312	Linear Feet	907-626-H010	Thermoplastic Legend, White
454	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,013	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,346	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

**ALTERNATE GROUP AA NUMBER 1**

74	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

74	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

74	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----	------------	----------	-----------------------------------

CALL No. 05

Mill & Overlay approximately 13 miles of SR 16 from the Neshoba County Line to east of Watkins Road & 0.30 miles of SR 39 connector from SR 39 south to SR 30 north, known as Project Nos. STP-0024-05(016) / 109445301 & STP-0074-02(016) / 109445302 in Kemper County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

786	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
120	Each	202-B117	Removal of Delineator, All Types
2,175	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
170	Square Yard	202-B168	Removal of Island Pavement, All Types
1,000	Square Yard	202-B188	Removal of Pavement, All Types and Depths
300	Cubic Yard	203-G002	Excess Excavation, LVM, AH
360	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,280	Ton	304-D002	Granular Material, Crushed Stone
26,920	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
320	Ton	403-A006	19-mm, ST, Asphalt Pavement
130	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
232,432	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
23,244	Gallon	407-A001	Asphalt for Tack Coat
24	Mile	423-A001	Rumble Strips, Ground In
600	Linear Feet	503-C010	Saw Cut, Full Depth
7	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,425	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
20	Each	606-E005	Guard Rail, Terminal End Section, Flared
220	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
2,548	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,310	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
16,785	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,080	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend



865	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
292	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
90	Each	630-F006	Delineators, Guard Rail, White
10	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
10	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
604	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2,500	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
24	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
20	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,250	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
9,453	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
3,666	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
147	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
1,540	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
2,555	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
132	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,085	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 06

Mill & Overlay approximately 4 miles of SR 2 from US 45 to SR 350 & approximately 6 miles of SR 350 from SR 2 to the Tishomingo County Line , known as Project Nos. SP-0027-01(006) / 108912301 & SP-1989-00(012) / 108912302 in Alcorn County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

22	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
6	Each	202-B213	Removal of Sign
620	Linear Feet	202-B240	Removal of Traffic Stripe
22	Cubic Yard	203-G001	Excess Excavation, FM, AH
22	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
1,800	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
16	Ton	403-A005	19-mm, MT, Asphalt Pavement
16,308	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
186,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
14,800	Gallon	407-A001	Asphalt for Tack Coat
13	Mile	423-A001	Rumble Strips, Ground In
40	Linear Feet	503-C010	Saw Cut, Full Depth
2	Square Feet	618-B001	Additional Construction Signs
36	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
16	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
16	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,060	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,600	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
52	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
78	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
50	Each	630-F006	Delineators, Guard Rail, White
22	Square Yard	907-204-A003	Geogrid, Type II, Biaxial

1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
8	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
12,200	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,060	Square Feet	907-626-H009	Thermoplastic Legend, White
3,599	Linear Feet	907-626-H010	Thermoplastic Legend, White
275	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,110	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
310	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

**ALTERNATE GROUP AA NUMBER 1**

224	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

224	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

224	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

**ALTERNATE GROUP BB NUMBER 1**

360	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
180	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
80	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

360	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
180	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
80	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 07

Bridge Repair on SR 2 over the Tuscumbia River and reliefs (Bridge Nos. 45.6, 45.7 & 45.8, known as Federal Aid Project No. STBG-0033-02(006) / 109533301 in Alcorn County.

PROJECT COMPLETION: 125 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,320	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
4,360	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
940	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
380	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
144	Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
28	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
168	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
60	Each	619-G5001	Free Standing Plastic Drums
27	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
1,320	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
380	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
940	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
17	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

**Bridge Items**

270	Cubic Yard	249-B001	Remove and Reset Riprap
1,890	Ton	815-A007	Loose Riprap, Size 300
1,290	Square Yard	815-E001	Geotextile under Riprap
2,500	Pounds	907-420-A001	Undersealing
2	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,126	Linear Feet	907-808-A002	Joint Repair

564	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,126	Linear Feet	907-823-B001	Saw Cut, Type I
196	Square Feet	907-824-A003	General Epoxy Repair
18	Each	907-824-C001	Cap Cleaning
32	Each	907-824-D001	Bearing Replacements
170	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
11	Each	907-824-PP006	Bridge Repair, Structural Pile Encasement, Per Plans
55	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

CALL No. 08

Bridge Repairs on SR 27 over Copiah Creek (Bridge No. 65.8) & Martinsville Road, Gallatin Street, County Farm Road, Barker Road & Miller Road over I-55 (Bridge Nos. 56, 59.5, 58.4, 63.1 A & B), known as Federal Aid Project Nos. STBG-0054-01(065) / 109503301 & STBG-0055-01(132) / 109525301 in Copiah County.

PROJECT COMPLETION: 208 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

1	Lump Sum	201-A001	Clearing and Grubbing
208	Linear Feet	202-B169	Removal of Joint Material
470	Ton	815-A007	Loose Riprap, Size 300
320	Square Yard	815-E001	Geotextile under Riprap
4,415	Square Yard	907-417-A001	Polymer Cement Surface System
10,000	Pounds	907-420-A001	Undersealing
378	Linear Feet	907-808-A002	Joint Repair
944	Linear Feet	907-808-A003	Joint Repair Without Epoxy
607	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
54	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
270	Linear Feet	907-823-B001	Saw Cut, Type I
108	Linear Feet	907-823-B002	Saw Cut, Type II
107	Square Feet	907-824-A003	General Epoxy Repair
26	Each	907-824-C001	Cap Cleaning
92	Each	907-824-D001	Bearing Replacements
4,348	Square Feet	907-824-F001	Encapsulating Field Painting
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping
96	Each	907-824-PP006	Bridge Repair, Installation of Connecting Angle
24	Each	907-824-PP006	Bridge Repair, Pile Encasement
16	Each	907-824-PP006	Bridge Repair, Structural Pile Encasement
2	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete

**Roadway Items**

5,350	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
4,550	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow

160	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
160	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
144	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
608	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
120	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
200	Linear Feet	907-234-A001	Temporary Silt Fence
220	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Each	907-619-E3001	Changeable Message Sign
5,350	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
160	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4,550	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
58	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 09

Installation of Intelligent Transportation Systems on I-59 from 1.5 miles south of I-20, I-20 from 2 miles west of I-59 to I-59, I-59/I-20 to 1.3 miles northeast of US 45, & 1 mile northeast of the Weigh Station, known as Federal Aid Project No. CRP-0059-03(102) / 108158302 in Lauderdale County.

PROJECT COMPLETION: OCTOBER 05, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

315	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
1,245	Linear Feet	237-A002	Wattles, 20"
195	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
120	Ton	403-A001	12.5-mm, HT, Asphalt Pavement
75	Ton	403-A013	9.5-mm, HT, Asphalt Pavement
66	Gallon	407-A001	Asphalt for Tack Coat
600	Linear Feet	606-B001	Guard Rail, Class A, Type 1
3	Each	606-C003	Guard Rail, Cable Anchor, Type 1
3	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-630-L001	Pedestal Sign Support, Assembly No 1, Contractor Designed
1	Lump Sum	907-630-L002	Pedestal Sign Support, Assembly No 2, Contractor Designed
1	Lump Sum	907-630-L003	Pedestal Sign Support, Assembly No 3, Contractor Designed
11	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
4	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
15	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
1	Each	907-634-E004	Camera Pole with Foundation, 80' Pole
2	Each	907-634-F002	Detector Pole with Foundation, 35' Pole
31	Each	907-634-PP005	Traffic Signal Equipment Pole Air Ground
1,245	Linear Feet	907-636-B036	Electric Cable, Underground in Conduit, THHN, AWG #1, 4 Conductor
1,230	Linear Feet	907-636-B042	Electric Cable, Underground in Conduit, THHN, AWG #2, 3 Conductor



2,690	Linear Feet	907-636-B050	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
7,470	Linear Feet	907-636-B053	Electric Cable, Underground in Conduit, THHN, AWG #6, 3 Conductor
52	Each	907-637-A002	Pullbox Enclosure, Type 2
40	Each	907-637-A004	Pullbox Enclosure, Type 4
29	Each	907-637-A005	Pullbox Enclosure, Type 5
1	Each	907-637-B001	Pull Box Enclosure, Structure Mounted, Type 1
250	Linear Feet	907-637-E002	Traffic Signal Conduit, Structural Conduit, Type 1, 2"
570	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
6,150	Linear Feet	907-637-H002	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2"
24,840	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
9,155	Linear Feet	907-637-I002	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2"
265	Linear Feet	907-637-I003	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 3 @ 2"
2,655	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
680	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
31	Each	907-650-A002	On Street Video Equipment, Fixed Type
13	Each	907-650-A003	On Street Video Equipment, PTZ Type
12	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
3	Each	907-656-A002	Dynamic Message Sign, Type 2
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
2	Each	907-660-A001	Equipment Cabinet, Type A
13	Each	907-660-A002	Equipment Cabinet, Type B
1	Each	907-660-A003	Equipment Cabinet, Type C
29,140	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
2,655	Linear Feet	907-661-A006	Fiber Optic Cable, Aerial, 72 SM
9,635	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
5	Each	907-662-C001	Radio Interconnect, Signal Control Repeater
15	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
16	Each	907-663-A001	Network Switch, Type A
1	Each	907-663-A005	Network Switch, Type E

11	Each	907-663-A006	Network Switch, Type F
1	Each	907-663-C002	SD-WAN Router
6,655	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 10

Installation of Median Cable Barrier & Bridge Pier Protection along I-59 from CR 334 to the CR 35 overpass & from Hillsdale Gumpond Road to west Union, known as Federal Aid Project Nos. HSIP-0059-01(131) / 1091253010, HSIP-0059-01(131) / 1091253011 & HSIP-0059-01(131) / 1091253020 in Clarke, Jasper & Pearl River Counties.

PROJECT COMPLETION: 68 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

3	Acre	201-C002	Random Clearing and Grubbing
3	Each	202-B129	Removal of Flared End Section, All Sizes
12	Each	202-B165	Removal of Inlets, All Sizes
31	Linear Feet	202-B191	Removal of Pipe, 8" And Above
56	Each	202-B278	Removal & Replacement of Edge Drain Outlet
281	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
14,004	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
104	Cubic Yard	206-A001	Structure Excavation
10,016	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
13	Ton	213-C001	Superphosphate
37,610	Square Yard	216-A001	Solid Sodding
44,300	Square Yard	217-A001	Ditch Liner
753	Thousand Gallon	219-A001	Watering
25	Acre	220-A001	Insect Pest Control
3,166	Cubic Yard	221-A001	Concrete Paved Ditch
25	Acre	225-A001	Grassing
13	Ton	225-B001	Agricultural Limestone
50	Ton	225-C001	Mulch, Vegetative Mulch
25	Acre	226-A001	Temporary Grassing
6,000	Linear Feet	237-A002	Wattles, 20"
22	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,434	Pounds	602-A001	Reinforcing Steel
24	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
25	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III

4	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
1	Each	603-CB004	24" Reinforced Concrete End Section
3,757	Pounds	604-B001	Gratings
2,500	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
10	Each	606-C003	Guard Rail, Cable Anchor, Type 1
10	Each	606-E001	Guard Rail, Terminal End Section
84,619	Linear Feet	610-A001	Cable Barrier
54	Each	610-B001	Cable Barrier Terminal Section
7	Each	613-D003	Adjustment of Inlet
160	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
720	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
168	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
86,000	Linear Feet	907-234-A001	Temporary Silt Fence
44	Each	907-234-D001	Inlet Siltation Guard
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 11

Seal & Overlay approximately 8 miles of SR 4 from Galena Curve to SR 7, known as Project No. SP-0060-03(023) / 108254301 in Marshall County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

486	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
23	Each	202-B215	Removal of Sign Including Post & Footing
170	Cubic Yard	203-G002	Excess Excavation, LVM, AH
6,450	Ton	304-B004	Granular Material, Class 5, Group D
350	Ton	403-A006	19-mm, ST, Asphalt Pavement
10,875	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,922	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
13,252	Gallon	407-A001	Asphalt for Tack Coat
16	Mile	423-A001	Rumble Strips, Ground In
506	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
31	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
13,306	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
1,328	Linear Feet	619-A6004	Temporary Traffic Stripe, Legend, Paint
1	Lump Sum	620-A001	Mobilization
134	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
59	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
99	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
299	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
124,225	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
16	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White

7	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6,653	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
664	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
126	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
612	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 12

Bridge Repairs on SR 4 over the Hatchie River and Relief (Bridge Nos. 124.0 & 124.1) & SR 15 over North Prong (Bridge No. 322.9), known as Federal Aid Project Nos. STBG-0071-06(012) / 109573301 & NHPP-0022-04(072) / 109574301 in Tippah County.

PROJECT COMPLETION: 204 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,280	Linear Feet	202-B240	Removal of Traffic Stripe
80	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,432	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,360	Linear Feet	615-B001	Precast Concrete Median Barrier
1	Square Feet	618-B001	Additional Construction Signs
3,410	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
3,108	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
260	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,575	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
38	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,360	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
16	Each	619-G5001	Free Standing Plastic Drums
19	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
3,150	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,575	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
23	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
<b>ALTERNATE GROUP AA NUMBER 1</b>			
260	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
260	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP AA NUMBER 2**

260	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
260	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

3,013	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
171	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,230	Linear Feet	907-808-A002	Joint Repair
535	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
80	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,071	Linear Feet	907-823-B001	Saw Cut, Type I
160	Linear Feet	907-823-B002	Saw Cut, Type II
20	Square Feet	907-824-A003	General Epoxy Repair
25	Each	907-824-C001	Cap Cleaning
86	Each	907-824-D001	Bearing Replacements
435	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
1,718	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans
11	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay



CALL No. 13

Bridge Repair on US 278 (Bridge No. 121.7A), known as Federal Aid Project No. NHPP-0077-01(009) / 109646301 in Lee County.

PROJECT COMPLETION: 40 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

186	Linear Feet	907-808-A003	Joint Repair Without Epoxy
93	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
186	Linear Feet	907-823-B001	Saw Cut, Type I
174	Square Feet	907-824-A003	General Epoxy Repair
174	Square Feet	907-824-B003	FRP Wrap, Bi-directional
1	Lump Sum	907-824-PP004	Bridge Repair, Remove and Replace Bridge Deck, Railing, and Beam
11	Linear Feet	907-824-PP008	Bridge Repair, New Construction of Riser, Per Plans
11	Linear Feet	907-824-PP008	Bridge Repair, Removal of Riser, Per Plans

**Roadway Items**

627	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
627	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
48	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
580	Linear Feet	619-F1001	Concrete Median Barrier, Precast
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
32	Each	619-G5001	Free Standing Plastic Drums
3	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
480	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
960	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
960	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
6	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

CALL No. 14

Mill & Overlay approximately 15 miles of US 45A from the Noxubee County Line to the Clay County Line, known as Federal Aid Project No. NHPP-0079-01(039) / 108913301 in Lowndes County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

50	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
5,345	Linear Feet	202-B136	Removal of Guard Rail
7,700	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-G002	Excess Excavation, LVM, AH
13,000	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
6,700	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
52,000	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
597,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
35,000	Gallon	407-A001	Asphalt for Tack Coat
60	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	503-C010	Saw Cut, Full Depth
3,920	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
24	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
24	Each	606-E001	Guard Rail, Terminal End Section
1	Square Feet	618-B001	Additional Construction Signs
61	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
53	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
61	Mile	619-A3001	Temporary Traffic Stripe, Skip White
44,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,200	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
84	Each	619-F3001	Delineators, Guard Rail, White
84	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
450	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
350	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

370	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
16	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,305	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
29	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
29	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
25	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
44,400	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
37,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,100	Square Feet	907-626-H009	Thermoplastic Legend, White
2,550	Linear Feet	907-626-H010	Thermoplastic Legend, White
770	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,000	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
950	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
720	Hours	907-906001	Trainees

**ALTERNATE GROUP AA NUMBER 1**

50	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----	------------	----------	---------------------------------------

**ALTERNATE GROUP AA NUMBER 2**

50	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----	------------	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 3**

50	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----	------------	----------	-----------------------------------

**ALTERNATE GROUP BB NUMBER 1**

3,400	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,400	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,400	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

3,400	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,400	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,400	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 15

Bridge Repairs on SR 149 over Broad Lake (Bridge No. 206.4) & on US 49W over the Yazoo River (Bridge Nos. 207.0 A & B), known as Federal Aid Project Nos. STBG-0091-01(011) / 109501301 and NHPP-0072-03(027) / 109506301 in Yazoo County.

PROJECT COMPLETION: 248 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

360	Linear Feet	202-B136	Removal of Guard Rail
4	Each	202-B142	Removal of Guard Rail Bridge End Section, Type H
4	Each	202-B152	Removal of Guard Rail Terminal End Section
27	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
311	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
23	Gallon	407-A001	Asphalt for Tack Coat
225	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E001	Guard Rail, Terminal End Section
7,497	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
7,497	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7,497	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
144	Linear Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
54	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,200	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,200	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
15	Each	619-F3001	Delineators, Guard Rail, White
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
6	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L

48	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-619-E3001	Changeable Message Sign
7,497	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,200	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8,597	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7,497	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
94	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
27	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

#### Bridge Items

660	Ton	815-A007	Loose Riprap, Size 300
367	Square Yard	815-E001	Geotextile under Riprap
4,792	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
5,000	Pounds	907-420-A001	Undersealing
267	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,640	Linear Feet	907-808-A002	Joint Repair
410	Linear Feet	907-808-A003	Joint Repair Without Epoxy
1,025	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
12	Square Feet	907-824-A003	General Epoxy Repair
13,701	Square Feet	907-824-B004	FRP Wrap, Uni-directional
121	Each	907-824-C001	Cap Cleaning
40	Each	907-824-D001	Bearing Replacements
490	Square Feet	907-824-F001	Encapsulating Field Painting
162,288	Square Feet	907-824-PP003	Bridge Repair, Class 2 Spray Finish, Per Plans
308	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
2	Each	907-824-PP006	Bridge Repair, Down Spout Repair, Per Plans
2,240	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish
320	Linear Feet	907-824-PP008	Bridge Repair, finger Joint Cleaning, Per Plans
706	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay



CALL No. 16

Overlay approximately 19 miles of SR 553 from the Adams County Line to US 61 at Fayette, known as Project No. SP-0301-00(012) / 108940301 in Jefferson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,050	Station	201-D001	Random Clearing
21	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,135	Linear Feet	202-B136	Removal of Guard Rail
4,200	Linear Feet	202-B240	Removal of Traffic Stripe
7	Cubic Yard	203-G001	Excess Excavation, FM, AH
6,000	Ton	304-B004	Granular Material, Class 5, Group D
24,750	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
14	Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
1,700	Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1,100	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
20,000	Gallon	407-A001	Asphalt for Tack Coat
88	Linear Feet	503-C010	Saw Cut, Full Depth
863	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-D022	Guard Rail, Bridge End Section, Type I
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Square Feet	618-B001	Additional Construction Signs
44	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
36	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
43	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted

6,500 Pounds	907-420-A001	Undersealing
1 Lump Sum	907-618-A001	Maintenance of Traffic
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
43 Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7 Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
36 Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,100 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
750 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,000 Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
600 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,200 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers



CALL No. 18

Bridge Repairs on SR 310 over Greasy Creek (Bridge No. 45.6), known as Federal Aid Project No. STBG-0834-00(034) / 109507301 in Lafayette County.

PROJECT COMPLETION: 106 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

160	Square Yard	202-B029	Removal of Bridge End Pavement
450	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
100	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,200	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
71	Gallon	407-A001	Asphalt for Tack Coat
225	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1,932	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
804	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
288	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
36	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
320	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
462	Linear Feet	619-F1001	Concrete Median Barrier, Precast
462	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
18	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
20	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
191	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
804	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
804	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

13	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	907-643-A004	Video Vehicle Detection Sensor, Type 1A

**Bridge Items**

646	Square Yard	501-K001	Transverse Grooving
52,846	Pounds	805-A001	Reinforcement
320	Linear Feet	813-A004	Concrete Railing, 36"
180	Ton	815-A007	Loose Riprap, Size 300
136	Square Yard	815-E001	Geotextile under Riprap
166	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
2	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
164	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
34	Square Feet	907-824-A003	General Epoxy Repair
4	Each	907-824-C001	Cap Cleaning
6,854	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
1	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
105	Linear Feet	907-824-PP008	Bridge Repair, Removal of Endwall

CALL No. 19

Bridge Repairs on SR 350 over Chambers Creek, Chambers Creek Relief, & the Norfolk Southern Railroad (Bridge Nos. 7.1, 7.5, & 7.9), known as Federal Aid Project No. STBG-1989-00(013) / 109572301 in Tishomingo County.

PROJECT COMPLETION: AUGUST 28, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

6,200	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
3,100	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1,260	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,470	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
96	Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
72	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
240	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,900	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,900	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
36	Each	619-G5001	Free Standing Plastic Drums
40	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
6,200	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,470	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,260	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
79	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

**Bridge Items**

1,475	Ton	815-A007	Loose Riprap, Size 300
1,202	Square Yard	815-E001	Geotextile under Riprap
3,555	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition

2,000	Pounds	907-420-A001	Undersealing
201	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,363	Linear Feet	907-808-A002	Joint Repair
621	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
61	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,241	Linear Feet	907-823-B001	Saw Cut, Type I
122	Linear Feet	907-823-B002	Saw Cut, Type II
16	Square Feet	907-824-A003	General Epoxy Repair
23	Each	907-824-C001	Cap Cleaning
50	Each	907-824-D001	Bearing Replacements
488	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
1,794	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans

CALL No. 20

Overlay approximately 8 miles of SR 605 from I-10 to SR 67, known as Project No. MP-6605-24(004) / 307900301 in Harrison County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

16,152	Linear Feet	202-B240	Removal of Traffic Stripe
28,013	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
1,789	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
18,232	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
17,339	Gallon	407-A001	Asphalt for Tack Coat
26	Mile	423-A001	Rumble Strips, Ground In
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
13	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13	Mile	619-A3001	Temporary Traffic Stripe, Skip White
54,401	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
691	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,272	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
56	Each	630-F014	Delineators, Surface Mounted, White
1	Lump Sum	907-618-A001	Maintenance of Traffic
13	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
13	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
13	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
29,986	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
24,415	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
691	Square Feet	907-626-H009	Thermoplastic Legend, White
3,272	Linear Feet	907-626-H010	Thermoplastic Legend, White
286	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,533	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

1,366 Each 907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

**ALTERNATE GROUP AA NUMBER 1**

2,849 Ton 304-F002 Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 2**

2,849 Ton 304-F003 Size 825B Crushed Stone Base

**ALTERNATE GROUP BB NUMBER 1**

2,130 Linear Feet 907-624-A002 6" Inverted Profile Thermoplastic Traffic Stripe, Skip White

7,011 Linear Feet 907-624-B002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White

7,011 Linear Feet 907-624-D002 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

**ALTERNATE GROUP BB NUMBER 2**

2,130 Linear Feet 907-628-G003 6" High Performance Cold Plastic Traffic Stripe, Skip White

7,011 Linear Feet 907-628-H005 6" High Performance Cold Plastic Traffic Stripe, Continuous White

7,011 Linear Feet 907-628-J003 6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 21

Roundabout Improvements on Old Brandon Road at Airport Road, International Drive, & SR 475, known as Federal Aid Project No. STBG-7366-00(001) / 109390301 in Rankin County.

PROJECT COMPLETION: 120 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
4,296	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
824	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,766	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
114	Each	202-B117	Removal of Delineator, All Types
4	Each	202-B165	Removal of Inlets, All Sizes
97	Square Feet	202-B172	Removal of Legend, All Types
41	Linear Feet	202-B191	Removal of Pipe, 8" And Above
12	Each	202-B217	Removal of Sign Post and Footing
8,126	Linear Feet	202-B240	Removal of Traffic Stripe
204	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
3,099	Cubic Yard	203-G001	Excess Excavation, FM, AH
216	Cubic Yard	206-A001	Structure Excavation
17,449	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
318	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
202	Square Yard	216-A001	Solid Sodding
4	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
23	Cubic Yard	221-A001	Concrete Paved Ditch
4	Acre	223-A001	Mowing
2	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
1	Ton	225-C001	Mulch, Vegetative Mulch
2	Acre	226-A001	Temporary Grassing

400	Linear Feet	237-A002	Wattles, 20"
80	Linear Feet	245-A001	Silt Dike
60	Each	246-B001	Rockbags
200	Ton	249-A001	Riprap for Erosion Control
14	Cubic Yard	249-B001	Remove and Reset Riprap
1,142	Ton	304-D002	Granular Material, Crushed Stone
171	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
52	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
256	Ton	403-A005	19-mm, MT, Asphalt Pavement
104	Ton	403-A006	19-mm, ST, Asphalt Pavement
590	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
692	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
5,593	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,472	Gallon	407-A001	Asphalt for Tack Coat
4,981	Linear Feet	503-C010	Saw Cut, Full Depth
67	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,655	Pounds	602-A001	Reinforcing Steel
566	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
395	Pounds	604-A001	Castings
500	Pounds	604-B001	Gratings
496	Linear Feet	609-B003	Concrete Curb, Special Design
183	Linear Feet	609-C001	Concrete Integral Curb, Type 1
2,328	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
3,391	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
8	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
35	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
255	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
2,461	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
8,086	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint



9,038	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
360	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
2,725	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
99	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
184	Square Feet	619-A6003	Temporary Traffic Stripe, Legend, Paint
204	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
852	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
720	Linear Feet	619-F1001	Concrete Median Barrier, Precast
132	Linear Feet	619-G4001	Barricades, Type III, Double Faced
42	Linear Feet	619-G4005	Barricades, Type III, Single Faced
227	Each	619-G5001	Free Standing Plastic Drums
100	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
63	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
152	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
198	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
144	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	699-A001	Roadway Construction Stakes
30	Cubic Yard	815-F001	Sediment Control Stone
2,600	Linear Feet	907-234-A001	Temporary Silt Fence
7	Each	907-234-D001	Inlet Siltation Guard
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
6,151	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,074	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
274	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
<b>ALTERNATE GROUP AA NUMBER 1</b>			
5,060	Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
5,060	Ton	304-F002	Size 610 Crushed Stone Base

**ALTERNATE GROUP AA NUMBER 3**

5,060 Ton

304-F003 Size 825B Crushed Stone Base

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR