

Proposal & Plan Sales Will Begin on January 6, 2025



MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION

***Notice to Contractors***

Letting Date For January - January 28, 2025

# MISSISSIPPI DEPARTMENT OF TRANSPORTATION

## NOTICE TO CONTRACTORS

### LETTING DATE FOR JANUARY - Tuesday, January 28, 2025

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

### PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 6, 2025

Proposals must be purchased online at:  
<https://shop.mdot.ms.gov>  
 For Information Please Contact:  
 Contract Administration Division  
 Jackson, MS  
 Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shop.mdot.ms.gov>  
 For Information Please Contact:  
 MDOT Plans Print Shop  
 Jackson, MS  
 Telephone: (601) 359-7460  
 e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, January 28, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

#### LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	HSIP-0008-01(155)/109323301	HARRISON
02	STBG-0009-02(082)/108092301	WARREN
*	03 STBG-0013-01(016)/108698301 & HSIP-0013-01(021)/108698302	JEFFERSON
*	04 STBG-0024-03(016)/108658301 & STBG-0024-03(016)/108658302 & CC-9999-09(360)/109306301 & CC-9999-09(360)/109306302	LEAKE, NESHOPA, LEAKE, NESHOPA
05	CRP-0024-04(031)/1038963030 & CRP-0024-04(032)/1038963031 & CRP-0024-04(033)/1038963032	NESHOPA
06	BR-0038-01(035)/106982301	NOXUBEE
07	NHPP-0055-01(128)/109436301 & NHPP-0055-01(128)/109436302 & NHPP-0055-01(128)/109436303 & NHPP-0055-01(128)/109436304 & NHPP-0055-01(128)/109436305 & NHPP-0055-01(128)/109436306 & NHPP-0055-01(128)/109436307 & NHPP-0055-01(128)/109436308	LINCOLN, PIKE, FORREST, JONES, LAMAR, PEARL RIVER, ADAMS, WAYNE
08	NHPP-0056-01(105)/108281301	RANKIN
09	STBG-0071-06(012)/109573301 & NHPP-0022-04(072)/109574301	TIPPAH

10	STBG-0091-01(011)/109501301 & NHPP-0072-03(027)/109506301	YAZOO	
11	STBG-1989-00(013)/109572301	TISHOMINGO	
*	12	STBG-9999-03(380)/108779303 & STBG-9999-03(380)/108779303 & STBG-9999-03(380)/108779303 & STBG-9999-03(380)/108779303	COPIAH, HOLMES, SUNFLOWER, YAZOO
*	13	SP-0037-04(061)/107633301	RANKIN

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, February 25, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

\* No plans except Standard Drawings

**LIST OF CONTRACTS FOR FEBRUARY**

CALL	CONTRACT	COUNTY
* 01	MP-7000-16(342)/309621316 & MP-7000-64(343)/309621364 & MP-7000-65(344)/309621365	COVINGTON, SIMPSON, SMITH
* 02	MP-7000-39(339)/309620339 & MP-7000-43(340)/309620343 & MP-7000-57(341)/309620357	LAWRENCE, LINCOLN, PIKE
* 03	MP-7055-43(009)/309619343 & MP-7055-57(009)/309619357	LINCOLN, PIKE

CALL No. 01

Intersection Improvements on US 49 from Desoto Park Road to 500' south of East Wortham Road (Palmer Creek Road), known as Federal Aid Project No. HSIP-0008-01(155) / 109323301 in Harrison County.

PROJECT COMPLETION: OCTOBER 31, 2025

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1,087	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
556	Linear Feet	202-B171	Removal of Legend, All Types
407	Square Yard	202-B229	Removal of Soil Cement, All Depths
5,637	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
118	Cubic Yard	203-EX037	Borrow Excavation, AH, LVM, Class B7
10	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,144	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
860	Square Yard	216-A001	Solid Sodding
18	Thousand Gallon	219-A001	Watering
90	Linear Feet	237-A002	Wattles, 20"
110	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
165	Ton	403-A005	19-mm, MT, Asphalt Pavement
90	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
107	Gallon	407-A001	Asphalt for Tack Coat
1,483	Linear Feet	503-C010	Saw Cut, Full Depth
1	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
90	Linear Feet	609-B003	Concrete Curb, Special Design
98	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
264	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
324	Linear Feet	619-G4005	Barricades, Type III, Single Faced
50	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
14	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
122	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
5	Each	635-A059	Traffic Signal Head, Type 1
1	Each	635-A065	Traffic Signal Head, Type 2 FYA
1	Each	635-A070	Traffic Signal Head, Type 3
2	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
1	Lump Sum	699-A001	Roadway Construction Stakes
1,250	Linear Feet	907-234-A001	Temporary Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic
638	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,949	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
500	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,879	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,620	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
465	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
139	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
548	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
76	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
9	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
2	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1	Each	907-634-A060	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 40' Arm
1	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
12	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
45	Linear Feet	907-634-D003	Slip Casing, 36" Diameter
379	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
348	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
379	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
50	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor

110	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
230	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
4	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
269	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
161	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
38	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
104	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Each	907-643-A002	Video Vehicle Detection Sensor, Type 2
192	Linear Feet	907-643-B001	Video Vehicle Detection Cable
1	Each	907-643-C003	Video Vehicle Detection Processor, Type 2
2	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
407	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
1	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
27	Square Feet	907-653-B001	Street Name Sign
1	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
1	Each	907-663-A006	Network Switch, Type F
<b>ALTERNATE GROUP AA NUMBER 1</b>			
499	Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
499	Ton	304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
499	Ton	304-F003	Size 825B Crushed Stone Base

CALL No. 02

Drainage Improvements on US 61 near Blakely, known as Federal Aid Project No. STBG-0009-02(082) / 108092301 in Warren County.

PROJECT COMPLETION: 110 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

4 Acre	201-B001	Clearing and Grubbing
1 Acre	201-C002	Random Clearing and Grubbing
215 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
685 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
177 Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
516 Linear Feet	202-B101	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
5 Each	202-B165	Removal of Inlets, All Sizes
712 Linear Feet	202-B191	Removal of Pipe, 8" And Above
5 Each	202-B263	Removal of Debris and Sand From Inlet and Junction Box, All Types & Sizes
800 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
22,200 Cubic Yard	203-G001	Excess Excavation, FM, AH
120 Cubic Yard	206-A001	Structure Excavation
674 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,550 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
14 Ton	213-C001	Superphosphate
27 Ton	215-A001	Vegetative Materials for Mulch
1,200 Square Yard	216-A001	Solid Sodding
100 Square Yard	217-A001	Ditch Liner
24 Thousand Gallon	219-A001	Watering
14 Acre	220-A001	Insect Pest Control
27 Acre	223-A001	Mowing
5,470 Square Yard	224-A001	Soil Reinforcing Mat
13 Acre	225-A001	Grassing
7 Ton	225-B001	Agricultural Limestone
14 Acre	226-A001	Temporary Grassing



300	Linear Feet	237-A002	Wattles, 20"
100	Linear Feet	245-A001	Silt Dike
96	Each	246-B001	Rockbags
95	Ton	249-A001	Riprap for Erosion Control
295	Ton	304-D002	Granular Material, Crushed Stone
54	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
25	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2,375	Pounds	602-A001	Reinforcing Steel
32	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
186	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
68	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
300	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB005	30" Reinforced Concrete End Section
1	Each	603-CB006	36" Reinforced Concrete End Section
156	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
866	Pounds	604-A001	Castings
743	Pounds	604-B001	Gratings
10	Linear Feet	604-C001	Precast Manhole, 48" Diameter
685	Linear Feet	609-D013	Combination Concrete Curb and Gutter Type 3B
31	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
190	Square Yard	614-B001	Concrete Driveway, With Reinforcement
8	Each	617-A001	Right-of-Way Marker
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
34	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
4,800	Ton	815-A007	Loose Riprap, Size 300

8,200	Square Yard	815-E001	Geotextile under Riprap
5,500	Linear Feet	907-234-A001	Temporary Silt Fence
4	Each	907-604-PP001	Modify Existing Inlet, Per Plans Modify Existing Inlet
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,466	Cubic Yard	907-819-A001	Gabions
1	Lump Sum	907-899-A001	Railway-Highway Provisions

**ALTERNATE GROUP AA NUMBER 1**

428	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

428	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

428	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 03

Widen & Overlay approximately 11 miles of SR 28 from 2.4 miles east of Dennis Cross Road to the Covich County Line, known as Federal Aid Project Nos. STBG-0013-01(016) / 10869831 & HSIP-0013-01(021) / 108698302 in Jefferson County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

60 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,428 Linear Feet	202-B136	Removal of Guard Rail
75 Linear Feet	202-B191	Removal of Pipe, 8" And Above
200 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
14 Cubic Yard	203-G001	Excess Excavation, FM, AH
25 Cubic Yard	206-A001	Structure Excavation
2 Cubic Yard	221-A001	Concrete Paved Ditch
1 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
2 Ton	225-C001	Mulch, Vegetative Mulch
25 Linear Feet	237-A002	Wattles, 20"
500 Ton	304-B004	Granular Material, Class 5, Group D
40 Ton	304-F003	Size 825B Crushed Stone Base
17,800 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
31 Ton	403-B006	19-mm, ST, Asphalt Pavement, Leveling
1,000 Ton	403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
250 Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
12,000 Gallon	407-A001	Asphalt for Tack Coat
20 Mile	423-A001	Rumble Strips, Ground In
147 Linear Feet	503-C010	Saw Cut, Full Depth
4 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
200 Pounds	602-A001	Reinforcing Steel
48 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1 Each	603-CB003	18" Reinforced Concrete End Section
310 Linear Feet	603-PE003	18" Corrugated Polyethylene Pipe

500 Pounds	604-B001	Gratings
725 Linear Feet	606-B001	Guard Rail, Class A, Type 1
50 Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
25 Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
4 Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
8 Each	606-E005	Guard Rail, Terminal End Section, Flared
4 Each	606-G001	Special Sections, Bridge Connector
3 Cubic Yard	612-A001	Flowable Fill, Excavatable
2 Square Feet	618-B001	Additional Construction Signs
20 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6 Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,500 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
42 Each	619-F3001	Delineators, Guard Rail, White
1 Lump Sum	620-A001	Mobilization
4 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1 Lump Sum	699-A001	Roadway Construction Stakes
100 Linear Feet	907-234-A001	Temporary Silt Fence
2 Each	907-234-D001	Inlet Siltation Guard
80 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
3,000 Pounds	907-420-A001	Undersealing
1 Lump Sum	907-618-A001	Maintenance of Traffic
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2 Each	907-619-E3001	Changeable Message Sign
21 Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
6 Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12 Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,700 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,500 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow

1,100	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
350	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,000	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 04

Mill & Overlay approximately 7 miles of SR 16 from lane mile 13.195 to 0.5 miles east of the Neshoba County Line and Reconstruction of approximately 6.5 miles of SR 16 from lane mile 19.7 to 0.5 miles east of the Neshoba County Line, known as Federal Aid Project Nos. STBG-0024-03(016) / 108658301 & 302 and CC-9999-09(360) / 109306301 & 302 in Leake & Neshoba Counties.

PROJECT COMPLETION: 179 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,420	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
2,105	Linear Feet	202-B014	Removal of Bituminous Curb
644	Square Yard	202-B063	Removal of Concrete Paved Ditch
5,855	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,878	Linear Feet	202-B169	Removal of Joint Material
5,543	Linear Feet	202-B240	Removal of Traffic Stripe
17	Each	202-B259	Removal of and Replacement of Mailboxes
3,324	Cubic Yard	203-G001	Excess Excavation, FM, AH
10	Cubic Yard	221-A001	Concrete Paved Ditch
8,203	Ton	304-D002	Granular Material, Crushed Stone
28,308	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
12,970	Ton	403-A014	9.5-mm, MT, Asphalt Pavement
154	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
251,344	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
28,212	Gallon	407-A001	Asphalt for Tack Coat
25	Mile	423-A001	Rumble Strips, Ground In
1,069	Linear Feet	503-C010	Saw Cut, Full Depth
2,773	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
5,030	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4	Each	606-D009	Guard Rail, Bridge End Section, Type C
8	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
12	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
44	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,296	Linear Feet	609-E001	Bituminous Curb

51	Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
57	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
9,117	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,449	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1,503	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
20	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-D3001	Remove and Reset Signs, All Sizes
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
2	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
153	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
7	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
26	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
20	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
230	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
209	Each	630-F006	Delineators, Guard Rail, White
44	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
32,970	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
2,169	Cubic Yard	907-410-B002	Seal Aggregate Cover Material, Size 89, Limestone
11,774	Gallon	907-410-C005	Asphalt for Fog Seal, Grade LD-7 or CHPF-1
63,392	Square Yard	907-425-A001	Roadbed Reclamation with Emulsified Asphalt
339,632	Gallon	907-425-B001	Emulsified for Roadbed Reclamation
1	Lump Sum	907-618-A001	Maintenance of Traffic
29	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
14	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,679	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White

2,272	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
722	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
3,783	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,879	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3,730	Linear Feet	907-808-A002	Joint Repair
1,865	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
3,730	Linear Feet	907-823-B001	Saw Cut, Type I
520	Hours	907-906001	Trainees



CALL No. 05

Roundabout Construction on SR 15 at SR 16 & Bridge Replacements on Weyerhaeuser Street over Branch & on Lakeside Drive over Kentawka Creek Relief, known as Federal Aid Project Nos. CRP-0024-04(031) / 1038963030, CRP-0024-04(032) / 1038963031 & CRP-0024-04(033) / 1038963032 in Neshoba County.

PROJECT COMPLETION: OCTOBER 23, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
14,751	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Each	202-B023	Removal of Bridge
809	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
20	Square Yard	202-B063	Removal of Concrete Paved Ditch
1,242	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
8	Each	202-B117	Removal of Delineator, All Types
1	Each	202-B129	Removal of Flared End Section, All Sizes
379	Linear Feet	202-B153	Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail
1,824	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
20	Linear Feet	202-B171	Removal of Legend, All Types
63	Square Feet	202-B172	Removal of Legend, All Types
11	Each	202-B179	Removal of Low Mast Lighting Foundation
656	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,435	Linear Feet	202-B240	Removal of Traffic Stripe
7,069	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
948	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
9,197	Cubic Yard	203-G001	Excess Excavation, FM, AH
236	Cubic Yard	206-A001	Structure Excavation
15,361	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
934	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-C001	Superphosphate
340	Square Yard	216-A001	Solid Sodding

10 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
59 Cubic Yard	221-A001	Concrete Paved Ditch
9 Acre	223-A001	Mowing
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
9 Ton	225-C001	Mulch, Vegetative Mulch
5 Acre	226-A001	Temporary Grassing
1,080 Linear Feet	237-A002	Wattles, 20"
244 Linear Feet	245-A001	Silt Dike
244 Linear Feet	246-B002	Rockbags
204 Ton	249-A001	Riprap for Erosion Control
5,683 Ton	304-D002	Granular Material, Crushed Stone
2,250 Ton	403-A002	12.5-mm, MT, Asphalt Pavement
1,682 Ton	403-A005	19-mm, MT, Asphalt Pavement
1,975 Ton	403-A006	19-mm, ST, Asphalt Pavement
3,505 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
220 Ton	403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
32,013 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,553 Gallon	407-A001	Asphalt for Tack Coat
206 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
4,621 Linear Feet	503-C010	Saw Cut, Full Depth
26 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,337 Pounds	602-A001	Reinforcing Steel
360 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
288 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
184 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
6 Each	603-CB003	18" Reinforced Concrete End Section
3 Each	603-CB004	24" Reinforced Concrete End Section
2 Each	603-CB005	30" Reinforced Concrete End Section

474 Pounds	604-A001	Castings
78 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
140 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
40 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1,201 Linear Feet	606-B001	Guard Rail, Class A, Type 1
383 Linear Feet	606-B007	Guard Rail, Class A, Type 1, Double Faced, Metal Post
10 Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
6 Each	606-D022	Guard Rail, Bridge End Section, Type I
4 Each	606-E003	Guard Rail, Terminal End Section, Double Faced
16 Each	606-E005	Guard Rail, Terminal End Section, Flared
701 Linear Feet	609-B003	Concrete Curb, Special Design
315 Linear Feet	609-C001	Concrete Integral Curb, Type 1
4,506 Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
295 Square Yard	614-B001	Concrete Driveway, With Reinforcement
476 Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
1,544 Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
3 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5,060 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
19,972 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
917 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,322 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
512 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,188 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001	Flashing Arrow Panel, Type C
72 Linear Feet	619-G4001	Barricades, Type III, Double Faced
652 Linear Feet	619-G4005	Barricades, Type III, Single Faced
166 Each	619-G5001	Free Standing Plastic Drums
34 Each	619-G7001	Warning Lights, Type "B"

1	Lump Sum	619-H1001	Traffic Signals
1	Each	619-J1002	Impact Attenuator, 45 MPH
1	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
2	Each	629-A001	Vehicular Impact Attenuator, 40 MPH
221	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
259	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
343	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
824	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
151	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
75	Linear Feet	630-C1001	Square Post Inner Sleeve
53	Each	630-F006	Delineators, Guard Rail, White
32	Each	630-F007	Delineators, Guard Rail, Yellow
18	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
78	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
2,391	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
299	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
16	Each	682-E002	Underground Junction Box
1	Each	682-F001	Secondary Power Controller
23	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
126	Linear Feet	684-B004	Slip Casing, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
22	Ton	815-F002	Sediment Control Stone
2,300	Linear Feet	907-234-A001	Temporary Silt Fence
1,200	Linear Feet	907-234-C001	Super Silt Fence
7	Each	907-234-D001	Inlet Siltation Guard
92	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
7	Each	907-619-E3001	Changeable Message Sign
4,307	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White

9,452	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8,470	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
21,659	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
10,979	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
953	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
152	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
107	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
41	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	907-683-PP001	Lighting Assembly, Per Plans

**ALTERNATE GROUP AA NUMBER 1**

6,700	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

**ALTERNATE GROUP AA NUMBER 2**

6,700	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

**ALTERNATE GROUP AA NUMBER 3**

6,700	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

**ALTERNATE GROUP BB NUMBER 1**

146	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

**ALTERNATE GROUP BB NUMBER 2**

146	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

**Bridge Items**

2,215	Linear Feet	803-D002	HP 12 x 53 Steel Piling
5,800	Pounds	805-A001	Reinforcement
12	Each	806-A001	19' Precast Concrete Slab Units, 3'-6" Interior
2	Each	806-A002	31' Precast Concrete Slab Units, 3'-6" Interior
2	Each	806-A003	31' Precast Concrete Slab Units, 4'-6" Interior
2	Each	806-A007	31' Precast Concrete Slab Units, 3'-6" Exterior
12	Each	806-A009	19' Precast Concrete Slab Units, 3'-6" Exterior
12	Each	806-A010	19' Precast Concrete Slab Units, 4'-6" Interior
12	Each	806-C001	19' Precast Barrier Rail Units
2	Each	806-C002	31' Precast Barrier Rail Units
5	Each	806-D004	26' Precast Concrete Caps, Intermediate Unit

896	Ton	815-A007	Loose Riprap, Size 300
824	Square Yard	815-E001	Geotextile under Riprap
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
63	Cubic Yard	907-804-A002	Bridge Concrete, Class AA

CALL No. 06

Bridge Replacement on SR 14 over Hashuqua Creek (Bridge No. 156.5), known as Federal Aid Project No. BR-0038-01(035) / 106982301 in Noxubee County.

PROJECT COMPLETION: NOVEMBER 06, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

7 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
9,993 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
650 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
329 Linear Feet	202-B191	Removal of Pipe, 8" And Above
6 Each	202-B215	Removal of Sign Including Post & Footing
4,000 Linear Feet	202-B240	Removal of Traffic Stripe
10,164 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
27,235 Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
8,076 Cubic Yard	203-G001	Excess Excavation, FM, AH
30 Cubic Yard	206-A001	Structure Excavation
8 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
17,200 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4 Ton	213-C001	Superphosphate
73 Square Yard	216-A001	Solid Sodding
845 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
12 Cubic Yard	221-A001	Concrete Paved Ditch
14 Acre	223-A001	Mowing
401 Square Yard	224-A001	Soil Reinforcing Mat
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
14 Ton	225-C001	Mulch, Vegetative Mulch
7 Acre	226-A001	Temporary Grassing

2,700	Linear Feet	237-A002	Wattles, 20"
480	Linear Feet	239-A001	Temporary Slope Drains
100	Each	246-B001	Rockbags
100	Ton	249-A001	Riprap for Erosion Control
50	Cubic Yard	249-B001	Remove and Reset Riprap
1,528	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
1,855	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
604	Ton	403-A006	19-mm, ST, Asphalt Pavement
1,099	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
2,991	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,941	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
184	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
280	Linear Feet	603-ALT003	18" Type A Alternate Pipe
144	Linear Feet	603-ALT009	30" Type A Alternate Pipe
96	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
48	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
1	Each	603-CB006	36" Reinforced Concrete End Section
40	Linear Feet	603-CE008	29" x 18" Concrete Arch Pipe, Class A III
49	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
106	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
10	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
4	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
20	Each	617-A001	Right-of-Way Marker
1	Lump Sum	618-C001	Construction and Removal of Detour Bridge



3,450	Linear Feet	618-E001	Detour Bridge Piling
1	Lump Sum	618-F001	Detour Bridge PDA Test Pile
14,107	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
12,107	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
2,000	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
2,630	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
82	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
388	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
12	Linear Feet	619-G4001	Barricades, Type III, Double Faced
144	Linear Feet	619-G4005	Barricades, Type III, Single Faced
29	Each	619-G5001	Free Standing Plastic Drums
6	Each	619-G7001	Warning Lights, Type "B"
25	Linear Feet	619-K1001	Installation and Removal of Guard Rail, Type I, Class A
4	Each	619-K2001	Installation and Removal of Guard Rail, Bridge End Section
4	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
30	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
3	Linear Feet	630-C1001	Square Post Inner Sleeve
28	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
35	Ton	815-F002	Sediment Control Stone
9,043	Linear Feet	907-234-A001	Temporary Silt Fence
1,568	Linear Feet	907-234-C001	Super Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic
5,432	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,000	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5,432	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

34	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
720	Hours	907-906001	Trainees
<b>ALTERNATE GROUP AA NUMBER 1</b>			
6,581	Ton	304-F001	3/4" and Down Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 2</b>			
6,581	Ton	304-F002	Size 610 Crushed Stone Base
<b>ALTERNATE GROUP AA NUMBER 3</b>			
6,581	Ton	304-F003	Size 825B Crushed Stone Base
<b>ALTERNATE GROUP BB NUMBER 1</b>			
52	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
<b>ALTERNATE GROUP BB NUMBER 2</b>			
52	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
<b>Bridge Items</b>			
2,009	Square Yard	501-K001	Transverse Grooving
4,570	Linear Feet	803-D006	HP 14 x 73 Steel Piling
2,985	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
165,536	Pounds	805-A001	Reinforcement
5,768	Pounds	805-C001	Reinforcement, Corrosion Resistant
1,004	Linear Feet	813-A004	Concrete Railing, 36"
3,218	Ton	815-A007	Loose Riprap, Size 300
2,960	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
601	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
185	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
81	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 07

Installation of Ramp Gates on I-59 from the Louisiana State Line to north of US 84 & Interchange Signage on US 84 & US 45 & on US 84 & US 61, known as Federal Aid Project Nos. NHPP-0055-01(128) / 109436301, 302, 303, 304, 305, 306, 307 & 308 in Lincoln, Pike, Forrest, Jones, Lamar, Pearl River, Adams & Wayne Counties.

PROJECT COMPLETION: MARCH 10, 2028

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

453	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
958	Square Yard	202-B008	Removal of Asphalt Pavement, All Depths, Including Soil Cement Base
500	Linear Feet	202-B039	Removal of Cable Barrier
408	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
27	Each	202-B117	Removal of Delineator, All Types
1	Each	202-B129	Removal of Flared End Section, All Sizes
464	Cubic Yard	203-EX017	Borrow Excavation, AH, FME, Class B7
39	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6 ,ESFE
1,647	Cubic Yard	203-G001	Excess Excavation, FM, AH
25	Cubic Yard	206-A001	Structure Excavation
21	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1,712	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,447	Square Yard	212-B001	Standard Ground Preparation
1	Ton	213-C001	Superphosphate
3,247	Square Yard	216-A001	Solid Sodding
39	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
260	Linear Feet	237-A002	Wattles, 20"
238	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
658	Ton	304-F003	Size 825B Crushed Stone Base
442	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
167	Ton	403-A003	12.5-mm, ST, Asphalt Pavement
1,353	Ton	403-A005	19-mm, MT, Asphalt Pavement
250	Ton	403-A006	19-mm, ST, Asphalt Pavement

526 Ton	403-A014	9.5-mm, MT, Asphalt Pavement
125 Ton	403-A015	9.5-mm, ST, Asphalt Pavement
3,760 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,070 Gallon	407-A001	Asphalt for Tack Coat
2,354 Linear Feet	503-C010	Saw Cut, Full Depth
59 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
56 Pounds	602-A001	Reinforcing Steel
48 Linear Feet	603-CA035	24" Reinforced Concrete Pipe, Class V
250 Pounds	604-B001	Gratings
215 Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
2 Each	610-B001	Cable Barrier Terminal Section
10 Square Feet	618-B001	Additional Construction Signs
2,760 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,628 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
6,602 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
20 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
114 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
418 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-D3001	Remove and Reset Signs, All Sizes
500 Linear Feet	619-F1007	Portable Median Barrier, Permanent
192 Linear Feet	619-G4005	Barricades, Type III, Single Faced
80 Each	619-G5001	Free Standing Plastic Drums
4 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
1,450 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
5,055 Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
6,391 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,970 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
5,011 Linear Feet	630-C1001	Square Post Inner Sleeve
2 Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II

21	Each	630-F010	Delineators, Post Mounted, Double White
6	Each	630-F011	Delineators, Post Mounted, Double Yellow
36	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
900	Linear Feet	907-234-A001	Temporary Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
1,380	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
814	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,242	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,059	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
10	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
31	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
28	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
122	Each	907-635-PP002	Drop Gate Barricade , 28 FT
82	Each	907-635-PP002	Drop Gate Barricade , 30 FT
65	Each	907-635-PP002	Drop Gate Barricade , 32 FT
34	Each	907-635-PP002	Drop Gate Barricade , 34 FT
45	Each	907-635-PP002	Drop Gate Barricade , 37 FT
32	Each	907-635-PP002	Drop Gate Barricade , 40 FT
520	Hours	907-906001	Trainees

CALL No. 08

Bridge Preservation on SR 25 over Plummer Slough (Bridge No. 12.7), known as Federal Aid Project No. NHPP-0056-01(105) / 108281301 in Rankin County.

PROJECT COMPLETION: 150 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

1,720	Cubic Yard	203-F001	Channel Excavation, FM
150	Ton	304-D004	Granular Material, Size 57
43,369	Pounds	805-A001	Reinforcement
7,483	Ton	815-A007	Loose Riprap, Size 300
4,223	Square Yard	815-E001	Geotextile under Riprap
235	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1	Lump Sum	907-824-PP004	Bridge Repair, Dewatering and Water Diversion Measurements
1	Lump Sum	907-824-PP004	Bridge Repair, Removal of Existing Headwall, Apron, Wing Walls, and a Portion of Barrel

**Roadway Items**

1	Acre	201-B001	Clearing and Grubbing
79	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
27	Cubic Yard	203-G001	Excess Excavation, FM, AH
74	Cubic Yard	206-A001	Structure Excavation
33	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1	Ton	213-C001	Superphosphate
1	Acre	220-A001	Insect Pest Control
1	Acre	223-A001	Mowing
1	Ton	225-B001	Agricultural Limestone
1	Acre	227-A001	Hydroseeding
100	Linear Feet	237-A002	Wattles, 20"
8	Each	617-B001	Permanent Easement Marker
8	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
78	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
78	Linear Feet	619-G4005	Barricades, Type III, Single Faced
12	Each	619-G5001	Free Standing Plastic Drums

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
1,560	Linear Feet	907-234-A001	Temporary Silt Fence
100	Linear Feet	907-234-C001	Super Silt Fence
130	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Each	907-619-E3001	Changeable Message Sign

CALL No. 09

Bridge Repairs on SR 4 over the Hatchie River and Relief (Bridge Nos. 124.0 & 124.1) & SR 15 over North Prong (Bridge No. 322.9), known as Federal Aid Project Nos. STBG-0071-06(012) / 109573301 & NHPP-0022-04(072) / 109574301 in Tippah County.

PROJECT COMPLETION: 204 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

2,280	Linear Feet	202-B240	Removal of Traffic Stripe
80	Ton	403-A015	9.5-mm, ST, Asphalt Pavement
1,432	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,360	Linear Feet	615-B001	Precast Concrete Median Barrier
1	Square Feet	618-B001	Additional Construction Signs
3,410	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
3,108	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
260	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,575	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
38	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,360	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
16	Each	619-G5001	Free Standing Plastic Drums
19	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
3,150	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,575	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
23	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
<b>ALTERNATE GROUP AA NUMBER 1</b>			
260	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
260	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow



**ALTERNATE GROUP AA NUMBER 2**

260	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
260	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

**Bridge Items**

3,013	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
171	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,230	Linear Feet	907-808-A002	Joint Repair
535	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
80	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,071	Linear Feet	907-823-B001	Saw Cut, Type I
160	Linear Feet	907-823-B002	Saw Cut, Type II
20	Square Feet	907-824-A003	General Epoxy Repair
25	Each	907-824-C001	Cap Cleaning
86	Each	907-824-D001	Bearing Replacements
435	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
1,718	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans
11	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

CALL No. 10

Bridge Repairs on SR 149 over Broad Lake (Bridge No. 206.4) & on US 49W over the Yazoo River (Bridge Nos. 207.0 A & B), known as Federal Aid Project Nos. STBG-0091-01(011) / 109501301 and NHPP-0072-03(027) / 109506301 in Yazoo County.

PROJECT COMPLETION: 248 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

360	Linear Feet	202-B136	Removal of Guard Rail
4	Each	202-B142	Removal of Guard Rail Bridge End Section, Type H
4	Each	202-B152	Removal of Guard Rail Terminal End Section
27	Ton	403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
311	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
23	Gallon	407-A001	Asphalt for Tack Coat
225	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E001	Guard Rail, Terminal End Section
7,497	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
7,497	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
7,497	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
144	Linear Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
54	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,200	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,200	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
15	Each	619-F3001	Delineators, Guard Rail, White
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
6	Each	619-G5001	Free Standing Plastic Drums
15	Each	619-G8001	Warning Lights, Type "C"
2	Each	619-H2002	Traffic Signal, Portable, Type 2
1	Lump Sum	620-A001	Mobilization
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L

48	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2	Each	907-619-E3001	Changeable Message Sign
7,497	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,200	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8,597	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7,497	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
94	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
27	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

**Bridge Items**

660	Ton	815-A007	Loose Riprap, Size 300
367	Square Yard	815-E001	Geotextile under Riprap
4,792	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
5,000	Pounds	907-420-A001	Undersealing
267	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,640	Linear Feet	907-808-A002	Joint Repair
410	Linear Feet	907-808-A003	Joint Repair Without Epoxy
1,025	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
15	Square Feet	907-824-A003	General Epoxy Repair
13,701	Square Feet	907-824-B004	FRP Wrap, Uni-directional
121	Each	907-824-C001	Cap Cleaning
40	Each	907-824-D001	Bearing Replacements
2,450	Square Feet	907-824-F001	Encapsulating Field Painting
162,288	Square Feet	907-824-PP003	Bridge Repair, Class 2 Spray Finish, Per Plans
308	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
4	Each	907-824-PP006	Bridge Repair, Down Spout Repair, Per Plans
1	Each	907-824-PP006	Bridge Repair, Steel Bearing Repair, Per Plans
2,240	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish
320	Linear Feet	907-824-PP008	Bridge Repair, finger Joint Cleaning, Per Plans

706 Cubic Yard

907-828-A001 Hybrid Polymer Concrete Overlay

CALL No. 11

Bridge Repairs on SR 350 over Chambers Creek, Chambers Creek Relief, & the Norfolk Southern Railroad (Bridge Nos. 7.1, 7.5, & 7.9), known as Federal Aid Project No. STBG-1989-00(013) / 109572301 in Tishomingo County.

PROJECT COMPLETION: AUGUST 28, 2026

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

6,200	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
3,100	Linear Feet	619-A1005	Temporary Traffic Stripe, Continuous White, Type 1 Tape
1,260	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,470	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
96	Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
72	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
240	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,900	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,900	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
36	Each	619-G5001	Free Standing Plastic Drums
40	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
6,200	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2,470	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,260	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
79	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

**Bridge Items**

2,307	Ton	815-A007	Loose Riprap, Size 300
1,202	Square Yard	815-E001	Geotextile under Riprap
3,581	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition

2,000 Pounds	907-420-A001	Undersealing
238 Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,371 Linear Feet	907-808-A002	Joint Repair
624 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
61 Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,249 Linear Feet	907-823-B001	Saw Cut, Type I
122 Linear Feet	907-823-B002	Saw Cut, Type II
31 Square Feet	907-824-A003	General Epoxy Repair
20 Square Feet	907-824-B003	FRP Wrap, Bi-directional
8 Each	907-824-C001	Cap Cleaning
50 Each	907-824-D001	Bearing Replacements
1,694 Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
1,793 Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans

CALL No. 12

Bridge Preventive Maintenance on I-55 (Bridge No. 51.0), on US 51 (Bridge No.142.3), on SR 3 (Bridge Nos. 290.1, 244.7A & 244.7B) & on US 49W (Bridge Nos 15.9 & 17.8), known as Federal Aid Project Nos. STBG-9999-03(380) 1087793030, 3031, 3032 & 3033 in Copiah, Holmes, Sunflower & Yazoo Counties.

PROJECT COMPLETION: 64 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Bridge Items**

2,588	Linear Feet	907-808-A002	Joint Repair
1,294	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
2,138	Linear Feet	907-823-B001	Saw Cut, Type I
11	Square Feet	907-824-A003	General Epoxy Repair
3,365	Square Feet	907-824-B004	FRP Wrap, Uni-directional
22	Each	907-824-C001	Cap Cleaning
1	Lump Sum	907-824-PP004	Bridge Repair, General Bridge Cleaning
2	Each	907-824-PP006	Bridge Repair, Strand Repair

**Roadway Items**

4	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

CALL No. 13

Overlay approximately 10 miles of SR 43 from SR 481 to the Madison County Line, known as State Project No. SP-0037-04(061) / 107633301 in Rankin County.

PROJECT COMPLETION: Flexible

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1,876	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
7	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
6,450	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
115	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1	Each	202-B213	Removal of Sign
1,785	Cubic Yard	203-G001	Excess Excavation, FM, AH
155	Cubic Yard	206-A001	Structure Excavation
5,638	Ton	304-D002	Granular Material, Crushed Stone
24,539	Ton	403-A002	12.5-mm, MT, Asphalt Pavement
2,965	Ton	403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
3,940	Ton	403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
222,128	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,640	Gallon	407-A001	Asphalt for Tack Coat
24	Mile	423-A001	Rumble Strips, Ground In
1,823	Linear Feet	503-C010	Saw Cut, Full Depth
9	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
104	Linear Feet	603-CA076	48" Reinforced Concrete Pipe, Class III
2	Each	603-CB008	48" Reinforced Concrete End Section
6,870	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-D005	Guard Rail, Bridge End Section, Type A
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-G002	Special Sections, Guard Rail Bridge End Connector
86	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3001	Temporary Traffic Stripe, Skip White



26	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
56,230	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
48	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,348	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
439	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
436	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
101	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
148	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
91	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
675	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
6	Linear Feet	630-C1001	Square Post Inner Sleeve
168	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
60	Ton	815-A007	Loose Riprap, Size 300
60	Square Yard	815-E001	Geotextile under Riprap
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
19	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
13,705	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
14,410	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
48	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
1,674	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
3,646	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
409	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,510	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 01

Tree Removal along Various Routes in District 7, known as State Project Nos. MP-7000-16(342) / 309621316, MP-7000-64(343) / 309621364 & MP-7000-65(344) / 309621365 in Covington, Simpson & Smith Counties.

PROJECT COMPLETION: 263 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	620-A001	Mobilization
480	Mile	907-201-D001	Random Clearing
1	Lump Sum	907-618-A001	Maintenance of Traffic
198	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 02

Tree Removal along Various Routes in District 7, known as State Project Nos. MP-7000-39(339) / 309620339, MP-7000-43(340) / 309620343 & MP-7000-57(341) / 309620357 in Lawrence, Lincoln & Pike Counties.

PROJECT COMPLETION: 175 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	620-A001	Mobilization
303	Mile	907-201-D001	Random Clearing
1	Lump Sum	907-618-A001	Maintenance of Traffic
198	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 03

Tree Removal along I-55 in District 7, known as State Project Nos. MP-7055-43(009) / 309619343 & MP-7055-57(009) / 309619357 in Lincoln & Pike Counties.

PROJECT COMPLETION: 138 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**

**Roadway Items**

1	Lump Sum	620-A001	Mobilization
146	Mile	907-201-D001	Random Clearing
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Lump Sum	907-899-A001	Railway-Highway Provisions

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR