

SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

ADDENDUM NO.	<u>1</u>	DATED	<u>2/20/2025</u>	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____
ADDENDUM NO.	_____	DATED	_____	ADDENDUM NO.	_____	DATED	_____

Number

Description

- 1 Revised Table of Contents; Added NTB No. 6195; Revised or Added Plan sheet Nos. 5, 15-18; Amendment EBSx Download Required.

TOTAL ADDENDA: 1

(Must agree with total addenda issued prior to opening of bids)

Respectfully Submitted,

DATE _____

Contractor

BY _____

Signature

TITLE _____

ADDRESS _____

CITY, STATE, ZIP _____

PHONE _____

FAX _____

E-MAIL _____

(To be filled in if a corporation)

Our corporation is chartered under the Laws of the State of _____ and the names, titles and business addresses of the executives are as follows:

President

Address

Secretary

Address

Treasurer

Address

The following is my (our) itemized proposal.

HSIP-0008-02(124) /109138301

Simpson County(ies)

Revised 01/26/2016

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION
TABLE OF CONTENTS**

PROJECT: HSIP-0008-02(124)/109138301 - Simpson

Section 901 - Advertisement

Section 904 - Notice to Bidders

#1	Governing Specification, w/ Supplement
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#296	Reduced Speed Limit Signs
#445	Mississippi Agent or Qualified Nonresident Agent
#447	Traffic on Milled Surface in Rural Areas
#516	Errata and Modifications to the 2017 Standard Specifications
#757	Additional Erosion Control Requirements
#1225	Early Notice to Proceed
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#1434	Erosion Control Plan
#2172	App for Storm Water Reports
#2206	MASH Compliant Devices
#2273	Mississippi Special Fuel Tax Law
#2782	DBE Pre-Bid Meeting
#3676	Asphalt Gyratory Compactor Internal Angle Calibration
#4113	Unique Entity ID Requirement For Federal Funded Projects
#4638	Storm Water Discharge Associated with Construction Activity(> 5 Acres)
#4702	App for Traffic Control Report
#5086	Detail of Square Tube Sign Posts
#5551	Federal Bridge Formula
#5605	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#5750	Manual on Uniform Traffic Control Devices (MUTCD)
#6195	Retroreflectivity Requirements
#6658	Contract Time
#6659	Specialty Items
#6660	Cooperation Between Contractors
#6661	Lane Closure Restrictions
#6662	Asphalt Pavement Pay Item Correction
906	Required Federal Contract Provisions -- FHWA 1273, w/Supplements

Section 907 - Special Provisions

907-101-1	Definitions and Terms
907-102-2	Bidding Requirements and Conditions
907-105-2	Control of Work
907-106-2	Control of Materials
907-107-2	Contractor's Erosion Control Plan
907-108-4	Subletting of Contract
907-109-5	Measurement and Payment

PROJECT: HSIP-0008-02(124)/109138301 - Simpson

907-234-1	Silt Fence
907-401-2	Asphalt Pavements - General
907-403-3	Asphalt Pavements
907-618-12	Traffic Control Management
907-619-5	Traffic Control for Construction Zones
907-619-7	Portable Radar Display
907-626-11	Thermoplastic Markings
907-627-1	Raised Pavement Markings
907-700-1	Materials and Tests
907-701-4	Hydraulic Cement, w/ Supplement
907-702-4	Bituminous Materials
907-703-2	Gradation
907-705-1	Stone Riprap
907-707-3	Joint Materials
907-708-4	Concrete Pipe
907-711-2	Plain Steel Wire
907-712-1	Fence and Guardrail
907-714-3	Miscellaneous Materials
907-718-1	Timber and Dimension Lumber
907-720-3	Pavement Marking Materials
907-721-4	Materials for Signing
906-8	Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and Unique Entity ID

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

Progress Schedule

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET
OF SECTION 905 AS ADDENDA)

02/19/2025 02:19 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 6195

CODE: (SP)

DATE: 02/19/2025

SUBJECT: Retroreflectivity Requirements

The Bidder's attention is called to Subsection 907-626.03.3 – Reflectivity Requirements in Special Provision No. 907-626-11.

The value shown in Table 1, Minimum Dry Retroreflectivity for Yellow, 275 mcd/m²/lx is hereby revised to 225 mcd/m²/lx.

ADDENDUM

STATE	PROJECT NO.
MISS	HSIP-0008-02(124)

SUMMARY OF QUANTITIES (SHEET 1)				
PAY ITEM NO.	PAY ITEM	UNIT	SIMPSON : 109138-301000	
			Prelim	Final
201-D001	Random Clearing	STA	94	
				11212
202-B004	Removal of Asphalt Driveways, All Depths	SY	142	
202-B007	Removal of Asphalt Pavement, All Depths	SY	14,016	
202-B052	Removal of Concrete Driveways, All Depths	SY	102	
202-B059	Removal of Concrete Median & Island Pavement, All Depths	SY	443	
202-B063	Removal of Concrete Paved Ditch	SY	121	
202-B089	Removal of Curb &/or Curb and Gutter, All Types	LF	1,274	
202-B121	Removal of Edge Drain	LF	4,246	
202-B122	Removal of Edge Drain Outlet	EA	73	
202-B129	Removal of Flared End Section, All Sizes	EA	13	
202-B163	Removal of Inlet Tops	EA	3	
202-B165	Removal of Inlets, All Sizes	EA	5	
202-B191	Removal of Pipe, 8" And Above	LF	675	
202-B229	Removal of Soil Cement, All Depths	SY	8,751	
202-B240	Removal of Traffic Stripe	LF	32,725	
				10
203-A001	Unclassified Excavation, FM, AH	CY	21,200	
203-EX021	Borrow Excavation, AH, FME, Class B9-6	CY	18,800	
203-G001	Excess Excavation, FM, AH	CY	7,000	
206-A001	Structure Excavation	CY	1,400	
209-A005	Geotextile Stabilization, Type V, Non-Woven	SY	29,200	
				348
211-A001	Topsoil for Slope Treatment, From Right-of-Way	SY	62,900	
211-B001	Topsoil for Slope Treatment, Contractor Furnished	CY	7,000	
213-C001	Superphosphate	TON	13	
216-A001	Solid Sodding	SY	1,880	
217-A001	Ditch Liner	SY	12,350	
219-A001	Watering	KGAL	38	
220-A001	Insect Pest Control	ACRE	13	
221-A001	Concrete Paved Ditch	CY	216	
223-A001	Mowing	ACRE	52	
225-A001	Grassing	ACRE	26	
225-B001	Agricultural Limestone	TON	13	
225-C001	Mulch, Vegetative Mulch	TON	52	
226-A001	Temporary Grassing	ACRE	26	
				6
907-234-A001	Temporary Silt Fence	LF	7,734	
907-234-D001	Inlet Siltation Guard	EA	10	
907-234-E001	Reset Inlet Siltation Guard	EA	10	
237-A002	Wattles, 20"	LF	930	
239-A001	Temporary Slope Drains	LF	1,334	
246-B001	Rockbags	EA	1,120	
249-A001	Riprap for Erosion Control	TON	245	
				8

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
SUMMARY OF QUANTITIES

PROJ NO: HSIP-0008-02(124)
COUNTY: SIMPSON

12-4-2024

Working Number

SQ-1

Design Team MSI


Checked

Date 1/31/25

FILENAME: SQS

Sheet Number

15



ADDENDUM


STATE	PROJECT NO.
MISS	HSIP-0008-02(124)

SUMMARY OF QUANTITIES (SHEET 2)

PAY ITEM NO.	PAY ITEM	UNIT	SIMPSON : 109138-301000	
			Prelim	Final
304-A008	Granular Material, LVM, Class 6, Group D	CY	3,400	
	ALTERNATE CRUSHED STONE ITEMS			
304-F001	3/4" and Down Crushed Stone Base	TON	12,100	
	OR			
304-F002	Size 610 Crushed Stone Base	TON	12,100	
	OR			
304-F003	Size 825B Crushed Stone Base	TON	12,100	
310-B001	Size I Stabilizer Aggregate, Coarse	TON	140	
907-403-A001	12.5-mm, HT, Asphalt Pavement	TON	1,830	
907-403-A003	12.5-mm, ST, Asphalt Pavement	TON	959	
907-403-A004	19-mm, HT, Asphalt Pavement	TON	2,526	
907-403-A006	19-mm, ST, Asphalt Pavement	TON	3,840	
907-403-A015	9.5-mm, ST, Asphalt Pavement	TON	1,133	
907-403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified	TON	1,684	
907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified	TON	7,580	
406-D001	Fine Milling of Bituminous Pavement, All Depths	SY	74,820	
407-A001	Asphalt for Tack Coat	GAL	11,719	
423-A001	Rumble Strips, Ground In	MI	3	
503-C010	Saw Cut, Full Depth	LF	12,368	
601-B001	Class "B" Structural Concrete, Minor Structures	CY	87	
602-A001	Reinforcing Steel	LBS	5,801	
603-ALT003	18" Type A Alternate Pipe	LF	70	
603-CA011	18" Reinforced Concrete Pipe, Class III	LF	1,568	
603-CA026	24" Reinforced Concrete Pipe, Class III	LF	112	
603-CA040	30" Reinforced Concrete Pipe, Class III	LF	96	
603-CA066	42" Reinforced Concrete Pipe, Class III	LF	48	
603-CA076	48" Reinforced Concrete Pipe, Class III	LF	56	
603-CA087	54" Reinforced Concrete Pipe, Class III	LF	64	
603-CB003	18" Reinforced Concrete End Section	EA	15	
603-CB004	24" Reinforced Concrete End Section	EA	6	
603-CB005	30" Reinforced Concrete End Section	EA	2	
603-CB007	42" Reinforced Concrete End Section	EA	2	
603-CB008	48" Reinforced Concrete End Section	EA	2	
603-CB009	54" Reinforced Concrete End Section	EA	2	
603-CE002	22" x 13" Concrete Arch Pipe, Class A III	LF	184	
603-CF002	22" x 13" Concrete Arch Pipe End Section	EA	1	
604-A001	Castings	LBS	1,192	

- 1
- TO BE USED FOR TEMPORARY DRIVEWAY ACCESS OR AS DIRECTED BY ENGINEER.
- 2
- DRAINAGE STRUCTURES: 61.627 CY; JUNCTION BOXES: 11.783 CY; ROADSIDE SIGNS: 7.540 CY; DIRECTIONAL SIGNS: 5.274 CY
- 3
- DRAINAGE STRUCTURES: 4831 LBS; JUNCTION BOXES: 735.35 LBS; DIRECTIONAL SIGNS: 233.80 LBS
- 4
- INCLUDES A 20% INCREASE FROM CALCULATED QUANTITY.
- 5
- QUANTITY ROUNDED UP TO THE NEAREST 50 OR 100 UNITS.
- 6
- CALCULATED QUANTITIES FOR CRUSHED STONE: PAVEMENT STRUCTURE BASE: 5,208 TONS; UNDER ISLAND PAVING: 1,106 TONS; SHOULDERS: 3,733 TONS; GRAVEL DRIVEWAYS: 8 TONS.
- 7
- INCLUDES 38 TONS FOR DRIVEWAYS.
- 8
- INCLUDES 51 TONS FOR DRIVEWAYS.
- 9
- INCLUDES SAWCUTS ALONG MAINLINE FOR CROSSOVERS, LOCAL ROADS, PAVED SHOULDERS, AND TURN LANE REMOVAL.
- 10
- FOR LIST OF TYPE A PIPE ALTERNATES, SEE WKG. NO. EQ-5.
- 11
- TO BE USED FOR SHOULDER MATERIAL IN MAINLINE MILLING AND OVERLAY AREAS OR AS DIRECTED BY ENGINEER.



MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES		PROJ NO: HSIP-0008-02(124) COUNTY: SIMPSON		Working Number SQ-2		Sheet Number 16
By		Revision		12-7-2024		
BH	Update Pay Item Numbers					
01/31/2025		Date		FILENAME: SQS		
		Design Team		Checked		
		MSI				
		Date 1/31/25				



ADDENDUM

STATE	PROJECT NO.
MISS	HSIP-0008-02(124)

① LOCATION AS DIRECTED BY ENGINEER.

SUMMARY OF QUANTITIES (SHEET 3)				
PAY ITEM NO.	PAY ITEM	UNIT	SIMPSON : 109138-301000	
			Prelim	Final
604-B001	Gratings	LBS	3,327	
605-I001	Edge Drain Outlets/Vents	LF	1,260	
605-J001	Edge Drain & Edge Drain Outlet/Vent Inspection	LF	1,260	
609-D003	Combination Concrete Curb and Gutter Type 2	LF	3,869	
609-D004	Combination Concrete Curb and Gutter Type 2 Modified	LF	2,593	
614-B003	Concrete Driveway, With Reinforcement, 6-inch Thickness	SY	22	
616-A001	Concrete Median and/or Island Pavement, 10-inch	SY	444	
616-A004	Concrete Median and/or Island Pavement, 4-inch	SY	3,781	
907-618-A001	Maintenance of Traffic	LS	1	
619-A1001	Temporary Traffic Stripe, Continuous White	MI	8	
619-A2001	Temporary Traffic Stripe, Continuous Yellow	MI	10	
619-A3001	Temporary Traffic Stripe, Skip White	MI	10	
619-A5001	Temporary Traffic Stripe, Detail	LF	68,501	
619-A6001	Temporary Traffic Stripe, Legend	SF	2,224	
619-A6002	Temporary Traffic Stripe, Legend	LF	2,389	
619-C6001	Red-Clear Reflective High Performance Raised Marker	EA	676	
619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	SF	820	
619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	SF	1,797	
907-619-E3001	Changeable Message Sign	EA	2	
907-619-E4001	Portable Radar Display	EA	2	
619-G4001	Barricades, Type III, Double Faced	LF	372	
619-G4005	Barricades, Type III, Single Faced	LF	744	
619-G5001	Free Standing Plastic Drums	EA	474	
619-G7001	Warning Lights, Type "B"	EA	15	
619-G8001	Warning Lights, Type "C"	EA	16	
620-A001	Mobilization	LS	1	
907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White	MI	6	
907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White	MI	3	
907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	MI	4	
907-626-G006	Thermoplastic Double Drop Detail Stripe, White	LF	38,953	
907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow	LF	11,393	
907-626-H006	Thermoplastic Double Drop Legend, White	SF	1,783	
907-626-H007	Thermoplastic Double Drop Legend, White	LF	764	
907-627-J001	Two-Way Clear Reflective High Performance Raised Markers	EA	252	
907-627-K001	Red-Clear Reflective High Performance Raised Markers	EA	1,410	
907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	384	
630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	SF	469	

①

	MISSISSIPPI DEPARTMENT OF TRANSPORTATION	
	SUMMARY OF QUANTITIES	
Revision	PROJ NO: HSIP-0008-02(124) COUNTY: SIMPSON	
	<div><div><div><div><div><div></div><div>STATE OF MISSISSIPPI</div><div>DEPARTMENT OF TRANSPORTATION</div><div>DESIGN ENGINEER</div><div>BRUCE W. BENT</div><div>12-4-2024</div></div></div><div><div>PE-15157</div><div>6-1985</div></div></div></div><div>Working Number</div></div>	
Design Team	FILENAME: SQS	Sheet Number
MSI	Checked	17
	Date 1/31/25	


ADDENDUM

STATE	PROJECT NO.
MISS	HSIP-0008-02(124)

SUMMARY OF QUANTITIES (SHEET 4)

PAY ITEM NO.	PAY ITEM	UNIT	SIMPSON : 109138-301000	
			Prelim	Final
630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	SF	72	
630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness	SF	389	
630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted	SF	343	
630-C001	Square Tube Posts, 4.0 lb/ft	LF	614	
630-C005	Square Tube Posts, 2.0 lb/ft	LF	896	
630-C1001	Square Post Inner Sleeve	LF	88	
630-D007	Structural Steel Beams, W6 x 15	LF	98	
630-E001	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles	LBS	88	
647-A001	Removal of Existing Traffic Signal Equipment	LS	1	
699-A001	Roadway Construction Stakes	LS	1	
815-A007	Loose Riprap, Size 300	TON	942	
815-E001	Geotextile under Riprap	SY	1,118	
815-F002	Sediment Control Stone	TON	14	

- ① ESTIMATED QUANTITY. ACTUAL QUANTITY AS DIRECTED BY THE ENGINEER.
- ② INCLUDES REMOVAL OF SPAN WIRE FLASHING SIGNAL AT THE US HWY 49 AND SR 540 INTERSECTION. INCLUDING, BUT NOT LIMITED TO POLES, GUYS WIRES, SIGNAL HEADS, SPAN WIRE, WIRING, CONDUITS, ETC. CONTRACTOR SHALL COORDINATE WITH ENGINEER AND POWER COMPANY FOR DISCONNECT AND REMOVAL OF METER BASE/ SERVICE POLE.
- ③ ROADSIDE SIGNS: 445.50 LF; DIRECTIONAL SIGNS: 168 LF

	MISSISSIPPI DEPARTMENT OF TRANSPORTATION SUMMARY OF QUANTITIES		
	PROJ NO: HSIP-0008-02(124) COUNTY: SIMPSON		12-7-2024 Working Number
	FILENAME: SQS Design Team <u>NSI</u>	Checked	Sheet Number SQ-4 18