

Proposal & Plan Sales Will Begin on February 21, 2025



MISSISSIPPI DEPARTMENT OF  
TRANSPORTATION

***Notice to Contractors***

Letting Date For March - March 04, 2025

**MISSISSIPPI DEPARTMENT OF TRANSPORTATION**  
***NOTICE TO CONTRACTORS***

**LETTING DATE FOR MARCH - Tuesday, March 4, 2025**

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](http://mdot.ms.gov)

**PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 21, 2025**

Proposals must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
Contract Administration Division  
Jackson, MS  
Telephone: (601) 359-7700

Plans must be purchased online at:  
<https://shop.mdot.ms.gov>  
For Information Please Contact:  
MDOT Plans Print Shop  
Jackson, MS  
Telephone: (601) 359-7460  
e-mail: [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us)

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, March 4, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

**LIST OF CONTRACTS FOR MARCH**

CALL	CONTRACT	COUNTY
09	STP-0026-01(072)/101649301	NESHOBA



CALL No. 09

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01(072) / 101649301 in Neshoba County.

PROJECT COMPLETION: 499 Working Days

**Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change**  
**Roadway Items**

1	Lump Sum	201-A001	Clearing and Grubbing
4	Acre	201-B001	Clearing and Grubbing
519	Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
96,783	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
36	Linear Feet	202-B011	Removal of Barricade, All Types
6	Each	202-B018	Removal of Box Culvert
600	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
206	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
953	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
1,762	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3	Each	202-B165	Removal of Inlets, All Sizes
3,739	Linear Feet	202-B191	Removal of Pipe, 8" And Above
133	Each	202-B215	Removal of Sign Including Post & Footing
29	Mile	202-B241	Removal of Traffic Stripe
970,181	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,000	Cubic Yard	203-D002	Muck Excavation, LVM
167,685	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
433,404	Cubic Yard	203-EX010	Borrow Excavation, AH, FME, Class B17
370,481	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,680	Cubic Yard	206-A001	Structure Excavation
583	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
79,148	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
60,000	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
117	Ton	213-C001	Superphosphate

19,122	Square Yard	216-A001	Solid Sodding
45,000	Square Yard	217-A001	Ditch Liner
364	Thousand Gallon	219-A001	Watering
233	Acre	220-A001	Insect Pest Control
4,365	Cubic Yard	221-A001	Concrete Paved Ditch
1,398	Acre	223-A001	Mowing
233	Acre	225-A001	Grassing
117	Ton	225-B001	Agricultural Limestone
466	Ton	225-C001	Mulch, Vegetative Mulch
466	Acre	226-A001	Temporary Grassing
1,000	Square Yard	229-A001	Erosion Mat
30,000	Linear Feet	237-A002	Wattles, 20"
8,500	Linear Feet	239-A001	Temporary Slope Drains
2,800	Linear Feet	245-A001	Silt Dike
2,500	Linear Feet	246-A001	Sandbags
5,029	Each	246-B001	Rockbags
4	Each	247-A001	Temporary Stream Diversion
10,000	Ton	249-A001	Riprap for Erosion Control
2,500	Cubic Yard	249-B001	Remove and Reset Riprap
117,993	Ton	304-B009	Granular Material, Class 9, Group C
67,587	Ton	304-D002	Granular Material, Crushed Stone
180,586	Square Yard	307-B003	6" Soil-Lime-Water Mixing, Class B
3,169	Ton	307-D001	Lime
45,146	Gallon	307-S001	Bituminous Curing Seal
5,741	Ton	308-A001	Cement
180,586	Square Yard	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base
257,210	Square Yard	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
109,449	Gallon	308-S001	Bituminous Curing Seal
114,649	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
57,247	Gallon	407-A001	Asphalt for Tack Coat

25	Mile	423-A001	Rumble Strips, Ground In
1,747	Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
168	Linear Feet	503-C010	Saw Cut, Full Depth
1,590	Cubic Yard	601-A001	Class "B" Structural Concrete
41	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
296,366	Pounds	602-A001	Reinforcing Steel
304	Linear Feet	603-A046	30" Steel Pipe, Jacked or Bored
1,820	Linear Feet	603-ALT003	18" Type A Alternate Pipe
280	Linear Feet	603-ALT006	24" Type A Alternate Pipe
160	Linear Feet	603-ALT015	44" x 27" Type A Alternate Pipe
80	Linear Feet	603-ALT020	65" x 40" Type A Alternate Pipe
360	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
5,620	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
1,256	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
16	Linear Feet	603-CA043	30" Reinforced Concrete Pipe, Class IV, Class B Bedding
216	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
416	Linear Feet	603-CA066	42" Reinforced Concrete Pipe, Class III
744	Linear Feet	603-CA090	54" Reinforced Concrete Pipe, Class IV, Class B Bedding
8	Linear Feet	603-CA099	60" Reinforced Concrete Pipe, Class III
1	Each	603-CB003	18" Reinforced Concrete End Section
84	Each	603-CB004	24" Reinforced Concrete End Section
31	Each	603-CB005	30" Reinforced Concrete End Section
5	Each	603-CB006	36" Reinforced Concrete End Section
2	Each	603-CB007	42" Reinforced Concrete End Section
2	Each	603-CB009	54" Reinforced Concrete End Section
1	Each	603-CB010	60" Reinforced Concrete End Section
424	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
6	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
4	Each	603-SB028	24" Branch Connections, Stub into Box Culvert
488	Pounds	604-A001	Castings

7,790 Pounds	604-B001	Gratings
529 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
803 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
149 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
35 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
31,166 Cubic Yard	605-X005	Filter Material for Filter Beds, Type C
3,463 Linear Feet	606-B001	Guard Rail, Class A, Type 1
18 Each	606-D022	Guard Rail, Bridge End Section, Type I
26 Each	606-E005	Guard Rail, Terminal End Section, Flared
2 Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
590 Linear Feet	609-B003	Concrete Curb, Special Design
358 Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
4,142 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
29 Cubic Yard	612-B001	Flowable Fill, Non-Excavatable
317 Square Yard	614-A001	Concrete Driveway, Without Reinforcement
360 Linear Feet	615-A002	Concrete Bridge End Barrier, 33.5"
450 Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1,147 Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
274 Each	617-A001	Right-of-Way Marker
26 Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26 Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
13 Mile	619-A3001	Temporary Traffic Stripe, Skip White
69,800 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,600 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
700 Each	619-C6001	Red-Clear Reflective High Performance Raised Marker
548 Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
264 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
3,031 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2 Each	619-E1001	Flashing Arrow Panel, Type C
28 Each	619-F3001	Delineators, Guard Rail, White

24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4002	Barricades, Type III, Double Faced, Permanent
1,752	Linear Feet	619-G4005	Barricades, Type III, Single Faced
541	Each	619-G5001	Free Standing Plastic Drums
53	Each	619-G7001	Warning Lights, Type "B"
14	Each	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section
14	Each	619-K4001	Installation and Removal of Guardrail, Terminal End Section
1	Lump Sum	620-A001	Mobilization
1	Each	621-A001	Field Laboratory
260	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1,691	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
533	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
2,383	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
142	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
644	Pounds	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar
80	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
98	Each	630-F006	Delineators, Guard Rail, White
98	Each	630-F007	Delineators, Guard Rail, Yellow
28	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
4,320	Ton	815-A007	Loose Riprap, Size 300
5,334	Square Yard	815-E001	Geotextile under Riprap
1,440	Ton	815-F002	Sediment Control Stone
75,000	Linear Feet	907-234-A001	Temporary Silt Fence
9,411	Linear Feet	907-234-C001	Super Silt Fence
20	Each	907-234-D001	Inlet Siltation Guard
20	Each	907-234-E001	Reset Inlet Siltation Guard
29,855	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
43,819	Ton	907-403-A005	19-mm, MT, Asphalt Pavement



25,050	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1,313	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
411	Ton	907-403-C002	19-mm, MT, Asphalt Pavement, Trench Widening
756	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Each	907-619-E3001	Changeable Message Sign
14	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
14	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
26,409	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
18,064	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,677	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
2,183	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
7,306	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,397	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
238	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
101	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
10	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1,040	Hours	907-906001	Trainees

#### ALTERNATE GROUP AA NUMBER 1

20,673	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

#### ALTERNATE GROUP AA NUMBER 2

20,673	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

#### ALTERNATE GROUP AA NUMBER 3

20,673	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

#### ALTERNATE GROUP BB NUMBER 1

327	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

#### ALTERNATE GROUP BB NUMBER 2

327	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

#### Bridge Items

7,176	Square Yard	501-K001	Transverse Grooving
6,390	Linear Feet	803-C003	16" x 16" Prestressed Concrete Piling
4,590	Linear Feet	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"
845	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
5,375	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
4,183	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
4,186	Linear Feet	804-C193	120' Prestressed Concrete Beam, Type FIB-45
1,945	Linear Feet	804-C199	70' Prestressed Concrete Beam, Type FIB-36
1,665	Linear Feet	804-C208	60' Prestressed Concrete Beam, Type FIB-36
653,640	Pounds	805-A001	Reinforcement
19,614	Pounds	805-C001	Reinforcement, Corrosion Resistant
3,480	Linear Feet	813-A002	Concrete Railing, 32"
20,001	Ton	815-A007	Loose Riprap, Size 300
3,001	Ton	815-A009	Loose Riprap, Size 500
19,800	Square Yard	815-E001	Geotextile under Riprap
9	Each	907-803-B001	Conventional Static Pile Load Test
5	Each	907-803-I002	PDA Test Pile, Concrete Pile
5	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
10	Each	907-803-J001	Pile Restrike
2,176	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
927	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
696	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
81	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
8,762	Square Yard	907-832-PP004	Bridge Concrete Mat

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at [plans@mdot.state.ms.us](mailto:plans@mdot.state.ms.us). Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE  
EXECUTIVE DIRECTOR