

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01 (072) / 101649301 in Neshoba County.					W. G. Yates & Sons Construction Company	Eutaw Construction Company, Inc.	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$89,758,536.75					\$97,379,881.90	\$104,343,211.50	
Ref#	Item	Item Description	Item Qnty	Units	1	2	
0010	201-A001	Clearing and Grubbing	1.000	LS	4,500,000.00	3,100,000.00	
0020	201-B001	Clearing and Grubbing	4.000	ACRE	8,000.00	7,000.00	
0030	202-B004	Removal of Asphalt Driveways, All Depths	519.000	SY	20.00	8.35	
0040	202-B007	Removal of Asphalt Pavement, All Depths	96,783.000	SY	8.00	4.70	
0050	202-B011	Removal of Barricade, All Types	36.000	LF	8.00	6.50	
0060	202-B018	Removal of Box Culvert	6.000	EA	10,000.00	30,000.00	
0070	202-B052	Removal of Concrete Driveways, All Depths	600.000	SY	25.00	8.50	
0080	202-B059	Removal of Concrete Median & Island Pavement, All Depths	206.000	SY	35.00	11.00	
0090	202-B089	Removal of Curb &/or Curb and Gutter, All Types	953.000	LF	11.00	21.00	
0100	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends	1,762.000	LF	6.00	7.00	
0110	202-B165	Removal of Inlets, All Sizes	3.000	EA	1,200.00	900.00	
0120	202-B191	Removal of Pipe, 8" And Above	3,739.000	LF	35.00	16.00	
0130	202-B215	Removal of Sign Including Post & Footing	133.000	EA	50.00	60.00	
0140	202-B241	Removal of Traffic Stripe	29.000	MI	10,700.00	12,000.00	
0150	203-A001	Unclassified Excavation, FM, AH	970,181.000	CY	5.75	8.10	
0160	203-D002	Muck Excavation, LVM	1,000.000	CY	20.00	37.00	
0170	203-EX008	Borrow Excavation, AH, FME, Class B15	167,685.000	CY	15.00	17.30	
0180	203-EX010	Borrow Excavation, AH, FME, Class B17	433,404.000	CY	15.00	16.50	
0190	203-G001	Excess Excavation, FM, AH	370,481.000	CY	12.00	8.30	
0200	206-A001	Structure Excavation	3,680.000	CY	11.00	28.00	
0210	206-B001	Select Material for Undercuts, Contractor Furnished, FM	583.000	CY	135.00	145.00	
0220	209-A005	Geotextile Stabilization, Type V, Non-Woven	79,148.000	SY	3.70	3.05	
0230	211-B001	Topsoil for Slope Treatment, Contractor Furnished	60,000.000	CY	1.00	1.00	
0240	213-C001	Superphosphate	117.000	TON	700.00	830.00	
0250	216-A001	Solid Sodding	19,122.000	SY	6.00	7.10	
0260	217-A001	Ditch Liner	45,000.000	SY	2.00	2.40	

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01 (072) / 101649301 in Neshoba County.					W. G. Yates & Sons Construction Company	Eutaw Construction Company, Inc.	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$89,758,536.75					\$97,379,881.90	\$104,343,211.50	
Ref#	Item	Item Description	Item Qnty	Units	1	2	
0270	219-A001	Watering	364.000	KGAL	20.00	20.00	
0280	220-A001	Insect Pest Control	233.000	ACRE	30.00	30.00	
0290	221-A001	Concrete Paved Ditch	4,365.000	CY	700.00	845.00	
0300	223-A001	Mowing	1,398.000	ACRE	50.00	50.00	
0310	225-A001	Grassing	233.000	ACRE	1,500.00	1,750.00	
0320	225-B001	Agricultural Limestone	117.000	TON	50.00	59.00	
0330	225-C001	Mulch, Vegetative Mulch	466.000	TON	250.00	295.00	
0340	226-A001	Temporary Grassing	466.000	ACRE	1,000.00	1,180.00	
0350	229-A001	Erosion Mat	1,000.000	SY	120.00	72.00	
0360	237-A002	Wattles, 20"	30,000.000	LF	6.00	7.10	
0370	239-A001	Temporary Slope Drains	8,500.000	LF	10.00	18.05	
0380	245-A001	Silt Dike	2,800.000	LF	10.00	11.80	
0390	246-A001	Sandbags	2,500.000	LF	15.00	4.45	
0400	246-B001	Rockbags	5,029.000	EA	20.00	12.70	
0410	247-A001	Temporary Stream Diversion	4.000	EA	22,000.00	42,000.00	
0420	249-A001	Riprap for Erosion Control	10,000.000	TON	110.00	90.00	
0430	249-B001	Remove and Reset Riprap	2,500.000	CY	40.00	37.00	
0440	304-B009	Granular Material, Class 9, Group C	117,993.000	TON	14.00	10.00	
0450	304-D002	Granular Material, Crushed Stone	67,587.000	TON	90.00	87.00	
0460	307-B003	6" Soil-Lime-Water Mixing, Class B	180,586.000	SY	5.50	2.00	
0470	307-D001	Lime	3,169.000	TON	375.00	305.00	
0480	307-S001	Bituminous Curing Seal	45,146.000	GAL	5.00	4.65	
0490	308-A001	Cement	5,741.000	TON	250.00	305.00	
0500	308-B002	Soil-Cement-Water Mixing, Optional Mixers, Base	180,586.000	SY	2.25	2.00	
0510	308-B003	Soil-Cement-Water Mixing, Optional Mixers, Design Soil	257,210.000	SY	3.00	2.00	
0520	308-S001	Bituminous Curing Seal	109,449.000	GAL	5.00	4.65	

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01 (072) / 101649301 in Neshoba County.					W. G. Yates & Sons Construction Company	Eutaw Construction Company, Inc.	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$89,758,536.75					\$97,379,881.90	\$104,343,211.50	
Ref#	Item	Item Description	Item Qnty	Units	1	2	
0530	406-D001	Fine Milling of Bituminous Pavement, All Depths	114,649.000	SY	3.60	3.45	
0540	407-A001	Asphalt for Tack Coat	57,247.000	GAL	3.95	4.60	
0550	423-A001	Rumble Strips, Ground In	25.000	MI	300.00	325.00	
0560	502-A001	Reinforced Cement Concrete Bridge End Pavement	1,747.000	SY	335.00	375.00	
0570	503-C010	Saw Cut, Full Depth	168.000	LF	50.00	24.00	
0580	601-A001	Class "B" Structural Concrete	1,590.000	CY	900.00	1,000.00	
0590	601-B001	Class "B" Structural Concrete, Minor Structures	41.000	CY	4,500.00	4,500.00	
0600	602-A001	Reinforcing Steel	296,366.000	LBS	2.25	2.40	
0610	603-A046	30" Steel Pipe, Jacked or Bored	304.000	LF	1,000.00	1,100.00	
0620	603-ALT003	18" Type A Alternate Pipe	1,820.000	LF	100.00	37.00	
0630	603-ALT006	24" Type A Alternate Pipe	280.000	LF	120.00	49.00	
0640	603-ALT015	44" x 27" Type A Alternate Pipe	160.000	LF	200.00	122.00	
0650	603-ALT020	65" x 40" Type A Alternate Pipe	80.000	LF	315.00	240.00	
0660	603-CA011	18" Reinforced Concrete Pipe, Class III	360.000	LF	90.00	50.00	
0670	603-CA026	24" Reinforced Concrete Pipe, Class III	5,620.000	LF	100.00	64.00	
0680	603-CA040	30" Reinforced Concrete Pipe, Class III	1,256.000	LF	135.00	88.00	
0690	603-CA043	30" Reinforced Concrete Pipe, Class IV, Class B Bedding	16.000	LF	205.00	100.00	
0700	603-CA055	36" Reinforced Concrete Pipe, Class III	216.000	LF	190.00	107.00	
0710	603-CA066	42" Reinforced Concrete Pipe, Class III	416.000	LF	200.00	134.00	
0720	603-CA090	54" Reinforced Concrete Pipe, Class IV, Class B Bedding	744.000	LF	350.00	305.00	
0730	603-CA099	60" Reinforced Concrete Pipe, Class III	8.000	LF	425.00	310.00	
0740	603-CB003	18" Reinforced Concrete End Section	1.000	EA	1,300.00	1,500.00	
0750	603-CB004	24" Reinforced Concrete End Section	84.000	EA	1,525.00	1,650.00	
0760	603-CB005	30" Reinforced Concrete End Section	31.000	EA	1,850.00	1,750.00	
0770	603-CB006	36" Reinforced Concrete End Section	5.000	EA	2,600.00	2,350.00	
0780	603-CB007	42" Reinforced Concrete End Section	2.000	EA	3,450.00	2,800.00	

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01 (072) / 101649301 in Neshoba County.					W. G. Yates & Sons Construction Company	Eutaw Construction Company, Inc.	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$89,758,536.75					\$97,379,881.90	\$104,343,211.50	
Ref#	Item	Item Description	Item Qnty	Units	1	2	
0790	603-CB009	54" Reinforced Concrete End Section	2.000	EA	5,000.00	4,500.00	
0800	603-CB010	60" Reinforced Concrete End Section	1.000	EA	6,250.00	5,200.00	
0810	603-CE018	44" x 27" Concrete Arch Pipe, Class A III	424.000	LF	200.00	122.00	
0820	603-CF005	44" x 27" Concrete Arch Pipe End Section	6.000	EA	2,750.00	2,350.00	
0830	603-SB028	24" Branch Connections, Stub into Box Culvert	4.000	EA	2,500.00	1,800.00	
0840	604-A001	Castings	488.000	LBS	5.00	4.80	
0850	604-B001	Gratings	7,790.000	LBS	4.00	4.20	
0860	605-AA001	Geotextile for Subsurface Drainage, Type III	529.000	SY	7.00	1.75	
0870	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5	803.000	LF	30.00	15.00	
0880	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5	149.000	LF	40.00	14.00	
0890	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM	35.000	CY	200.00	110.00	
0900	605-X005	Filter Material for Filter Beds, Type C	31,166.000	CY	75.00	70.00	
0910	606-B001	Guard Rail, Class A, Type 1	3,463.000	LF	30.00	37.00	
0920	606-D022	Guard Rail, Bridge End Section, Type I	18.000	EA	3,800.00	4,450.00	
0930	606-E005	Guard Rail, Terminal End Section, Flared	26.000	EA	3,700.00	4,320.00	
0940	606-E007	Guard Rail, Terminal End Section, Non-Flared	2.000	EA	3,800.00	4,450.00	
0950	609-B003	Concrete Curb, Special Design	590.000	LF	70.00	75.00	
0960	609-D003	Combination Concrete Curb and Gutter Type 2	358.000	LF	40.00	44.00	
0970	609-D004	Combination Concrete Curb and Gutter Type 2 Modified	4,142.000	LF	41.00	44.00	
0980	612-B001	Flowable Fill, Non-Excavatable	29.000	CY	365.00	520.00	
0990	614-A001	Concrete Driveway, Without Reinforcement	317.000	SY	115.00	125.00	
1000	615-A002	Concrete Bridge End Barrier, 33.5"	360.000	LF	85.00	93.00	
1010	616-A001	Concrete Median and/or Island Pavement, 10-inch	450.000	SY	135.00	145.00	
1020	616-A004	Concrete Median and/or Island Pavement, 4-inch	1,147.000	SY	65.00	70.00	
1030	617-A001	Right-of-Way Marker	274.000	EA	400.00	302.00	
1040	619-A1001	Temporary Traffic Stripe, Continuous White	26.000	MI	2,000.00	2,275.00	

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01 (072) / 101649301 in Neshoba County.					W. G. Yates & Sons Construction Company	Eutaw Construction Company, Inc.	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$89,758,536.75					\$97,379,881.90	\$104,343,211.50	
Ref#	Item	Item Description	Item Qnty	Units	1	2	
1050	619-A2001	Temporary Traffic Stripe, Continuous Yellow	26.000	MI	2,000.00	2,275.00	
1060	619-A3001	Temporary Traffic Stripe, Skip White	13.000	MI	2,000.00	2,275.00	
1070	619-A5001	Temporary Traffic Stripe, Detail	69,800.000	LF	0.40	0.45	
1080	619-A6002	Temporary Traffic Stripe, Legend	2,600.000	LF	2.00	2.30	
1090	619-C6001	Red-Clear Reflective High Performance Raised Marker	700.000	EA	12.00	13.70	
1100	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker	548.000	EA	12.00	13.70	
1110	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet	264.000	SF	7.50	8.05	
1120	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More	3,031.000	SF	7.50	8.20	
1130	619-E1001	Flashing Arrow Panel, Type C	2.000	EA	2,500.00	2,600.00	
1140	619-F3001	Delineators, Guard Rail, White	28.000	EA	30.00	31.00	
1150	619-G4001	Barricades, Type III, Double Faced	24.000	LF	25.00	24.00	
1160	619-G4002	Barricades, Type III, Double Faced, Permanent	72.000	LF	50.00	42.00	
1170	619-G4005	Barricades, Type III, Single Faced	1,752.000	LF	15.00	17.00	
1180	619-G5001	Free Standing Plastic Drums	541.000	EA	50.00	56.00	
1190	619-G7001	Warning Lights, Type "B"	53.000	EA	250.00	268.00	
1200	619-K2004	Installation and Removal of Guard Rail, Type I Bridge End Section	14.000	EA	1,300.00	1,500.00	
1210	619-K4001	Installation and Removal of Guardrail, Terminal End Section	14.000	EA	1,300.00	1,500.00	
1220	620-A001	Mobilization	1.000	LS	9,500,000.00	10,300,000.00	
1230	621-A001	Field Laboratory	1.000	EA	50,000.00	350,000.00	
1240	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness	260.000	SF	26.00	30.00	
1250	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness	1,691.000	SF	27.00	31.00	
1260	630-C001	Square Tube Posts, 4.0 lb/ft	533.000	LF	45.00	50.00	
1270	630-C005	Square Tube Posts, 2.0 lb/ft	2,383.000	LF	20.00	21.00	
1280	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles	142.000	LBS	0.50	0.60	
1290	630-E004	Structural Steel Angles & Bars, 7/16" x 2 1/2" Flat Bar	644.000	LBS	0.50	0.60	
1300	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow	80.000	EA	80.00	73.00	

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01 (072) / 101649301 in Neshoba County.					W. G. Yates & Sons Construction Company	Eutaw Construction Company, Inc.	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$89,758,536.75					\$97,379,881.90	\$104,343,211.50	
Ref#	Item	Item Description	Item Qnty	Units	1	2	
1310	630-F006	Delineators, Guard Rail, White	98.000	EA	26.00	30.00	
1320	630-F007	Delineators, Guard Rail, Yellow	98.000	EA	26.00	30.00	
1330	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	28.000	EA	105.00	210.00	
1340	699-A001	Roadway Construction Stakes	1.000	LS	750,000.00	2,500,000.00	
1350	815-A007	Loose Riprap, Size 300	4,320.000	TON	100.00	90.00	
1360	815-E001	Geotextile under Riprap	5,334.000	SY	5.00	1.70	
1370	815-F002	Sediment Control Stone	1,440.000	TON	120.00	84.00	
1380	907-234-A001	Temporary Silt Fence	75,000.000	LF	5.00	6.15	
1390	907-234-C001	Super Silt Fence	9,411.000	LF	17.00	17.00	
1400	907-234-D001	Inlet Siltation Guard	20.000	EA	700.00	770.00	
1410	907-234-E001	Reset Inlet Siltation Guard	20.000	EA	550.00	590.00	
1420	907-403-A002	12.5-mm, MT, Asphalt Pavement	29,855.000	TON	124.00	137.00	
1430	907-403-A005	19-mm, MT, Asphalt Pavement	43,819.000	TON	118.00	125.00	
1440	907-403-A014	9.5-mm, MT, Asphalt Pavement	25,050.000	TON	141.00	145.00	
1450	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling	1,313.000	TON	156.00	145.00	
1460	907-403-C002	19-mm, MT, Asphalt Pavement, Trench Widening	411.000	TON	200.00	187.00	
1470	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement	756.000	LF	7.00	8.15	
1480	907-618-A001	Maintenance of Traffic	1.000	LS	1,000,000.00	2,500,000.00	
1490	907-619-E3001	Changeable Message Sign	3.000	EA	12,500.00	13,400.00	
1500	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White	14.000	MI	4,000.00	4,500.00	
1510	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White	14.000	MI	8,000.00	9,000.00	
1520	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow	2.000	MI	8,000.00	9,000.00	
1530	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	14.000	MI	8,000.00	9,000.00	
1540	907-626-G006	Thermoplastic Double Drop Detail Stripe, White	26,409.000	LF	3.00	3.40	
1550	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow	18,064.000	LF	3.00	3.40	
1560	907-626-H006	Thermoplastic Double Drop Legend, White	1,677.000	SF	8.00	9.10	

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01 (072) / 101649301 in Neshoba County.					W. G. Yates & Sons Construction Company	Eutaw Construction Company, Inc.	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$89,758,536.75					\$97,379,881.90	\$104,343,211.50	
Ref#	Item	Item Description	Item Qnty	Units	1	2	
1570	907-626-H007	Thermoplastic Double Drop Legend, White	2,183.000	LF	4.00	4.55	
1580	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers	7,306.000	EA	12.00	13.60	
1590	907-627-K001	Red-Clear Reflective High Performance Raised Markers	2,397.000	EA	12.00	13.60	
1600	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers	238.000	EA	12.00	13.60	
1610	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted	101.000	SF	27.00	35.75	
1620	907-634-C001	Pole Foundations, Class "B" Concrete	10.000	CY	300.00	610.00	
1630	907-906001	Trainees	1,040.000	HRS	5.00	5.00	
1640	304-F001	3/4" and Down Crushed Stone Base	20,673.000	TON			
1650	304-F002	Size 610 Crushed Stone Base	20,673.000	TON			
1660	304-F003	Size 825B Crushed Stone Base	20,673.000	TON	100.00	89.00	
1670	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM	327.000	CY		130.00	
1680	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM	327.000	CY	150.00		
1690	501-K001	Transverse Grooving	7,176.000	SY	2.50	2.90	
1700	803-C003	16" x 16" Prestressed Concrete Piling	6,390.000	LF	130.00	98.00	
1710	803-P001	24" Steel Pipe Piling, Wall Thickness 0.500"	4,590.000	LF	80.00	218.00	
1720	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"	845.000	LF	65.00	233.00	
1730	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"	5,375.000	LF	65.00	195.00	
1740	804-C192	100' Prestressed Concrete Beam, Type FIB-36	4,183.000	LF	300.00	348.00	
1750	804-C193	120' Prestressed Concrete Beam, Type FIB-45	4,186.000	LF	325.00	377.00	
1760	804-C199	70' Prestressed Concrete Beam, Type FIB-36	1,945.000	LF	300.00	368.00	
1770	804-C208	60' Prestressed Concrete Beam, Type FIB-36	1,665.000	LF	325.00	368.00	
1780	805-A001	Reinforcement	653,640.000	LBS	1.50	1.72	
1790	805-C001	Reinforcement, Corrosion Resistant	19,614.000	LBS	3.50	3.75	
1800	813-A002	Concrete Railing, 32"	3,480.000	LF	85.00	105.00	
1810	815-A007	Loose Riprap, Size 300	20,001.000	TON	100.00	90.00	
1820	815-A009	Loose Riprap, Size 500	3,001.000	TON	120.00	115.00	

Grade Bridge, Pave 2-Lane on SR 19 from 0.25 miles South of SR 492 to Tucker Drive, known as Federal Aid Project No. STP-0026-01 (072) / 101649301 in Neshoba County.					W. G. Yates & Sons Construction Company	Eutaw Construction Company, Inc.	
MISSISSIPPI DEPARTMENT OF TRANSPORTATION: \$89,758,536.75					\$97,379,881.90	\$104,343,211.50	
Ref#	Item	Item Description	Item Qty	Units	1	2	
1830	815-E001	Geotextile under Riprap	19,800.000	SY	5.00	1.54	
1840	907-803-B001	Conventional Static Pile Load Test	9.000	EA	5,000.00	5,000.00	
1850	907-803-I002	PDA Test Pile, Concrete Pile	5.000	EA	15,000.00	10,800.00	
1860	907-803-I004	PDA Test Pile, Steel Pipe Pile	5.000	EA	30,000.00	21,000.00	
1870	907-803-J001	Pile Restrike	10.000	EA	1,500.00	1,135.00	
1880	907-804-A001	Bridge Concrete, Class BDX	2,176.000	CY	1,500.00	1,760.00	
1890	907-804-A002	Bridge Concrete, Class AA	927.000	CY	1,500.00	1,740.00	
1900	907-823-A001	Preformed Joint Seal, Type I	696.000	LF	30.00	34.00	
1902	907-823-A002	Preformed Joint Seal, Type II	81.000	LF	35.00	39.00	
1910	907-832-PP004	Bridge Concrete Mat	8,762.000	SY	130.00	160.00	