

Proposal & Plan Sales Will Begin on March 24, 2025



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For April - April 01, 2025

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 1, 2025

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 24, 2025

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 1, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR APRIL

CALL	CONTRACT	COUNTY
05	CRP-0024-04(031)/1038963030 & CRP-0024-04(032)/1038963031 & CRP-0024-04(033)/1038963032	NESHOBA
* 09	SP-0022-01(087)/108240301	JONES

CALL No. 05

Roundabout Construction on SR 15 at SR 16 & Bridge Replacements on Weyerhaeuser Street over Branch & on Lakeside Drive over Kentawka Creek Relief, known as Federal Aid Project Nos. CRP-0024-04(031) / 1038963030, CRP-0024-04(032) / 1038963031 & CRP-0024-04(033) / 1038963032 in Neshoba County.

PROJECT COMPLETION: APRIL 23, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
14,751	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2	Each	202-B023	Removal of Bridge
809	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
20	Square Yard	202-B063	Removal of Concrete Paved Ditch
1,242	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
8	Each	202-B117	Removal of Delineator, All Types
1	Each	202-B129	Removal of Flared End Section, All Sizes
379	Linear Feet	202-B153	Removal of Guard Rail, Double Faced Rail Including Hardware, Post & Rail
1,824	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
20	Linear Feet	202-B171	Removal of Legend, All Types
63	Square Feet	202-B172	Removal of Legend, All Types
11	Each	202-B179	Removal of Low Mast Lighting Foundation
656	Linear Feet	202-B191	Removal of Pipe, 8" And Above
3,435	Linear Feet	202-B240	Removal of Traffic Stripe
7,069	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
948	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
9,197	Cubic Yard	203-G001	Excess Excavation, FM, AH
236	Cubic Yard	206-A001	Structure Excavation
15,361	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
934	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5	Ton	213-C001	Superphosphate
340	Square Yard	216-A001	Solid Sodding

10 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
59 Cubic Yard	221-A001	Concrete Paved Ditch
9 Acre	223-A001	Mowing
7 Acre	225-A001	Grassing
4 Ton	225-B001	Agricultural Limestone
9 Ton	225-C001	Mulch, Vegetative Mulch
5 Acre	226-A001	Temporary Grassing
1,080 Linear Feet	237-A002	Wattles, 20"
244 Linear Feet	245-A001	Silt Dike
244 Linear Feet	246-B002	Rockbags
204 Ton	249-A001	Riprap for Erosion Control
5,683 Ton	304-D002	Granular Material, Crushed Stone
32,013 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,553 Gallon	407-A001	Asphalt for Tack Coat
206 Square Yard	502-A001	Reinforced Cement Concrete Bridge End Pavement
4,621 Linear Feet	503-C010	Saw Cut, Full Depth
26 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
1,337 Pounds	602-A001	Reinforcing Steel
360 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
288 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
184 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
6 Each	603-CB003	18" Reinforced Concrete End Section
3 Each	603-CB004	24" Reinforced Concrete End Section
2 Each	603-CB005	30" Reinforced Concrete End Section
474 Pounds	604-A001	Castings
78 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
140 Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
40 Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
6 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM

1,201	Linear Feet	606-B001	Guard Rail, Class A, Type 1
383	Linear Feet	606-B007	Guard Rail, Class A, Type 1, Double Faced, Metal Post
10	Each	606-D018	Guard Rail, Bridge End Section, Type G, Modified
6	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
16	Each	606-E005	Guard Rail, Terminal End Section, Flared
701	Linear Feet	609-B003	Concrete Curb, Special Design
315	Linear Feet	609-C001	Concrete Integral Curb, Type 1
4,506	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
295	Square Yard	614-B001	Concrete Driveway, With Reinforcement
476	Square Yard	616-A003	Concrete Median and/or Island Pavement, 12-inch
1,544	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5,060	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
19,972	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
917	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,322	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
512	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,188	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
652	Linear Feet	619-G4005	Barricades, Type III, Single Faced
166	Each	619-G5001	Free Standing Plastic Drums
34	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	619-H1001	Traffic Signals
1	Each	619-J1002	Impact Attenuator, 45 MPH
1	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
1	Lump Sum	620-A001	Mobilization
2	Each	629-A001	Vehicular Impact Attenuator, 40 MPH

221	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
259	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
343	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
824	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
151	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
75	Linear Feet	630-C1001	Square Post Inner Sleeve
53	Each	630-F006	Delineators, Guard Rail, White
32	Each	630-F007	Delineators, Guard Rail, Yellow
18	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
78	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
2,391	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
299	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
16	Each	682-E002	Underground Junction Box
1	Each	682-F001	Secondary Power Controller
23	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
126	Linear Feet	684-B004	Slip Casing, 30" Diameter
1	Lump Sum	699-A001	Roadway Construction Stakes
22	Ton	815-F002	Sediment Control Stone
2,300	Linear Feet	907-234-A001	Temporary Silt Fence
1,200	Linear Feet	907-234-C001	Super Silt Fence
7	Each	907-234-D001	Inlet Siltation Guard
2,250	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
1,682	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
1,975	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
3,505	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
220	Ton	907-403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
92	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
7	Each	907-619-E3001	Changeable Message Sign
4,307	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White

9,452	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8,470	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
21,659	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
10,979	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
953	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
152	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
107	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
41	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
14	Each	907-683-PP001	Lighting Assembly, Per Plans

ALTERNATE GROUP AA NUMBER 1

6,700	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

6,700	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

6,700	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

146	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
-----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

146	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
-----	------------	----------	--

Bridge Items

2,215	Linear Feet	803-D002	HP 12 x 53 Steel Piling
5,800	Pounds	805-A001	Reinforcement
12	Each	806-A001	19' Precast Concrete Slab Units, 3'-6" Interior
2	Each	806-A002	31' Precast Concrete Slab Units, 3'-6" Interior
2	Each	806-A003	31' Precast Concrete Slab Units, 4'-6" Interior
2	Each	806-A007	31' Precast Concrete Slab Units, 3'-6" Exterior
12	Each	806-A009	19' Precast Concrete Slab Units, 3'-6" Exterior
12	Each	806-A010	19' Precast Concrete Slab Units, 4'-6" Interior
12	Each	806-C001	19' Precast Barrier Rail Units
2	Each	806-C002	31' Precast Barrier Rail Units
5	Each	806-D004	26' Precast Concrete Caps, Intermediate Unit

896	Ton	815-A007	Loose Riprap, Size 300
824	Square Yard	815-E001	Geotextile under Riprap
4	Each	907-803-I003	PDA Test Pile, HP Steel Pile
4	Each	907-803-J001	Pile Restrike
63	Cubic Yard	907-804-A002	Bridge Concrete, Class AA

CALL No. 09

Mill & Overlay approximately 4 miles of SR 15 from Queen Street to north of Audubon Drive, known as State Project No. SP-0022-01(087) / 108240301 in Jones County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

19 Station	201-D001	Random Clearing
600 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
18 Square Yard	202-B063	Removal of Concrete Paved Ditch
407 Square Yard	202-B073	Removal of Concrete Pavement, All Depths
824 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
500 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
104 Linear Feet	202-B191	Removal of Pipe, 8" And Above
936 Linear Feet	202-B240	Removal of Traffic Stripe
162 Cubic Yard	206-A001	Structure Excavation
15 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
4 Cubic Yard	221-A001	Concrete Paved Ditch
194,200 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,500 Gallon	407-A001	Asphalt for Tack Coat
524 Linear Feet	503-C010	Saw Cut, Full Depth
7 Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
104 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
1,100 Pounds	604-A001	Castings
500 Pounds	604-B001	Gratings
200 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
4 Each	606-G002	Special Sections, Guard Rail Bridge End Connector
824 Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
130 Square Yard	614-A001	Concrete Driveway, Without Reinforcement
10 Square Feet	618-B001	Additional Construction Signs
14 Mile	619-A1001	Temporary Traffic Stripe, Continuous White

15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A3001	Temporary Traffic Stripe, Skip White
10	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
33,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
7,600	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
18	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
200	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
1,900	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
15,559	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1,675	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
1	Lump Sum	907-618-A001	Maintenance of Traffic
9	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
8	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
21,200	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
11,400	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
6	Each	907-626-H002	Thermoplastic Legend, Interstate Shield
7,600	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
7,600	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
1,300	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,700	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
2,800	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
7	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
4	Each	907-632-G001	Malfunction Management Unit
3	Each	907-634-G001	Traffic Signal Equipment Pole Mast Arm Extension
4	Each	907-634-PP001	Luminaire Fixture and Arm, Per Plans

725	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
24	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
12	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
5,934	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
6	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2
8	Each	907-643-A002	Video Vehicle Detection Sensor, Type 2
2,351	Linear Feet	907-643-B001	Video Vehicle Detection Cable
4	Each	907-643-C003	Video Vehicle Detection Processor, Type 2
8	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor

ALTERNATE GROUP AA NUMBER 1

138	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

138	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

736	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
368	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
368	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

736	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
368	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
368	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR