

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For April - April 22, 2025

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR APRIL - Tuesday, April 22, 2025

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON MARCH 31, 2025

Proposals must be purchased online at: https://shop.mdot.ms.gov
For Information Please Contact: Contract Administration Division Jackson, MS

Telephone: (601) 359-7700

Plans must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, April 22, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR APRIL

	CALL	CONTRACT		COUNTY
*	01	MP-3000-11(191)/309666311 & MP-3000-15(192)/309666315 & MP-3000-32(193)/309666332		CLAIBORNE, COPIAH, JEFFERSON
*	02	MP-3055-15(007)/309665315 & MP-3020-75(019)/309665375		WARREN, COPIAH
*	03	MP-7000-01(345)/309622301 & MP-7000-03(346)/309622303 & MP-7000-19(347)/309622319 & MP-7000-79(348)/309622379	WITHDRAWN	ADAMS, AMITE, FRANKLIN, WILKINSON
*	04	MP-7000-33(349)/309623333 & MP-7000-46(350)/309623346 & MP-7000-74(351)/309623374		JEFFERSON DAVIS, MARION, WALTHALL
	05	HSIP-0008-01(155)/109323301		HARRISON
*	06	STBG-0031-02(009)/109743301		DESOTO
*	07	NHPP-0056-01(114)/109228301 & SP-0056-01(124)/109228302		HINDS
	08	NHPP-7314-01(007)/109500301		RANKIN
*	09	STBG-9999-03(398)/109651301		YAZOO
*	10	SP-0019-01(022)/109744301		LEFLORE
	11	MP-1350-71(004)/309569301		TISHOMINGO

^{*} No plans except Standard Drawings

*	12	MP-5000-25(210)/309692325 & MP-5045-35(007)/309692335 & MP-5000-38(211)/309692338 & MP-5025-40(004)/309692340 & MP-5000-45(212)/309692345 & MP-5019-50(015)/309692350 & MP-5020-51(005)/309692351 & MP-5000-52(213)/309692352 & MP-5000-61(214)/309692361 & MP-5020-62(011)/309692362	HINDS, LAUDERDALE, MADISON, NOXUBEE, RANKIN, NESHOBA, NEWTON, SCOTT, LEAKE, KEMPER
*	13	MP-5000-25(215)/309693325 & MP-5000-45(216)/309693345 & MP-5000-61(217)/309693361	HINDS, MADISON, RANKIN
*	14	MP-7000-39(339)/309620339 & MP-7000-43(340)/309620343 & MP-7000-57(341)/309620357	LAWRENCE, LINCOLN, PIKE

Tree Removal along Various Routes in District 3, known as State Project Nos. MP-3000-11(191) / 309666311, MP-3000-15(192) / 309666315, & MP-3000-32(193) / 309666332 in Claiborne, Copiah, & Jefferson Counties.

PROJECT COMPLETION: DECEMBER 17, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 620-A001 Mobilization

175 Mile 907-201-D001 Random Clearing

1 Lump Sum 907-618-A001 Maintenance of Traffic

198 Linear Feet 907-619-B001 Temporary Portable Rumble Strips

Tree Removal along Various Routes in District 3, known as State Project Nos. MP-3055-15(007) / 309665315 & MP-3020-75(019) / 309665375 in Copiah & Warren Counties.

PROJECT COMPLETION: DECEMBER 17, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 620-A001 Mobilization

97 Mile 907-201-D001 Random Clearing

1 Lump Sum 907-618-A001 Maintenance of Traffic

Tree Removal along Various Routes in District 7, known as State Project Nos. MP-7000-33(349) / 309623333, MP-7000-46(350) / 309623346 & MP-7000-74(351) / 309623374 in Jefferson Davis, Marion & Walthall Counties.

PROJECT COMPLETION: DECEMBER 17, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 620-A001 Mobilization

277 Mile 907-201-D001 Random Clearing

1 Lump Sum 907-618-A001 Maintenance of Traffic

198 Linear Feet 907-619-B001 Temporary Portable Rumble Strips

Intersection Improvements on US 49 from Desoto Park Road to 500' south of East Wortham Road (Palmer Creek Road), known as Federal Aid Project No. HSIP-0008-01(155) / 109323301 in Harrison County.

PROJECT COMPLETION: MARCH 31, 2026

1,087	Square Yard 202	-B007	Removal of Asphalt Pavement, All Depths
556	Linear Feet 202	-B171	Removal of Legend, All Types
407	Square Yard 202	-B229	Removal of Soil Cement, All Depths
5,637	Linear Feet 202	-B240	Removal of Traffic Stripe
50	Cubic Yard 203	-A002	Unclassified Excavation, LVM, AH
118	Cubic Yard 203-E	EX037	Borrow Excavation, AH, LVM, Class B7
10	Cubic Yard 203	-G002	Excess Excavation, LVM, AH
1,144	Square Yard 209	-A005	Geotextile Stabilization, Type V, Non-Woven
860	Square Yard 216	-A001	Solid Sodding
18	Thousand Gallon 219	-A001	Watering
90	Linear Feet 237	-A002	Wattles, 20"
107	Gallon 407	-A001	Asphalt for Tack Coat
1,483	Linear Feet 503	-C010	Saw Cut, Full Depth
1	Cubic Yard 601	-B001	Class "B" Structural Concrete, Minor Structures
90	Linear Feet 609	-B003	Concrete Curb, Special Design
98	Square Feet 619-I	D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
264	Square Feet 619-I	D2001	Standard Roadside Construction Signs, 10 Square Feet or More
324	Linear Feet 619-0	G4005	Barricades, Type III, Single Faced
50	Each 619-0	G5001	Free Standing Plastic Drums
1	Lump Sum 620	-A001	Mobilization
14	Square Feet 630	-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet 630	-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
122	Linear Feet 630	-C001	Square Tube Posts, 4.0 lb/ft
5	Each 635	-A059	Traffic Signal Head, Type 1
1	Each 635	-A065	Traffic Signal Head, Type 2 FYA

1	Each	635-A070	Traffic Signal Head, Type 3
2	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
1	Lump Sum	699-A001	Roadway Construction Stakes
1,250	Linear Feet	907-234-A001	Temporary Silt Fence
110	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
165	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
90	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
638	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,949	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
500	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,879	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,620	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
465	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
139	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
548	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
76	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
9	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
2	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
1	Each	907-634-A060	Traffic Signal Equipment Pole, Type II(L), 40' Shaft, 40' Arm
1	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
12	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
45	Linear Feet	907-634-D003	Slip Casing, 36" Diameter
379	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
348	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
379	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
50	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
110	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor

230	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
4	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
269	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
161	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
38	Linear Feet	907-637-D002	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 2"
104	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1	Each	907-643-A002	Video Vehicle Detection Sensor, Type 2
192	Linear Feet	907-643-B001	Video Vehicle Detection Cable
1	Each	907-643-C003	Video Vehicle Detection Processor, Type 2
2	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
407	Linear Feet	907-643-F001	Multi-Sensor Vehicle Detection Cable
1	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
27	Square Feet	907-653-B001	Street Name Sign
1	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
1	Each	907-663-A006	Network Switch, Type F
			ALTERNATE GROUP AA NUMBER 1
499	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
499	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
499	Ton	304-F003	Size 825B Crushed Stone Base

Scrub Seal & Micro-Surfacing approximately 1.6 miles of SR 305 from End No Access (Golf Course) to the Tennessee State Line, known as Federal Aid Project No. STBG-0031-02(009) / 109743301 in Desoto County.

PROJECT COMPLETION: 63 Working Days

			Noduway items
880	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,016	Square Feet	202-B172	Removal of Legend, All Types
26	Each	202-B215	Removal of Sign Including Post & Footing
34,190	Linear Feet	202-B240	Removal of Traffic Stripe
40	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,347	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
535	Gallon	407-A001	Asphalt for Tack Coat
1,368	Linear Feet	503-C010	Saw Cut, Full Depth
10	Square Feet	618-B001	Additional Construction Signs
6	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A3001	Temporary Traffic Stripe, Skip White
8,646	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,036	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
55	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
63	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
82	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
390	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
575	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
400	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
25	Ton	907-403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
52,670	Square Yard	907-414-A001	Scrub Seal
14,025	Gallon	907-418-A001	Emulsified Asphalt for Micro-Surfacing
475	Ton	907-418-B001	Aggregate for Micro-Surfacing

1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,845	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,478	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,090	Square Feet	907-626-H009	Thermoplastic Legend, White
3,018	Linear Feet	907-626-H010	Thermoplastic Legend, White
430	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,107	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
4	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
2	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
2	Each	907-632-G001	Malfunction Management Unit
14	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
10	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
5,100	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
4	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Mill & Overlay & Concrete Rehabilitation on approximately 2 miles of SR 25 from the BOSM to the Rankin County Line & Frontage Roads, known as Federal Aid Project No. NHPP-0056-01(114) / 109228301 & State Project No. SP-0056-01(124) / 109228302 in Hinds County.

PROJECT COMPLETION: OCTOBER 31, 2025

452	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
73	Square Yard	202-B045	Removal of Cement Treated Base, All Depths
146	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
46	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
747	Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
1,375	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
11,526	Linear Feet	202-B240	Removal of Traffic Stripe
68	Cubic Yard	203-G002	Excess Excavation, LVM, AH
138	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
110	Ton	304-B003	Granular Material, Class 5, Group C
50	Ton	304-D002	Granular Material, Crushed Stone
158,600	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
16,900	Gallon	407-A001	Asphalt for Tack Coat
146	Square Yard	503-A001	8" and Variable Continuously Reinforced Concrete Pavement, Broom Finish
112	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
300	Linear Feet	503-C004	Saw Cut, 3-inch
2,256	Linear Feet	503-C010	Saw Cut, Full Depth
20	Cubic Yard	503-D001	Concrete for Base Repair
70	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
1,000	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
4	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
46	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified

15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
34	Mile	619-A3001	Temporary Traffic Stripe, Skip White
75,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
6,431	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
11,648	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
4	Each	629-A002	Vehicular Impact Attenuator, 50 MPH
38	Each	630-F006	Delineators, Guard Rail, White
7	Each	630-F007	Delineators, Guard Rail, Yellow
6	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
300	Ton	815-A007	Loose Riprap, Size 300
13,900	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
136	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
1,197	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
142	Each	907-512-A001	Holes
700	Pounds	907-512-B001	Cement Pressure Grout Slurry, Type 5
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,000	Hours	907-618-M2001	Work Zone Law Enforcement
12	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
8	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
9	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
24,393	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
13,227	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
3,296	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
5,824	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
2,571	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers



Bridge Repair on US 80 over Pearl River Relief (Bridge No. 46.9), known as Federal Aid Project No. NHPP-7314-01(007) / 109500301 in Rankin County.

PROJECT COMPLETION: FEBRUARY 27, 2026

			Noduway items
247	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
100	Square Yard	202-B029	Removal of Bridge End Pavement
100	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
330	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
4	Each	202-B215	Removal of Sign Including Post & Footing
45	Cubic Yard	203-G002	Excess Excavation, LVM, AH
27	Square Yard	209-A001	Geotextile Stabilization, Type III
220	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1	Cubic Yard	221-A001	Concrete Paved Ditch
75	Ton	304-D002	Granular Material, Crushed Stone
15	Gallon	407-A001	Asphalt for Tack Coat
100	Square Yard	503-A007	6" and Variable Jointed Concrete Pavement
375	Linear Feet	503-C010	Saw Cut, Full Depth
48	Linear Feet	605-T002	6" Perforated Pipe for Underdrains
5	Linear Feet	605-U002	6" Non-perforated Pipe for Underdrains
2	Cubic Yard	605-X002	Filter Material for Filter Beds, Type A
325	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
3	Each	606-D003	Guard Rail, Bridge End Section, Special Design
3	Each	606-E001	Guard Rail, Terminal End Section
1,700	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
1,700	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,700	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
164	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
108	Linear Feet	619-G4001	Barricades, Type III, Double Faced

24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
9	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
12	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
17	Ton 90	7-403-A002	12.5-mm, MT, Asphalt Pavement
375	Linear Feet 90	7-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
100	Square Yard 90	7-502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Lump Sum 90	7-618-A001	Maintenance of Traffic
200	Hours 907-	-618-M2001	Work Zone Law Enforcement
5	Each 907-	-619-E3001	Changeable Message Sign
850	Linear Feet 90	7-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
850	Linear Feet 90	7-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
850	Linear Feet 90	7-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
18	Each 90	7-627-K001	Red-Clear Reflective High Performance Raised Markers
18	Each 90	7-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
			Bridge Items
118	Linear Feet	503-C001	Saw Cut, 1-inch
1,132	Pounds	805-A001	Reinforcement
10	Cubic Yard 90	7-804-A002	Bridge Concrete, Class AA
720	Linear Feet 90	7-808-A003	Joint Repair Without Epoxy
360	Linear Feet 90	7-823-A001	Preformed Joint Seal, Type I
720	Linear Feet 90	7-823-B001	Saw Cut, Type I
209	Square Feet 90	7-824-A003	General Epoxy Repair
9	Each 90	7-824-C001	Cap Cleaning
1	Lump Sum 907-	-824-PP004	Bridge Repair, Concrete Girder Span Resetting, Per Plans
16	Each 907-	-824-PP006	Bridge Repair, Beam Hanger Assembly (Exterior)
24	Each 907-	-824-PP006	Bridge Repair, Beam Hanger Assembly (Interior))
14	Each 907-	-824-PP006	Bridge Repair, Install Bearings, Per Plans

4	Cubic Yard	907-824-PP007	Bridge Repair, Deck, Curb, and Sidewalk Removal and Replacement
756	Linear Feet	907-824-PP008	Bridge Repair, Class II, spray Finish, Per Plans
7	Linear Feet	907-824-PP008	Bridge Repair, Rail Repair
756	Linear Feet	907-824-PP008	Bridge Repair, Rail, Curb, and End Post Cleaning, Per Plans
58	Linear Feet	907-824-PP008	Bridge Repair, Remove End Bent Endwall, Per Plans
37	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

Bridge Repair on Wildwood Road over I-55 (Bridge No. 134.1), known as Federal Aid Project No. STBG-9999-03(398) / 109651301 in Yazoo County.

PROJECT COMPLETION: 19 Working Days

48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
96	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
20	Linear Feet	907-824-B002	FRP Wrap, Uni-directional
5	Each	907-824-PP006	Bridge Repair, Prestress Strand Repair

Mill & Overlay approximately 1.3 miles of SR 7 from US 82 to Grenada Boulevard Extended, known as State Project No. SP-0019-01(022) / 109744301 in Leflore County.

PROJECT COMPLETION: 54 Working Days

380	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
168	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2	Each	202-B184	Removal of Overhead Sign Assembly, Truss and Supports Only
1	Each	202-B197	Removal of Railroad Crossing
55	Each	202-B215	Removal of Sign Including Post & Footing
1,464	Linear Feet	202-B240	Removal of Traffic Stripe
16	Cubic Yard	203-G001	Excess Excavation, FM, AH
475	Ton	304-B004	Granular Material, Class 5, Group D
50,374	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,038	Gallon	407-A001	Asphalt for Tack Coat
468	Linear Feet	503-C010	Saw Cut, Full Depth
43	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D001	Guard Rail, Bridge End Section
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
5	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
5	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
5	Mile	619-A3001	Temporary Traffic Stripe, Skip White
5	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
20,170	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
252	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,588	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
155	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
119	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

140	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
30	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
720	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
7	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
325	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
3,550	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
650	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
194	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
3	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
3	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,962	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
4,123	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,080	Square Feet	907-626-H009	Thermoplastic Legend, White
1,196	Linear Feet	907-626-H010	Thermoplastic Legend, White
173	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
591	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
752	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
3	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,290	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
2	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2
1	Lump Sum	907-899-A001	Railway-Highway Provisions

Mill & Overlay approximately 7 miles of SR 350 from the Alcorn County Line to SR 25, known as State Project No. MP-1350-71(004) / 309569301 in Tishomingo County.

PROJECT COMPLETION: 83 Working Days

30	Station	201-D001	Random Clearing
1,120	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
5	Each	202-B215	Removal of Sign Including Post & Footing
3,330	Linear Feet	202-B240	Removal of Traffic Stripe
750	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,120	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
2,005	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
117,950	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,300	Gallon	407-A001	Asphalt for Tack Coat
14	Mile	423-A001	Rumble Strips, Ground In
1,192	Linear Feet	503-C010	Saw Cut, Full Depth
12	Each	606-D017	Guard Rail, Bridge End Section, Type G
12	Each	606-E001	Guard Rail, Terminal End Section
1,500	Linear Feet	606-F002	Guard Rail, Remove and Replace Guard Rail, Blockouts & Posts
1	Square Feet	618-B001	Additional Construction Signs
28	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,470	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
82	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
330	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
4	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
36	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
65	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft

66	Each	630-F006	Delineators, Guard Rail, White
1,120	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
775	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
10,225	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
15	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
6	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,290	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
180	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
815	Square Feet	907-626-H009	Thermoplastic Legend, White
440	Linear Feet	907-626-H010	Thermoplastic Legend, White
125	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
720	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
615	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
			ALTERNATE GROUP AA NUMBER 1
425	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 2
425	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
			ALTERNATE GROUP AA NUMBER 3
425	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM

Tree Removal on Various Routes, known as State Project Nos. MP-5000-25(210) / 309692325, MP-5045-35(007) / 309692335, MP-5000-38(211) / 309692338, MP-5025-40(004) / 309692340, MP-5000-45(212) / 309692345, MP-5019-50(015) / 309692350, MP-5020-51(005) / 309692351, MP-5000-52(213) / 309962352, MP-5000-61(214) / 309692361 & MP-5020-62(011) / 309692362 in Hinds, Kemper, Lauderdale, Leake, Madison, Neshoba, Newton, Noxubee, Rankin & Scott Counties.

PROJECT COMPLETION: 107 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 620-A001 Mobilization

82 Mile 907-201-D001 Random Clearing

1 Lump Sum 907-618-A001 Maintenance of Traffic

Tree Removal on Various Routes, known as State Project Nos. MP-5000-25(215) / 309693325, MP-5000-45(216) 309693345 and MP-5000-61(217) / 309693361 in Hinds, Madison & Rankin Counties.

PROJECT COMPLETION: 107 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 620-A001 Mobilization

45 Mile 907-201-D001 Random Clearing

1 Lump Sum 907-618-A001 Maintenance of Traffic

Tree Removal on Various Routes, known as State Project Nos. MP-7000-39(339) / 309620339, MP-7000-43(340) / 309620343 & MP-7000-57(341) / 309620357 in Lawrence, Lincoln & Pike Counties.

PROJECT COMPLETION: DECEMBER 17, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

1 Lump Sum 620-A001 Mobilization

252 Mile 907-201-D001 Random Clearing

1 Lump Sum 907-618-A001 Maintenance of Traffic

198 Linear Feet 907-619-B001 Temporary Portable Rumble Strips

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at https://shop.mdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE EXECUTIVE DIRECTOR