SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda): 6/19/2025 ADDENDUM NO. DATED ADDENDUM NO. DATED DATED ADDENDUM NO **DATED** ADDENDUM NO. ADDENDUM NO **DATED** ADDENDUM NO. **DATED** Numbe Description TOTAL ADDENDA: (Must agree with total addenda issued prior to opening of bids) Revised Table of Contents; Added NTB No. 6936; Revised Bid Items; Amendment EBSx Download Required. Respectfully Submitted, DATE _ Contractor Signature TITLE **ADDRESS** CITY, STATE, ZIP ____ PHONE FAX E-MAIL (To be filled in if a corporation) Our corporation is chartered under the Laws of the State of and the names, titles and business addresses of the executives are as follows: Address President Address Secretary Treasurer Address

The following is my (our) itemized proposal.

HSIP-0008-02(123)/ 109119301000

Simpson County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

PROJECT: HSIP-0008-02(123)/109119301 - Simpson

Section 901 - Advertisement

| Section 904 - Notice t | to Bidders |
|------------------------|---|
| #1 | Governing Specification, w/ Supplement |
| #2 | Status of ROW, w/ Attachments |
| #296 | Reduced Speed Limit Signs |
| #445 | Mississippi Agent or Qualified Nonresident Agent |
| #516 | Errata and Modifications to the 2017 Standard Specifications |
| #757 | Additional Erosion Control Requirements |
| #1225 | Early Notice to Proceed |
| #1226 | Material Storage Under Bridges |
| #1241 | Fuel and Material Adjustments |
| #1434 | Erosion Control Plan |
| #2172 | App for Storm Water Reports |
| #2206 | MASH Compliant Devices |
| #2273 | Mississippi Special Fuel Tax Law |
| #2782 | DBE Pre-Bid Meeting |
| #2812 | Traffic Signal and ITS Components |
| #2954 | Reflective Sheeting for Signs |
| #3676 | Asphalt Gyratory Compactor Internal Angle Calibration |
| #3875 | General ITS Requirements |
| #4113 | Unique Entity ID Requirement For Federal Funded Projects |
| #4638 | Storm Water Discharge Associated with Construction Activity (> 5 Acres) |
| #4702 | App for Traffic Control Report |
| #5086 | Detail of Square Tube Sign Posts |
| #5551 | Federal Bridge Formula |
| #5605 | Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement |
| #5750 | Manual on Uniform Traffic Control Devices (MUTCD) |
| #6195 | Retroreflectivity Requirements |
| #6933 | Contract Time |
| #6934 | Specialty Items |
| #6936 | Mobilization Pay Item Correction |
| 906 | Required Federal Contract Provisions FHWA 1273, w/Supplements |
| Section 907 - Special | Provisions |
| 907-101-1 | Definitions and Terms |
| 907-102-2 | Bidding Requirements and Conditions |
| 907-105-2 | Control of Work |
| 907-106-3 | Control of Materials |
| 907-107-2 | Contractor's Erosion Control Plan |
| 907-108-4 | Subletting of Contract |
| 907-108-6 | Default and Termination of Contract |
| 907-109-5 | Measurement and Payment |
| | |

PROJECT: HSIP-0008-02(123)/109119301 - Simpson

| 907-234-1 | Silt Fence |
|------------|--|
| 907-401-2 | Asphalt Pavements - General |
| 907-403-4 | Asphalt Pavements |
| 907-605-1 | Underdrains |
| 907-618-12 | Traffic Control Management |
| 907-626-11 | Thermoplastic Markings |
| 907-627-1 | Raised Pavement Markings |
| 907-630-1 | Remove and Reset Signs |
| 907-631-1 | Traffic Signal Systems - General, w/Supplement |
| 907-632-1 | Traffic Signal Cabinet Assemblies |
| 907-634-4 | Traffic Signal and ITS Equipment Poles |
| 907-636-3 | Electrical Cable |
| 907-637-3 | Traffic Signal Conduit and Pull Boxes |
| 907-641-4 | Radar Vehicle Detection |
| 907-650-5 | On-Street Video Equipment |
| 907-662-2 | Radio Interconnect System |
| 907-663-6 | Networking Equipment |
| 907-700-1 | Materials and Tests |
| 907-701-4 | Hydraulic Cement, w/ Supplement |
| 907-702-4 | Bituminous Materials |
| 907-703-2 | Gradation |
| 907-705-1 | Stone Riprap |
| 907-707-3 | Joint Materials |
| 907-708-4 | Concrete Pipe |
| 907-711-2 | Plain Steel Wire |
| 907-712-1 | Fence and Guardrail |
| 907-714-3 | Miscellaneous Materials |
| 907-718-1 | Timber and Dimension Lumber |
| 907-720-3 | Pavement Marking Materials |
| 907-721-4 | Materials for Signing |
| 907-722-1 | Materials for Traffic Signal Installation |
| | |

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal

Certification of Performance - Prior Federal-Aid Contracts

Certification Regarding Non-Collusion, Debarment and Suspension

SAM.GOV Registration and Unique Entity ID

Section 902 - Contract Form

Section 903 - Contract Bond Forms

Form -- OCR-485

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

06/19/2025 09:05 AM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 6936 CODE: (SP)

DATE: 6/19/2025

SUBJECT: Mobilization Pay Item Correction

PROJECT: HSIP-0008-02(123) / 109119301 – Simpson County

Bidders are hereby advised that pay item 620-A001, Mobilization was unintentional left off the Plans / Bid Items. The pay item 620-A001, Mobilization has been added to the electronic bid items. The bid items are correct through the online bid system.

Directional Median Installation on US 49 at Siloam Road and a Traffic Signal at SR 149, known as Federal Aid Project No. HSIP-0008-02(123) / 109119301 in Simpson County.

| Line No. | Item Code | Adj Code | Quantity Roads | Units way Items | Description [Fixed Unit Price] |
|----------|-----------|----------|-------------------|--------------------|---|
| 0010 | 201-C002 | | 1 | Acre | Random Clearing and Grubbing |
| 0020 | 202-B007 | | 3,455 | Square Yard | Removal of Asphalt Pavement, All Depths |
| 0030 | 202-B052 | | 335 | Square Yard | Removal of Concrete Driveways, All Depths |
| 0040 | 202-B089 | | 80 | Linear Feet | Removal of Curb &/or Curb and Gutter, All Types |
| 0050 | 202-B098 | | 148 | Linear Feet | Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width |
| 0060 | 202-B114 | | 287 | Linear Feet | Removal of Debris and Sand From Pipe, All Sizes |
| 0070 | 202-B191 | | 136 | Linear Feet | Removal of Pipe, 8" And Above |
| 0800 | 202-B219 | | 5 | Each | Removal of Sign, Ground Mounted with Posts |
| 0090 | 202-B240 | | 14,233 | Linear Feet | Removal of Traffic Stripe |
| 0100 | 203-A001 | (E) | 1,911 | Cubic Yard | Unclassified Excavation, FM, AH |
| 0110 | 203-EX021 | (E) | 550 | Cubic Yard | Borrow Excavation, AH, FME, Class B9-6 |
| 0120 | 206-A001 | (S) | 88 | Cubic Yard | Structure Excavation |
| 0130 | 209-A005 | | 6,210 | Square Yard | Geotextile Stabilization, Type V, Non-Woven |
| 0140 | 213-C001 | | 7 | Ton | Superphosphate |
| 0150 | 216-A001 | | 221 | Square Yard | Solid Sodding |
| 0160 | 217-A001 | | 35 | Square Yard | Ditch Liner |
| 0170 | 219-A001 | | 4 | Thousand Gallon | Watering [\$20.00] |
| 0180 | 220-A001 | | 7 | Acre | Insect Pest Control [\$30.00] |
| 0190 | 221-A001 | (S) | 1 | Cubic Yard | Concrete Paved Ditch |
| 0200 | 223-A001 | | 28 | Acre | Mowing [\$50.00] |
| 0210 | 225-A001 | | 14 | Acre | Grassing |
| 0220 | 225-B001 | | 28 | Ton | Agricultural Limestone |
| 0230 | 225-C001 | | 28 | Ton | Mulch, Vegetative Mulch |
| 0240 | 226-A001 | | 14 | Acre | Temporary Grassing |
| 0250 | 237-A002 | | 209 | Linear Feet | Wattles, 20" |
| 0260 | 246-B002 | | 240 | Linear Feet | Rockbags |
| 0270 | 247-A001 | | 1 | Each | Temporary Stream Diversion |
| 0280 | 249-A001 | | 40 | Ton | Riprap for Erosion Control |
| 0290 | 249-B001 | | 24 | Cubic Yard | Remove and Reset Riprap |
| 0300 | 304-D002 | (GT) | 1,970 | Ton | Granular Material, Crushed Stone |
| 0310 | 406-D001 | | 2,075 | Square Yard | Fine Milling of Bituminous Pavement, All Depths |
| 0320 | 407-A001 | (A2) | 220 | Gallon | Asphalt for Tack Coat |

| Line No. 0330 | Item Code 503-C010 | Adj Code | Quantity 160 | Units Linear Feet | Description [Fixed Unit Price] Saw Cut, Full Depth |
|----------------------|-----------------------|----------|------------------------|--------------------------|--|
| 0340 | 601-B001 | (S) | 10 | Cubic Yard | Class "B" Structural Concrete, Minor Structures |
| 0350 | 602-A001 | (S) | 426 | Pounds | Reinforcing Steel |
| 0360 | 603-CA011 | (S) | 72 | Linear Feet | 18" Reinforced Concrete Pipe, Class III |
| 0370 | 603-CA040 | (S) | 56 | Linear Feet | 30" Reinforced Concrete Pipe, Class III |
| 0380 | 603-CB003 | (S) | 2 | Each | 18" Reinforced Concrete End Section |
| 0390 | 603-CB005 | (S) | 2 | Each | 30" Reinforced Concrete End Section |
| 0400 | 603-CE039 | (S) | 88 | Linear Feet | 73" x 45" Concrete Arch Pipe, Class A III |
| 0410 | 603-CF009 | (S) | 1 | Each | 73" x 45" Concrete Arch Pipe End Section |
| 0420 | 604-B001 | | 250 | Pounds | Gratings |
| 0430 | 609-D004 | (S) | 330 | Linear Feet | Combination Concrete Curb and Gutter Type 2 Modified |
| 0440 | 614-B003 | (S) | 350 | Square Yard | Concrete Driveway, With Reinforcement, 6-inch Thickness |
| 0450 | 616-A001 | (S) | 20 | Square Yard | Concrete Median and/or Island Pavement, 10-inch |
| 0460 | 616-A004 | (S) | 110 | Square Yard | Concrete Median and/or Island Pavement, 4-inch |
| 0470 | 619-D1001 | | 176 | Square Feet | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 0480 | 619-D2001 | | 940 | Square Feet | Standard Roadside Construction Signs, 10 Square Feet or More |
| 0490 | 619-G4001 | | 36 | Linear Feet | Barricades, Type III, Double Faced |
| 0500 | 619-G4005 | | 618 | Linear Feet | Barricades, Type III, Single Faced |
| 0510 | 619-G4007 | | 30 | Linear Feet | Barricades, Type III, Single Faced, Permanent, Red/White |
| 0520 | 619-G5001 | | 39 | Each | Free Standing Plastic Drums |
| 0530 | 619-G7001 | | 18 | Each | Warning Lights, Type "B" |
| 0532 | 620-A001 | | 1 | Lump Sum | Mobilization |
| 0540 | 630-A001 | | 111 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 0550 | 630-A003 | | 194 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 0560 | 630-A005 | | 123 | Square Feet | Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness |
| 0570 | 630-C001 | | 16 | Linear Feet | Square Tube Posts, 4.0 lb/ft |
| 0580 | 630-C005 | | 507 | Linear Feet | Square Tube Posts, 2.0 lb/ft |
| 0590 | 630-C1001 | | 64 | Linear Feet | Square Post Inner Sleeve |
| 0600 | 635-A059 | | 5 | Each | Traffic Signal Head, Type 1 |
| 0610 | 635-A061 | | 1 | Each | Traffic Signal Head, Type 2 |
| 0620 | 635-A070 | | 1 | Each | Traffic Signal Head, Type 3 |
| 0630 | 638-A003 | | 2 | Each | Flashing Assembly, Be Prepared to Stop When Flashing |
| 0640 | 699-A001 | | 1 | Lump Sum | Roadway Construction Stakes |
| 0650 | 815-A002 | (S) | 120 | Ton | Loose Riprap, Size 100 |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] |
|----------|--------------|----------|----------|-------------|---|
| 0660 | 815-E001 | (S) | 210 | Square Yard | Geotextile under Riprap |
| 0670 | 907-234-A001 | | 2,800 | Linear Feet | Temporary Silt Fence |
| 0680 | 907-234-D001 | | 2 | Each | Inlet Siltation Guard |
| 0690 | 907-234-E001 | | 2 | Each | Reset Inlet Siltation Guard |
| 0700 | 907-403-A001 | (BA1) | 360 | Ton | 12.5-mm, HT, Asphalt Pavement |
| 0710 | 907-403-A003 | (BA1) | 50 | Ton | 12.5-mm, ST, Asphalt Pavement |
| 0720 | 907-403-A006 | (BA1) | 560 | Ton | 19-mm, ST, Asphalt Pavement |
| 0730 | 907-403-A013 | (BA1) | 400 | Ton | 9.5-mm, HT, Asphalt Pavement |
| 0740 | 907-618-A001 | | 1 | Lump Sum | Maintenance of Traffic |
| 0750 | 907-626-A008 | | 4,471 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 0760 | 907-626-B003 | | 2,541 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Continuous White |
| 0770 | 907-626-E004 | | 3,147 | Linear Feet | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 0780 | 907-626-G006 | | 5,433 | Linear Feet | Thermoplastic Double Drop Detail Stripe, White |
| 0790 | 907-626-G007 | | 3,497 | Linear Feet | Thermoplastic Double Drop Detail Stripe, Yellow |
| 0800 | 907-626-H006 | | 372 | Square Feet | Thermoplastic Double Drop Legend, White |
| 0810 | 907-626-H007 | | 510 | Linear Feet | Thermoplastic Double Drop Legend, White |
| 0820 | 907-627-J001 | | 47 | Each | Two-Way Clear Reflective High Performance Raised Markers |
| 0830 | 907-627-K001 | | 129 | Each | Red-Clear Reflective High Performance Raised Markers |
| 0840 | 907-627-L001 | | 62 | Each | Two-Way Yellow Reflective High Performance Raised Markers |
| 0850 | 907-630-0008 | | 2 | Each | Remove and Reset Signs, Post Mounted |
| 0860 | 907-632-A007 | | 1 | Each | Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller |
| 0870 | 907-632-J001 | | 1 | Each | Power Service Pedestal |
| 0880 | 907-634-A050 | | 1 | Each | Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm |
| 0890 | 907-634-A280 | | 1 | Each | Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' & 60' Arm |
| 0900 | 907-634-B001 | | 1 | Each | Traffic Signal Equipment Pole Shaft Extension, 10' |
| 0910 | 907-634-C001 | | 7 | Cubic Yard | Pole Foundations, Class "B" Concrete |
| 0920 | 907-636-B003 | | 545 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor |
| 0930 | 907-636-B013 | | 1,525 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor |
| 0940 | 907-636-B016 | | 365 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor |
| 0950 | 907-636-B028 | | 135 | Linear Feet | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor |
| 0960 | 907-636-C015 | | 6 | Linear Feet | Electric Cable, Aerial Supported, IMSA 20-1, AWG 8, 3 Conductor |
| 0970 | 907-636-D001 | | 16 | Linear Feet | Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor |
| 0980 | 907-636-D005 | | 32 | Linear Feet | Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 4 Conductor |

| Line No. | Item Code | Adj Code | Quantity | Units | Description [Fixed Unit Price] | |
|-----------------------------|-----------------------------|----------|----------|-------------|---|--|
| 0990 | 907-636-D008 | | 164 | Linear Feet | Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor | |
| 1000 | 907-637-A002 | | 8 | Each | Pullbox Enclosure, Type 2 | |
| 1010 | 907-637-A003 | | 1 | Each | Pullbox Enclosure, Type 3 | |
| 1020 | 907-637-C026 | | 30 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 1" | |
| 1030 | 907-637-C028 | | 1,465 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 2" | |
| 1040 | 907-637-C030 | | 10 | Linear Feet | Traffic Signal Conduit, Underground, Type 4, 3" | |
| 1050 | 907-637-D003 | | 260 | Linear Feet | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" | |
| 1060 | 907-641-A002 | | 2 | Each | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2 | |
| 1070 | 907-641-B002 | | 2 | Each | Signal Advanced Radar Vehicle Detection Sensor, Type 2 | |
| 1080 | 907-641-D001 | | 1,360 | Linear Feet | Radar Vehicle Detection Cable | |
| 1090 | 907-641-F002 | | 2 | Each | Signal Radar Vehicle Detection Processor, Type 2 | |
| 1100 | 907-650-A004 | | 1 | Each | On Street Video Equipment, PTZ Type, Signal Monitoring | |
| 1110 | 907-662-D002 | | 1 | Each | Radio Interconnect, Broadband, Short Range | |
| 1120 | 907-663-A006 | | 1 | Each | Network Switch, Type F | |
| ALTERNATE GROUP AA NUMBER 1 | | | | | | |
| 1130 | 304-F001 | (GT) | 1,350 | Ton | 3/4" and Down Crushed Stone Base OR | |
| | ALTERNATE GROUP AA NUMBER 2 | | | | | |
| 1140 | 304-F002 | (GT) | 1,350 | Ton | Size 610 Crushed Stone Base OR | |
| ALTERNATE GROUP AA NUMBER 3 | | | | | | |
| 1150 | 304-F003 | (GT) | 1,350 | Ton | Size 825B Crushed Stone Base | |