

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For June - June 24, 2025

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JUNE - Tuesday, June 24, 2025

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 2, 2025

Proposals must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: Contract Administration Division Jackson, MS

Telephone: (601) 359-7700


Plans must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, June 24, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR JUNE

	CALL	CONTRACT	COUNTY
	01	HSIP-0008-02(123)/109119301	SIMPSON
*	02	NH-0011-02(097)/108264302	MONTGOMERY
*	03	IM-0055-02(285)/109878301	MADISON
*	04	STBG-0065-01(010)/108703301	JASPER
*	05	STBG-9999-02(383)/108780302	DESOTO

^{*} No plans except Standard Drawings



Directional Median Installation on US 49 at Siloam Road and a Traffic Signal at SR 149, known as Federal Aid Project No. HSIP-0008-02(123) / 109119301 in Simpson County.

PROJECT COMPLETION: APRIL 30, 2026

			·
1	Acre	201-C002	Random Clearing and Grubbing
3,455	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
335	Square Yard	202-B052	Removal of Concrete Driveways, All Depths
80	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
148	Linear Feet	202-B098	Removal of Debris and Sand From Box Culvert, Less Than 6-foot Width
287	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
136	Linear Feet	202-B191	Removal of Pipe, 8" And Above
5	Each	202-B219	Removal of Sign, Ground Mounted with Posts
14,233	Linear Feet	202-B240	Removal of Traffic Stripe
1,911	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
550	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
88	Cubic Yard	206-A001	Structure Excavation
6,210	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
7	Ton	213-C001	Superphosphate
221	Square Yard	216-A001	Solid Sodding
35	Square Yard	217-A001	Ditch Liner
4	Thousand Gallon	219-A001	Watering
7	Acre	220-A001	Insect Pest Control
1	Cubic Yard	221-A001	Concrete Paved Ditch
28	Acre	223-A001	Mowing
14	Acre	225-A001	Grassing
28	Ton	225-B001	Agricultural Limestone
28	Ton	225-C001	Mulch, Vegetative Mulch
14	Acre	226-A001	Temporary Grassing

209	Linear Feet	237-A002	Wattles, 20"
240	Linear Feet	246-B002	Rockbags
1	Each	247-A001	Temporary Stream Diversion
40	Ton	249-A001	Riprap for Erosion Control
24	Cubic Yard	249-B001	Remove and Reset Riprap
1,970	Ton	304-D002	Granular Material, Crushed Stone
2,075	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
220	Gallon	407-A001	Asphalt for Tack Coat
160	Linear Feet	503-C010	Saw Cut, Full Depth
10	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
426	Pounds	602-A001	Reinforcing Steel
72	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
56	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
2	Each	603-CB003	18" Reinforced Concrete End Section
2	Each	603-CB005	30" Reinforced Concrete End Section
88	Linear Feet	603-CE039	73" x 45" Concrete Arch Pipe, Class A III
1	Each	603-CF009	73" x 45" Concrete Arch Pipe End Section
250	Pounds	604-B001	Gratings
330	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
350	Square Yard	614-B003	Concrete Driveway, With Reinforcement, 6-inch Thickness
20	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
110	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
176	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
940	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
36	Linear Feet	619-G4001	Barricades, Type III, Double Faced
618	Linear Feet	619-G4005	Barricades, Type III, Single Faced
30	Linear Feet	619-G4007	Barricades, Type III, Single Faced, Permanent, Red/White
39	Each	619-G5001	Free Standing Plastic Drums
18	Each	619-G7001	Warning Lights, Type "B"
111	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness

194	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
123	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
16	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
507	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
64	Linear Feet	630-C1001	Square Post Inner Sleeve
5	Each	635-A059	Traffic Signal Head, Type 1
1	Each	635-A061	Traffic Signal Head, Type 2
1	Each	635-A070	Traffic Signal Head, Type 3
2	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
1	Lump Sum	699-A001	Roadway Construction Stakes
120	Ton	815-A002	Loose Riprap, Size 100
210	Square Yard	815-E001	Geotextile under Riprap
2,800	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
360	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
50	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
560	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
400	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
4,471	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,541	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,147	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5,433	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
3,497	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
372	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
510	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
47	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
129	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
62	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

2	Each	907-630-0008	Remove and Reset Signs, Post Mounted
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A050	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 70' Arm
1	Each	907-634-A280	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 60' & 60' Arm
1	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
7	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
545	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
1,525	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
365	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
135	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
6	Linear Feet	907-636-C015	Electric Cable, Aerial Supported, IMSA 20-1, AWG 8, 3 Conductor
16	Linear Feet	907-636-D001	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 10, 2 Conductor
32	Linear Feet	907-636-D005	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 4 Conductor
164	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
8	Each	907-637-A002	Pullbox Enclosure, Type 2
1	Each	907-637-A003	Pullbox Enclosure, Type 3
30	Linear Feet	907-637-C026	Traffic Signal Conduit, Underground, Type 4, 1"
1,465	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
10	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
260	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,360	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
2	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2
1	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
1	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
1	Each	907-663-A006	Network Switch, Type F
			ALTERNATE GROUP AA NUMBER 1
1,350	Ton	304-F001	3/4" and Down Crushed Stone Base OR

ALTERNATE GROUP AA NUMBER 2

1,350 Ton 304-F002 Size 610 Crushed Stone Base OR

ALTERNATE GROUP AA NUMBER 3

1,350 Ton 304-F003 Size 825B Crushed Stone Base

Seal & Overlay approximately 4.8 miles of US 82 from West Greensboro Street to West of Hendrix Road, known as Federal Aid Project No. NH-0011-02(097) / 108264302 in Montgomery County.

PROJECT COMPLETION: 103 Working Days

16	Station	201-D001	Random Clearing
150	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
871	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
17	Each	202-B215	Removal of Sign Including Post & Footing
1,756	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-G001	Excess Excavation, FM, AH
12,800	Ton	304-B004	Granular Material, Class 5, Group D
18,584	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
19,000	Gallon	407-A001	Asphalt for Tack Coat
18	Mile	423-A001	Rumble Strips, Ground In
100	Linear Feet	503-C010	Saw Cut, Full Depth
650	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
19	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
17	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
20	Mile	619-A3001	Temporary Traffic Stripe, Skip White
21,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,016	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
136	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
444	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
24	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
30	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft

285	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
48	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
16	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
100	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
13,150	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
2,525	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1,000	Ton	907-403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
158,720	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
10	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
10	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
10,250	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
10,660	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,008	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
104	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,130	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
280	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
			ALTERNATE GROUP AA NUMBER 1
100	Ton	304-F001	3/4" and Down Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
100	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 3
100	Ton	304-F003	Size 825B Crushed Stone Base

Mill & Overlay on I-55 ramps at the SR 463 interchange, known as Federal Aid Project No. IM-0055-02(285) / 109878301 in Madison County.

PROJECT COMPLETION: 44 Working Days

			Noadway items
4,514	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
1	Square Yard	202-B063	Removal of Concrete Paved Ditch
230	Linear Feet	202-B101	Removal of Debris and Sand From Pipe, 18" to Less Than 36" Diameter
650	Square Yard	202-B208	Removal of Riprap
100	Cubic Yard	203-G001	Excess Excavation, FM, AH
667	Square Yard	203-1002	Site Grading
100	Square Yard	216-A001	Solid Sodding
1,467	Square Yard	217-A001	Ditch Liner
28	Cubic Yard	221-A001	Concrete Paved Ditch
100	Linear Feet	237-A002	Wattles, 20"
200	Each	246-B001	Rockbags
100	Ton	304-D002	Granular Material, Crushed Stone
26,052	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,969	Gallon	407-A001	Asphalt for Tack Coat
1,641	Linear Feet	503-C010	Saw Cut, Full Depth
2	Cubic Yard	601-B001	Class "B" Structural Concrete, Minor Structures
2	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-RB004	24" End Section Removed and Relaid
6,297	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
4,848	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
2,670	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
2,963	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
492	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
88	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
128	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

64	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
650	Square Yard	815-B001	Grouted Riprap
650	Square Yard	815-E001	Geotextile under Riprap
841	Ton	907-403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
2,150	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
3,430	Ton	907-403-E001	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
1	Lump Sum	907-618-A001	Maintenance of Traffic
320	Hours	907-618-M2001	Work Zone Law Enforcement
4	Each	907-619-E3001	Changeable Message Sign
2,670	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
6,297	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
4,848	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,963	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
492	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
88	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
302	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
6	Each	907-630-0004	Remove and Reset Sign, All Sizes

CALL No. 04

Overlay approximately 9.8 miles on SR 18 from Tallahala Creek Bridge to Intersection of SR 513, known as Federal Aid Project No. STBG-0065-01(010) / 108703301 in Jasper County.

PROJECT COMPLETION: Flexible

			Noduway Items
428	Station	201-D001	Random Clearing
1,109	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
930	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
23	Square Yard	202-B208	Removal of Riprap
477	Linear Feet	202-B240	Removal of Traffic Stripe
8	Cubic Yard	221-A001	Concrete Paved Ditch
10,255	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
24,435	Gallon	407-A001	Asphalt for Tack Coat
20	Mile	423-A001	Rumble Strips, Ground In
600	Linear Feet	606-B001	Guard Rail, Class A, Type 1
6	Each	606-D019	Guard Rail, Bridge End Section, Type H
6	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
40	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
26	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,422	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
388	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
30	Each	630-F006	Delineators, Guard Rail, White
86	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
390	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
15,360	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
10,510	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1	Lump Sum	907-618-A001	Maintenance of Traffic

66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
20	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
982	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
440	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
388	Linear Feet	907-626-H010	Thermoplastic Legend, White
140	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,330	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,294	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
			ALTERNATE GROUP AA NUMBER 1
6,550	Ton	304-F002	Size 610 Crushed Stone Base
			ALTERNATE GROUP AA NUMBER 2
6,550	Ton	304-F003	ALTERNATE GROUP AA NUMBER 2 Size 825B Crushed Stone Base
6,550	Ton	304-F003	
,	Ton Linear Feet		Size 825B Crushed Stone Base
318		907-624-B002	Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1
318	Linear Feet	907-624-B002	Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
318 159	Linear Feet	907-624-B002 907-624-C001	Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
318 159 318	Linear Feet Linear Feet	907-624-B002 907-624-C001 907-628-H005	Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White 6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow ALTERNATE GROUP BB NUMBER 2

Bridge Preventive Maintenance on SR 302 at US 61 (Bridge Nos. 0.3A & 0.3B), known as Federal Aid Project No. STBG-9999-02(383) / 108780302 in Desoto County.

PROJECT COMPLETION: 100 Working Days

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
10,000	Pounds	907-420-A001	Undersealing
1	Lump Sum	907-618-A001	Maintenance of Traffic
			Bridge Items
648	Linear Feet	907-808-A002	Joint Repair
162	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
162	Linear Feet	907-823-A003	Preformed Joint Seal, Type III
324	Linear Feet	907-823-B002	Saw Cut, Type II
324	Linear Feet	907-823-B003	Saw Cut, Type III
47	Square Feet	907-824-A003	General Epoxy Repair
653	Square Feet	907-824-B003	FRP Wrap, Bi-directional
4	Each	907-824-C001	Cap Cleaning
20	Each	907-824-D001	Bearing Replacements
1,270	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at https://shop.mdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE EXECUTIVE DIRECTOR