

Proposal & Plan Sales Will Begin on June 30, 2025



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For July - July 22, 2025

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR JULY - Tuesday, July 22, 2025

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON JUNE 30, 2025

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, July 22, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JULY

CALL	CONTRACT	COUNTY
01	IM-0006-01(099)/108142301 & CRP-0006-01(099)/1081423011 & CRP-0006-01(099)/1081423012	UNION, PONTOTOC
* 02	STP-0032-01(049)/109460301	PEARL RIVER
03	STP-0056-01(104)/108221301	WINSTON
* 04	CRP-0059-02(121)/109845301	JONES
05	NHPP-0064-01(038)/1086343011 & HSIP-0064-01(038)/108634301 & NHPP-0064-01(038)/1086343012	HARRISON
06	STBG-5505-00(006)/109289301	TATE
* 07	STP-7314-01(006)/109452301	HINDS
08	STBG-9999-01(413)/109675301	LEE
* 09	STBG-9999-03(381)/108780303	COPIAH
* 10	STBG-9999-03(402)/109690301	HOLMES
* 11	STBG-9999-03(403)/109691301	COPIAH
* 12	STBG-9999-05(397)/1087803050 & STBG-9999-05(397)/1087803051	NEWTON, LAUDERDALE
* 13	STBG-9999-05(430)/109683301	LAUDERDALE
* 14	SP-0008-01(157)/109877301	HARRISON
* 15	SP-0008-04(072)/108938301 & SP-0008-04(075)/108938302	HOLMES

*	16	SP-0008-05(043)/109034301	LEFLORE
*	17	SP-0014-02(091)/108952301 & SP-0014-02(099)/108952302	LAMAR, FORREST
*	18	SP-0021-01(071)/109225301 & SP-0021-01(076)/109933301	DESOTO
	19	SP-0079-01(040)/109751301	CLAY
	20	SP-0739-00(023)/108907301	OKTIBBEHA

CALL No. 01

Mill & Overlay approximately 14 miles of I-22 in Union County from the junction at SR 30 to the Pontotoc County Line, & LED Lighting Upgrades on I-22 at SR 9 North at Blue Springs & at SR 9 South Sherman, known as Federal Aid Project Nos. IM-0006-01(099) / 108142301, CRP-0006-01(099) / 1081423011 & CRP-0006-01(099) / 1081423012 in Union & Pontotoc Counties.

PROJECT COMPLETION: 245 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

739	Station	201-D001	Random Clearing
3,733	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
18,667	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
22,578	Linear Feet	202-B240	Removal of Traffic Stripe
1,245	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,245	Square Yard	209-A001	Geotextile Stabilization, Type III
18,667	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
15	Cubic Yard	221-A001	Concrete Paved Ditch
6,620	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
629,041	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
63,579	Gallon	407-A001	Asphalt for Tack Coat
57	Mile	423-A001	Rumble Strips, Ground In
13,768	Linear Feet	503-C010	Saw Cut, Full Depth
5,200	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
500	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
385	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
1	Square Feet	618-B001	Additional Construction Signs
57	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4,676	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
57	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,676	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
57	Mile	619-A3003	Temporary Traffic Stripe, Skip White, Paint
53,333	Linear Feet	619-A5002	Temporary Traffic Stripe, Detail, Paint
2,369	Square Feet	619-A6001	Temporary Traffic Stripe, Legend

3,404	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1,260	Linear Feet	619-F1001	Concrete Median Barrier, Precast
16,380	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
1	Lump Sum	620-A001	Mobilization
287	Each	630-F010	Delineators, Post Mounted, Double White
74	Each	630-F011	Delineators, Post Mounted, Double Yellow
186	Each	630-F012	Delineators, Post Mounted, Single White
165	Each	630-F013	Delineators, Post Mounted, Single Yellow
1,245	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
31,863	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
32,442	Gallon	907-402-B001	Bituminous Tack Coat
7,393	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
11,245	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
86	Mile	907-403-S001	Joint Sealant
42,837	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
32,105	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
28	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
36	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
34	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
42,860	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
10,773	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,369	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
3,404	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
3,950	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
750	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
1	Each	907-632-G001	Malfunction Management Unit

4	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
3,000	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
2	Each	907-683-G1002	Renovation of High Mast Lighting Assembly, Type 130-8-S
3	Each	907-683-G1003	Renovation of High Mast Lighting Assembly, Type 100-6-S
2	Each	907-683-G1004	Renovation of High Mast Lighting Assembly, Type 100-4-S
4	Each	907-683-G1005	Renovation of High Mast Lighting Assembly, Type 130-6-S
1	Each	907-683-G1009	Renovation of High Mast Lighting Assembly, Type 100-8-S
10	Each	907-683-G1010	Renovation of High Mast Lighting Assembly, Type 100-4-A
1	Each	907-683-G1011	Renovation of High Mast Lighting Assembly, Type 120-4-A
11	Each	907-683-H1008	Renovation of Low Mast Lighting Assembly, Type 40-1-0-200
16	Each	907-683-H1009	Renovation of Low Mast Lighting Assembly, Type 40-1-8-200
200	Square Feet	907-824-A003	General Epoxy Repair
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

1,704	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,704	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,704	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

5,986	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
8,296	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
8,296	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

5,986	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
8,296	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
8,296	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 02

Thin Lift & Overlay approximately 16 miles of SR 43 from just south of Wheats Curve to the Intersection of SR 26, known as Federal Aid Project No. STP-0032-01(049) / 109460301 in Pearl River County.

PROJECT COMPLETION: 85 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

400	Station	201-D001	Random Clearing
225	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,530	Linear Feet	202-B136	Removal of Guard Rail
6,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,353	Gallon	407-A001	Asphalt for Tack Coat
32	Mile	423-A001	Rumble Strips, Ground In
54	Linear Feet	503-C010	Saw Cut, Full Depth
1,300	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
12	Each	606-D001	Guard Rail, Bridge End Section
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
10	Square Feet	618-B001	Additional Construction Signs
32	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
19	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
15,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization
88	Each	630-F006	Delineators, Guard Rail, White
20	Each	630-G006	Type 3 Object Markers, OM-3R or OM-3L, 2 Markers Per Post, Post Mounted
26	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
38	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
20	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
13,200	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
32	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White

9 Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
19 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
7,620 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
7,100 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
77 Square Feet	907-626-H009	Thermoplastic Legend, White
2,375 Linear Feet	907-626-H010	Thermoplastic Legend, White
650 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
65 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
2,150 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,120 Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

3,818 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

3,818 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

580 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
80 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
525 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

580 Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
80 Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
525 Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 03

Mill & Overlay approximately 5.5 miles of SR 25 from 1.3 miles north of Platsburg Road to 2 miles south of Calvary Road, known as Federal Aid Project No. STP-0056-01(104) / 108221301 in Winston County.

PROJECT COMPLETION: 114 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

50	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
4	Each	202-B138	Removal of Guard Rail Bridge End Section
600	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4	Each	202-B152	Removal of Guard Rail Terminal End Section
1,400	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-G002	Excess Excavation, LVM, AH
6,000	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
210,922	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,000	Gallon	407-A001	Asphalt for Tack Coat
21	Mile	423-A001	Rumble Strips, Ground In
50	Linear Feet	503-C010	Saw Cut, Full Depth
600	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
2	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
4	Each	606-E001	Guard Rail, Terminal End Section
1	Square Feet	618-B001	Additional Construction Signs
22	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
22	Mile	619-A3001	Temporary Traffic Stripe, Skip White
25,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
14	Each	619-F3001	Delineators, Guard Rail, White
14	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
18,200	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement

1	Lump Sum	907-618-A001	Maintenance of Traffic
11	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
11	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
9	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
12,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
13,500	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
14	Square Feet	907-626-H009	Thermoplastic Legend, White
2,600	Linear Feet	907-626-H010	Thermoplastic Legend, White
280	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

50	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

50	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

50	Ton	304-F003	Size 825B Crushed Stone Base
----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

460	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
460	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
460	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

460	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
460	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
460	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 04

Upgrades & Repairs to the High & Low Mast Lighting System on I-59 from 0.65 miles south of MS 15 / 16th Avenue to 0.4 miles north of US 84 East / Chantilly Street, known as Federal Aid Project No. CRP-0059-02(121) / 109845301 in Jones County.

PROJECT COMPLETION: JULY 17, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Each	202-B176	Removal of Lighting Controllers
12	Each	202-B179	Removal of Low Mast Lighting Foundation
1	Lump Sum	620-A001	Mobilization
600	Linear Feet	682-A010	Underground Branch Circuit, AWG 10, 3 Conductor
100	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
100	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
100	Linear Feet	682-A034	Underground Branch Circuit, AWG 6, 3 Conductor
100	Linear Feet	682-A038	Underground Branch Circuit, AWG 8, 2 Conductor
200	Linear Feet	682-B010	Underground Branch Circuit, Jacked or Bored, AWG 10, 3 Conductor
100	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
100	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
100	Linear Feet	682-B032	Underground Branch Circuit, Jacked or Bored, AWG 6, 3 Conductor
100	Linear Feet	682-B037	Underground Branch Circuit, Jacked or Bored, AWG 8, 3 Conductor
14	Each	682-E003	Underground Junction Box With Concrete Pad
1	Each	682-F001	Secondary Power Controller
10	Each	683-B195	Lighting Assembly, Low Mast, LED, Type 40-1-15-171
2	Each	683-B200	Lighting Assembly, Low Mast, LED, Type 30-1-10-17
20	Cubic Yard	684-A004	Pole Foundation, 30" Diameter
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,000	Hours	907-618-M2001	Work Zone Law Enforcement
10	Each	907-683-G1004	Renovation of High Mast Lighting Assembly, Type 100-4-S
2	Each	907-683-G1006	Renovation of High Mast Lighting Assembly, Type 130-4-S
2	Each	907-683-G1012	Renovation of High Mast Lighting Assembly, Type 130-5-S
1	Each	907-683-G1013	Renovation of High Mast Lighting Assembly, Type 100-5-S
4	Each	907-683-G1015	Renovation of High Mast Lighting Assembly, Type 100-5-A

4	Each	907-683-G1016	Renovation of High Mast Lighting Assembly, Type 130-5-A
1	Each	907-683-G2001	Repair of High Mast Lowering Device, Type 100-4-S
50	Each	907-683-H1002	Renovation of Low Mast Lighting Assembly, Type 40-1-10-255
4	Each	907-683-H1010	Renovation of Low Mast Lighting Assembly, Type 30-1-10-255
30	Each	907-683-I1001	Renovation of Underpass Lighting Assembly, Type A

CALL No. 05

Safety Improvements on MS 67 from US 49 to the I-10 "Superstreets" Corridor, known as Federal Aid Project Nos. NHPP-0064-01(038) / 1086343011, HSIP-0064-01(038) / 108634301 & NHPP-0064-01(038) / 1086343012 in Harrison County.

PROJECT COMPLETION: APRIL 28, 2028

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
55,169	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
65,034	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
700	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
1,618	Square Yard	202-B063	Removal of Concrete Paved Ditch
2,380	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
270	Linear Feet	202-B092	Removal of Curb, All Types
17	Each	202-B129	Removal of Flared End Section, All Sizes
27	Each	202-B135	Removal of Guard Post
6,375	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
1	Each	202-B162	Removal of Impact Attenuator
77	Each	202-B164	Removal of Inlet and Junction Box, All Types & Sizes
10	Each	202-B170	Removal of Junction Box
1	Each	202-B176	Removal of Lighting Controllers
19	Each	202-B179	Removal of Low Mast Lighting Foundation
273	Linear Feet	202-B191	Removal of Pipe, 8" And Above
19	Each	202-B195	Removal of Pull Box
171	Each	202-B278	Removal & Replacement of Edge Drain Outlet
70,062	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
8,751	Cubic Yard	203-EX018	Borrow Excavation, AH, FME, Class B7-6
10,615	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,655	Cubic Yard	206-A001	Structure Excavation
5	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
285,500	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
29,203	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished

55 Ton	213-C001 Superphosphate
2,804 Square Yard	216-A001 Solid Sodding
10,082 Square Yard	217-A001 Ditch Liner
56 Thousand Gallon	219-A001 Watering
109 Acre	220-A001 Insect Pest Control
380 Cubic Yard	221-A001 Concrete Paved Ditch
109 Acre	223-A001 Mowing
109 Acre	225-A001 Grassing
326 Ton	225-B001 Agricultural Limestone
217 Ton	225-C001 Mulch, Vegetative Mulch
109 Acre	226-A001 Temporary Grassing
5,112 Square Yard	229-A001 Erosion Mat
13,016 Linear Feet	237-A002 Wattles, 20"
22,431 Each	246-B001 Rockbags
715 Ton	249-A001 Riprap for Erosion Control
47,224 Square Yard	406-D001 Fine Milling of Bituminous Pavement, All Depths
181,457 Gallon	407-A001 Asphalt for Tack Coat
67 Mile	423-A001 Rumble Strips, Ground In
141,194 Linear Feet	503-C010 Saw Cut, Full Depth
63 Cubic Yard	601-A001 Class "B" Structural Concrete
193 Cubic Yard	601-B001 Class "B" Structural Concrete, Minor Structures
22,650 Pounds	602-A001 Reinforcing Steel
3,700 Linear Feet	603-CA012 18" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
32 Linear Feet	603-CA027 24" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
16 Linear Feet	603-CA041 30" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8 Linear Feet	603-CA056 36" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8 Linear Feet	603-CA067 42" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
8 Linear Feet	603-CA077 48" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
32 Linear Feet	603-CA088 54" Reinforced Concrete Pipe, Class III, Rubber Type Gaskets
14 Each	603-CB003 18" Reinforced Concrete End Section

3	Each	603-CB004	24" Reinforced Concrete End Section
2	Each	603-CB005	30" Reinforced Concrete End Section
1	Each	603-CB006	36" Reinforced Concrete End Section
1	Each	603-CB007	42" Reinforced Concrete End Section
1	Each	603-CB008	48" Reinforced Concrete End Section
3	Each	603-CB009	54" Reinforced Concrete End Section
5,116	Linear Feet	603-CE003	22" x 13" Concrete Arch Pipe, Class A III, Flexible Plastic Gaskets
62	Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
2	Each	603-SB004	18" Branch Connections, Stub into 54" Concrete Pipe
1,594	Pounds	604-A001	Castings
24,150	Pounds	604-B001	Gratings
3,500	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
24	Each	606-D001	Guard Rail, Bridge End Section
24	Each	606-E001	Guard Rail, Terminal End Section
3,430	Linear Feet	609-B003	Concrete Curb, Special Design for Slotted Curb
17,933	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
27,438	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
23	Cubic Yard	612-A001	Flowable Fill, Excavatable
22,788	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
4,320	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7,402	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
38	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,320	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
45	Mile	619-A3001	Temporary Traffic Stripe, Skip White
541,194	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
16,159	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
9,515	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
328	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

2,304	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Each	629-A005	Vehicular Impact Attenuator, 70 MPH
642	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
4,001	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
883	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
6,552	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
250	Pounds	630-E005	Structural Steel Angles & Bars, Aluminum Unistrut
115	Each	630-F006	Delineators, Guard Rail, White
88	Each	630-F007	Delineators, Guard Rail, Yellow
26	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
24	Each	635-A059	Traffic Signal Head, Type 1
12	Each	635-A060	Traffic Signal Head, Type 1A
18	Each	635-A061	Traffic Signal Head, Type 2
18	Each	635-A063	Traffic Signal Head, Type 2R
6	Each	635-A069	Traffic Signal Head, Type 2U
12	Each	638-A003	Flashing Assembly, Be Prepared to Stop When Flashing
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
6,350	Linear Feet	682-A039	Underground Branch Circuit, AWG 8, 3 Conductor
46	Each	682-D003	Underground Pull Box
10	Each	682-E002	Underground Junction Box
1	Each	682-F001	Secondary Power Controller
46	Each	683-B005	Lighting Assembly, Low Mast, LED, Type 40-1-8-213
48	Cubic Yard	684-A003	Pole Foundation, 24" Diameter
1	Each	685-D001	Service Pole
1	Lump Sum	699-A001	Roadway Construction Stakes
279	Ton	815-A007	Loose Riprap, Size 300
370	Square Yard	815-E001	Geotextile under Riprap

108	Ton	815-F002	Sediment Control Stone
57,820	Linear Feet	907-234-A001	Temporary Silt Fence
125	Each	907-234-D001	Inlet Siltation Guard
125	Each	907-234-E001	Reset Inlet Siltation Guard
28,611	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
26,048	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
31,947	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
64,775	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
22,595	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
18,788	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
384	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
36,000	Pounds	907-420-A001	Undersealing
18	Each	907-604-PP001	Modify Existing Inlet, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
2,000	Hours	907-618-M2001	Work Zone Law Enforcement
4	Each	907-619-E3001	Changeable Message Sign
45	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
42	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7,402	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
38	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,320	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
133,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
89,775	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
229,076	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
89,243	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
16,159	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
4,320	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
3,163	Square Feet	907-626-H009	Thermoplastic Legend, White
5,195	Linear Feet	907-626-H010	Thermoplastic Legend, White
177	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers

12,317	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
2,372	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
800	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
800	Each	907-627-N001	One-Way Yellow Reflective High Performance Raised Markers
1,146	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
6,027	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
6,027	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
228	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted
6	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
6	Each	907-632-J001	Power Service Pedestal
1	Each	907-634-A041	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 25' Arm
2	Each	907-634-A042	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 30' Arm
1	Each	907-634-A043	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 35' Arm
4	Each	907-634-A044	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
2	Each	907-634-A045	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
1	Each	907-634-A224	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 25' & 45' Arm
2	Each	907-634-A226	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 25' & 55' Arm
1	Each	907-634-A227	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 25' & 60' Arm
1	Each	907-634-A230	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 30' & 40' Arm
1	Each	907-634-A232	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 30' & 50' Arm
1	Each	907-634-A254	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 40' & 40' Arm
2	Each	907-634-A426	Traffic Signal Equipment Pole, Type III, 30' Shaft, 25' & 55' Arm
16	Each	907-634-A539	Traffic Signal Equipment Pole, Type V, 10' Shaft
2	Each	907-634-B001	Traffic Signal Equipment Pole Shaft Extension, 10'
84	Cubic Yard	907-634-C002	Pole Foundations, Class "DS" Concrete
285	Linear Feet	907-634-D003	Slip Casing, 36" Diameter
6,818	Linear Feet	907-636-B003	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
9,496	Linear Feet	907-636-B013	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 4 Conductor
31,041	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
1,827	Linear Feet	907-636-B028	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor

3,137	Linear Feet	907-636-B040	Electric Cable, Underground in Conduit, THHN, AWG #12, 3 Conductor
53	Each	907-637-A002	Pullbox Enclosure, Type 2
9	Each	907-637-A003	Pullbox Enclosure, Type 3
13,534	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
5,125	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
3,426	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
1,160	Linear Feet	907-637-D009	Traffic Signal Conduit, Underground Drilled or Jacked, Type 4, 2"
18	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
12	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
18,614	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
6	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2
2	Each	907-650-A002	On Street Video Equipment, Fixed Type
2	Each	907-650-A003	On Street Video Equipment, PTZ Type
3	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
351	Square Feet	907-653-A001	Traffic Sign
150	Square Feet	907-653-B001	Street Name Sign
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
2	Each	907-662-D001	Radio Interconnect, Broadband, Long Range
2	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
5	Each	907-663-A006	Network Switch, Type F
5	Each	907-672-A003	Remove and Reset Traffic Signal Equipment
520	Hours	907-906001	Trainees

ALTERNATE GROUP AA NUMBER 1

220,607	Ton	304-F001	3/4" and Down Crushed Stone Base
---------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

220,607	Ton	304-F002	Size 610 Crushed Stone Base
---------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

220,607	Ton	304-F003	Size 825B Crushed Stone Base
---------	-----	----------	------------------------------

CALL No. 06

Traffic Signal at US 51 & Porter Street and at the I-55 Northbound Exit Ramp & Hwy 4, known as Federal Aid Project No. STBG-5505-00(006) / 10928930100 in Tate County.

PROJECT COMPLETION: MAY 15, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

130	Linear Feet	202-B240	Removal of Traffic Stripe
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
360	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Lump Sum	620-A001	Mobilization
2	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
17	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
25	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
14	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
14	Each	635-A059	Traffic Signal Head, Type 1
1	Each	635-A065	Traffic Signal Head, Type 2 FYA
8	Each	635-A076	Traffic Signal Head, Type 6
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1	Lump Sum	907-618-A001	Maintenance of Traffic
800	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
7,380	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
300	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5,170	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,485	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
3,210	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,460	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
65	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
285	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-A007	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
1	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
1	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1

1	Each	907-632-G001	Malfunction Management Unit
1	Each	907-634-A079	Traffic Signal Equipment Pole, Type II, 17' Shaft, 25' Arm
2	Each	907-634-A082	Traffic Signal Equipment Pole, Type II, 17' Shaft, 40' Arm
2	Each	907-634-A086	Traffic Signal Equipment Pole, Type II, 17' Shaft, 50' Arm
1	Each	907-634-A126	Traffic Signal Equipment Pole, Type II, 30' Shaft, 45' Arm
1	Each	907-634-A127	Traffic Signal Equipment Pole, Type II, 30' Shaft, 50' Arm
18	Cubic Yard	907-634-C001	Pole Foundations, Class "B" Concrete
1	Each	907-634-E001	Camera Pole with Foundation, 50' Pole
3	Each	907-634-PP005	Traffic Signal Equipment Pole
975	Linear Feet	907-636-B014	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 5 Conductor
1,015	Linear Feet	907-636-B016	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
180	Linear Feet	907-636-B025	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 6, 3 Conductor
405	Linear Feet	907-636-B050	Electric Cable, Underground in Conduit, THHN, AWG #4, 3 Conductor
120	Linear Feet	907-636-D006	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 5 Conductor
435	Linear Feet	907-636-D008	Electric Cable, Aerial Supported in Conduit, IMSA 20-1, AWG 14, 8 Conductor
11	Each	907-637-A002	Pullbox Enclosure, Type 2
2	Each	907-637-A003	Pullbox Enclosure, Type 3
4	Each	907-637-A004	Pullbox Enclosure, Type 4
1	Each	907-637-A005	Pullbox Enclosure, Type 5
220	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"
110	Linear Feet	907-637-C030	Traffic Signal Conduit, Underground, Type 4, 3"
630	Linear Feet	907-637-D003	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
325	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
65	Linear Feet	907-637-I001	Traffic Signal Conduit Bank, Underground, Drilled or Jacked, Rolled Pipe, 2 @ 2"
6	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
4	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
1,800	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
8	Each	907-645-B001	Accessible Pedestrian Detection Assembly
4	Each	907-650-A002	On Street Video Equipment, Fixed Type
1	Each	907-650-A003	On Street Video Equipment, PTZ Type

2	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring
30	Square Feet	907-653-B001	Street Name Sign
1	Lump Sum	907-659-A001	Traffic Management Center Modifications
1	Lump Sum	907-659-B001	Traffic Management Center Modifications - Monitor Systems
1	Each	907-660-A002	Equipment Cabinet, Type B
420	Linear Feet	907-661-B002	Fiber Optic Drop Cable, 12 SM
1	Each	907-662-D002	Radio Interconnect, Broadband, Short Range
3	Each	907-663-A001	Network Switch, Type A
2	Each	907-663-C002	SD-WAN Router
805	Linear Feet	907-663-D001	Category 6 Cable, Installed in Conduit

CALL No. 07

Striping & Pavement Markers on US 80 from Shaw Road to Terry Road, known as State Project No. STP-7314-01(006) / 109452301 in Hinds County.

PROJECT COMPLETION: 35 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

606	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
127	Cubic Yard	203-G002	Excess Excavation, LVM, AH
307	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
92	Gallon	407-A001	Asphalt for Tack Coat
999	Linear Feet	503-C010	Saw Cut, Full Depth
370	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
540	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
756	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
467	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
276	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
15,000	Pounds	907-420-A001	Undersealing
1	Lump Sum	907-618-A001	Maintenance of Traffic
320	Hours	907-618-M2001	Work Zone Law Enforcement
13	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
20	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
15	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
44,382	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
9,669	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
7,287	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
9,400	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
3,239	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

3,983 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 08

Bridge Repair on Madison Street over MS 178 (Bridge No. 88.0), known as Federal Aid Project No. STBG-9999-01(413) / 109675301 in Lee County.

PROJECT COMPLETION: 105 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

701	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
2,000	Pounds	907-420-A001	Undersealing
47	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
312	Linear Feet	907-808-A003	Joint Repair Without Epoxy
312	Linear Feet	907-823-B001	Saw Cut, Type I
14	Square Feet	907-824-A003	General Epoxy Repair
331	Square Feet	907-824-B003	FRP Wrap, Bi-directional
5	Each	907-824-C001	Cap Cleaning
40	Each	907-824-D001	Bearing Replacements
442	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck, Per Plans
472	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish, Per Plans
63	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair, Per Plans

Roadway Items

500	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
500	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
56	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
360	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
126	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
500	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
500	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

6 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 09

Bridge Preventative Maintenance on I-55 over County Line Road (Bridge Nos. 73.2A & 73.2B), known as Federal Aid Project No. STBG-9999-03(381) / 108780303 in Covich County.

PROJECT COMPLETION: MARCH 31, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

1,024	Linear Feet	907-808-A002	Joint Repair
512	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
256	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
1,024	Linear Feet	907-823-B001	Saw Cut, Type I
512	Linear Feet	907-823-B002	Saw Cut, Type II
30	Square Feet	907-824-A003	General Epoxy Repair
8	Each	907-824-C001	Cap Cleaning
60	Each	907-824-D001	Bearing Replacements

CALL No. 10

Bridge Repair on Franklin Road over I-55 (Bridge No. 147.4) & on Old Wilson Road over I-55 (Bridge No. 160.9), known as Federal Aid Project No. STBG-9999-03(402) / 109690301 in Holmes County.

PROJECT COMPLETION: APRIL 15, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

13	Square Yard	202-B083	Removal of Concrete Slope Paving
2	Cubic Yard	815-D001	Concrete Slope Paving
1,776	Square Yard	907-417-A001	Polymer Cement Surface System
2,500	Pounds	907-420-A001	Undersealing
595	Linear Feet	907-808-A002	Joint Repair
298	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
596	Linear Feet	907-823-B002	Saw Cut, Type II
20	Square Feet	907-824-A003	General Epoxy Repair
10	Each	907-824-C001	Cap Cleaning
72	Each	907-824-D001	Bearing Replacements
1,348	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish

Roadway Items

1,300	Linear Feet	202-B240	Removal of Traffic Stripe
1,300	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,300	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
717	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
28	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
1,300	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,300	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

16 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 11

Bridge Repair on West Whitworth Street over I-55 (Bridge No. 60.0), known as Federal Aid Project No. STBG-9999-03(403) / 109691301 in Copiah County.

PROJECT COMPLETION: MARCH 31, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

822	Square Yard	907-417-A001	Polymer Cement Surface System
2,500	Pounds	907-420-A001	Undersealing
118	Linear Feet	907-808-A003	Joint Repair Without Epoxy
59	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
69	Square Feet	907-824-A003	General Epoxy Repair
2	Each	907-824-C001	Cap Cleaning
10	Each	907-824-D001	Bearing Replacements
528	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish

Roadway Items

1,216	Linear Feet	202-B240	Removal of Traffic Stripe
608	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
608	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
79	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
374	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
5	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
45	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
608	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White

608	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
4	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 12

Bridge Preventive Maintenance on I-20 (Bridge Nos. 101.2A, 109.3A, 109.3B) & on Arundel Road over I-59 (Bridge No. 146.6), known as Federal Aid Project Nos. STBG-9999-05(397) / 1087803050 & STBG-9999-05(397) / 1087803051 in Newton & Lauderdale Counties.

PROJECT COMPLETION: 104 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
224	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
72	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic

Bridge Items

108	Square Feet	907-824-A003	General Epoxy Repair
80	Square Feet	907-824-B003	FRP Wrap, Bi-directional
14	Each	907-824-C001	Cap Cleaning
68	Each	907-824-D001	Bearing Replacements

CALL No. 13

Bridge Repair on Russell-Mount Gilead Road over I-59 / I-20 (Bridge No. 160.3), known as Federal Aid Project No. STBG-9999-05(430) / 109683301 in Lauderdale County.

PROJECT COMPLETION: 100 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

61	Linear Feet	202-B169	Removal of Joint Material
600	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
600	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
80	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
392	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
786	Square Yard	907-417-A001	Polymer Cement Surface System
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,320	Hours	907-618-M2001	Work Zone Law Enforcement
2	Each	907-619-E3001	Changeable Message Sign
600	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
600	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

121	Linear Feet	907-808-A003	Joint Repair Without Epoxy
63	Linear Feet	907-823-A003	Preformed Joint Seal, Type III
49	Square Feet	907-824-A003	General Epoxy Repair
5	Each	907-824-C001	Cap Cleaning
8	Each	907-824-D001	Bearing Replacements
64	Square Feet	907-824-PP003	Bridge Repair, Encapsulating Field Paint
1	Lump Sum	907-824-PP004	Bridge Repair, Access Door Locks
2	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete

61 Linear Feet

907-824-PP008 Bridge Repair, Endwall Repair

CALL No. 14

Bridge Repair on US 49 Bridge over Flat Branch (Bridge No. 8.1A), known as State Project No. SP-0008-01(157) / 109877301 in Harrison County.

PROJECT COMPLETION: OCTOBER 31, 2025

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
142	Square Feet	907-824-B003	FRP Wrap, Bi-directional

CALL No. 15

Mill & Overlay approximately 8 miles of US 49 East from 0.2 mile north of the SR 12 Intersection to Tchula & approximately 0.4 mile of SR 835 from US 49 East to the end of State Maintenance, known as State Project Nos. SP-0008-04(072) / 108938301 & SP-0008-04(075) / 108938302 in Holmes County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

90	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,124	Linear Feet	202-B136	Removal of Guard Rail
2,000	Linear Feet	202-B240	Removal of Traffic Stripe
15	Cubic Yard	203-G001	Excess Excavation, FM, AH
9,580	Ton	304-B004	Granular Material, Class 5, Group D
8,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,000	Gallon	407-A001	Asphalt for Tack Coat
13	Mile	423-A001	Rumble Strips, Ground In
171	Linear Feet	503-C010	Saw Cut, Full Depth
625	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
750	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
100	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
44	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
11,100	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement

61 Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
6,000 Pounds	907-420-A001	Undersealing
1 Lump Sum	907-618-A001	Maintenance of Traffic
66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
14 Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
7 Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
4 Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,850 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
650 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
126 Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
1,100 Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
1,500 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
750 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1 Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 16

Mill & Overlay approximately 8 miles on US 49 east from US 82 to 300 north of SR 442, known as Project No. SP-0008-05(043) / 109034301 in Leflore County.

PROJECT COMPLETION: 92 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,805	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
744	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
38	Each	202-B215	Removal of Sign Including Post & Footing
484	Linear Feet	202-B240	Removal of Traffic Stripe
117	Cubic Yard	203-G001	Excess Excavation, FM, AH
3,400	Ton	304-B004	Granular Material, Class 5, Group D
140,270	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
15,454	Gallon	407-A001	Asphalt for Tack Coat
8,652	Linear Feet	413-D003	Cleaning and Filling Joints in PCC Pavement
17	Mile	423-A001	Rumble Strips, Ground In
5,623	Linear Feet	503-C010	Saw Cut, Full Depth
420	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D019	Guard Rail, Bridge End Section, Type H
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
10	Square Feet	618-B001	Additional Construction Signs
47	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
3	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4,400	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
24	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,100	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
26	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
454	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
8	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness

15	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
255	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
21	Each	630-F006	Delineators, Guard Rail, White
16	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1,850	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
12,025	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
550	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
150	Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
51,600	Gallon	907-410-A002	Asphalt for Surface Treatment, Grade CRS-2P
1,300	Cubic Yard	907-410-B002	Seal Aggregate Cover Material, Size 89, Limestone
40,262	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
2,200	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
16	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
8	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2,040	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
1,660	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
80	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
1,000	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
200	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
60	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,520	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

225	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

225	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

225 Ton

304-F003 Size 825B Crushed Stone Base

CALL No. 17

Mill & Overlay approximately 3 miles of US 98 from 400 feet west of Weathersby Drive to the Lamar / Forrest County Line, & Striping & Raised Pavement Markers on MS 198 from the Lamar / Forrest County Line to US 49, known as State Project Nos. SP-0014-02(091) / 108952301 & SP-0014-02(099) / 108952302 in Lamar & Forrest Counties.

PROJECT COMPLETION: 84 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

34	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
122	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
70	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
160	Linear Feet	202-B136	Removal of Guard Rail
41,000	Linear Feet	202-B240	Removal of Traffic Stripe
124,775	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,800	Gallon	407-A001	Asphalt for Tack Coat
21,325	Linear Feet	413-D002	Cleaning and Filling Joints
122	Square Yard	503-A003	9" and Variable Reinforced Concrete Pavement, Broom Finish
90	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
371	Linear Feet	503-C010	Saw Cut, Full Depth
4	Cubic Yard	503-D001	Concrete for Base Repair
49	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
341	Each	503-F002	1" Smooth Dowel Bars, Drilled & Epoxied or Grouted
61	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
2	Each	606-D001	Guard Rail, Bridge End Section
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
70	Linear Feet	609-D013	Combination Concrete Curb and Gutter Type 3B
34	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
1	Square Feet	618-B001	Additional Construction Signs
3	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
1	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A3001	Temporary Traffic Stripe, Skip White
70,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail

1	Lump Sum	620-A001	Mobilization
8	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	647-A001	Removal of Existing Traffic Signal Equipment
1,980	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
8,550	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
1,900	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
600	Hours	907-618-M2001	Work Zone Law Enforcement
7	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
45,850	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
25,400	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
6	Each	907-626-H002	Thermoplastic Legend, Interstate Shield
6,100	Square Feet	907-626-H009	Thermoplastic Legend, White
11,280	Linear Feet	907-626-H010	Thermoplastic Legend, White
592	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
4,496	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
571	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
30	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
10,250	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
6,020	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
4,420	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
15,270	Linear Feet	907-628-K003	High Performance Cold Plastic Detail Stripe, White
5,070	Linear Feet	907-628-K004	High Performance Cold Plastic Detail Stripe, Yellow
5	Each	907-632-D001	Solid State Traffic Actuated Controller, Type 1
6	Each	907-632-G001	Malfunction Management Unit
50	Linear Feet	907-637-C009	Traffic Signal Conduit, Underground, Rolled Pipe, 2"
50	Linear Feet	907-637-C028	Traffic Signal Conduit, Underground, Type 4, 2"

16	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
8	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
4,710	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
4	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2
4	Each	907-643-A002	Video Vehicle Detection Sensor, Type 2
1,621	Linear Feet	907-643-B001	Video Vehicle Detection Cable
2	Each	907-643-C003	Video Vehicle Detection Processor, Type 2
4	Each	907-643-E001	Multi-Sensor Vehicle Detection Sensor
6	Each	907-650-A004	On Street Video Equipment, PTZ Type, Signal Monitoring

ALTERNATE GROUP AA NUMBER 1

100	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 2

100	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 18

Mill & Overlay approximately 4 miles of SR 302 from 0.25 mile west of Malone Road to 0.06 mile east of US 78 & approximately 4 miles from 0.2 mile east of Airways Boulevard to 0.25 mile west of Malone Road, known as Project Nos. SP-0021-01(071) / 109225301 & SP-0021-01(076) / 109933301 in Desoto County.

PROJECT COMPLETION: 143 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
86	Each	202-B215	Removal of Sign Including Post & Footing
200	Cubic Yard	203-G001	Excess Excavation, FM, AH
406,370	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
38,282	Gallon	407-A001	Asphalt for Tack Coat
400	Linear Feet	503-C010	Saw Cut, Full Depth
2	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A3001	Temporary Traffic Stripe, Skip White
17	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
35,221	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,548	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
442	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
299	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
304	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
90	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,290	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
200	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
11,525	Ton	907-403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
30,650	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
1	Lump Sum	907-618-A001	Maintenance of Traffic
17	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White

17	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
17	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
18	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
35,221	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
6,136	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
6,561	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
10,548	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
675	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,085	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
6,253	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
38	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
22	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
12,100	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
10	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2

ALTERNATE GROUP AA NUMBER 1

200	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

200	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

200	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

CALL No. 19

Mill & Overlay approximately 3 miles on US 45A from the beginning of the 5-Lane section to Windale Road, known as State Project No. SP-0079-01(040) / 109751301 in Clay County.

PROJECT COMPLETION: 75 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

570	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
300	Cubic Yard	203-G001	Excess Excavation, FM, AH
700	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
75	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
240	Ton	304-F001	3/4" and Down Crushed Stone Base
240	Ton	304-F002	Size 610 Crushed Stone Base
240	Ton	304-F003	Size 825B Crushed Stone Base
49,500	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
60,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
8,400	Gallon	407-A001	Asphalt for Tack Coat
400	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A3001	Temporary Traffic Stripe, Skip White
11	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
30,968	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,148	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
12,656	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
650	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
400	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
1,500	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
5,500	Ton	907-403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
8,000	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture

1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
5	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
4	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
4	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,109	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,587	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,765	Square Feet	907-626-H009	Thermoplastic Legend, White
4,794	Linear Feet	907-626-H010	Thermoplastic Legend, White
870	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
2,800	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 20

Mill & Overlay approximately 10 miles of SR 389 from US 82 to the Clay County Line, known as Project No. SP-0739-00(023) / 108907301 in Oktibbeha County.

PROJECT COMPLETION: 134 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

406	Station	201-D001	Random Clearing
2,500	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
56	Linear Feet	202-B191	Removal of Pipe, 8" And Above
2,500	Linear Feet	202-B240	Removal of Traffic Stripe
1,200	Cubic Yard	203-G002	Excess Excavation, LVM, AH
72	Cubic Yard	206-A001	Structure Excavation
2,700	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
6,500	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
127,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
20,000	Gallon	407-A001	Asphalt for Tack Coat
1,950	Linear Feet	503-C010	Saw Cut, Full Depth
60	Linear Feet	603-ALT009	30" Type A Alternate Pipe
2	Each	603-CB005	30" Reinforced Concrete End Section
1	Square Feet	618-B001	Additional Construction Signs
57	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
30	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
21	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
11,800	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
120	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
19	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
48	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
94	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
43	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft

3,200	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
2,100	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
26,000	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
19	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
10	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,800	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
120	Square Feet	907-626-H009	Thermoplastic Legend, White
1,000	Linear Feet	907-626-H010	Thermoplastic Legend, White
300	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
25	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,400	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
750	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

1,500	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,500	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,500	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

1,500	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
550	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
400	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

1,500	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
550	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
400	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR