

Proposal & Plan Sales Will Begin on August 04, 2025



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For August - August 26, 2025

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR AUGUST - Tuesday, August 26, 2025

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 04, 2025

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, August 26, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR AUGUST

CALL	CONTRACT	COUNTY
01	NHPP-0007-01(103)/109671301	ALCORN
02	NHPP-0020-01(284)/109684301	WARREN
03	CRP-0055-01(125)/109120301	LINCOLN
*	04 HSIP-0055-02(284)/109867301	HINDS
*	05 IM-0055-03(097)/108590301 & IM-0055-03(097)/108590302	CARROLL, MONTGOMERY
*	06 STBG-9999-02(407)/109900301	DISTRICT 2
*	07 STBG-9999-05(429)/109682301	HINDS
	08 STBG-9999-06(381)/108780306	JASPER
*	09 STBG-9999-06(405)/109670301	LAMAR
	10 SP-0002-05(091)/109759301	MONROE
*	11 SP-0023-01(096)/109046301	SMITH
*	12 SP-0072-04(035)/109789301	SUNFLOWER
	13 SP-0305-00(018)/109040301	JEFFERSON
*	14 SP-0336-00(011)/108981301	JASPER
	15 SP-0858-00(017)/108919301	PONTOTOC
*	16 SP-2175-00(017)/109048301	PIKE
	17 BWO-3202-15(001)/503624302 & BWO-3203-15(001)/503624303 & LWO-3067-15(002)/503624301	COPIAH

*

18

SP-0021-01(071)/109225301 &
SP-0021-01(076)/109933301

DESOTO

CALL No. 01

Bridge Repair on US 72 over KCS Railroad (Bridge No. 64.4), known as Federal Aid Project No. NHPP-0007-01(103) / 109671301 in Alcorn County.

PROJECT COMPLETION: 145 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

772	Linear Feet	202-B169	Removal of Joint Material
2,873	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
6,000	Pounds	907-420-A001	Undersealing
200	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
772	Linear Feet	907-808-A002	Joint Repair
386	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
772	Linear Feet	907-823-B002	Saw Cut, Type II
15	Square Feet	907-824-A003	General Epoxy Repair
2	Each	907-824-C001	Cap Cleaning
20	Each	907-824-D001	Bearing Replacements
777	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
820	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish
189	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

Roadway Items

8,000	Linear Feet	202-B240	Removal of Traffic Stripe
900	Linear Feet	615-B001	Precast Concrete Median Barrier
3,000	Linear Feet	619-A1003	Temporary Traffic Stripe, Continuous White, Paint
4,200	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
4,800	Linear Feet	619-A2003	Temporary Traffic Stripe, Continuous Yellow, Paint
1,800	Linear Feet	619-A2008	Temporary Traffic Stripe, Continuous Yellow, Type 1 or 2 Tape
3,000	Linear Feet	619-A3004	Temporary Traffic Stripe, Skip White, Paint
3,000	Linear Feet	619-A4003	Temporary Traffic Stripe, Skip Yellow, Paint
23	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
246	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
900	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast

168	Linear Feet	619-G4001	Barricades, Type III, Double Faced
150	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
3,000	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,000	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,000	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,000	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
100	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
75	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
113	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

CALL No. 02

Bridge Repair on I-20 over Old Hwy 27 & KCS Railroad (Bridge Nos. 4.5A & 4.5B), known as Federal Aid Project No. NHPP-0020-01(284) / 109684301 in Warren County.

PROJECT COMPLETION: 131 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1,508	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
124	Square Yard	202-B029	Removal of Bridge End Pavement
1,400	Linear Feet	202-B039	Removal of Cable Barrier
715	Square Yard	202-B063	Removal of Concrete Paved Ditch
50	Linear Feet	202-B136	Removal of Guard Rail
2	Each	202-B148	Removal of Guard Rail End Section, All Types
444	Linear Feet	202-B191	Removal of Pipe, 8" And Above
15,980	Linear Feet	202-B240	Removal of Traffic Stripe
627	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
100	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,979	Cubic Yard	203-G001	Excess Excavation, FM, AH
89	Cubic Yard	206-A001	Structure Excavation
3,183	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
206	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
792	Square Yard	216-A001	Solid Sodding
1	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
75	Cubic Yard	221-A001	Concrete Paved Ditch
1	Acre	223-A001	Mowing
1	Acre	225-A001	Grassing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing

360	Linear Feet	237-A002	Wattles, 20"
360	Linear Feet	245-A001	Silt Dike
96	Each	246-B001	Rockbags
224	Ton	249-A001	Riprap for Erosion Control
1,176	Ton	304-D002	Granular Material, Crushed Stone
5,650	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
89	Gallon	407-A001	Asphalt for Tack Coat
2	Mile	423-A001	Rumble Strips, Ground In
56	Linear Feet	501-D001	Expansion Joints, With Dowels
124	Square Yard	501-K001	Transverse Grooving
836	Linear Feet	503-C010	Saw Cut, Full Depth
444	Linear Feet	603-CE002	22" x 13" Concrete Arch Pipe, Class A III
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
1,400	Linear Feet	610-A001	Cable Barrier
4	Each	610-B001	Cable Barrier Terminal Section
33	Cubic Yard	612-A001	Flowable Fill, Excavatable
4,586	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
9,291	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
218	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
97	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
97	Each	619-C8001	One-Way Clear Reflective High Performance Raised Marker
251	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,007	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2,134	Linear Feet	619-F1001	Concrete Median Barrier, Precast
2,601	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
234	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
67	Each	619-G5001	Free Standing Plastic Drums
33	Each	619-G7001	Warning Lights, Type "B"

67	Each	619-G8001	Warning Lights, Type "C"
1	Each	619-J1004	Impact Attenuator, 60 MPH
1	Each	619-J2004	Impact Attenuator, 60 MPH, Replacement Package
2,134	Linear Feet	619-L001	Glare Paddles
1	Lump Sum	620-A001	Mobilization
2	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
50	Ton	815-F002	Sediment Control Stone
2,000	Linear Feet	907-234-A001	Temporary Silt Fence
522	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
166	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
416	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
124	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
5,312	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
5,315	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5,312	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
548	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
141	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

1,325	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,325	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,325	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

Bridge Items

150	Ton	304-D004	Granular Material, Size 57
-----	-----	----------	----------------------------

745 Pounds	805-A001 Reinforcement
94 Linear Feet	813-A002 Concrete Railing, 32"
2,500 Pounds	907-420-A001 Undersealing
709 Linear Feet	907-808-A002 Joint Repair
355 Linear Feet	907-823-A001 Preformed Joint Seal, Type I
295 Linear Feet	907-823-B001 Saw Cut, Type I
251 Square Feet	907-824-A003 General Epoxy Repair
11 Each	907-824-C001 Cap Cleaning
40 Each	907-824-D001 Bearing Replacements
488 Linear Feet	907-824-PP008 Bridge Repair, Class 2, Spray Finish
94 Linear Feet	907-824-PP008 Bridge Repair, Remove Bridge Railing
73 Linear Feet	907-824-PP008 Bridge Repair, Remove End Bent Endwall
73 Linear Feet	907-824-PP008 Bridge Repair, Replace End Bent Endwall
39 Cubic Yard	907-828-A001 Hybrid Polymer Concrete Overlay

CALL No. 03

Roundabout on I-55 at the Brookway Boulevard Interchange, known as Federal Aid Project No. CRP-0055-01(125) / 109120301 in Lincoln County.

PROJECT COMPLETION: 217 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

3 Acre	201-B001	Clearing and Grubbing
11,089 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
579 Square Yard	202-B063	Removal of Concrete Paved Ditch
391 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,206 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,392 Square Yard	202-B168	Removal of Island Pavement, All Types
10 Each	202-B178	Removal of Low Mast Lighting Assembly and Foundation
266 Linear Feet	202-B191	Removal of Pipe, 8" And Above
24 Each	202-B213	Removal of Sign
4,890 Linear Feet	202-B240	Removal of Traffic Stripe
8,439 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
1,200 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
1,719 Cubic Yard	203-G002	Excess Excavation, LVM, AH
313 Cubic Yard	206-A001	Structure Excavation
7,289 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,429 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2 Ton	213-C001	Superphosphate
828 Square Yard	216-A001	Solid Sodding
330 Square Yard	217-A001	Ditch Liner
17 Thousand Gallon	219-A001	Watering
4 Acre	220-A001	Insect Pest Control
114 Cubic Yard	221-A001	Concrete Paved Ditch
4 Acre	223-A001	Mowing
4 Acre	225-A001	Grassing
2 Ton	225-B001	Agricultural Limestone

7 Ton	225-C001	Mulch, Vegetative Mulch
4 Acre	226-A001	Temporary Grassing
425 Linear Feet	237-A002	Wattles, 20"
41 Each	246-B001	Rockbags
1,340 Cubic Yard	304-A011	Granular Material, LVM, Class 9, Group C
20,710 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,958 Gallon	407-A001	Asphalt for Tack Coat
5,447 Linear Feet	503-C010	Saw Cut, Full Depth
5,492 Pounds	602-A001	Reinforcing Steel
944 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
81 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
63 Linear Feet	603-CA038	24" Reinforced Concrete Pipe, Class V, Jacked or Bored
24 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
3 Each	603-CB003	18" Reinforced Concrete End Section
3 Each	603-CB004	24" Reinforced Concrete End Section
2 Each	603-CB005	30" Reinforced Concrete End Section
112 Linear Feet	603-CE007	22" x 13" Concrete Arch Pipe, Class A IV, Jacked or Bored
1 Each	603-CF002	22" x 13" Concrete Arch Pipe End Section
1,278 Pounds	604-A001	Castings
1,000 Pounds	604-B001	Gratings
925 Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
4 Each	606-C003	Guard Rail, Cable Anchor, Type 1
4 Each	606-E001	Guard Rail, Terminal End Section
948 Linear Feet	609-B003	Concrete Curb, Special Design
480 Linear Feet	609-C001	Concrete Integral Curb, Type 1
3,559 Linear Feet	609-D008	Combination Concrete Curb and Gutter Type 3A
2,506 Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
83 Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
3,097 Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
42,398 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White

43,602	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
9,008	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
1,364	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
142	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
698	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
25	Each	619-D3001	Remove and Reset Signs, All Sizes
2	Each	619-E1001	Flashing Arrow Panel, Type C
132	Linear Feet	619-G4005	Barricades, Type III, Single Faced
326	Each	619-G5001	Free Standing Plastic Drums
5	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
321	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
126	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
35	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
63	Square Feet	630-B002	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
483	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
116	Linear Feet	630-D008	Structural Steel Beams, W6 x 9
14	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
3,175	Linear Feet	682-A018	Underground Branch Circuit, AWG 2, 3 Conductor
5,690	Linear Feet	682-A028	Underground Branch Circuit, AWG 4, 3 Conductor
475	Linear Feet	682-B016	Underground Branch Circuit, Jacked or Bored, AWG 2, 3 Conductor
905	Linear Feet	682-B025	Underground Branch Circuit, Jacked or Bored, AWG 4, 3 Conductor
8	Each	682-D003	Underground Pull Box
25	Each	682-E002	Underground Junction Box
1	Each	682-F001	Secondary Power Controller
16	Each	683-B210	Lighting Assembly, Low Mast, LED, Type 40-1-0-400
5	Each	683-B211	Lighting Assembly, Low Mast, LED, Type 40-2-12-400
1	Each	683-D001	Portable Electric Power Units
1	Lump Sum	699-A001	Roadway Construction Stakes

1,760	Linear Feet	907-234-A001	Temporary Silt Fence
874	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
1,062	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
1,068	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
2,003	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
1,095	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
45	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
9,369	Square Feet	907-616-C002	Colored and Imprinted Concrete Median and Island Pavement, 12-inch Thickness
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
1,041	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
90	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
8,655	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
7,639	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2,847	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
819	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
143	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
195	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
2	Each	907-683-G1002	Renovation of High Mast Lighting Assembly, Type 130-8-S
2	Each	907-683-G1006	Renovation of High Mast Lighting Assembly, Type 130-4-S

ALTERNATE GROUP AA NUMBER 1

5,324	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

5,324	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

5,324	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 04

Remove & Replace High Friction Surface Treatment (Bridge Nos. 96.3A & 96.3B) on I-55 north of the Fortification Street Exit, known as Federal Aid Project No. HSIP-0055-02(284) / 109867301 in Hinds County.

PROJECT COMPLETION: 84 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

6,667	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
667	Gallon	407-A001	Asphalt for Tack Coat
2,980	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,980	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5,960	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
40	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1,500	Linear Feet	907-403-S002	Joint Sealant
375	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
80	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
12,916	Square Yard	907-416-A001	High Friction Surface Treatment
1	Lump Sum	907-416-B001	High Friction Surface Treatment Training
1	Lump Sum	907-618-A001	Maintenance of Traffic
160	Hours	907-618-M2001	Work Zone Law Enforcement
5,960	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2,980	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2,980	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
100	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

CALL No. 05

Mill & Overlay approximately 4.3 miles of I-55 Carroll Co from the Montgomery County Line to the Carroll County Line, known as Federal Aid Project No. IM-0055-03(097) / 108590301 in Carroll County and No. IM-0055-03(097) / 108590302 in Montgomery County.

PROJECT COMPLETION: 183 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

329	Station	201-D001	Random Clearing
44	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
4	Each	202-B117	Removal of Delineator, All Types
48,168	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
16	Each	202-B213	Removal of Sign
12	Each	202-B215	Removal of Sign Including Post & Footing
3	Cubic Yard	203-G001	Excess Excavation, FM, AH
17,625	Ton	304-B004	Granular Material, Class 5, Group D
4,575	Ton	304-B005	Granular Material, Class 5, Group E
330,036	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
32,760	Gallon	407-A001	Asphalt for Tack Coat
832	Linear Feet	413-B001	Cleaning and Sealing Joints
23	Mile	423-A001	Rumble Strips, Ground In
180	Linear Feet	503-C010	Saw Cut, Full Depth
45,075	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
250	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
118	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
74	Each	606-C003	Guard Rail, Cable Anchor, Type 1
74	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Square Feet	618-B001	Additional Construction Signs
40	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
42	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3001	Temporary Traffic Stripe, Skip White
39,231	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1	Lump Sum	620-A001	Mobilization

26	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
228	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
114	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
15	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
210	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
643	Each	630-F006	Delineators, Guard Rail, White
405	Each	630-F007	Delineators, Guard Rail, Yellow
37	Each	630-F010	Delineators, Post Mounted, Double White
2	Each	630-F011	Delineators, Post Mounted, Double Yellow
28	Each	630-F012	Delineators, Post Mounted, Single White
16	Each	630-F013	Delineators, Post Mounted, Single Yellow
2,425	Ton	815-A007	Loose Riprap, Size 300
2,964	Square Yard	815-E001	Geotextile under Riprap
12,750	Ton	907-402-A002	Open Graded Friction Course, 9.5-mm Mixture
23,405	Gallon	907-402-B001	Bituminous Tack Coat
50	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
7,375	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
14	Mile	907-403-S001	Joint Sealant
19,800	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
96	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
14	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
14	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
14	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
10,368	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,709	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,297	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
520	Hours	907-906001	Trainees

CALL No. 06

Placement of Raised Pavement Markers on various routes throughout the District, known as Federal Aid Project No. STBG-9999-02(407) / 109900301 in District 2.

PROJECT COMPLETION: 85 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2,924	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
114,980	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 07

Bridge Repair on Old Byram Road over I-55 (Bridge No. 86.4), known as Federal Aid Project No. STBG-9999-05(429) / 109682301 in Hinds County.

PROJECT COMPLETION: 86 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
500	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
399	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-E3001	Changeable Message Sign
500	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
500	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

6	Square Yard	202-B026	Removal of Bridge Deck
102	Linear Feet	907-808-A002	Joint Repair
51	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
104	Square Feet	907-824-A003	General Epoxy Repair
2	Each	907-824-C001	Cap Cleaning
88	Square Feet	907-824-F001	Encapsulating Field Painting
1	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
48	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair
13	Cubic Yard	907-834-A001	Polyester Polymer Concrete Overlay

CALL No. 08

Bridge Preventive Maintenance on SR 528 over I-59 (Bridge No. 20.3), known as Federal Aid Project No. STBG-9999-06(381) / 108780306 in Jasper County.

PROJECT COMPLETION: APRIL 30, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

224	Linear Feet	202-B169	Removal of Joint Material
801	Square Yard	907-417-A001	Polymer Cement Surface System
292	Linear Feet	907-808-A003	Joint Repair Without Epoxy
146	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
5	Each	907-824-C001	Cap Cleaning
44	Each	907-824-D001	Bearing Replacements
3	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
515	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish
56	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

Roadway Items

508	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,016	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
48	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
112	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1,000	Pounds	907-420-A001	Undersealing
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
508	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
508	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 09

Bridge Repairs on Old US 11 over I-59 (Bridge No. 47.9) & Richburg Road over I-59 (Bridge Nos. 61.9A, & 61.9B), known as Federal Aid Project No. STBG-9999-06(405) / 109670301 in Lamar County.

PROJECT COMPLETION: MARCH 20, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

942	Linear Feet	907-808-A003	Joint Repair Without Epoxy
574	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
633	Linear Feet	907-823-B001	Saw Cut, Type I
36	Square Feet	907-824-A003	General Epoxy Repair
540	Square Feet	907-824-B003	FRP Wrap, Bi-directional
15	Each	907-824-C001	Cap Cleaning
96	Each	907-824-D001	Bearing Replacements
11	Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
156	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

Roadway Items

942	Linear Feet	202-B169	Removal of Joint Material
3,120	Linear Feet	202-B240	Removal of Traffic Stripe
1,560	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,560	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
96	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
576	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4001	Barricades, Type III, Double Faced
96	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
1,776	Square Yard	907-417-A001	Polymer Cement Surface System
2,000	Pounds	907-420-A001	Undersealing
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
1,560	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,560	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow

20 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 10

Mill & Overlay approximately 3.5 miles of US 45 from the beginning of the 4-Lane divided section to just north of the SR 145 junction, known as State Project No. SP-0002-05(091) / 109759301 in Monroe County.

PROJECT COMPLETION: 94 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,700	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
850	Linear Feet	202-B136	Removal of Guard Rail
1,550	Linear Feet	202-B240	Removal of Traffic Stripe
550	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,700	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
3,000	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
175,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,500	Gallon	407-A001	Asphalt for Tack Coat
12	Mile	423-A001	Rumble Strips, Ground In
1,600	Linear Feet	503-C010	Saw Cut, Full Depth
600	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
4	Each	606-E001	Guard Rail, Terminal End Section
1	Square Feet	618-B001	Additional Construction Signs
15	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
12	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
15	Mile	619-A3001	Temporary Traffic Stripe, Skip White
36,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
75	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
375	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
14	Each	619-F3001	Delineators, Guard Rail, White
14	Each	619-F3002	Delineators, Guard Rail, Yellow
1	Lump Sum	620-A001	Mobilization
52	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
1,700	Square Yard	907-204-A003	Geogrid, Type II, Biaxial

1,150	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
14,500	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
18	Mile	907-403-S001	Joint Sealant
1	Lump Sum	907-618-A001	Maintenance of Traffic
8	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
8	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
21,500	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
14,500	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
40	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
475	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
500	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
50	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

850	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

850	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

850	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-----	------------	----------	-----------------------------------

ALTERNATE GROUP BB NUMBER 1

700	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
700	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
700	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

700	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
700	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
700	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 11

Overlay approximately 6 miles of SR 35 from SR 18 to SR 481, known as State Project No. SP-0023-01(096) / 109046301 in Smith County.

PROJECT COMPLETION: 90 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

243	Station	201-D001	Random Clearing
2,810	Ton	304-D002	Granular Material, Crushed Stone
3,951	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,375	Gallon	407-A001	Asphalt for Tack Coat
696	Square Feet	412-A001	Pre-Grinding
12	Mile	423-A001	Rumble Strips, Ground In
1	Square Feet	618-B001	Additional Construction Signs
14	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
14	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,001	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
722	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
9,010	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
2,060	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
12	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
12	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,225	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
776	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
722	Linear Feet	907-626-H010	Thermoplastic Legend, White
3,400	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
568	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 12

Mill & Overlay approximately 19.5 miles of US 49W From Ruleville to the Coahoma County Line, known as State Project No. SP-0072-04(035) / 109789301 in Sunflower County.

PROJECT COMPLETION: 158 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,247	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
447	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
60	Square Yard	202-B080	Removal of Concrete Sidewalk
25	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,455	Linear Feet	202-B136	Removal of Guard Rail
6	Each	202-B163	Removal of Inlet Tops
1,300	Linear Feet	202-B240	Removal of Traffic Stripe
146	Cubic Yard	203-G001	Excess Excavation, FM, AH
22,000	Ton	304-D002	Granular Material, Crushed Stone
7,200	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
24,500	Gallon	407-A001	Asphalt for Tack Coat
15,264	Square Feet	412-A001	Pre-Grinding
33	Mile	423-A001	Rumble Strips, Ground In
2,542	Linear Feet	503-C010	Saw Cut, Full Depth
100	Pounds	602-A001	Reinforcing Steel
500	Pounds	604-A001	Castings
675	Linear Feet	606-B001	Guard Rail, Class A, Type 1
12	Each	606-D019	Guard Rail, Bridge End Section, Type H
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
50	Square Yard	608-A001	Concrete Sidewalk, Without Reinforcement
40	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
1	Square Feet	618-B001	Additional Construction Signs
42	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
10	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White

21	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
10,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
500	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
3,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
42	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
26,442	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
303	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
6,058	Ton	907-403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
96,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
6,000	Pounds	907-420-A001	Undersealing
3	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
35	Square Feet	907-608-C001	Detectable Warning Panels
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
37	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
19	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
5	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
18,000	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
27,000	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
1,600	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
6,000	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
5,200	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
120	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
3,500	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly

CALL No. 13

Overlay approximately 4.6 miles of SR 552 from the beginning of State Maintenance to SR 28, known as State Project No. SP-0305-00(018) / 109040301 in Jefferson County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

111	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
37	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,000	Ton	304-B004	Granular Material, Class 5, Group D
1,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
4,000	Gallon	407-A001	Asphalt for Tack Coat
258	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
9	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
2	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
150	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
5,000	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
75	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
500	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
9	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
2	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
300	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
500	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
300	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
100	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers

500 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 14

Level & Overlay approximately 12.5 miles of SR 528 from the west end of the Talahalla Creek Bridge to US 11, known as State Project No. SP-0336-00(011) / 108981301 in Jasper County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

456	Station	201-D001	Random Clearing
977	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,756	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,074	Linear Feet	202-B240	Removal of Traffic Stripe
15,775	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
32,675	Gallon	407-A001	Asphalt for Tack Coat
20	Mile	423-A001	Rumble Strips, Ground In
1,062	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
10	Each	606-D001	Guard Rail, Bridge End Section
14	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	613-D006	Adjustment of Manhole Cover and Water Valve
10	Square Feet	618-B001	Additional Construction Signs
48	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
42	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
8	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
12,224	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
4,560	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
66	Each	630-F006	Delineators, Guard Rail, White
88	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
175	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
860	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
19,750	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips

103	Linear Feet	907-625-E002	Detail Traffic Stripe, Blue-ADA
24	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
21	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,648	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
3,576	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1	Each	907-626-H001	Thermoplastic Legend, Blue-ADA Handicap Symbol
126	Square Feet	907-626-H009	Thermoplastic Legend, White
4,560	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,000	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,845	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,660	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
28	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

7,500	Ton	304-D001	Granular Material, Crushed Concrete
-------	-----	----------	-------------------------------------

ALTERNATE GROUP AA NUMBER 2

7,500	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

7,500	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

2,148	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
597	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
954	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

2,148	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
597	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
954	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 15

Mill & Overlay approximately 9 miles of SR 346 From the beginning of State Maintenance to SR 15, known as State Project No. SP-0858-00(017) / 108919301 in Pontotoc County.

PROJECT COMPLETION: 90 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,229	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
184	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,174	Cubic Yard	203-G001	Excess Excavation, FM, AH
90	Cubic Yard	206-A001	Structure Excavation
1,229	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
2,414	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
158,094	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
11,100	Gallon	407-A001	Asphalt for Tack Coat
14	Mile	423-A001	Rumble Strips, Ground In
1,092	Linear Feet	503-C010	Saw Cut, Full Depth
40	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
80	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
64	Linear Feet	603-CA055	36" Reinforced Concrete Pipe, Class III
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
2,964	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,380	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
18	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
108	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
143	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
275	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
58	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft

10	Each	630-F010	Delineators, Post Mounted, Double White
29	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1,229	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
17,117	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
19,800	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
19	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
964	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,380	Linear Feet	907-626-H010	Thermoplastic Legend, White
510	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
10	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,552	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,160	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

2,269	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

2,269	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

2,269	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

1,256	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
680	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

1,256	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
680	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

Overlay approximately 8 miles of US 51 from Osyka to Magnolia, known as State Project No. SP-2175-00(017) / 109048301 in Pike County.

PROJECT COMPLETION: 97 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

222	Station	201-D001	Random Clearing
2,488	Linear Feet	202-B240	Removal of Traffic Stripe
3,856	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
14,480	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
13,091	Gallon	407-A001	Asphalt for Tack Coat
16	Mile	423-A001	Rumble Strips, Ground In
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
6,823	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
141	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
508	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
44	Each	630-F006	Delineators, Guard Rail, White
11,153	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
2,024	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
11,267	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
17	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
6	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
8	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,872	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,692	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow

141	Square Feet	907-626-H009	Thermoplastic Legend, White
508	Linear Feet	907-626-H010	Thermoplastic Legend, White
216	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
8	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
983	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 17

Construction of Equipment Shed & Material Shed, and Lot Improvements in the Copiah County Industrial Park, known as State Project Nos. BWO-3202-15(001) / 503624302, BWO-3203-15(001) / 503624303 & LWO-3067-15(002) / 503624301 in Copiah County.

PROJECT COMPLETION: MARCH 26, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
4,800	Cubic Yard	203-A001	Unclassified Excavation, FM, AH
29,000	Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
11,330	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1	Ton	213-C001	Superphosphate
1,500	Square Yard	216-B001	Solid Sodding, Bermuda
15	Thousand Gallon	219-A001	Watering
7	Acre	223-A001	Mowing
7	Acre	225-A001	Grassing
4	Ton	225-B001	Agricultural Limestone
14	Ton	225-C001	Mulch, Vegetative Mulch
7	Acre	226-A001	Temporary Grassing
900	Linear Feet	237-A002	Wattles, 20"
50	Ton	249-A001	Riprap for Erosion Control
1,000	Pounds	602-A001	Reinforcing Steel
224	Linear Feet	603-ALT002	15" Type A Alternate Pipe
427	Linear Feet	603-ALT003	18" Type A Alternate Pipe
224	Linear Feet	603-ALT006	24" Type A Alternate Pipe
270	Linear Feet	603-ALT009	30" Type A Alternate Pipe
60	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
4	Each	603-CB003	18" Reinforced Concrete End Section
4	Each	603-CB004	24" Reinforced Concrete End Section
1	Each	603-CB005	30" Reinforced Concrete End Section
1,400	Pounds	604-A001	Castings
1,708	Pounds	604-B001	Gratings

1,950	Linear Feet	607-B026	72" Type I Chain Link Fence, Class I , With Top Guard
4	Each	607-G098	Gate, 16' x 6' Double Chain Link with Top Guard
1	Lump Sum	620-A001	Mobilization
60	Ton	815-A006	Loose Riprap, Size 200
50	Ton	815-F002	Sediment Control Stone
550	Linear Feet	907-234-A001	Temporary Silt Fence
1	Lump Sum	907-242-A001	Construction of Equipment Shed
1	Lump Sum	907-242-A001	Construction of Material Shed
12	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic

ALTERNATE GROUP AA NUMBER 1

5,000	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

5,000	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

5,000	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 18

Mill & Overlay approximately 4 miles of SR 302 from 0.25 mile west of Malone Road to 0.06 mile east of US 78 & approximately 4 miles from 0.2 mile east of Airways Boulevard to 0.25 mile west of Malone Road, known as Project Nos. SP-0021-01(071) / 109225301 & SP-0021-01(076) / 109933301 in Desoto County.

PROJECT COMPLETION: 143 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

100	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
86	Each	202-B215	Removal of Sign Including Post & Footing
200	Cubic Yard	203-G001	Excess Excavation, FM, AH
406,370	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
38,282	Gallon	407-A001	Asphalt for Tack Coat
400	Linear Feet	503-C010	Saw Cut, Full Depth
2	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
17	Mile	619-A3001	Temporary Traffic Stripe, Skip White
17	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
35,221	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
10,548	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
442	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
299	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
304	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
90	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
1,290	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
200	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
11,525	Ton	907-403-D001	12.5-mm, HT, Asphalt Pavement, Polymer Modified
30,650	Ton	907-405-A002	Stone Matrix Asphalt, 12.5 mm Mixture
1	Lump Sum	907-618-A001	Maintenance of Traffic
17	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White

17	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
17	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
18	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
35,221	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
6,136	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
6,561	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
10,548	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
675	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,085	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
6,253	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	907-632-C001	Modify Existing Traffic Signal Cabinet Assembly
38	Each	907-641-A002	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
22	Each	907-641-B002	Signal Advanced Radar Vehicle Detection Sensor, Type 2
12,100	Linear Feet	907-641-D001	Radar Vehicle Detection Cable
10	Each	907-641-F002	Signal Radar Vehicle Detection Processor, Type 2

ALTERNATE GROUP AA NUMBER 1

200	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

200	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

200	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR