SECTION 905 -- PROPOSAL (CONTINUED)

I (We) hereby certify by digital signature and electronic submission via Bid Express of the Section 905 proposal below, that all certifications, disclosures and affidavits incorporated herein are deemed to be duly executed in the aggregate, fully enforceable and binding upon delivery of the bid proposal. I (We) further acknowledge that this certification shall not extend to the bid bond or alternate security which must be separately executed for the benefit of the Commission. This signature does not cure deficiencies in any required certifications, disclosures and/or affidavits. I (We) also acknowledge the right of the Commission to require full and final execution on any certification, disclosure or affidavit contained in the proposal at the Commission's election upon award. Failure to so execute at the Commission's request within the time allowed in the Standard Specifications for execution of all contract documents will result in forfeiture of the bid bond or alternate security.

Bidder acknowledges receipt of and has added to and made a part of the proposal and contract documents the following addendum (addenda):

	C	•		•	1 1	C			
A	ADDENDUM NO.	1	DATED	9/4/2025	ADDENDUM NO.	DATED			
A	ADDENDUM NO	2	DATED	9/16/2025	ADDENDUM NO.	DATED			
A	ADDENDUM NO	3	DATED	9/18/2025	ADDENDUM NO.	DATED			
lumb		Descrip			TOTAL ADDENDA: (Must agree with total ad-	denda issued prior to or	pening of bids)		
1	Revised Table of Cor Nos. 7302 & 7304; A 907-804-13 with Sup EBSx Download Req	dded [°] SP 9 plement; R	07-713-1, SP 9	07-803-6 & SP	Respectfully Submitted,	6	,		
2	Revised Table of Co 661-6 w/Supplement Plan Sheet Nos. 2, 5	; Revised 5, 32-40, 43	Bid Items; Rev 3, 48, 51, 53, 6	rised or Added 8-69, 422-424,	DATE				
	2001-2003, 8004 & Required.	k 8008; A	mendment EE	3SX Download		Contractor			
3	Revised Table of Cor			3; Revised Bid	BY	G: 1			
	Items; Amendment E	BSx Downl	oad Required.		Signature				
					TITLE				
					ADDRESS				
					CITY, STATE, ZIP				
					PHONE				
					FAX				
				(0),	E-MAIL				
(To	be filled in if a corpor	ration)							
	r corporation is charter es and business address						and the r	names,	
	Pro	esident				Address			
	Se	cretary				Address			
	Tr	easurer				Address			
			_						

The following is my (our) itemized proposal. STP-0019-02(065)/ 102168301000 Lafayette County(ies)

Revised 01/26/2016

MISSISSIPPI DEPARTMENT OF TRANSPORTATION TABLE OF CONTENTS

PROJECT: STP-0019-02(065)/102168301 - Lafayette

Section 901 - Advertisement

Section 904 - Notice t	to Diddom
#1	Governing Specification, w/ Supplement
#2	Status of ROW, w/ Attachments
#3	Final Cleanup
#20	Temporary Steel Bracing
	1 •
#296	Reduced Speed Limit Signs Mississippi A sent on Ovelified Neurosident A sent
#445	Mississippi Agent or Qualified Nonresident Agent Traffic on Milled Surface in Urban Areas
#446	
#516	Errata and Modifications to the 2017 Standard Specifications
#757 #1225	Additional Erosion Control Requirements
#1225	Early Notice to Proceed
#1226	Material Storage Under Bridges
#1241	Fuel and Material Adjustments
#1434	Erosion Control Plan
#1963	Guardrail Pads
#2172	App for Storm Water Reports
#2206	MASH Compliant Devices
#2273	Mississippi Special Fuel Tax Law
#2812	Traffic Signal and ITS Components
#2895	Exploratory Joint Cleanout
#2954	Reflective Sheeting for Signs
#3676	Asphalt Gyratory Compactor Internal Angle Calibration
#3875	General ITS Requirements
#4113	Unique Entity ID Requirement For Federal Funded Projects
#4638	Storm Water Discharge Associated with Construction Activity (> 5 Acres)
#4699	Right-of-Way Plat
#4702	App for Traffic Control Report
#5086	Detail of Square Tube Sign Posts
#5551	Federal Bridge Formula
#5570	Special Provisions Related to Concrete
#5605	Disadvantaged Business Enterprise In Federal-Aid Highway Construction, w/ Supplement
#5750	Manual on Uniform Traffic Control Devices (MUTCD)
#7077	DBE Pre-bid Meeting
#7125	Contract Time
#7126	Specialty Items
#7127	Placement of Fill Material in Federally Regulated Areas
#7128	Restricted Areas
#7129	Lane Closure Restrictions
#7130	A + C Bidding
#7302	Disturbed Areas
#7304	Erosion Control Contract Compliance
#7303	Pay Item Corrections
1505	Tay Item Concentions

PROJECT: STP-0019-02(065)/102168301 - Lafayette

906 Required Federal Contract Provisions -- FHWA 1273, w/Supplements

Section 907 - Special Provisions						
907-101-1	Definitions and Terms					
907-102-2	Bidding Requirements and Conditions					
907-104-2	Minor Alterations to the Contract					
907-105-2	Control of Work					
907-106-3	Control of Materials					
907-100-3	Contractor's Erosion Control Plan					
907-108-4	Subletting of Contract Default and Termination of Contract					
907-108-6						
907-109-5	Measurement and Payment					
907-207-2	Settlement Plate					
907-234-1	Silt Fence					
907-253-1	Coir Fiber Baffle					
907-401-2	Asphalt Pavements - General					
907-403-4	Asphalt Pavements					
907-413-2	Cleaning and Sealing Joints and Cracks					
907-501-1	Concrete Pavement					
907-502-1	Concrete Bridge End Pavement					
907-601-1	Structural Concrete					
907-618-12	Traffic Control Management					
907-619-5	Traffic Control for Construction Zones					
907-626-12	Thermoplastic Traffic Markings					
907-627-1	Raised Pavement Markings					
907-631-1	Traffic Signal Systems - General, w/Supplement					
907-632-1	Traffic Signal Cabinet Assemblies					
907-634-4	Traffic Signal and ITS Equipment Poles					
907-636-3	Electrical Cable					
907-637-3	Traffic Signal Conduit and Pull Boxes					
907-641-4	Radar Vehicle Detection					
907-650-5	On-Street Video Equipment					
907-653-1	Traffic and Street Name Signs					
907-661-6	Fiber Optic Cable (OSP), w/ Supplement					
907-662-2	Radio Interconnect System					
907-663-6	Networking Equipment					
907-700-1	Materials and Tests					
907-701-4	Hydraulic Cement, w/ Supplement					
907-702-4	Bituminous Materials					
907-703-2	Gradation					
907-705-1	Stone Riprap					
907-707-3	Joint Materials					
907-708-4	Concrete Pipe					
907-711-2	Plain Steel Wire					
907-712-1	Fence and Guardrail					
907-713-1						
	Waterproofing Admixture Miscellaneous Materials					
907-714-4						
907-718-1	Timber and Dimension Lumber					

PROJECT: STP-0019-02(065)/102168301 - Lafayette

907-720-4	Pavement Marking Materials
907-721-4	Materials for Signing
907-722-1	Materials for Traffic Signal Installation
907-799-1	Hydraulic Cement Concrete Mixtures, w/ Supplement
907-803-5	Test Piles, w/ Supplement
907-803-6	Deep Foundations
907-804-13	Concrete Bridges and Structures, w/ Supplement
907-809-2	Retaining Wall Systems
907-823-8	Preformed Joint Seal
906-8	Training Special Provisions

Section 905 - Proposal, Proposal Bid Items, Combination Bid Proposal Certification of Performance - Prior Federal-Aid Contracts
Certification Regarding Non-Collusion, Debarment and Suspension
SAM.GOV Registration and Unique Entity ID
Section 902 - Contract Form
Section 903 - Contract Bond Forms

Form -- OCR-485

Pile and Driving Equipment Data Form

(REVISIONS TO THE ABOVE WILL BE INDICATED ON THE SECOND SHEET OF SECTION 905 AS ADDENDA)

09/18/2025 12:02 PM

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

SECTION 904 - NOTICE TO BIDDERS NO. 7303 CODE: (SP)

DATE: 09/18/2025

SUBJECT: Pay Item Corrections

PROJECT: STP-0019-02(065) / 102168301 – Lafayette County

Bidders are hereby advised that Pay Item No. 221-A002, Concrete Paved Ditch, Cable Rail Vegetation Pad, is not shown in the Contract Plans, but a quantity of **10 CY** for this pay item has been added to the bid items.

Bidders are further advised that Pay Item No. 221-A001, Concrete Paved Ditch, is shown as having a quantity of 2,477 CY. This is in error. Bidders are hereby advised that the correct quantity is **2,479** CY. The bid sheets are correct.

Proposal (Sheet 2 - 1)

LAFAYETTE

Grade, Drain, Bridge & Pave 4 Lanes on SR 7 from CR 370 to 0.4 miles south of SR 6, known as Federal Aid Project No. STP-0019-02(065) / 102168301 in Lafayette County.

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]				
	Roadway Items								
0010	201-A001		1	Lump Sum	Clearing and Grubbing				
0020	201-B001		11	Acre	Clearing and Grubbing				
0030	202-A001		1	Lump Sum	Removal of Obstructions				
0040	202-B004		14,841	Square Yard	Removal of Asphalt Driveways, All Depths				
0050	202-B007		37,082	Square Yard	Removal of Asphalt Pavement, All Depths				
0052	202-B016		129	Linear Feet	Removal of Box Bridge				
0060	202-B019		209	Linear Feet	Removal of Box Culvert				
0070	202-B023		3	Each	Removal of Bridge				
0800	202-B039		393	Linear Feet	Removal of Cable Barrier				
0090	202-B040		1	Each	Removal of Cable Barrier Terminal Section				
0100	202-B052		287	Square Yard	Removal of Concrete Driveways, All Depths				
0110	202-B059		660	Square Yard	Removal of Concrete Median & Island Pavement, All Depths				
0120	202-B063		6,526	Square Yard	Removal of Concrete Paved Ditch				
0130	202-B073		2,574	Square Yard	Removal of Concrete Pavement, All Depths				
0140	202-B080		252	Square Yard	Removal of Concrete Sidewalk				
0150	202-B088		7,457	Linear Feet	Removal of Curb & Gutter, All Types				
0160	202-B129		10	Each	Removal of Flared End Section, All Sizes				
0170	202-B158		1,965	Linear Feet	Removal of Guard Rail, Including Rails, Posts and Terminal Ends				
0180	202-B164		5	Each	Removal of Inlet and Junction Box, All Types & Sizes				
0190	202-B178		14	Each	Removal of Low Mast Lighting Assembly and Foundation				
0200	202-B191		3,016	Linear Feet	Removal of Pipe, 8" And Above				
0210	202-B204		395	Linear Feet	Removal of Retaining Wall				
0220	203-A001	(E)	781,690	Cubic Yard	Unclassified Excavation, FM, AH				
0230	203-EX020	(E)	1,598,642	Cubic Yard	Borrow Excavation, AH, FME, Class B9				
0240	203-G001	(E)	27,134	Cubic Yard	Excess Excavation, FM, AH				
0250	206-A001	(S)	10,211	Cubic Yard	Structure Excavation				
0260	206-B001	(E)	928	Cubic Yard	Select Material for Undercuts, Contractor Furnished, FM				
0270	209-A005		48,223	Square Yard	Geotextile Stabilization, Type V, Non-Woven				
0280	211-B001	(E)	42,091	Cubic Yard	Topsoil for Slope Treatment, Contractor Furnished				
0290	213-C001		79	Ton	Superphosphate				
0300	216-A001		17,114	Square Yard	Solid Sodding				
0310	217-A001		10,362	Square Yard	Ditch Liner				

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0320	219-A001		346	Thousand Gallon	Watering [\$20.00]
0330	220-A001		78	Acre	Insect Pest Control [\$30.00]
0340	221-A001	(S)	2,479	Cubic Yard	Concrete Paved Ditch
0342	221-A002	(S)	10	Cubic Yard	Concrete Paved Ditch, Cable Rail Vegetation Pad
0350	223-A001		156	Acre	Mowing [\$50.00]
0360	225-A001		157	Acre	Grassing
0370	225-B001		78	Ton	Agricultural Limestone
0380	225-C001		313	Ton	Mulch, Vegetative Mulch
0390	226-A001		317	Acre	Temporary Grassing
0400	229-A001		17,253	Square Yard	Erosion Mat
0410	235-A001		2,372	Each	Temporary Erosion Checks
0420	236-A008		50	Each	Silt Basin, Type D
0430	237-A002		17,950	Linear Feet	Wattles, 20"
0440	239-A001		17,857	Linear Feet	Temporary Slope Drains
0450	245-A001		4,997	Linear Feet	Silt Dike
0460	246-A001		53,710	Linear Feet	Sandbags
0470	247-A001		16	Each	Temporary Stream Diversion
0480	249-A001		7,560	Ton	Riprap for Erosion Control
0490	249-B001		3,640	Cubic Yard	Remove and Reset Riprap
0492	304-C004	(GY)	29,200	Cubic Yard	Granular Material, AEA, Class 5, Group D
0494	304-C008	(GY)	62,000	Cubic Yard	Granular Material, AEA, Class 9, Group B
0520	307-B003	(M)	160,311	Square Yard	6" Soil-Lime-Water Mixing, Class B
0530	307-D001		2,164	Ton	Lime
0540	307-S001	(A3)	40,078	Gallon	Bituminous Curing Seal
0550	308-A001		4,369	Ton	Cement
0560	308-B002	(M)	259,020	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Base
0570	308-B003	(M)	160,311	Square Yard	Soil-Cement-Water Mixing, Optional Mixers, Design Soil
0580	308-S001	(A3)	64,755	Gallon	Bituminous Curing Seal
0590	406-D001		92,735	Square Yard	Fine Milling of Bituminous Pavement, All Depths
0600	407-A001	(A2)	61,519	Gallon	Asphalt for Tack Coat
0610	423-A001		14	Mile	Rumble Strips, Ground In
0620	501-E001		11	Linear Feet	Expansion Joints, Without Dowels
0630	501-K001		376	Square Yard	Transverse Grooving
0640	503-C010		9,500	Linear Feet	Saw Cut, Full Depth

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0650	602-A001	(S)	641,464	Pounds	Reinforcing Steel
0660	603-A045	(S)	104	Linear Feet	24" Steel Pipe, Jacked or Bored
0670	603-A046	(S)	96	Linear Feet	30" Steel Pipe, Jacked or Bored
0680	603-A049	(S)	104	Linear Feet	48" Steel Pipe, Jacked or Bored
0690	603-ALT003	(S)	4,722	Linear Feet	18" Type A Alternate Pipe
0700	603-ALT006	(S)	552	Linear Feet	24" Type A Alternate Pipe
0710	603-ALT009	(S)	184	Linear Feet	30" Type A Alternate Pipe
0720	603-ALT011	(S)	232	Linear Feet	36" Type A Alternate Pipe
0730	603-ALT013	(S)	40	Linear Feet	36" x 23" Type A Alternate Pipe
0740	603-ALT017	(S)	56	Linear Feet	51" x 31" Type A Alternate Pipe
0750	603-ALT021	(S)	384	Linear Feet	73" x 45" Type A Alternate Pipe
0760	603-CA011	(S)	4,840	Linear Feet	18" Reinforced Concrete Pipe, Class III
0770	603-CA013	(S)	432	Linear Feet	18" Reinforced Concrete Pipe, Class IV
0780	603-CA026	(S)	2,207	Linear Feet	24" Reinforced Concrete Pipe, Class III
0790	603-CA040	(S)	380	Linear Feet	30" Reinforced Concrete Pipe, Class III
0800	603-CA042	(S)	664	Linear Feet	30" Reinforced Concrete Pipe, Class IV
0810	603-CA048	(S)	136	Linear Feet	30" Reinforced Concrete Pipe, Class V
0820	603-CA055	(S)	16	Linear Feet	36" Reinforced Concrete Pipe, Class III
0830	603-CA066	(S)	96	Linear Feet	42" Reinforced Concrete Pipe, Class III
0840	603-CA068	(S)	744	Linear Feet	42" Reinforced Concrete Pipe, Class IV
0850	603-CA073	(S)	720	Linear Feet	42" Reinforced Concrete Pipe, Class V, Class B Bedding
0860	603-CA076	(S)	240	Linear Feet	48" Reinforced Concrete Pipe, Class III
0870	603-CA084	(S)	328	Linear Feet	48" Reinforced Concrete Pipe, Class V, Class B Bedding
0880	603-CA087	(S)	120	Linear Feet	54" Reinforced Concrete Pipe, Class III
0890	603-CA095	(S)	104	Linear Feet	54" Reinforced Concrete Pipe, Class V, Class B Bedding
0900	603-CA099	(S)	880	Linear Feet	60" Reinforced Concrete Pipe, Class III
0910	603-CB003	(S)	48	Each	18" Reinforced Concrete End Section
0920	603-CB004	(S)	31	Each	24" Reinforced Concrete End Section
0930	603-CB005	(S)	13	Each	30" Reinforced Concrete End Section
0940	603-CB006	(S)	2	Each	36" Reinforced Concrete End Section
0950	603-CB007	(S)	14	Each	42" Reinforced Concrete End Section
0960	603-CB008	(S)	5	Each	48" Reinforced Concrete End Section
0970	603-CB009	(S)	2	Each	54" Reinforced Concrete End Section

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
0980	603-CB010	(S)	9	Each	60" Reinforced Concrete End Section
0990	603-CE002	(S)	224	Linear Feet	22" x 13" Concrete Arch Pipe, Class A III
1000	603-CE008	(S)	32	Linear Feet	29" x 18" Concrete Arch Pipe, Class A III
1010	603-CE013	(S)	128	Linear Feet	36" x 23" Concrete Arch Pipe, Class A III
1020	603-CE034	(S)	488	Linear Feet	65" x 40" Concrete Arch Pipe, Class A III
1030	603-CF002	(S)	3	Each	22" x 13" Concrete Arch Pipe End Section
1040	603-CF003	(S)	2	Each	29" x 18" Concrete Arch Pipe End Section
1050	603-CF004	(S)	3	Each	36" x 23" Concrete Arch Pipe End Section
1060	603-CF008	(S)	4	Each	65" x 40" Concrete Arch Pipe End Section
1070	604-A001		1,952	Pounds	Castings
1080	604-B001		13,100	Pounds	Gratings
1090	605-AA001	(S)	605	Square Yard	Geotextile for Subsurface Drainage, Type III
1100	605-0002	(S)	1,088	Linear Feet	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
1110	605-P002	(S)	132	Linear Feet	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
1120	605-W001	(GY)	40	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type A, FM
1130	606-A003		162	Each	Guard Posts
1140	606-B001		2,463	Linear Feet	Guard Rail, Class A, Type 1
1150	606-C003		2	Each	Guard Rail, Cable Anchor, Type 1
1160	606-D022		24	Each	Guard Rail, Bridge End Section, Type I
1170	606-E005		24	Each	Guard Rail, Terminal End Section, Flared
1180	609-B002	(S)	140	Linear Feet	Concrete Curb, Header
1190	609-B003	(S)	1,654	Linear Feet	Concrete Curb, Special Design
1200	609-D003	(S)	11,677	Linear Feet	Combination Concrete Curb and Gutter Type 2
1210	609-D004	(S)	2,171	Linear Feet	Combination Concrete Curb and Gutter Type 2 Modified
1220	609-D008	(S)	380	Linear Feet	Combination Concrete Curb and Gutter Type 3A
1230	609-D012	(S)	15,284	Linear Feet	Combination Concrete Curb and Gutter Type 3A Modified
1240	609-D013	(S)	3,334	Linear Feet	Combination Concrete Curb and Gutter Type 3B
1250	609-D014	(S)	2,165	Linear Feet	Combination Concrete Curb and Gutter Type 3B Modified
1260	610-A001		270	Linear Feet	Cable Barrier
1270	610-B001		1	Each	Cable Barrier Terminal Section
1280	612-A001		100	Cubic Yard	Flowable Fill, Excavatable
1290	613-D003		7	Each	Adjustment of Inlet
1300	614-A001	(S)	3,025	Square Yard	Concrete Driveway, Without Reinforcement
1310	615-A011	(S)	564	Linear Feet	Concrete Type I Cast-in-Place Median Barrier, 42" High

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1312	615-A022	(S)	573	Linear Feet	Concrete Type IV Modified Cast-in-Place Median Barrier
1320	615-A024	(S)	538	Linear Feet	Concrete Bridge End Barrier, 37.5"
1330	616-A001	(S)	7,375	Square Yard	Concrete Median and/or Island Pavement, 10-inch
1340	616-A004	(S)	2,956	Square Yard	Concrete Median and/or Island Pavement, 4-inch
1350	617-A001		338	Each	Right-of-Way Marker
1360	619-A1001		33	Mile	Temporary Traffic Stripe, Continuous White
1370	619-A2001		30	Mile	Temporary Traffic Stripe, Continuous Yellow
1380	619-A3001		14	Mile	Temporary Traffic Stripe, Skip White
1390	619-A5001		90,191	Linear Feet	Temporary Traffic Stripe, Detail
1400	619-A6002		1,753	Linear Feet	Temporary Traffic Stripe, Legend
1402	619-C7001		1,062	Each	Two-Way Yellow Reflective High Performance Raised Marker
1410	619-C9001		75	Each	One-Way Yellow Reflective High Performance Raised Marker
1420	619-D1001		121	Square Feet	Standard Roadside Construction Signs, Less than 10 Square Feet
1430	619-D2001		4,179	Square Feet	Standard Roadside Construction Signs, 10 Square Feet or More
1440	619-D3001		894	Each	Remove and Reset Signs, All Sizes
1450	619-E1001		1	Each	Flashing Arrow Panel, Type C
1460	619-F1001		478	Linear Feet	Concrete Median Barrier, Precast
1470	619-F3001		88	Each	Delineators, Guard Rail, White
1480	619-F3002		66	Each	Delineators, Guard Rail, Yellow
1490	619-G4001		246	Linear Feet	Barricades, Type III, Double Faced
1500	619-G4005		3,342	Linear Feet	Barricades, Type III, Single Faced
1510	619-G5001		203	Each	Free Standing Plastic Drums
1520	619-G7001		33	Each	Warning Lights, Type "B"
1530	619-G8001		38	Each	Warning Lights, Type "C"
1540	619-J1002		3	Each	Impact Attenuator, 45 MPH
1550	619-J2002		3	Each	Impact Attenuator, 45 MPH, Replacement Package
1560	620-A001		1	Lump Sum	Mobilization
1570	621-A001		1	Each	Field Laboratory
1578	629-A001		1	Each	Vehicular Impact Attenuator, 40 MPH
1580	629-A004		2	Each	Vehicular Impact Attenuator, 60 MPH
1590	629-B001		2	Each	Median Barrier End Section
1600	630-A001		485	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
1610	630-A003		2,378	Square Feet	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1620	630-B002		438	Square Feet	Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted
1630	630-C001		855	Linear Feet	Square Tube Posts, 4.0 lb/ft
1640	630-C005		3,481	Linear Feet	Square Tube Posts, 2.0 lb/ft
1650	630-D010		193	Linear Feet	Structural Steel Beams, W8 x 21
1660	630-E001		182	Pounds	Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles
1670	630-E005		204	Pounds	Structural Steel Angles & Bars, Aluminum Unistrut
1680	630-F006		88	Each	Delineators, Guard Rail, White
1690	630-F007		66	Each	Delineators, Guard Rail, Yellow
1700	630-F009		12	Each	Delineators, Median Barrier Mounted, Type I, Yellow
1710	630-F010		68	Each	Delineators, Post Mounted, Double White
1720	630-F011		8	Each	Delineators, Post Mounted, Double Yellow
1730	630-F012		65	Each	Delineators, Post Mounted, Single White
1740	630-F013		13	Each	Delineators, Post Mounted, Single Yellow
1750	630-G005		20	Each	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1760	635-A059		16	Each	Traffic Signal Head, Type 1
1770	635-A060		4	Each	Traffic Signal Head, Type 1A
1780	635-A061		11	Each	Traffic Signal Head, Type 2
1790	635-A063		6	Each	Traffic Signal Head, Type 2R
1800	635-A069		2	Each	Traffic Signal Head, Type 2U
1810	647-A001		1	Lump Sum	Removal of Existing Traffic Signal Equipment
1820	682-A028		500	Linear Feet	Underground Branch Circuit, AWG 4, 3 Conductor
1830	682-E003		2	Each	Underground Junction Box With Concrete Pad
1840	684-A003		16	Cubic Yard	Pole Foundation, 24" Diameter
1850	684-B003		18	Linear Feet	Slip Casing, 24" Diameter
1860	699-A001		1	Lump Sum	Roadway Construction Stakes
1870	815-A007	(S)	19,110	Ton	Loose Riprap, Size 300
1880	815-E001	(S)	8,003	Square Yard	Geotextile under Riprap
1890	815-F002	(S)	2,190	Ton	Sediment Control Stone
1892	907-207-A001		4	Each	Settlement Plate
1900	907-234-A001		141,050	Linear Feet	Temporary Silt Fence
1910	907-234-D001		35	Each	Inlet Siltation Guard
1920	907-234-E001		35	Each	Reset Inlet Siltation Guard
1930	907-253-A001		8,778	Linear Feet	Coir Fiber Baffle

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
1940	907-403-A002	(BA1)	26,616	Ton	12.5-mm, MT, Asphalt Pavement
1950	907-403-A003	(BA1)	3,837	Ton	12.5-mm, ST, Asphalt Pavement
1960	907-403-A005	(BA1)	31,152	Ton	19-mm, MT, Asphalt Pavement
1970	907-403-A006	(BA1)	36,934	Ton	19-mm, ST, Asphalt Pavement
1980	907-403-A014	(BA1)	27,193	Ton	9.5-mm, MT, Asphalt Pavement
1990	907-403-A015	(BA1)	641	Ton	9.5-mm, ST, Asphalt Pavement
2000	907-403-B002	(BA1)	106	Ton	12.5-mm, MT, Asphalt Pavement, Leveling
2010	907-413-E001		1,200	Linear Feet	Sawing and Sealing Transverse Joints in Asphalt Pavement
2020	907-501-A001	(C)	497	Square Yard	6" Reinforced Cement Concrete Pavement, Broom Finish
2030	907-502-A001	(C)	2,739	Square Yard	Reinforced Cement Concrete Bridge End Pavement
2040	907-601-A001	(S)	3,416	Cubic Yard	Class "B" Structural Concrete
2050	907-601-B001	(S)	224	Cubic Yard	Class "B" Structural Concrete, Minor Structures
2060	907-618-A001		1	Lump Sum	Maintenance of Traffic
2070	907-619-E3001		5	Each	Changeable Message Sign
2080	907-626-A007		15	Mile	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2090	907-626-C012		17	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous White
2100	907-626-E003		2	Mile	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
2110	907-626-F003		11	Mile	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
2120	907-626-G006		99,874	Linear Feet	Thermoplastic Double Drop Detail Stripe, White
2130	907-626-G007		38,329	Linear Feet	Thermoplastic Double Drop Detail Stripe, Yellow
2140	907-626-H006		5,862	Square Feet	Thermoplastic Double Drop Legend, White
2150	907-626-H007		1,753	Linear Feet	Thermoplastic Double Drop Legend, White
2160	907-627-J001		547	Each	Two-Way Clear Reflective High Performance Raised Markers
2170	907-627-K001		3,668	Each	Red-Clear Reflective High Performance Raised Markers
2180	907-627-L001		514	Each	Two-Way Yellow Reflective High Performance Raised Markers
2190	907-632-A007		3	Each	Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller
2200	907-632-J001		3	Each	Power Service Pedestal
2210	907-634-A042		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 30' Arm
2220	907-634-A044		3	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm
2230	907-634-A045		2	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm
2240	907-634-A047		3	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm
2250	907-634-A048		1	Each	Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm
2260	907-634-A247		1	Each	Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 35' & 60' Arm
2270	907-634-A539		10	Each	Traffic Signal Equipment Pole, Type V, 10' Shaft

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2280	907-634-C001		34	Cubic Yard	Pole Foundations, Class "B" Concrete
2290	907-636-B003		2,688	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor
2300	907-636-B016		10,026	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor
2310	907-636-B028		742	Linear Feet	Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor
2320	907-637-A002		22	Each	Pullbox Enclosure, Type 2
2330	907-637-A003		4	Each	Pullbox Enclosure, Type 3
2340	907-637-C028		1,259	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 2"
2350	907-637-C030		1,562	Linear Feet	Traffic Signal Conduit, Underground, Type 4, 3"
2360	907-637-D003		1,148	Linear Feet	Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3"
2370	907-641-A002		11	Each	Signal Stop Bar Radar Vehicle Detection Sensor, Type 2
2380	907-641-B002		6	Each	Signal Advanced Radar Vehicle Detection Sensor, Type 2
2390	907-641-D001		6,645	Linear Feet	Radar Vehicle Detection Cable
2400	907-641-F002		3	Each	Signal Radar Vehicle Detection Processor, Type 2
2410	907-650-A004		2	Each	On Street Video Equipment, PTZ Type, Signal Monitoring
2420	907-653-A001		170	Square Feet	Traffic Sign
2430	907-653-B001		116	Square Feet	Street Name Sign
2432	907-661-B002		1,050	Linear Feet	Fiber Optic Drop Cable, 12 SM
2440	907-662-D002		2	Each	Radio Interconnect, Broadband, Short Range
2448	907-663-A001		2	Each	Network Switch, Type A
2450	907-663-A006		1	Each	Network Switch, Type F
2460	907-683-PP001		4	Each	Lighting Assembly, Per Plans
2470	907-809-A005	(S)	981	Square Feet	Retaining Wall System, Temporary Shoring
2480	907-906001		1,040	Hours	Trainees [\$5.00]
			ALTERNATE GR	OUP AA NUMBER	11
2490	304-F001	(GT)	24,650	Ton	3/4" and Down Crushed Stone Base
			ALTERNATE GR	OUP AA NUMBER	2.2
2500	304-F002	(GT)	24,650	Ton	Size 610 Crushed Stone Base
			_	OUP AA NUMBER	
2510	304-F003	(GT)	24,650	Ton ROUP BB NUMBER	Size 825B Crushed Stone Base
2520	605 W002	(CV)	524	Cubic Yard	
2520	605-W002	(GY)		Cubic Yard ROUP BB NUMBER	Filter Material for Combination Storm Drain and/or Underdrains,Type B, FM
2530	605-W003	(GY)	524	Cubic Yard	Filter Material for Combination Storm Drain and/or Underdrains,Type C, FM
		. ,		ge Items	2

Line No.	Item Code	Adj Code	Quantity	Units	Description [Fixed Unit Price]
2540	501-K001		18,182	Square Yard	Transverse Grooving
2550	803-D007	(S)	3,660	Linear Feet	HP 14 x 89 Steel Piling
2560	803-P003	(S)	1,840	Linear Feet	30" Steel Pipe Piling, Wall Thickness 0.500"
2570	803-P004	(S)	2,925	Linear Feet	30" Steel Pipe Piling, Wall Thickness 0.750"
2580	803-P009	(S)	675	Linear Feet	30" Steel Pipe Piling, Wall Thickness 0.625"
2590	803-P010	(S)	11,885	Linear Feet	20" Steel Pipe Piling, Wall Thickness 0.625"
2600	803-P015	(S)	15,175	Linear Feet	24" Steel Pipe Piling, Wall Thickness 0.625"
2610	804-C186	(S)	1,314	Linear Feet	110' Prestressed Concrete Beam, Type FIB-45
2620	804-C188	(S)	15,369	Linear Feet	80' Prestressed Concrete Beam, Type FIB-36
2630	804-C192	(S)	595	Linear Feet	100' Prestressed Concrete Beam, Type FIB-36
2640	804-C196	(S)	835	Linear Feet	140' Prestressed Concrete Beam, Type FIB-63
2650	804-C200	(S)	1,114	Linear Feet	75' Prestressed Concrete Beam, Type FIB-36
2660	804-C201	(S)	2,453	Linear Feet	95' Prestressed Concrete Beam, Type FIB-36
2670	804-C207	(S)	895	Linear Feet	150' Prestressed Concrete Beam, Type FIB-63
2680	804-C208	(S)	1,428	Linear Feet	60' Prestressed Concrete Beam, Type FIB-36
2690	804-C272	(S)	1,315	Linear Feet	102' Prestressed Concrete Beam, Type FIB-45
2700	805-A001	(S)	1,762,719	Pounds	Reinforcement
2710	805-C001	(S)	62,348	Pounds	Reinforcement, Corrosion Resistant
2720	813-A004	(S)	8,334	Linear Feet	Concrete Railing, 36"
2730	815-A002	(S)	3,199	Ton	Loose Riprap, Size 100
2740	815-A007	(S)	37,122	Ton	Loose Riprap, Size 300
2750	815-E001	(S)	33,507	Square Yard	Geotextile under Riprap
2760	907-803-B001	(S)	11	Each	Conventional Static Pile Load Test [\$5,000.00]
2770	907-803-1003	(S)	1	Each	PDA Test Pile, HP Steel Pile
2780	907-803-1004	(S)	23	Each	PDA Test Pile, Steel Pipe Pile
2790	907-803-J001	(S)	24	Each	Pile Restrike
2800	907-804-A001	(S)	5,635	Cubic Yard	Bridge Concrete, Class BDX
2810	907-804-A002	(S)	2,718	Cubic Yard	Bridge Concrete, Class AA
2820	907-809-A001	(S)	6,305	Square Feet	Retaining Wall System
2830	907-823-A001		738	Linear Feet	Preformed Joint Seal, Type I
2840	907-823-A002		416	Linear Feet	Preformed Joint Seal, Type II