

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

Notice to Contractors

Letting Date For September - September 23, 2025

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR SEPTEMBER - Tuesday, September 23, 2025

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON AUGUST 4, 2025

Proposals must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: **Contract Administration Division** Jackson, MS


Telephone: (601) 359-7700

Plans must be purchased online at: https://shop.mdot.ms.gov For Information Please Contact: MDOT Plans Print Shop Jackson, MS Telephone: (601) 359-7460 e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, September 23, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

LIST OF CONTRACTS FOR SEPTEMBER

CALL CONTRACT COUNTY 01 STP-0019-02(065)/102168301 **LAFAYETTE**



Grade, Drain, Bridge & Pave 4 Lanes on SR 7 from CR 370 to 0.4 miles south of SR 6, known as Federal Aid Project No. STP-0019-02(065) / 102168301 in Lafayette County.

PROJECT COMPLETION: Contractor Determined

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change Roadway Items

| | | | • |
|-----------|-------------|-----------|---|
| 1 | Lump Sum | 201-A001 | Clearing and Grubbing |
| 11 | Acre | 201-B001 | Clearing and Grubbing |
| 1 | Lump Sum | 202-A001 | Removal of Obstructions |
| 14,841 | Square Yard | 202-B004 | Removal of Asphalt Driveways, All Depths |
| 37,082 | Square Yard | 202-B007 | Removal of Asphalt Pavement, All Depths |
| 209 | Linear Feet | 202-B019 | Removal of Box Culvert |
| 3 | Each | 202-B023 | Removal of Bridge |
| 393 | Linear Feet | 202-B039 | Removal of Cable Barrier |
| 1 | Each | 202-B040 | Removal of Cable Barrier Terminal Section |
| 287 | Square Yard | 202-B052 | Removal of Concrete Driveways, All Depths |
| 660 | Square Yard | 202-B059 | Removal of Concrete Median & Island Pavement, All Depths |
| 6,526 | Square Yard | 202-B063 | Removal of Concrete Paved Ditch |
| 2,574 | Square Yard | 202-B073 | Removal of Concrete Pavement, All Depths |
| 252 | Square Yard | 202-B080 | Removal of Concrete Sidewalk |
| 7,457 | Linear Feet | 202-B088 | Removal of Curb & Gutter, All Types |
| 10 | Each | 202-B129 | Removal of Flared End Section, All Sizes |
| 1,965 | Linear Feet | 202-B158 | Removal of Guard Rail, Including Rails, Posts and Terminal Ends |
| 5 | Each | 202-B164 | Removal of Inlet and Junction Box, All Types & Sizes |
| 14 | Each | 202-B178 | Removal of Low Mast Lighting Assembly and Foundation |
| 3,016 | Linear Feet | 202-B191 | Removal of Pipe, 8" And Above |
| 395 | Linear Feet | 202-B204 | Removal of Retaining Wall |
| 795,007 | Cubic Yard | 203-A001 | Unclassified Excavation, FM, AH |
| 1,583,390 | Cubic Yard | 203-EX020 | Borrow Excavation, AH, FME, Class B9 |
| 27,134 | Cubic Yard | 203-G001 | Excess Excavation, FM, AH |

| 10,211 | Cubic Yard | 206-A001 | Structure Excavation |
|---------|-----------------|----------|---|
| 928 | Cubic Yard | 206-B001 | Select Material for Undercuts, Contractor Furnished, FM |
| 48,223 | Square Yard | 209-A005 | Geotextile Stabilization, Type V, Non-Woven |
| 42,091 | Cubic Yard | 211-B001 | Topsoil for Slope Treatment, Contractor Furnished |
| 79 | Ton | 213-C001 | Superphosphate |
| 17,114 | Square Yard | 216-A001 | Solid Sodding |
| 10,362 | Square Yard | 217-A001 | Ditch Liner |
| 346 | Thousand Gallon | 219-A001 | Watering |
| 78 | Acre | 220-A001 | Insect Pest Control |
| 2,477 | Cubic Yard | 221-A001 | Concrete Paved Ditch |
| 156 | Acre | 223-A001 | Mowing |
| 157 | Acre | 225-A001 | Grassing |
| 78 | Ton | 225-B001 | Agricultural Limestone |
| 313 | Ton | 225-C001 | Mulch, Vegetative Mulch |
| 158 | Acre | 226-A001 | Temporary Grassing |
| 17,253 | Square Yard | 229-A001 | Erosion Mat |
| 2,372 | Each | 235-A001 | Temporary Erosion Checks |
| 50 | Each | 236-A008 | Silt Basin, Type D |
| 17,950 | Linear Feet | 237-A002 | Wattles, 20" |
| 17,857 | Linear Feet | 239-A001 | Temporary Slope Drains |
| 4,997 | Linear Feet | 245-A001 | Silt Dike |
| 53,710 | Linear Feet | 246-A001 | Sandbags |
| 7 | Each | 247-A001 | Temporary Stream Diversion |
| 7,560 | Ton | 249-A001 | Riprap for Erosion Control |
| 3,640 | Cubic Yard | 249-B001 | Remove and Reset Riprap |
| 83,689 | Ton | 304-B004 | Granular Material, Class 5, Group D |
| 135,867 | Ton | 304-B008 | Granular Material, Class 9, Group B |
| 160,311 | Square Yard | 307-B003 | 6" Soil-Lime-Water Mixing, Class B |
| 2,164 | Ton | 307-D001 | Lime |
| 40,078 | Gallon | 307-S001 | Bituminous Curing Seal |

| 4,369 | Ton | 308-A001 | Cement |
|---------|-------------|------------|--|
| 259,020 | Square Yard | 308-B002 | Soil-Cement-Water Mixing, Optional Mixers, Base |
| 160,311 | Square Yard | 308-B003 | Soil-Cement-Water Mixing, Optional Mixers, Design Soil |
| 64,755 | Gallon | 308-S001 | Bituminous Curing Seal |
| 92,735 | Square Yard | 406-D001 | Fine Milling of Bituminous Pavement, All Depths |
| 61,519 | Gallon | 407-A001 | Asphalt for Tack Coat |
| 14 | Mile | 423-A001 | Rumble Strips, Ground In |
| 11 | Linear Feet | 501-E001 | Expansion Joints, Without Dowels |
| 376 | Square Yard | 501-K001 | Transverse Grooving |
| 9,500 | Linear Feet | 503-C010 | Saw Cut, Full Depth |
| 641,464 | Pounds | 602-A001 | Reinforcing Steel |
| 104 | Linear Feet | 603-A045 | 24" Steel Pipe, Jacked or Bored |
| 96 | Linear Feet | 603-A046 | 30" Steel Pipe, Jacked or Bored |
| 104 | Linear Feet | 603-A049 | 48" Steel Pipe, Jacked or Bored |
| 4,722 | Linear Feet | 603-ALT003 | 18" Type A Alternate Pipe |
| 552 | Linear Feet | 603-ALT006 | 24" Type A Alternate Pipe |
| 184 | Linear Feet | 603-ALT009 | 30" Type A Alternate Pipe |
| 232 | Linear Feet | 603-ALT011 | 36" Type A Alternate Pipe |
| 40 | Linear Feet | 603-ALT013 | 36" x 23" Type A Alternate Pipe |
| 56 | Linear Feet | 603-ALT017 | 51" x 31" Type A Alternate Pipe |
| 384 | Linear Feet | 603-ALT021 | 73" x 45" Type A Alternate Pipe |
| 4,840 | Linear Feet | 603-CA011 | 18" Reinforced Concrete Pipe, Class III |
| 432 | Linear Feet | 603-CA013 | 18" Reinforced Concrete Pipe, Class IV |
| 2,207 | Linear Feet | 603-CA026 | 24" Reinforced Concrete Pipe, Class III |
| 380 | Linear Feet | 603-CA040 | 30" Reinforced Concrete Pipe, Class III |
| 664 | Linear Feet | 603-CA042 | 30" Reinforced Concrete Pipe, Class IV |
| 136 | Linear Feet | 603-CA048 | 30" Reinforced Concrete Pipe, Class V |
| 16 | Linear Feet | 603-CA055 | 36" Reinforced Concrete Pipe, Class III |
| 96 | Linear Feet | 603-CA066 | 42" Reinforced Concrete Pipe, Class III |
| 744 | Linear Feet | 603-CA068 | 42" Reinforced Concrete Pipe, Class IV |

| 720 | Linear Feet | 603-CA073 | 42" Reinforced Concrete Pipe, Class V, Class B Bedding |
|--------|-------------|-----------|--|
| 240 | Linear Feet | 603-CA076 | 48" Reinforced Concrete Pipe, Class III |
| 328 | Linear Feet | 603-CA084 | 48" Reinforced Concrete Pipe, Class V, Class B Bedding |
| 120 | Linear Feet | 603-CA087 | 54" Reinforced Concrete Pipe, Class III |
| 104 | Linear Feet | 603-CA095 | 54" Reinforced Concrete Pipe, Class V, Class B Bedding |
| 1,600 | Linear Feet | 603-CA099 | 60" Reinforced Concrete Pipe, Class III |
| 48 | Each | 603-CB003 | 18" Reinforced Concrete End Section |
| 31 | Each | 603-CB004 | 24" Reinforced Concrete End Section |
| 13 | Each | 603-CB005 | 30" Reinforced Concrete End Section |
| 2 | Each | 603-CB006 | 36" Reinforced Concrete End Section |
| 14 | Each | 603-CB007 | 42" Reinforced Concrete End Section |
| 5 | Each | 603-CB008 | 48" Reinforced Concrete End Section |
| 2 | Each | 603-CB009 | 54" Reinforced Concrete End Section |
| 9 | Each | 603-CB010 | 60" Reinforced Concrete End Section |
| 224 | Linear Feet | 603-CE002 | 22" x 13" Concrete Arch Pipe, Class A III |
| 32 | Linear Feet | 603-CE008 | 29" x 18" Concrete Arch Pipe, Class A III |
| 128 | Linear Feet | 603-CE013 | 36" x 23" Concrete Arch Pipe, Class A III |
| 488 | Linear Feet | 603-CE034 | 65" x 40" Concrete Arch Pipe, Class A III |
| 3 | Each | 603-CF002 | 22" x 13" Concrete Arch Pipe End Section |
| 2 | Each | 603-CF003 | 29" x 18" Concrete Arch Pipe End Section |
| 3 | Each | 603-CF004 | 36" x 23" Concrete Arch Pipe End Section |
| 4 | Each | 603-CF008 | 65" x 40" Concrete Arch Pipe End Section |
| 1,952 | Pounds | 604-A001 | Castings |
| 13,100 | Pounds | 604-B001 | Gratings |
| 605 | Square Yard | 605-AA001 | Geotextile for Subsurface Drainage, Type III |
| 1,088 | Linear Feet | 605-O002 | 4" Perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 132 | Linear Feet | 605-P002 | 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5 |
| 40 | Cubic Yard | 605-W001 | Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM |
| 162 | Each | 606-A003 | Guard Posts |
| 2,463 | Linear Feet | 606-B001 | Guard Rail, Class A, Type 1 |

| 2 | Each | 606-C003 | Guard Rail, Cable Anchor, Type 1 |
|--------|-------------|-----------|--|
| 24 | Each | 606-D022 | Guard Rail, Bridge End Section, Type I |
| 24 | Each | 606-E005 | Guard Rail, Terminal End Section, Flared |
| 140 | Linear Feet | 609-B002 | Concrete Curb, Header |
| 1,654 | Linear Feet | 609-B003 | Concrete Curb, Special Design |
| 11,677 | Linear Feet | 609-D003 | Combination Concrete Curb and Gutter Type 2 |
| 2,171 | Linear Feet | 609-D004 | Combination Concrete Curb and Gutter Type 2 Modified |
| 380 | Linear Feet | 609-D008 | Combination Concrete Curb and Gutter Type 3A |
| 15,284 | Linear Feet | 609-D012 | Combination Concrete Curb and Gutter Type 3A Modified |
| 3,334 | Linear Feet | 609-D013 | Combination Concrete Curb and Gutter Type 3B |
| 2,165 | Linear Feet | 609-D014 | Combination Concrete Curb and Gutter Type 3B Modified |
| 270 | Linear Feet | 610-A001 | Cable Barrier |
| 1 | Each | 610-B001 | Cable Barrier Terminal Section |
| 100 | Cubic Yard | 612-A001 | Flowable Fill, Excavatable |
| 7 | Each | 613-D003 | Adjustment of Inlet |
| 3,025 | Square Yard | 614-A001 | Concrete Driveway, Without Reinforcement |
| 564 | Linear Feet | 615-A011 | Concrete Type I Cast-in-Place Median Barrier, 42" High |
| 1,110 | Linear Feet | 615-A024 | Concrete Bridge End Barrier, 37.5" |
| 7,375 | Square Yard | 616-A001 | Concrete Median and/or Island Pavement, 10-inch |
| 2,956 | Square Yard | 616-A004 | Concrete Median and/or Island Pavement, 4-inch |
| 338 | Each | 617-A001 | Right-of-Way Marker |
| 17 | Mile | 619-A1001 | Temporary Traffic Stripe, Continuous White |
| 17 | Mile | 619-A2001 | Temporary Traffic Stripe, Continuous Yellow |
| 14 | Mile | 619-A3001 | Temporary Traffic Stripe, Skip White |
| 93,086 | Linear Feet | 619-A5001 | Temporary Traffic Stripe, Detail |
| 4,643 | Linear Feet | 619-A6002 | Temporary Traffic Stripe, Legend |
| 75 | Each | 619-C9001 | One-Way Yellow Reflective High Performance Raised Marker |
| 121 | Square Feet | 619-D1001 | Standard Roadside Construction Signs, Less than 10 Square Feet |
| 4,179 | Square Feet | 619-D2001 | Standard Roadside Construction Signs, 10 Square Feet or More |

| 894 | Each | 619-D3001 | Remove and Reset Signs, All Sizes |
|-------|-------------|-----------|---|
| 1 | Each | 619-E1001 | Flashing Arrow Panel, Type C |
| 478 | Linear Feet | 619-F1001 | Concrete Median Barrier, Precast |
| 88 | Each | 619-F3001 | Delineators, Guard Rail, White |
| 66 | Each | 619-F3002 | Delineators, Guard Rail, Yellow |
| 246 | Linear Feet | 619-G4001 | Barricades, Type III, Double Faced |
| 3,342 | Linear Feet | 619-G4005 | Barricades, Type III, Single Faced |
| 203 | Each | 619-G5001 | Free Standing Plastic Drums |
| 33 | Each | 619-G7001 | Warning Lights, Type "B" |
| 38 | Each | 619-G8001 | Warning Lights, Type "C" |
| 3 | Each | 619-J1002 | Impact Attenuator, 45 MPH |
| 3 | Each | 619-J2002 | Impact Attenuator, 45 MPH, Replacement Package |
| 1 | Lump Sum | 620-A001 | Mobilization |
| 1 | Each | 621-A001 | Field Laboratory |
| 2 | Each | 629-A004 | Vehicular Impact Attenuator, 60 MPH |
| 2 | Each | 629-B001 | Median Barrier End Section |
| 485 | Square Feet | 630-A001 | Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness |
| 2,378 | Square Feet | 630-A003 | Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness |
| 438 | Square Feet | 630-B002 | Interstate Directional Signs, Bolted Extruded Aluminum Panels, Ground Mounted |
| 855 | Linear Feet | 630-C001 | Square Tube Posts, 4.0 lb/ft |
| 3,481 | Linear Feet | 630-C005 | Square Tube Posts, 2.0 lb/ft |
| 193 | Linear Feet | 630-D010 | Structural Steel Beams, W8 x 21 |
| 182 | Pounds | 630-E001 | Structural Steel Angles & Bars, 3 1/2" x 3 1/2" x 1/4" Angles |
| 204 | Pounds | 630-E005 | Structural Steel Angles & Bars, Aluminum Unistrut |
| 88 | Each | 630-F006 | Delineators, Guard Rail, White |
| 66 | Each | 630-F007 | Delineators, Guard Rail, Yellow |
| 12 | Each | 630-F009 | Delineators, Median Barrier Mounted, Type I, Yellow |
| 68 | Each | 630-F010 | Delineators, Post Mounted, Double White |
| 8 | Each | 630-F011 | Delineators, Post Mounted, Double Yellow |
| 65 | Each | 630-F012 | Delineators, Post Mounted, Single White |

| 13 | Each | 630-F013 | Delineators, Post Mounted, Single Yellow |
|---------|-------------|--------------|--|
| 20 | Each | 630-G005 | Type 3 Object Markers, OM-3R or OM-3L, Post Mounted |
| 16 | Each | 635-A059 | Traffic Signal Head, Type 1 |
| 4 | Each | 635-A060 | Traffic Signal Head, Type 1A |
| 11 | Each | 635-A061 | Traffic Signal Head, Type 2 |
| 6 | Each | 635-A063 | Traffic Signal Head, Type 2R |
| 2 | Each | 635-A069 | Traffic Signal Head, Type 2U |
| 1 | Lump Sum | 647-A001 | Removal of Existing Traffic Signal Equipment |
| 500 | Linear Feet | 682-A028 | Underground Branch Circuit, AWG 4, 3 Conductor |
| 2 | Each | 682-E003 | Underground Junction Box With Concrete Pad |
| 16 | Cubic Yard | 684-A003 | Pole Foundation, 24" Diameter |
| 18 | Linear Feet | 684-B003 | Slip Casing, 24" Diameter |
| 1 | Lump Sum | 699-A001 | Roadway Construction Stakes |
| 19,110 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 8,003 | Square Yard | 815-E001 | Geotextile under Riprap |
| 2,190 | Ton | 815-F002 | Sediment Control Stone |
| 141,050 | Linear Feet | 907-234-A001 | Temporary Silt Fence |
| 35 | Each | 907-234-D001 | Inlet Siltation Guard |
| 35 | Each | 907-234-E001 | Reset Inlet Siltation Guard |
| 8,778 | Linear Feet | 907-253-A001 | Coir Fiber Baffle |
| 26,616 | Ton | 907-403-A002 | 12.5-mm, MT, Asphalt Pavement |
| 3,837 | Ton | 907-403-A003 | 12.5-mm, ST, Asphalt Pavement |
| 31,152 | Ton | 907-403-A005 | 19-mm, MT, Asphalt Pavement |
| 36,934 | Ton | 907-403-A006 | 19-mm, ST, Asphalt Pavement |
| 27,193 | Ton | 907-403-A014 | 9.5-mm, MT, Asphalt Pavement |
| 641 | Ton | 907-403-A015 | 9.5-mm, ST, Asphalt Pavement |
| 106 | Ton | 907-403-B002 | 12.5-mm, MT, Asphalt Pavement, Leveling |
| 1,200 | Linear Feet | 907-413-E001 | Sawing and Sealing Transverse Joints in Asphalt Pavement |
| 497 | Square Yard | 907-501-A001 | 6" Reinforced Cement Concrete Pavement, Broom Finish |
| 2,739 | Square Yard | 907-502-A001 | Reinforced Cement Concrete Bridge End Pavement |

| 3,416 | Cubic Yard | 907-601-A001 | Class "B" Structural Concrete |
|--------|-------------|---------------|---|
| 224 | Cubic Yard | 907-601-B001 | Class "B" Structural Concrete, Minor Structures |
| 1 | Lump Sum | 907-618-A001 | Maintenance of Traffic |
| 5 | Each | 907-619-E3001 | Changeable Message Sign |
| 15 | Mile | 907-626-A007 | 6" Thermoplastic Double Drop Traffic Stripe, Skip White |
| 17 | Mile | 907-626-C012 | 6" Thermoplastic Double Drop Edge Stripe, Continuous White |
| 2 | Mile | 907-626-E003 | 6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow |
| 11 | Mile | 907-626-F003 | 6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow |
| 99,874 | Linear Feet | 907-626-G006 | Thermoplastic Double Drop Detail Stripe, White |
| 38,329 | Linear Feet | 907-626-G007 | Thermoplastic Double Drop Detail Stripe, Yellow |
| 5,862 | Square Feet | 907-626-H006 | Thermoplastic Double Drop Legend, White |
| 1,753 | Linear Feet | 907-626-H007 | Thermoplastic Double Drop Legend, White |
| 547 | Each | 907-627-J001 | Two-Way Clear Reflective High Performance Raised Markers |
| 3,668 | Each | 907-627-K001 | Red-Clear Reflective High Performance Raised Markers |
| 514 | Each | 907-627-L001 | Two-Way Yellow Reflective High Performance Raised Markers |
| 3 | Each | 907-632-A007 | Solid State Traffic Cabinet Assembly, Type III Cabinet, Type 1 Controller |
| 3 | Each | 907-632-J001 | Power Service Pedestal |
| 1 | Each | 907-634-A042 | Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 30' Arm |
| 3 | Each | 907-634-A044 | Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 40' Arm |
| 2 | Each | 907-634-A045 | Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 45' Arm |
| 3 | Each | 907-634-A047 | Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 55' Arm |
| 1 | Each | 907-634-A048 | Traffic Signal Equipment Pole, Type II(L), 30' Shaft, 60' Arm |
| 1 | Each | 907-634-A247 | Traffic Signal Equipment Pole, Type III(L), 30' Shaft, 35' & 60' Arm |
| 10 | Each | 907-634-A539 | Traffic Signal Equipment Pole, Type V, 10' Shaft |
| 34 | Cubic Yard | 907-634-C001 | Pole Foundations, Class "B" Concrete |
| 2,688 | Linear Feet | 907-636-B003 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 10, 2 Conductor |
| 10,026 | Linear Feet | 907-636-B016 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 14, 8 Conductor |
| 742 | Linear Feet | 907-636-B028 | Electric Cable, Underground in Conduit, IMSA 20-1, AWG 8, 3 Conductor |
| 22 | Each | 907-637-A002 | Pullbox Enclosure, Type 2 |
| 4 | Each | 907-637-A003 | Pullbox Enclosure, Type 3 |

| | Linear Feet | 907-637-C028 | Traffic Signal Conduit, Underground, Type 4, 2" |
|--|--|--|--|
| 1,562 | Linear Feet | 907-637-C030 | Traffic Signal Conduit, Underground, Type 4, 3" |
| 1,148 | Linear Feet | 907-637-D003 | Traffic Signal Conduit, Underground Drilled or Jacked, Rolled Pipe, 3" |
| 11 | Each | 907-641-A002 | Signal Stop Bar Radar Vehicle Detection Sensor, Type 2 |
| 6 | Each | 907-641-B002 | Signal Advanced Radar Vehicle Detection Sensor, Type 2 |
| 6,645 | Linear Feet | 907-641-D001 | Radar Vehicle Detection Cable |
| 3 | Each | 907-641-F002 | Signal Radar Vehicle Detection Processor, Type 2 |
| 2 | Each | 907-650-A004 | On Street Video Equipment, PTZ Type, Signal Monitoring |
| 170 | Square Feet | 907-653-A001 | Traffic Sign |
| 116 | Square Feet | 907-653-B001 | Street Name Sign |
| 2 | Each | 907-662-D002 | Radio Interconnect, Broadband, Short Range |
| 3 | Each | 907-663-A006 | Network Switch, Type F |
| 4 | Each | 907-683-PP001 | Lighting Assembly, Per Plans |
| 981 | Square Feet | 907-809-A005 | Retaining Wall System, Temporary Shoring |
| 1,040 | Hours | 907-906001 | Trainees |
| | | | ALTERNATE GROUP AA NUMBER 1 |
| 23,650 | Ton | 304-F001 | 3/4" and Down Crushed Stone Base |
| | | | ALTERNATE GROUP AA NUMBER 2 |
| 23,650 | Ton | 304-F002 | Size 610 Crushed Stone Base |
| | | | |
| | | | ALTERNATE GROUP AA NUMBER 3 |
| 23,650 | Ton | 304-F003 | |
| 23,650 | Ton | | ALTERNATE GROUP AA NUMBER 3 |
| , | Ton Cubic Yard | | ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 |
| , | | 304-F003 | ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 |
| 524 | | 304-F003 | ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM |
| 524 | Cubic Yard | 304-F003 605-W002 | ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM ALTERNATE GROUP BB NUMBER 2 |
| 524 524 | Cubic Yard | 304-F003 605-W002 | ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM ALTERNATE GROUP BB NUMBER 2 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM |
| 524 524 18,182 | Cubic Yard Cubic Yard | 304-F003 605-W002 605-W003 501-K001 | ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM ALTERNATE GROUP BB NUMBER 2 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM Bridge Items |
| 524 524 18,182 3,660 | Cubic Yard Cubic Yard Square Yard | 304-F003 605-W002 605-W003 501-K001 803-D007 | ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM ALTERNATE GROUP BB NUMBER 2 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM Bridge Items Transverse Grooving |
| 524 524 18,182 3,660 1,840 | Cubic Yard Cubic Yard Square Yard Linear Feet | 304-F003 605-W002 605-W003 501-K001 803-D007 803-P003 | ALTERNATE GROUP AA NUMBER 3 Size 825B Crushed Stone Base ALTERNATE GROUP BB NUMBER 1 Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM ALTERNATE GROUP BB NUMBER 2 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM Bridge Items Transverse Grooving HP 14 x 89 Steel Piling |

| 11,885 | Linear Feet | 803-P010 | 20" Steel Pipe Piling, Wall Thickness 0.625" |
|-----------|-------------|--------------|--|
| 15,175 | Linear Feet | 803-P015 | 24" Steel Pipe Piling, Wall Thickness 0.625" |
| 1,314 | Linear Feet | 804-C186 | 110' Prestressed Concrete Beam, Type FIB-45 |
| 15,369 | Linear Feet | 804-C188 | 80' Prestressed Concrete Beam, Type FIB-36 |
| 595 | Linear Feet | 804-C192 | 100' Prestressed Concrete Beam, Type FIB-36 |
| 835 | Linear Feet | 804-C196 | 140' Prestressed Concrete Beam, Type FIB-63 |
| 1,114 | Linear Feet | 804-C200 | 75' Prestressed Concrete Beam, Type FIB-36 |
| 2,453 | Linear Feet | 804-C201 | 95' Prestressed Concrete Beam, Type FIB-36 |
| 895 | Linear Feet | 804-C207 | 150' Prestressed Concrete Beam, Type FIB-63 |
| 1,428 | Linear Feet | 804-C208 | 60' Prestressed Concrete Beam, Type FIB-36 |
| 1,315 | Linear Feet | 804-C272 | 102' Prestressed Concrete Beam, Type FIB-45 |
| 1,762,719 | Pounds | 805-A001 | Reinforcement |
| 62,348 | Pounds | 805-C001 | Reinforcement, Corrosion Resistant |
| 8,334 | Linear Feet | 813-A004 | Concrete Railing, 36" |
| 3,199 | Ton | 815-A002 | Loose Riprap, Size 100 |
| 37,122 | Ton | 815-A007 | Loose Riprap, Size 300 |
| 33,507 | Square Yard | 815-E001 | Geotextile under Riprap |
| 11 | Each | 907-803-B001 | Conventional Static Pile Load Test |
| 1 | Each | 907-803-1003 | PDA Test Pile, HP Steel Pile |
| 23 | Each | 907-803-1004 | PDA Test Pile, Steel Pipe Pile |
| 24 | Each | 907-803-J001 | Pile Restrike |
| 5,635 | Cubic Yard | 907-804-A001 | Bridge Concrete, Class BDX |
| 2,718 | Cubic Yard | 907-804-A002 | Bridge Concrete, Class AA |
| 6,305 | Square Feet | 907-809-A001 | Retaining Wall System |
| 738 | Linear Feet | 907-823-A001 | Preformed Joint Seal, Type I |
| 416 | Linear Feet | 907-823-A002 | Preformed Joint Seal, Type II |

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at https://shop.mdot.ms.gov. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE EXECUTIVE DIRECTOR