

Proposal & Plan Sales Will Begin on October 6, 2025



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For October - October 28, 2025

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR OCTOBER - Tuesday, October 28, 2025

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON OCTOBER 6, 2025

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, October 28, 2025; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR OCTOBER

CALL	CONTRACT	COUNTY
01	NHPP-0009-01(157)/109668301	ADAMS
02	NHPP-0014-02(096)/109667301	WALTHALL
*	03 STBG-0016-01(037)/109673301	MONROE
*	04 IM-0020-01(292)/109971301	HINDS
*	05 NHPP-0080-01(021)/109463301	FORREST
	06 STBG-0400-00(046) /106110301	WARREN
*	07 STBG-0674-00(004)/109679301	NOXUBEE
*	08 HRRR-0752-00(005)/110033301 & HRRR-0752-00(005)/110033302	CHOCTAW, LOWNDES
*	09 HRRR-1515-00(014)/110035301 & HRRR-1515-00(014)/110035302	HOLMES, YAZOO
*	10 HRRR -1924-00(003)/110031301	TATE
*	11 HRRR-2837-00(005)/110032301	ITAWAMBA
	12 BR-2904-00(018)/107643302	RANKIN
	13 STBG-7903-00(002)/109695301 & STBG-0914-00(041)/109696301 & NHPP-0006-01(107)/109698301 & NHPP-0006-01(108)/109699301	DESOTO, MARSHALL, DESOTO
	14 STBG-9999-01(414)/109730301 & STBG-9999-01(414)/109730301	LOWNDES
*	15 SP-0013-03(030)/109002301	SMITH

CALL No. 01

Bridge Repair on US 61 over St. Catherine Creek (Bridge Nos. 49.5A & 49.5B), known as Federal Aid Project No. NHPP-0009-01(157) / 109668301 in Adams County.

PROJECT COMPLETION: 57 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

650	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,400	Linear Feet	202-B240	Removal of Traffic Stripe
1,172	Square Yard	216-A001	Solid Sodding
178	Square Yard	217-A001	Ditch Liner
25	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
1	Acre	225-A001	Grassing
2	Ton	225-B001	Agricultural Limestone
1	Ton	225-C001	Mulch, Vegetative Mulch
650	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D017	Guard Rail, Bridge End Section, Type G
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
900	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
900	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
900	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
48	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
12	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
75	Linear Feet	907-234-F001	Turbidity Barrier
163	Square Yard	907-240-A001	Interlocking Flexible Block Erosion Control System

1	Lump Sum	907-618-A001	Maintenance of Traffic
900	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
900	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
900	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
20	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

Bridge Items

1,987	Ton	815-A007	Loose Riprap, Size 300
1,542	Square Yard	815-E001	Geotextile under Riprap
3,438	Square Yard	907-417-A001	Polymer Cement Surface System
10,000	Pounds	907-420-A001	Undersealing
1,620	Linear Feet	907-808-A002	Joint Repair
450	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
360	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
900	Linear Feet	907-823-B001	Saw Cut, Type I
720	Linear Feet	907-823-B002	Saw Cut, Type II
28	Square Feet	907-824-A003	General Epoxy Repair
14	Each	907-824-C001	Cap Cleaning
1,608	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish
1,608	Linear Feet	907-824-PP008	Bridge Repair, Rail Cleaning

CALL No. 02

Bridge Repair on US 98 Magees Creek and Relief Bridges Nos. 99.0, 99.0B, 99.1 & 99.1B, known as Federal Aid Project No. NHPP-0014-02(096) / 109667301 in Walthall County.

PROJECT COMPLETION: JULY 17, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,600	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
800	Linear Feet	606-B001	Guard Rail, Class A, Type 1
8	Each	606-D001	Guard Rail, Bridge End Section
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
1,130	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,130	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,130	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
72	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
192	Linear Feet	619-G4005	Barricades, Type III, Single Faced
82	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
40	Each	630-F006	Delineators, Guard Rail, White
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	907-618-A001	Maintenance of Traffic
1,130	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,130	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
1,130	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
15	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers

Bridge Items

12,272	Ton	815-A009	Loose Riprap, Size 500
7,133	Square Yard	815-E001	Geotextile under Riprap
4,135	Square Yard	907-417-A001	Polymer Cement Surface System
8,356	Pounds	907-420-A001	Undersealing
1,458	Linear Feet	907-808-A002	Joint Repair

729	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
810	Linear Feet	907-823-B001	Saw Cut, Type I
22	Each	907-824-C001	Cap Cleaning
24	Each	907-824-D001	Bearing Replacements
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping
1,860	Linear Feet	907-824-PP008	Bridge Repair, Class 2, Spray Finish, Per Plans

CALL No. 03

Bridge Repair on US 278 over the Buttahatchie River (Bridge No. 21.6) known as Federal Aid Project No. STBG-0016-01(037) / 109673301 in Monroe County.

PROJECT COMPLETION: 70 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,200	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
770	Linear Feet	619-A4007	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape
192	Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
28	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
152	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
31	Each	619-G5001	Free Standing Plastic Drums
14	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
770	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
770	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

3,762	Square Yard	907-417-A001	Polymer Cement Surface System
2,000	Pounds	907-420-A001	Undersealing
716	Linear Feet	907-808-A002	Joint Repair
91	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
178	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
89	Linear Feet	907-823-A003	Preformed Joint Seal, Type III
182	Linear Feet	907-823-B001	Saw Cut, Type I
356	Linear Feet	907-823-B002	Saw Cut, Type II
178	Linear Feet	907-823-B003	Saw Cut, Type III

2	Square Feet	907-824-A003	General Epoxy Repair
200	Square Feet	907-824-B004	FRP Wrap, Uni-directional
6	Each	907-824-C001	Cap Cleaning
1,539	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish, Per Plans

CALL No. 04

Mill & Overlay approximately 6 miles on I-20 from Clinton to MS 18, known as Federal Aid Project No. IM-0020-01(292) / 109971301 in Hinds County.

PROJECT COMPLETION: JULY 31, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

562	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
403	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
23	Square Yard	202-B063	Removal of Concrete Paved Ditch
5,119	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
3	Each	202-B162	Removal of Impact Attenuator
39	Square Feet	202-B172	Removal of Legend, All Types
10,460	Linear Feet	202-B240	Removal of Traffic Stripe
34	Cubic Yard	203-G002	Excess Excavation, LVM, AH
2,257	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3	Cubic Yard	221-A001	Concrete Paved Ditch
1,307	Ton	304-B003	Granular Material, Class 5, Group C
490	Ton	304-D002	Granular Material, Crushed Stone
306,159	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
30,499	Gallon	407-A001	Asphalt for Tack Coat
644	Linear Feet	413-D002	Cleaning and Filling Joints
22	Mile	423-A001	Rumble Strips, Ground In
5,963	Linear Feet	503-C010	Saw Cut, Full Depth
3,857	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
9	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D009	Guard Rail, Bridge End Section, Type C
5	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
3	Each	606-D019	Guard Rail, Bridge End Section, Type H
3	Each	606-D022	Guard Rail, Bridge End Section, Type I
13	Each	606-E005	Guard Rail, Terminal End Section, Flared
11	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared

33	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
32	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
30	Mile	619-A3001	Temporary Traffic Stripe, Skip White
102,716	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,950	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
6,400	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
360	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
3	Each	629-A005	Vehicular Impact Attenuator, 70 MPH
161	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
96	Each	630-F006	Delineators, Guard Rail, White
84	Each	630-F007	Delineators, Guard Rail, Yellow
23	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
6	Mile	907-201-D001	Random Clearing
7,573	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
322	Ton	907-403-E001	12.5-mm, HT, Asphalt Pavement, Polymer Modified, Leveling
59	Mile	907-403-S001	Joint Sealant
17,510	Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
644	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
24,610	Gallon	907-410-D001	Asphalt for Rejuvenating Fog Seal, Grade CMS-1PF
1	Lump Sum	907-618-A001	Maintenance of Traffic
760	Hours	907-618-M2001	Work Zone Law Enforcement
15	Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
17	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
16	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
45,808	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
5,550	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,950	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White

3,200	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
6,532	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,538	Each	907-627-K002	Red-Yellow Reflective High Performance Raised Markers
1,080	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
520	Hours	907-906001	Trainees

CALL No. 05

Mill, Level & Overlay approximately 4 miles of US 49 from US 11 to beginning of divided section at I-59, known as Federal Aid Project No. NHPP-0080-01(021) / 109463301 in Forrest County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

8	Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
850	Linear Feet	202-B136	Removal of Guard Rail
27,530	Linear Feet	202-B240	Removal of Traffic Stripe
2	Cubic Yard	203-G001	Excess Excavation, FM, AH
168,043	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,976	Gallon	407-A001	Asphalt for Tack Coat
12	Linear Feet	503-B001	Saw Cut, Longitudinal Joints
24	Linear Feet	503-C010	Saw Cut, Full Depth
690	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
1	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
4	Each	606-D001	Guard Rail, Bridge End Section
3	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
10	Linear Feet	609-B002	Concrete Curb, Header
20	Linear Feet	609-D001	Combination Concrete Curb and Gutter Type 1
15	Linear Feet	609-D006	Combination Concrete Curb and Gutter Type 3
1	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A3001	Temporary Traffic Stripe, Skip White
46,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,000	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
7,800	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
35	Each	630-F006	Delineators, Guard Rail, White

20 Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
20 Ton	907-403-A004	19-mm, HT, Asphalt Pavement
20 Ton	907-403-A006	19-mm, ST, Asphalt Pavement
10,841 Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
10,611 Ton	907-405-A001	Stone Matrix Asphalt, 9.5 mm Mixture
22,520 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
5 Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1 Lump Sum	907-618-A001	Maintenance of Traffic
600 Hours	907-618-M2001	Work Zone Law Enforcement
1 Each	907-619-E4001	Portable Radar Display
7 Mile	907-626-A007	6" Thermoplastic Double Drop Traffic Stripe, Skip White
2 Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
15 Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
10 Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
5 Mile	907-626-F003	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
31,500 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
15,300 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,000 Square Feet	907-626-H009	Thermoplastic Legend, White
7,800 Linear Feet	907-626-H010	Thermoplastic Legend, White
555 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,460 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,530 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
8,140 Linear Feet	907-628-K003	High Performance Cold Plastic Detail Stripe, White
4,440 Linear Feet	907-628-K004	High Performance Cold Plastic Detail Stripe, Yellow
1,900 Linear Feet	907-628-L003	High Performance Cold Plastic Legend, White
655 Square Feet	907-628-L004	High Performance Cold Plastic Legend, White
ALTERNATE GROUP AA NUMBER 1		
1,000 Ton	304-D001	Granular Material, Crushed Concrete
ALTERNATE GROUP AA NUMBER 2		
1,000 Ton	304-F002	Size 610 Crushed Stone Base

ALTERNATE GROUP AA NUMBER 3

1,000	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

4,760	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,500	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
3,900	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

4,760	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,500	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
3,900	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

Bridge Replacement on SR 465 (Bridge No.15.7), known as Federal Aid Project No. STBG-0400-00(046) / 106110301 in Warren County.

PROJECT COMPLETION: 262 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,477	Square Yard	501-K001	Transverse Grooving
2,005	Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,880	Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"
1,193	Linear Feet	804-C188	80' Prestressed Concrete Beam, Type FIB-36
995	Linear Feet	804-C192	100' Prestressed Concrete Beam, Type FIB-36
137,144	Pounds	805-A001	Reinforcement
5,191	Pounds	805-C001	Reinforcement, Corrosion Resistant
886	Linear Feet	813-A004	Concrete Railing, 36"
698	Ton	815-A007	Loose Riprap, Size 300
644	Square Yard	815-E001	Geotextile under Riprap
1	Each	907-803-B001	Conventional Static Pile Load Test
6	Each	907-803-I004	PDA Test Pile, Steel Pipe Pile
6	Each	907-803-J001	Pile Restrike
463	Cubic Yard	907-804-A001	Bridge Concrete, Class BDx
149	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
98	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1	Acre	201-B001	Clearing and Grubbing
5,885	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1	Each	202-B023	Removal of Bridge
522	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
235	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1	Mile	202-B241	Removal of Traffic Stripe
4,554	Cubic Yard	203-A001	Unclassified Excavation, FM, AH

15,178	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
4,443	Cubic Yard	203-G001	Excess Excavation, FM, AH
231	Cubic Yard	206-A001	Structure Excavation
18,022	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
750	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
3	Ton	213-C001	Superphosphate
73	Square Yard	216-A001	Solid Sodding
504	Square Yard	217-A001	Ditch Liner
2	Thousand Gallon	219-A001	Watering
3	Acre	220-A001	Insect Pest Control
8	Cubic Yard	221-A001	Concrete Paved Ditch
23	Acre	223-A001	Mowing
223	Square Yard	224-A001	Soil Reinforcing Mat
6	Acre	225-A001	Grassing
11	Ton	225-B001	Agricultural Limestone
11	Ton	225-C001	Mulch, Vegetative Mulch
6	Acre	226-A001	Temporary Grassing
300	Linear Feet	237-A002	Wattles, 20"
80	Linear Feet	245-A001	Silt Dike
150	Each	246-B001	Rockbags
60	Ton	249-A001	Riprap for Erosion Control
856	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1,702	Gallon	407-A001	Asphalt for Tack Coat
1	Mile	423-A001	Rumble Strips, Ground In
32	Square Yard	501-K001	Transverse Grooving
505	Linear Feet	503-C010	Saw Cut, Full Depth
32	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
296	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
192	Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
4	Each	603-CB004	24" Reinforced Concrete End Section

87	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
156	Linear Feet	605-T001	4" Perforated Pipe for Underdrains
36	Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
6	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
175	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
485	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
19	Each	617-A001	Right-of-Way Marker
7,552	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,842	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,280	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
573	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
620	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
87	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
559	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
348	Linear Feet	619-G4005	Barricades, Type III, Single Faced
97	Each	619-G5001	Free Standing Plastic Drums
2	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
23	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
39	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
16	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
84	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
16	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
100	Ton	815-A007	Loose Riprap, Size 300

113	Square Yard	815-E001	Geotextile under Riprap
50	Ton	815-F002	Sediment Control Stone
4	Each	907-207-A001	Settlement Plate
2,580	Linear Feet	907-234-A001	Temporary Silt Fence
1,024	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
2,063	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
1,104	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
17	Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
56	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
204	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
6,842	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
3,285	Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
1,828	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,390	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
604	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
106	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
82	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

8,650	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

8,650	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

8,650	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

89	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

89	Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----	------------	----------	--

CALL No. 07

Bridge Repair on SR 145 over the Noxubee River Relief (Bridge No. 131.1), known as Federal Aid Project No. STBG-0674-00(004) / 109679301 in Noxubee County.

PROJECT COMPLETION: 97 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

800	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
1	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
554	Linear Feet	907-808-A003	Joint Repair Without Epoxy
277	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
554	Linear Feet	907-823-B001	Saw Cut, Type I
110	Square Feet	907-824-A003	General Epoxy Repair
33	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
34	Each	907-824-PP006	Bridge Repair, Beam Repair
3	Each	907-824-PP006	Bridge Repair, Installation of Saddles
22	Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay
1	Lump Sum	907-845-A001	Coating Existing Structural Steel

Roadway Items

1	Lump Sum	201-A001	Clearing and Grubbing
1,195	Linear Feet	202-B240	Removal of Traffic Stripe
598	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
598	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
8	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
347	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
114	Linear Feet	619-G4001	Barricades, Type III, Double Faced
15	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-E3001	Changeable Message Sign
598	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White

598 Linear Feet

907-626-D004 6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow

8 Each

907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 08

Audible Thermoplastic Pavement Markings, Thermoplastic Pavement Markings & Raised Pavement Markers beginning approximately 7 miles on MS 413 from MS 12 to West of McCool Road in French Camp & approximately 5 miles on MS 50 from Lindy Drive to Alabama State Line, known as Federal Aid Project Nos. HRRR-0752-00(005) / 110033301 & HRRR-0752-00(005) / 110033302 in Choctaw & Lowndes Counties.

PROJECT COMPLETION: 50 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
56	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
315	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
435	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
24	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
24	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
5	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
17	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
4,900	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,650	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
3,000	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
910	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,900	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,050	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

CALL No. 09

Placement of Audible Stripe on MS 433 from Yazoo County Line to Ebenezer-Coxburg Road in Benton and from Old Highway 16 to the Holmes County Line, known as Federal Aid Project Nos. HRRR-1515-00(014) / 110035301,302 in Holmes and Yazoo Counties

PROJECT COMPLETION: 28 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

800	Linear Feet	202-B240	Removal of Traffic Stripe
2	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
127	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
180	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
845	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
31	Mile	907-626-B004	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
31	Mile	907-626-C003	Thermoplastic Audible Edge Stripe
8	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
17	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
3,400	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,450	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 10

Placement of Audible Stripe on MS 4 from MS 3 to Matthew Drive in Senatobia, known as Federal Project No. HRRR-1924-00(003) / 110031301 in Tate County.

PROJECT COMPLETION: 23 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
8	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
25	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
10	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,050	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 11

Install Center Audible Stripe, Replace Curve & Intersection Warning Signs, Refresh Striping & install Raised Pavement Markers on MS 23 from School Loop Drive in Tremont to the Alabama State Line, known as Federal Aid Project No. HRRR-2837-00(005)/110032301 in Itawamba County.

PROJECT COMPLETION: 45 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
165	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
145	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
11	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
13	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
35	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
11	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
13	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
7,272	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
2,015	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
2,437	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
405	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,730	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,845	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

425	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,397	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
140	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

425	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,397	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
140	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 12

Bridge Replacement on US 80 (Bridge Nos. 56.8A & 56.8B) at CPKC Railroad, known as Federal Aid Project No. BR-2904-00(018) / 107643302 in Rankin County.

PROJECT COMPLETION: MAY 14, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Acre	201-B001	Clearing and Grubbing
1,946 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B023	Removal of Bridge
670 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,210 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
312 Linear Feet	202-B132	Removal of Gravity Sewer Line, All Sizes, All Types
1 Each	202-B133	Removal of Gravity Sewer Manhole, All Sizes, All Types
93 Linear Feet	202-B147	Removal of Guard Rail Double Faced Rail Including Rail & Posts
326 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2 Each	202-B259	Removal of and Replacement of Low Mast Lighting Assembly
100 Cubic Yard	203-B001	Rock Excavation, FM, AH
2,702 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
3,110 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
70 Cubic Yard	203-G001	Excess Excavation, FM, AH
6,010 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2 Ton	213-A001	Agricultural Limestone
1 Ton	213-C001	Superphosphate
2 Ton	215-A001	Vegetative Materials for Mulch
136 Square Yard	216-A001	Solid Sodding
3 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
16 Cubic Yard	221-A001	Concrete Paved Ditch
1 Acre	223-A001	Mowing
1 Acre	225-A001	Grassing
1 Acre	226-A001	Temporary Grassing

206	Linear Feet	237-A002	Wattles, 20"
200	Linear Feet	245-A001	Silt Dike
270	Linear Feet	246-A001	Sandbags
30	Ton	249-A001	Riprap for Erosion Control
500	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
1,686	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
390	Gallon	407-A001	Asphalt for Tack Coat
590	Square Yard	501-K001	Transverse Grooving
96	Linear Feet	503-C010	Saw Cut, Full Depth
883	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
178	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
46	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
8	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
140	Linear Feet	609-B002	Concrete Curb, Header
513	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
857	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
1,050	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,100	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,400	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
2,211	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
423	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
568	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
356	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
309	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
264	Linear Feet	619-G4005	Barricades, Type III, Single Faced
64	Each	619-G5001	Free Standing Plastic Drums

6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
82	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
131	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
7	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,600	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-260-A003	Utility Work - Sewer, Sewer Line Connection
312	Linear Feet	907-260-A004	Utility Work - Sewer, 6" Sewer Pipe
1,143	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
1,000	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
429	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
931	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
120	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
737	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
217	Square Feet	907-616-C001	Colored and Imprinted Concrete Median and Island Pavement, 10-inch Thickness
1,898	Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
1	Lump Sum	907-618-A001	Maintenance of Traffic
7	Each	907-619-E3001	Changeable Message Sign
1,400	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,050	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,100	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,415	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
196	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow

423	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
312	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
79	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
3	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3	Each	907-630-O007	Remove and Reset Signs, Ground Mounted on Round Post(s)
1	Each	907-637-A004	Pullbox Enclosure, Type 4
1	Each	907-637-A005	Pullbox Enclosure, Type 5
355	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
175	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
530	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

1,450	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-------	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

1,450	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-------	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,450	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-------	------------	----------	-----------------------------------

Bridge Items

340	Each	235-A001	Temporary Erosion Checks
798	Ton	249-A001	Riprap for Erosion Control
1,051	Square Yard	501-K001	Transverse Grooving
270	Linear Feet	803-N001	Exploration
403	Linear Feet	804-C264	26' Prestressed Concrete Beam, Type 5B34
1,878	Linear Feet	804-C265	118' Prestressed Concrete Beam, Type 5B34
104,231	Pounds	805-A001	Reinforcement
445	Linear Feet	813-B001	Concrete-Steel Railing
139	Cubic Yard	815-D001	Concrete Slope Paving
1,990	Square Yard	907-228-A003	Erosion Control Blanket, Type III
952	Linear Feet	907-234-C001	Super Silt Fence
1,323	Square Feet	907-616-C004	Colored and Imprinted Concrete Median and Island Pavement, 6-inch Thickness
200	Linear Feet	907-803-K004	Drilled Shaft, 36" Diameter

1,165	Linear Feet	907-803-K006	Drilled Shaft, 48" Diameter
1	Each	907-803-L002	Test Shaft, 48" Diameter
90	Linear Feet	907-803-M005	Trial Shaft, 48" Diameter
473	Cubic Yard	907-804-A002	Bridge Concrete, Class AA
303	Cubic Yard	907-804-A004	Bridge Concrete, Class BD
1	Lump Sum	907-804-PP004	Post Tensioning System
310	Linear Feet	907-823-A001	Preformed Joint Seal, Type I

CALL No. 13

Bridge Repair on Craft Road & Miller Road over US 78 (Bridge Nos. 1.4 & 8.5) & on SR 309 over I-22 (Bridge Nos. 16.0A & 16.0B) & on US 78 over SR 305 (Bridge Nos. 4.3A & 4.3B) & on I-22 over Stonewall Road (Bridge Nos. 13.3A & 13.3B), known as Federal Aid Project Nos. STBG-7903-00(002) / 109695301, STBG-0914-00(041) / 109696301, NHPP-0006-01(107) / 109698301 & NHPP-0006-01(108) / 109699301 in Desoto & Marshall Counties.

PROJECT COMPLETION: 393 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

760	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
750	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Square Feet	618-B001	Additional Construction Signs
3,280	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
3,280	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
3,280	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
1,700	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,700	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
2	Each	619-J1001	Impact Attenuator, 40 MPH
4	Each	619-J1005	Impact Attenuator, 70 MPH
2	Each	619-J2001	Impact Attenuator, 40 MPH, Replacement Package
4	Each	619-J2005	Impact Attenuator, 70 MPH, Replacement Package
5	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
28	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,715	Ton	907-403-D007	9.5-mm, HT, Asphalt Pavement, Polymer Modified
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
4,680	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White

4,680	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
4,680	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
36	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
5	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

15	Square Yard	202-B083	Removal of Concrete Slope Paving
3	Cubic Yard	815-D001	Concrete Slope Paving
8,858	Square Yard	907-202-B001	Removal of Bridge Deck, Hydrodemolition
6,000	Pounds	907-420-A001	Undersealing
592	Cubic Yard	907-804-O001	Bridge Deck Overlay Concrete
1,538	Linear Feet	907-808-A002	Joint Repair
1,786	Linear Feet	907-808-A003	Joint Repair Without Epoxy
1,603	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
66	Linear Feet	907-823-A002	Preformed Joint Seal, Type II
2,040	Linear Feet	907-823-B001	Saw Cut, Type I
132	Linear Feet	907-823-B002	Saw Cut, Type II
203	Square Feet	907-824-A003	General Epoxy Repair
172	Square Feet	907-824-B003	FRP Wrap, Bi-directional
25	Each	907-824-C001	Cap Cleaning
154	Each	907-824-D001	Bearing Replacements
6,357	Square Feet	907-824-PP003	Bridge Repair, Removal of Bridge Deck
1	Each	907-824-PP006	Bridge Repair, Access Door Repair
2,352	Linear Feet	907-824-PP008	Bridge Repair, Class 2 Spray Finish
703	Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair

ALTERNATE GROUP AA NUMBER 1

12	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

12	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

12	Ton	304-F003	Size 825B Crushed Stone Base
----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

1,182 Square Yard

406-A002 Cold Milling of Bituminous Pavement, All Depths

ALTERNATE GROUP BB NUMBER 2

1,182 Square Yard

406-D001 Fine Milling of Bituminous Pavement, All Depths

CALL No. 14

Bridge Repair on Old West Point Road over US 82 (Bridge No. 160.3), known as Federal Aid Project Nos. STBG-9999-01(414) / 1097303010 & 1097303011 in Lowndes County.

PROJECT COMPLETION: 150 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

600	Linear Feet	202-B136	Removal of Guard Rail
942	Linear Feet	202-B240	Removal of Traffic Stripe
513	Ton	304-D002	Granular Material, Crushed Stone
682	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
139	Gallon	407-A001	Asphalt for Tack Coat
300	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D009	Guard Rail, Bridge End Section, Type C
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
2,760	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
2,760	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
200	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
248	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
166	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
22	Each	619-F3001	Delineators, Guard Rail, White
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
108	Linear Feet	619-G4005	Barricades, Type III, Single Faced
20	Each	619-G5001	Free Standing Plastic Drums
22	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
167	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1,601	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
225	Linear Feet	907-606-PP008	Remove and Replace Guard Rail, Blockouts, & Posts
1	Lump Sum	907-618-A001	Maintenance of Traffic

5	Each	907-619-E3001	Changeable Message Sign
400	Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
2,476	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
2,476	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
16	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
5	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
ALTERNATE GROUP AA NUMBER 1			
484	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
484	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP AA NUMBER 2			
484	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
484	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
Bridge Items			
1	Lump Sum	907-824-PP004	Bridge Repair, Bridge Raising
1	Lump Sum	907-824-PP004	Bridge Repair, Remove and Replace Span No. 2

Overlay approximately 6 miles on SR 28 from Mize to Taylorsville, known as Project No. SP-0013-03(030) / 109002301 in Smith County.

PROJECT COMPLETION: 108 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

331	Station	201-D001	Random Clearing
1,991	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
333	Cubic Yard	203-G002	Excess Excavation, LVM, AH
2,347	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,695	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
933	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
19,724	Gallon	407-A001	Asphalt for Tack Coat
588	Square Feet	412-A001	Pre-Grinding
12	Mile	423-A001	Rumble Strips, Ground In
1,476	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
24	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
15	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
7	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
59,342	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
899	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
8,178	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
657	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
9,732	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
836	Ton	907-403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
4,084	Ton	907-411-A001	Ultra Thin Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
12	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White

3	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
7	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
8,819	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
20,853	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
450	Square Feet	907-626-H009	Thermoplastic Legend, White
4,089	Linear Feet	907-626-H010	Thermoplastic Legend, White
547	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
225	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,440	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
10	Each	907-627-P001	Two-Way Blue Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

672	Ton	304-F001	3/4" and Down Crushed Stone Base
-----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

672	Ton	304-F002	Size 610 Crushed Stone Base
-----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

672	Ton	304-F003	Size 825B Crushed Stone Base
-----	-----	----------	------------------------------

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR