

TITLE SHEET


9/3/2025 9:50:11 AM TITLE_SH.dgn

GENERAL INDEX		
INCLUDED THIS PROJECT		BEGIN WITH SHEET
☒ ROADWAY.....	1	
☐ PERMANENT SIGNS.....	1001	
☐ TRAFFIC SIGNALS.....	2001	
☐ ITS COMPONENTS.....	3001	
☐ LIGHTING.....	4001	
☐ (RESERVED).....	5001	
☒ ROADWAY STD. DWGS.....	6001	
☐ BOX CULVERT STD. DWGS (LRFD).....	7001	
☐ BOX CULVERT STD. DWGS (STD. SPEC.)....	7501	
☒ BRIDGE.....	8001	
☐ CROSS SECTIONS.....	9001	

BRIDGE STRUCTURES REQ'D.
NONE

BOX BRIDGES REQ'D.
NONE

CONVENTIONAL SYMBOLS



LENGTH DATA

LENGTH OF ROADWAY	_____ FT.	_____ MI.
LENGTH OF BRIDGES	_____ FT.	_____ MI.
LENGTH OF PROJECT (NET)	_____ FT.	_____ MI.
LENGTH OF EXCEPTIONS	_____ FT.	_____ MI.
LENGTH OF PROJECT (GROSS)	_____ FT.	_____ MI.



STATE OF MISSISSIPPI
MISSISSIPPI DEPARTMENT OF TRANSPORTATION

PLAN AND PROFILE OF
PROPOSED STATE HIGHWAY
STATE PROJECT NO. STBG-9422-00(002)

S. LAMAR BLVD OVER US 278 (#76.2)
LAFAYETTE COUNTY

PLAN AND PROFILE OF
PROPOSED STATE HIGHWAY
STATE PROJECT NO. NHPP-0019-02(067)

SR 7 OVER MS CENTRAL RR (#128.4)
LAFAYETTE COUNTY




EQUATIONS
NONE

PLAN
PROFILE
LAYOUT

SCALES
1 IN. = 100 FT.
1 IN. = 100 FT.
1 IN. = 10 FT.
1 IN. = 300 FT.

EXCEPTIONS
NONE



DESIGN CONTROL

___ MPH = V (SPEED DESIGN)
ADT (___) = ___ : ADT (___) = ___
DHV = ___ : D = ___ % T = ___ %

PERMITS ACQUIRED BY MDOT

WETLANDS AND WATERS PERMITS

	NATIONWIDE #14	NATIONWIDE (OTHER)*	GENERAL*	INDIVIDUAL (404)*
WATERS	☒	☒	☒	☒
WETLANDS	☒	☒	☒	☒

STORMWATER PERMIT ☒

Y REQUIRED, CNOI SUBMITTED BY MDOT (DISTURBED AREA=5 ACRES)
S REQUIRED, SCNOI TO BE SUBMITTED BY CONTRACTOR (1 TO 4.99 ACRES)
N NO STORMWATER PERMIT REQUIRED (<1 ACRE)

APPROVED BY: _____

DESIGNED BY: _____

CONSTRUCTION PROJECT DATA

EXTERNAL PROJECT NUMBER	STBG-9422-00(002) NHPP-0019-02(067)
FMS & DETAIL	109693/301000 109694/301000

P S & E DATE: _____

APPROVED:


DEPUTY EXECUTIVE DIRECTOR / CHIEF ENGINEER

EXECUTIVE DIRECTOR



DETAILED INDEX

DESCRIPTION OF SHEET		WK. NO.	SHEET NO.
TITLE SHEET (1)			1
COMBINED DETAILED INDEX & QUANTITIES (3)			
DETAILED INDEX		DI-1	2
SUMMARY OF REVISIONS		REV-1	3
SUMMARY OF QUANTITIES		SQ-1	4
109693/301000			
GENERAL NOTES (1)			
GENERAL NOTES		GN-1	5
QUANTITY SHEETS (3)			
SUMMARY OF QUANTITIES		SQ-1	6
ESTIMATED QUANTITIES FOR GUARD RAIL		EQ-1	7
ESTIMATED QUANTITIES FOR TRAFFIC CONTROL SIGNS		TCPQ-1	8
SPECIAL DESIGN SHEETS (2)			
DETAIL OF CONSTRUCTION SIGNING		DCS-1	9
TRAFFIC CONTROL		TC-1	10
109694/301000			
GENERAL NOTES (1)			
GENERAL NOTES		GN-1	11
QUANTITY SHEETS (2)			
SUMMARY OF QUANTITIES		SQ-1	12
ESTIMATED QUANTITIES FOR TRAFFIC CONTROL SIGNS		TCPQ-1	13
SPECIAL DESIGN SHEETS (4)			
DETAIL OF CONSTRUCTION SIGNING		DCS-1	14
TRAFFIC CONTROL		TC-1	15
TRAFFIC CONTROL		TC-2	16
TEMPORARY TRAFFIC SIGNAL		TTS-1	17
STANDARD DRAWINGS (19)			
PAVEMENT MARKING DETAILS FOR 2-LANE & 4-LANE DIVIDED ROADWAYS.		PM-1	6051
GUARDRAIL: "W" BEAM (STEEL POSTS)		GR-1B	6203
GUARDRAIL: BRIDGE END SECTION-TYPE G MODIFIED		GR-2E	6209
GUARDRAIL: TYPICAL INSTALLATION AT BRIDGE APPROACHES FOR 2-LANE, 2-WAY HIGHWAY		GR-4A	6215
GUARDRAIL: RUB RAIL HARDWARE		GR-RR	6218
GUARDRAIL: MISCELLANEOUS HARDWARE		GR-HW	6221
CONCRETE MEDIAN BARRIER (PRECAST) (32")		CMB-3	6226
TYPICAL INSTALLATION AND DETAILS OF DELINEATORS AND DISTANCE REFERENCE SIGNS		SN-8	6314
TYPICAL INSTALLATION OF DELINEATORS		SN-8A	6315
TYPICAL CROSSOVER DELINEATION		SN-8C	6317
SIGNING DETAILS FOR BRIDGE APPROACHES		SN-9	6318
TRAFFIC CONTROL PLAN WITH FLAGGER (ONE-LANE CLOSURE OF TWO WAY TRAFFIC)		TCP-1	6351
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT OF 65 OR 70 MPH (INTERSTATES AND OTHER 4-LANE DIVIDED HIGHWAYS) (MEDIAN LANE OR OUTSIDE LAND CLOSURE) (EXTENDED PERIOD)		TCP-4	6354
TRAFFIC CONTROL PLAN FOR POSTED SPEED LIMIT 65 OR 70 MPH (INTERSTATES AND OTHER 4-LANE DIVIDED HIGHWAYS) (MEDIAN LANE OR OUTSIDE LANE CLOSURE) (WORK DAY ONLY)		TCP-5	6355
HIGHWAY SIGN AND BARRICADE DETAILS FOR CONSTRUCTION PROJECTS		TCP-8	6358
TRAFFIC CONTROL PLAN MOBILE DETAILS FOR CONTRUCTION PROJECTS		TCP-9	6359
TEMPORARY STRIPING FOR TRAFFIC CONTROL 2-LANE AND 4-LAND DIVIDED HIGHWAYS		TCP-13	6363
LOCATION OF R16-3 SIGNS (SPEEDING FINES DOUBLED)		TCP-15	6365
TRAFFIC CONTROL DETAILS DRUM PLACEMENT AND SHOULDER CLOSURE		TCP-16	6366
TOTAL SHEETS (NOT INCLUDING BRIDGE SHEETS) (36)			



DESIGNED BY:	
DETAILED BY:	
CHECKED BY:	
DATE:	

FMS CON: 109693/109694/301000	
PROJECT NO.:	
COUNTY: LAFAYETTE	

DETAILED INDEX



1ST ORD.
REVISION

DESIGNED BY:

DETAILED BY:

CHECKED BY:

DATE:

FMS CON: 109693/109694/301000

PROJECT NO.:

COUNTY: LAFAYETTE

SUMMARY OF REVISIONS

SHEET ID
REV-1

SHEET NO.
3

[illegible]

SUMMARY OF QUANTITIES (SHEET 1)				
PAY ITEM NO.	PAY ITEM	UNIT	LAFAYETTE : 109693-301000 109694-301000	
			Prelim	Final
202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends	LF	285	
907-403-A013	9.5-mm, HT, Asphalt Pavement	TON	48	
406-D001	Fine Milling of Bituminous Pavement, All Depths	SY	580	
606-B001	Guard Rail, Class A, Type 1	LF	113	
606-D001	Guard Rail, Bridge End Section	EA	4	
606-E007	Guard Rail, Terminal End Section, Non-Flared	EA	4	
907-618-A001	Maintenance of Traffic	LS	1	
618-B001	Additional Construction Signs	SF	2	
619-A1002	Temporary Traffic Stripe, Continuous White	LF	500	
619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape	LF	680	
619-A2002	Temporary Traffic Stripe, Continuous Yellow	LF	500	
619-A4007	Temporary Traffic Stripe, Skip Yellow, Type 1 or 2 Tape	LF	280	
619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape	LF	192	
907-619-E3001	Changeable Message Sign	EA	8	
619-F1001	Concrete Median Barrier, Precast	LF	580	
619-F2001	Remove and Reset Concrete Median Barrier, Precast	LF	580	
907-619-H2001	Traffic Signal, Portable, Type 1	EA	2	
620-A001	Mobilization	LS	1	
907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White	LF	780	
907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow	LF	280	
907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow	LF	500	
907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers	EA	20	
630-F006	Delineators, Guard Rail, White	EA	8	
630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted	EA	2	

⚠

REVISIONS	
DATE	BY
10/17/25	RG



1ST ORD.
REVISION

DESIGNED BY:	FMS CON: 109693/109694/301000
DETAILED BY:	PROJECT NO.:
CHECKED BY:	COUNTY: LAFAYETTE
DATE:	

SUMMARY OF QUANTITIES

GENERAL NOTES

BRIDGES AND WALLS

- (1) THE BRIDGE DECKS SHALL BE TINE FINISHED, AND ALL BRIDGE JOINTS SHALL BE SEALED PRIOR TO OPENING THE BRIDGES TO TRAFFIC.
- (2) STORAGE OF FLAMMABLE MATERIALS WILL NOT BE ALLOWED UNDER ANY BRIDGE STRUCTURES WITHOUT WRITTEN APPROVAL FROM THE PROJECT ENGINEER. SEE NOTICE TO BIDDERS ENTITLED “MATERIAL STORAGE UNDER BRIDGES” FOR MORE INFORMATION.

DRAINAGE STRUCTURES

- (3) THE CONTRACTOR SHALL BE RESPONSIBLE FOR PROTECTING EXISTING STRUCTURES SUCH AS, BUT NOT LIMITED TO, PIPES, INLETS, APRONS, AND BRIDGES FROM DAMAGE WHICH MIGHT OCCUR DURING CONSTRUCTION. THE CONTRACTOR SHALL REPLACE OR REPAIR, AS DIRECTED BY THE ENGINEER, ANY STRUCTURES DAMAGED DURING THE LIFE OF THE CONTRACT. NO PAYMENT WILL BE MADE FOR REPLACEMENT OR REPAIR OF DAMAGED ITEMS.

EARTHWORK

- (4) VOIDS CREATED BY THE REMOVAL OF, BUT NOT LIMITED TO, POSTS, CONCRETE ANCHORS, AND FOOTINGS SHALL BE BACKFILLED AND TAMPED IN ACCORDANCE WITH SECTION 203 OF **THE MISSISSIPPI STANDARD SPECIFICATIONS FOR ROAD AND BRIDGE CONSTRUCTION**, THE COST OF WHICH WILL BE ABSORBED IN OTHER ITEMS BID.


PLANS

- (5) ALL ADDENDA TO THESE PLANS WILL BE POSTED TO WWW.MDOT.MS.GOV UNDER THE PROPOSAL ADDENDA COLUMN. BIDDERS ARE ADVISED THAT HARD COPIES OF ANY ADDENDA FOR THIS PROJECT WILL NOT BE MAILED. IT IS THE BIDDER'S RESPONSIBILITY TO CHECK AND SEE IF ANY ADDENDA HAVE BEEN POSTED FOR THIS PROJECT.
- (6) SEE BRIDGE PLANS FOR DETAILED INDEX SHEET(S), ESTIMATED AND SUMMARY OF QUANTITY SHEETS, AND EROSION CONTROL SHEETS.
- (7) THE LOCATION AND SPACING OF SIGNS, SHOWN ON THE TRAFFIC CONTROL PLANS, ARE APPROXIMATE AND MAY BE ADJUSTED AS NECESSARY TO FIT FIELD CONDITIONS.
- (8) ALL TRAFFIC CONTROL DEVICES ON THIS PROJECT SHALL COMPLY WITH PART VI OF THE **MUTCD** (LATEST EDITION).
- (9) ALL PLASTIC DRUMS SHALL HAVE A BALLASTING COLLAR MADE FROM RECYCLED TRUCK TIRES OR OTHER SUITABLE MATERIAL.
- (10) FLUORESCENT ORANGE SHEETING SHALL BE USED ON ALL CONSTRUCTION AND TRAFFIC CONTROL SIGNS EXCEPT FOR THOSE DESIGNATED ON THE PLANS TO BE BLACK LEGEND AND BORDER ON WHITE BACKGROUND.
- (11) THE CONTRACTOR SHALL COVER OR REMOVE ANY TEMPORARY TRAFFIC CONTROL SIGNS SHOWN IN THE TRAFFIC CONTROL PLAN THAT DO NOT APPLY TO THE CURRENT PHASE.
- (12) TEMPORARY STRIPING SHALL COMFORM TO FINISHED STRIPE SPECIFICATIONS FOR ALIGNMENT, NEATNESS, AND STRAIGHTNESS.

MISCELLANEOUS

- (13) SOME WORK IS REQUIRED OUTSIDE THE PROJECT LIMITS. NO ADDITIONAL COMPENSATION WILL BE MADE FOR SUCH WORK EXCEPT AS PROVIDED BY SPECIFIC PAY ITEMS INCLUDED IN THE PLANS.
- (14) THE CONTRACTOR IS RESPONSIBLE FOR FIELD-VERIFICATION OF EXISTING GRADES AND MAKING ADJUSTMENTS AS NECESSARY WITH THE APPROVAL OF THE PROJECT ENGINEER.
- (15) REMOVAL OF RAISED PAVEMENT MARKERS THAT ARE IN CONFLICT WITH REQUIRED CONSTRUCTION IS NOT CONSIDERED A SEPARATE PAY ITEM. COST TO BE OBSORBED IN OTHER ITEMS BID.
- (16) REMOVAL OF OBJECT MARKERS IS NOT CONSIDERED A SEPERATE PAY ITEM, AND SHALL BE ABSORBED IN OTHER ITEMS BID.

NOTICE:
THE NOTES CONTAINED HEREON ARE SPECIFIC TO THE SUBJECT PROJECT AND SHOULD BE REVIEWED IN DETAIL BY THE CONTRACTOR, PER SECTION 102.05 OF THE STANDARD SPECIFICATIONS, “THE BIDDER IS REQUIRED TO EXAMINE CAREFULLY THE SITE OF THE PROPOSED WORK, THE PROPOSAL, PLANS, STANDARD SPECIFICATIONS, SPECIAL PROVISIONS, NOTICES TO BIDDERS AND CONTRACT FORMS BEFORE SUBMITTING A PROPOSAL.



DESIGNED BY:	FMS CON: 109693/301000
DETAILED BY:	PROJECT NO.: STBG-9422-00(002)
CHECKED BY:	COUNTY: LAFAYETTE
DATE:	

GENERAL NOTES