

Proposal & Plan Sales Will Begin on January 5, 2026



**MISSISSIPPI DEPARTMENT OF
TRANSPORTATION**

Notice to Contractors

Letting Date For January - January 27, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION
NOTICE TO CONTRACTORS
LETTING DATE FOR JANUARY - Tuesday, January 27, 2026

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at mdot.ms.gov

PROPOSAL AND PLAN SALES WILL BEGIN ON JANUARY 5, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, January 27, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR JANUARY

CALL	CONTRACT	COUNTY
01	NHPP-0009-01(160)/109839301	ADAMS
*	STBG-0013-02(036)/109020301	COPIAH
*	STBG-0013-02(038)/109686301 & NHPP-0055-01(133)/109688301	COPIAH
*	STBG-0014-01(077)/108976301	PIKE
*	NHPP-0015-01(152)/109797301	LINCOLN
06	STBG-0040-03(028)/110034301	TISHOMINGO
07	STBG-0044-01(036)/109672301	UNION
*	STP-0050-01(043)/109755301	CALHOUN
09	NHPP-0077-01(007)/108650301	PONTOTOC
10	STBG-0400-00(046) /106110301 & STBG-0400-00(047) /106110302 & STBG-0400-00(048)/106110303	WARREN, ISSAQUENA, WARREN
11	BR-2904-00(018)/107643302	RANKIN
12	BR-2909-00(006)/106103301	MARSHALL
13	NHPP-9432-01(002)/109562301	ITAWAMBA
14	STBG-9585-00(001)/109082301	NESHoba
*	STBG-9999-05(429)/109682301	HINDS
16	SP-0733-00(013)/110051301	WEBSTER

*	17	SP-7314-01(006)/109452301	HINDS
*	18	SP-7314-01(014)/109452302	HINDS
*	19	SP-9999-07(402)/110060301	DISTRICT 7

CALL No. 01

Slide Repair on US 61 Southbound across from Fire Tower Road, known as Federal Aid Project No. NHPP-0009-01(160) / 109839301 in Adams County.

PROJECT COMPLETION: 105 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

2 Acre	201-B001	Clearing and Grubbing
213 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
49 Square Yard	202-B063	Removal of Concrete Paved Ditch
776 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
41,921 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
100 Cubic Yard	203-G002	Excess Excavation, LVM, AH
4,099 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
583 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1,000 Square Yard	216-A001	Solid Sodding
2 Acre	220-A001	Insect Pest Control
4 Acre	223-A001	Mowing
5,247 Square Yard	224-A001	Soil Reinforcing Mat
2 Acre	225-A001	Grassing
1 Ton	225-B001	Agricultural Limestone
4 Ton	225-C001	Mulch, Vegetative Mulch
2 Acre	226-A001	Temporary Grassing
663 Square Yard	229-A001	Erosion Mat
1,000 Linear Feet	237-A002	Wattles, 20"
300 Linear Feet	239-A001	Temporary Slope Drains
332 Ton	304-D004	Granular Material, Size 57
300 Square Yard	406-C002	Cold Milling of Shoulders, All Types, All Depths
78 Gallon	407-A001	Asphalt for Tack Coat
1 Mile	423-A001	Rumble Strips, Ground In
798 Linear Feet	503-C010	Saw Cut, Full Depth

14,585	Pounds	602-A001	Reinforcing Steel
25	Linear Feet	603-PE001	12" Corrugated Polyethylene Pipe Non-Perforated
164	Linear Feet	603-PE001	12" Corrugated Polyethylene Pipe Perforated
50	Linear Feet	603-PE008	6" Corrugated Polyethylene Pipe Non-Perforated
173	Linear Feet	603-PE008	6" Corrugated Polyethylene Pipe Perforated
425	Square Yard	605-BB001	Prefabricated Sheet Drain
15	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
5	Each	617-A001	Right-of-Way Marker
1,060	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,060	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
448	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
1,230	Linear Feet	619-F1001	Concrete Median Barrier, Precast
65	Linear Feet	619-G4001	Barricades, Type III, Double Faced
144	Linear Feet	619-G4005	Barricades, Type III, Single Faced
35	Each	619-G5001	Free Standing Plastic Drums
12	Each	619-G7001	Warning Lights, Type "B"
48	Each	619-G8001	Warning Lights, Type "C"
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
1,500	Linear Feet	803-D007	HP 14 x 89 Steel Piling 50ft
4,830	Linear Feet	803-D007	HP 14 x 89 Steel Piling 70ft
480	Ton	815-A002	Loose Riprap, Size 100
420	Ton	815-A007	Loose Riprap, Size 300
28	Ton	815-F002	Sediment Control Stone
1,200	Linear Feet	907-234-A001	Temporary Silt Fence
71	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
99	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
43	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement

91 Cubic Yard	907-601-A001	Class "B" Structural Concrete
1 Lump Sum	907-618-A001	Maintenance of Traffic
1,200 Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,200 Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
740 Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
42 Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow

ALTERNATE GROUP AA NUMBER 1

791 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

791 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

791 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

103 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----------------	----------	--

ALTERNATE GROUP BB NUMBER 2

103 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
----------------	----------	--

CALL No. 02

Overlay approximately 12.3 miles of MS 28 from Stuarts Body Shop to the Simpson County Line, known as Federal Aid Project No. STBG-0013-02(036) / 109020301 in Copiah County.

PROJECT COMPLETION: 136 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

700	Station	201-D001	Random Clearing
150	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,776	Linear Feet	202-B136	Removal of Guard Rail
3,200	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-G001	Excess Excavation, FM, AH
500	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
3,500	Ton	304-B004	Granular Material, Class 5, Group D
8,400	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17,000	Gallon	407-A001	Asphalt for Tack Coat
840	Square Feet	412-A001	Pre-Grinding
24	Mile	423-A001	Rumble Strips, Ground In
300	Linear Feet	503-C010	Saw Cut, Full Depth
1,170	Linear Feet	606-B001	Guard Rail, Class A, Type 1
200	Linear Feet	606-B010	Guard Rail, Class A, Type 1, Thrie Beam
75	Linear Feet	606-B013	Guard Rail, Class A, Type 1, Thrie Beam, Transition Section
4	Each	606-D003	Guard Rail, Bridge End Section, Special Design
4	Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
4	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
24	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
25	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
7	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
11	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,200	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
400	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend

82	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
24	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
17,500	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1,600	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
6,000	Pounds	907-420-A001	Undersealing
8	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
25	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
7	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
900	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,450	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
800	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,900	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,300	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 03

Bridge Repair on SR 28 over CNIC RR (Bridge No. 47.6) and I-55 over Clear Creek Road (Bridge No. 65.0A & 65.0B), known as Federal Aid Project Nos. STBG-0013-02(038) / 109686301 and NHPP-0055-01(133) / 109688301 in Copiah County.

PROJECT COMPLETION: 107 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

48 Linear Feet	202-B240	Removal of Traffic Stripe
650 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
650 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
310 Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
48 Square Feet	619-A6001	Temporary Traffic Stripe, Legend
131 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
392 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
102 Linear Feet	619-G4001	Barricades, Type III, Double Faced
24 Linear Feet	619-G4005	Barricades, Type III, Single Faced
22 Each	619-G5001	Free Standing Plastic Drums
5 Each	619-G7001	Warning Lights, Type "B"
2 Each	619-H2002	Traffic Signal, Portable, Type 2
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	907-618-A001	Maintenance of Traffic
2 Each	907-619-E3001	Changeable Message Sign
310 Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
650 Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White
650 Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
6 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
4 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1 Lump Sum	907-899-A001	Railway-Highway Provisions

Bridge Items

1,336 Linear Feet	907-808-A002	Joint Repair
677 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,336 Linear Feet	907-823-B001	Saw Cut, Type I

45 Square Feet	907-824-A003 General Epoxy Repair
12 Each	907-824-C001 Cap Cleaning
126 Each	907-824-D002 Bearing Replacements, Prestressed Concrete Girder
46 Cubic Yard	907-828-A001 Hybrid Polymer Concrete Overlay

CALL No. 04

Seal & Overlay approximately 3.5 miles on MS 24 from Amite County Line to I-55, known as Federal Aid Project No. STBG-0014-01(077) / 108976301 in Pike County.

PROJECT COMPLETION: 83 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

218	Station	201-D001	Random Clearing
560	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,280	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
1,260	Linear Feet	202-B240	Removal of Traffic Stripe
280	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,134	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
12,757	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
5,048	Gallon	407-A001	Asphalt for Tack Coat
7	Mile	423-A001	Rumble Strips, Ground In
1,280	Linear Feet	503-C010	Saw Cut, Full Depth
700	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D019	Guard Rail, Bridge End Section, Type H
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,695	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,086	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
44	Each	630-F006	Delineators, Guard Rail, White
4,851	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
1,070	Ton	907-403-B011	9.5-mm, MT, Asphalt Pavement, Leveling
51,909	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic

66 Linear Feet	907-619-B001	Temporary Portable Rumble Strips
7 Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
3 Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
3 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,379 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,316 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,086 Linear Feet	907-626-H010	Thermoplastic Legend, White
324 Each	907-627-H001	Chip Seal Reflective Raised Markers
309 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
485 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

280 Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

280 Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

280 Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----------------	----------	-----------------------------------

CALL No. 05

Mill & Overlay approximately 8 miles of US 84 from Concrete Section at Monticello Street NE to the Lawrence County Line, known as Federal Aid Project No. NHPP-0015-01(152) / 109797301 in Lincoln County.

PROJECT COMPLETION: 126 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

192	Station	201-D001	Random Clearing
1,576	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,080	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2,819	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
4,438	Linear Feet	202-B240	Removal of Traffic Stripe
544	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,176	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
5,991	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
294,789	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
22,380	Gallon	407-A001	Asphalt for Tack Coat
27	Mile	423-A001	Rumble Strips, Ground In
3,222	Linear Feet	503-C010	Saw Cut, Full Depth
2,100	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
12	Each	606-D022	Guard Rail, Bridge End Section, Type I
12	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
29	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
25	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
31	Mile	619-A3001	Temporary Traffic Stripe, Skip White
73,018	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
946	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
4,256	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
80	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
2	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II

42	Each	630-F006	Delineators, Guard Rail, White
42	Each	630-F007	Delineators, Guard Rail, Yellow
178	Ton	907-403-A001	12.5-mm, HT, Asphalt Pavement
534	Ton	907-403-A004	19-mm, HT, Asphalt Pavement
20,826	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
3,709	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
408	Ton	907-403-B010	9.5-mm, HT, Asphalt Pavement, Leveling
1	Lump Sum	907-618-A001	Maintenance of Traffic
15	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
14	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
13	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
17,463	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,046	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
473	Square Feet	907-626-H009	Thermoplastic Legend, White
2,128	Linear Feet	907-626-H010	Thermoplastic Legend, White
494	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,722	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
981	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

1,391	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,391	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,391	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 06

Bridge Repair on MS 25 Over Sandy Creek (Bridge. No. 221.3), known as Federal Aid Project No. STBG-0040-03(028) / 110034301 in Tishomingo County.

PROJECT COMPLETION: 80 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

6	Square Feet	907-824-A003	General Epoxy Repair
6	Each	907-824-C001	Cap Cleaning
6	Each	907-824-D001	Bearing Replacements
1	Lump Sum	907-824-PP004	Bridge Repair, Remove and Replace Hardware
4	Each	907-824-PP006	Bridge Repair, Remove and Replace 31 Ft. Precast Concrete Slab Unit
1,441	Linear Feet	907-824-PP008	Bridge Repair, Remove and RegROUT Keyways

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
360	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
180	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5	Each	619-C7001	Two-Way Yellow Reflective High Performance Raised Marker
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
4	Each	907-619-E3001	Changeable Message Sign
360	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
180	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
5	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 07

Bridge Repair on SR 30 over Tallahatchie River (Bridge No. 19.0), known as Federal Aid Project No. STBG-0044-01(036) / 109672301 in Union County.

PROJECT COMPLETION: 150 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

200	Linear Feet	237-A002	Wattles, 20"
267	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,800	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
4,080	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
450	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,900	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
144	Linear Feet	619-A6008	Temporary Traffic Stripe, Legend, Type 1 or 2 Tape
38	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
152	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1,500	Linear Feet	619-F1001	Concrete Median Barrier, Precast
1,500	Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
20	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
2	Each	619-J1002	Impact Attenuator, 45 MPH
2	Each	619-J2002	Impact Attenuator, 45 MPH, Replacement Package
2	Each	619-J3001	Remove and Reset Impact Attenuator
1	Lump Sum	620-A001	Mobilization
250	Linear Feet	907-234-A001	Temporary Silt Fence
150	Linear Feet	907-234-F001	Turbidity Barrier
22	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
2	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
3,800	Linear Feet	907-626-B005	6" Thermoplastic Traffic Stripe, Continuous White

1,900 Linear Feet	907-626-D006 6" Thermoplastic Traffic Stripe, Skip Yellow
450 Linear Feet	907-626-E006 6" Thermoplastic Traffic Stripe, Continuous Yellow
48 Each	907-627-L001 Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

1,922 Ton	815-A009 Loose Riprap, Size 500
1,268 Square Yard	815-E001 Geotextile under Riprap
5,931 Square Yard	907-202-B001 Removal of Bridge Deck, Hydrodemolition
2,000 Pounds	907-420-A001 Undersealing
330 Cubic Yard	907-804-O001 Bridge Deck Overlay Concrete
548 Linear Feet	907-808-A002 Joint Repair
235 Linear Feet	907-823-A002 Preformed Joint Seal, Type II
39 Linear Feet	907-823-A003 Preformed Joint Seal, Type III
470 Linear Feet	907-823-B002 Saw Cut, Type II
78 Linear Feet	907-823-B003 Saw Cut, Type III
2 Square Feet	907-824-A003 General Epoxy Repair
5 Each	907-824-C001 Cap Cleaning
912 Square Feet	907-824-PP003 Bridge Repair, Removal of Bridge Deck, Per Plans
1 Lump Sum	907-824-PP004 Bridge Repair, Bank Reshaping, Per Plans
48 Each	907-824-PP006 Bridge Repair, Extend Pile Encasements, Per Plans
2,925 Linear Feet	907-824-PP008 Bridge Repair, Class 2 Spray Finish, Per Plans
79 Linear Feet	907-824-PP008 Bridge Repair, Endwall Repair, Per Plans

CALL No. 08

Mill & Overlay approximately 12.4 miles of SR 9 from SR 9W to the Pontotoc County Line, known as Federal Aid Project No. STP-0050-01(043) / 109755301 in Calhoun County.

PROJECT COMPLETION: 183 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

962	Station	201-D001	Random Clearing
9,226	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
747	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
19	Each	202-B213	Removal of Sign
107	Each	202-B215	Removal of Sign Including Post & Footing
769	Cubic Yard	203-G001	Excess Excavation, FM, AH
5,700	Ton	304-B004	Granular Material, Class 5, Group D
5,800	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
19,000	Gallon	407-A001	Asphalt for Tack Coat
25	Mile	423-A001	Rumble Strips, Ground In
9,231	Linear Feet	503-C010	Saw Cut, Full Depth
550	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
2	Each	606-D009	Guard Rail, Bridge End Section, Type C
2	Each	606-D010	Guard Rail, Bridge End Section, Type C Modified
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
49	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
38	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
9	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
5,262	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,188	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
71	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
746	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
35	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness

1,770	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
26	Each	630-F006	Delineators, Guard Rail, White
36	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
6,025	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
16,300	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
2,050	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
60	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
188,000	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
25	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
5	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
19	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
3,322	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,940	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,188	Linear Feet	907-626-H010	Thermoplastic Legend, White
640	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,626	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

1,475	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

1,475	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

1,475	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 09

Mill & Overlay approximately 6.5 miles of US 278 from West of SR 338 to SR 15, known as Federal Aid Project No. NHPP-0077-01(007) / 108650301 in Pontotoc County.

PROJECT COMPLETION: 100 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

195	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,070	Linear Feet	202-B240	Removal of Traffic Stripe
195	Cubic Yard	203-G001	Excess Excavation, FM, AH
195	Square Yard	209-A009	Geotextile Stabilization, Type VII, Non-Woven
3,335	Cubic Yard	304-A002	Granular Material, LVM, Class 3, Group C
222,346	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9,740	Gallon	407-A001	Asphalt for Tack Coat
24	Mile	423-A001	Rumble Strips, Ground In
155	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
18	Mile	619-A3001	Temporary Traffic Stripe, Skip White
25,236	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,241	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
68	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
28	Each	630-F006	Delineators, Guard Rail, White
28	Each	630-F007	Delineators, Guard Rail, Yellow
195	Square Yard	907-204-A003	Geogrid, Type II, Biaxial
26,216	Ton	907-403-A013	9.5-mm, HT, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
12	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
13	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
12	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow

45,960 Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
16,423 Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,665 Linear Feet	907-626-H010	Thermoplastic Legend, White
632 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
2,624 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
100 Each	907-627-K002	Red-Yellow Reflective High Performance Raised Markers
1,584 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

259 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

259 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

259 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

470 Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
470 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
470 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP BB NUMBER 2

470 Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
470 Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
470 Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 10

Bridge Replacements on SR 465 (Bridge Nos.15.7, 8.7 & 2.6), known as Federal Aid Project Nos. STBG-0400-00(046) / 106110301, STBG-0400-00(047) / 106110302 & STBG-0400-00(048) / 106110303 in Warren & Issaquena Counties.

PROJECT COMPLETION: 293 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
5,885 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1 Each	202-B023	Removal of Bridge
760 Linear Feet	202-B037	Removal of Bridge Railing
1,526 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
235 Linear Feet	202-B191	Removal of Pipe, 8" And Above
3 Mile	202-B241	Removal of Traffic Stripe
6,079 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
21,883 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
4,443 Cubic Yard	203-G001	Excess Excavation, FM, AH
542 Cubic Yard	206-A001	Structure Excavation
63 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
18,022 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
1,250 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
5 Ton	213-C001	Superphosphate
73 Square Yard	216-A001	Solid Sodding
504 Square Yard	217-A001	Ditch Liner
2 Thousand Gallon	219-A001	Watering
5 Acre	220-A001	Insect Pest Control
8 Cubic Yard	221-A001	Concrete Paved Ditch
29 Acre	223-A001	Mowing
223 Square Yard	224-A001	Soil Reinforcing Mat
8 Acre	225-A001	Grassing
15 Ton	225-B001	Agricultural Limestone

15 Ton	225-C001	Mulch, Vegetative Mulch
8 Acre	226-A001	Temporary Grassing
600 Linear Feet	237-A002	Wattles, 20"
80 Linear Feet	245-A001	Silt Dike
300 Each	246-B001	Rockbags
60 Ton	249-A001	Riprap for Erosion Control
1,050 Ton	304-D002	Granular Material, Crushed Stone
1,834 Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
2,127 Gallon	407-A001	Asphalt for Tack Coat
3 Mile	423-A001	Rumble Strips, Ground In
32 Square Yard	501-K001	Transverse Grooving
1,265 Linear Feet	503-C010	Saw Cut, Full Depth
32 Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
296 Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
192 Linear Feet	603-CA040	30" Reinforced Concrete Pipe, Class III
4 Each	603-CB004	24" Reinforced Concrete End Section
140 Linear Feet	603-PA012	6' x 6' Precast Concrete Box Culvert
104 Linear Feet	603-PA015	8' x 6' Precast Concrete Box Culvert
2 Each	603-PB010	6' x 6' Precast Concrete Box Culvert End Section
2 Each	603-PB013	8' x 6' Precast Concrete Box Culvert End Section
87 Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
156 Linear Feet	605-T001	4" Perforated Pipe for Underdrains
36 Linear Feet	605-U001	4" Non-perforated Pipe for Underdrains
6 Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
175 Linear Feet	606-B001	Guard Rail, Class A, Type 1
4 Each	606-D022	Guard Rail, Bridge End Section, Type I
4 Each	606-E005	Guard Rail, Terminal End Section, Flared
485 Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
2,896 Cubic Yard	612-A001	Flowable Fill, Excavatable
40 Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"

36 Each	617-A001	Right-of-Way Marker
11,372 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
5,842 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
5,100 Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
573 Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
408 Linear Feet	619-A5003	Temporary Traffic Stripe, Detail, Type 1 Tape
620 Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
576 Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
159 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
863 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
980 Linear Feet	619-F1001	Concrete Median Barrier, Precast
980 Linear Feet	619-F2001	Remove and Reset Concrete Median Barrier, Precast
72 Linear Feet	619-G4001	Barricades, Type III, Double Faced
348 Linear Feet	619-G4005	Barricades, Type III, Single Faced
129 Each	619-G5001	Free Standing Plastic Drums
16 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
23 Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
39 Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
16 Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
84 Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
16 Each	630-F006	Delineators, Guard Rail, White
4 Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
1 Lump Sum	699-A001	Roadway Construction Stakes
1,400 Ton	815-A007	Loose Riprap, Size 300
1,678 Square Yard	815-E001	Geotextile under Riprap
50 Ton	815-F002	Sediment Control Stone
4 Each	907-207-A001	Settlement Plate
5,680 Linear Feet	907-234-A001	Temporary Silt Fence

1,024 Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
2,063 Ton	907-403-A006	19-mm, ST, Asphalt Pavement
1,572 Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
218 Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
152 Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
204 Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
1 Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1 Lump Sum	907-618-A001	Maintenance of Traffic
4 Each	907-619-E3001	Changeable Message Sign
4 Each	907-619-H2001	Traffic Signal, Portable, Type 1
10,482 Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5,105 Linear Feet	907-626-D004	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3,138 Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
1,390 Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
604 Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
106 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
113 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

8,650 Ton	304-F001	3/4" and Down Crushed Stone Base
-----------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

8,650 Ton	304-F002	Size 610 Crushed Stone Base
-----------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

8,650 Ton	304-F003	Size 825B Crushed Stone Base
-----------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

89 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
---------------	----------	--

ALTERNATE GROUP BB NUMBER 2

89 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
---------------	----------	--

Bridge Items

1,477 Square Yard	501-K001	Transverse Grooving
2,005 Linear Feet	803-P003	30" Steel Pipe Piling, Wall Thickness 0.500"
1,880 Linear Feet	803-P008	20" Steel Pipe Piling, Wall Thickness 0.500"

1,193 Linear Feet	804-C188 80' Prestressed Concrete Beam, Type FIB-36
995 Linear Feet	804-C192 100' Prestressed Concrete Beam, Type FIB-36
137,144 Pounds	805-A001 Reinforcement
5,191 Pounds	805-C001 Reinforcement, Corrosion Resistant
886 Linear Feet	813-A004 Concrete Railing, 36"
698 Ton	815-A007 Loose Riprap, Size 300
644 Square Yard	815-E001 Geotextile under Riprap
1 Each	907-803-B001 Conventional Static Pile Load Test
6 Each	907-803-I004 PDA Test Pile, Steel Pipe Pile
6 Each	907-803-J001 Pile Restrike
463 Cubic Yard	907-804-A001 Bridge Concrete, Class BDX
149 Cubic Yard	907-804-A002 Bridge Concrete, Class AA
98 Linear Feet	907-823-A001 Preformed Joint Seal, Type I

CALL No. 11

Bridge Replacements on US 80 (Bridge Nos. 56.8A & 56.8B) at KCS Railroad, known as Federal Aid Project No. BR-2904-00(018) / 107643302 in Rankin County.

PROJECT COMPLETION: JUNE 15, 2027

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Acre	201-B001	Clearing and Grubbing
1,946 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
2 Each	202-B023	Removal of Bridge
670 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
1,210 Linear Feet	202-B088	Removal of Curb & Gutter, All Types
312 Linear Feet	202-B132	Removal of Gravity Sewer Line, All Sizes, All Types
1 Each	202-B133	Removal of Gravity Sewer Manhole, All Sizes, All Types
93 Linear Feet	202-B147	Removal of Guard Rail Double Faced Rail Including Rail & Posts
326 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2 Each	202-B259	Removal of and Replacement of Low Mast Lighting Assembly
100 Cubic Yard	203-B001	Rock Excavation, FM, AH
2,702 Cubic Yard	203-EX021	Borrow Excavation, AH, FME, Class B9-6
3,110 Cubic Yard	203-EX040	Borrow Excavation, AH, LVM, Class B9
70 Cubic Yard	203-G001	Excess Excavation, FM, AH
6,010 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2 Ton	213-A001	Agricultural Limestone
1 Ton	213-C001	Superphosphate
2 Ton	215-A001	Vegetative Materials for Mulch
136 Square Yard	216-A001	Solid Sodding
3 Thousand Gallon	219-A001	Watering
1 Acre	220-A001	Insect Pest Control
16 Cubic Yard	221-A001	Concrete Paved Ditch
1 Acre	223-A001	Mowing
1 Acre	225-A001	Grassing
1 Acre	226-A001	Temporary Grassing

206	Linear Feet	237-A002	Wattles, 20"
200	Linear Feet	245-A001	Silt Dike
270	Linear Feet	246-A001	Sandbags
30	Ton	249-A001	Riprap for Erosion Control
500	Cubic Yard	304-A004	Granular Material, LVM, Class 5, Group C
1,686	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
390	Gallon	407-A001	Asphalt for Tack Coat
590	Square Yard	501-K001	Transverse Grooving
96	Linear Feet	503-C010	Saw Cut, Full Depth
883	Square Yard	605-AA003	Geotextile for Subsurface Drainage, Type V, Non-Woven
178	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
46	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
8	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
50	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-D022	Guard Rail, Bridge End Section, Type I
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
140	Linear Feet	609-B002	Concrete Curb, Header
513	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
857	Linear Feet	609-D012	Combination Concrete Curb and Gutter Type 3A Modified
1,050	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,100	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
1,400	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
2,211	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
423	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
568	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
356	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
309	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
1	Each	619-E1001	Flashing Arrow Panel, Type C
264	Linear Feet	619-G4005	Barricades, Type III, Single Faced
64	Each	619-G5001	Free Standing Plastic Drums

6	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
82	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
32	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
131	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
7	Each	630-F006	Delineators, Guard Rail, White
2	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
1,600	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-260-PP001	Utility Work - Sewer, Sewer Line Connection
312	Linear Feet	907-260-PP002	Utility Work - Sewer, 6" Sewer Pipe
1,143	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
1,000	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
429	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
931	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
120	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
737	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
1	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
217	Square Feet	907-616-C001	Colored and Imprinted Concrete Median and Island Pavement, 10-inch Thickness
1,898	Square Feet	907-616-C003	Colored and Imprinted Concrete Median and Island Pavement, 4-inch Thickness
1	Lump Sum	907-618-A001	Maintenance of Traffic
7	Each	907-619-E3001	Changeable Message Sign
1,400	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
1,050	Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,100	Linear Feet	907-626-F004	6" Thermoplastic Double Drop Edge Stripe, Continuous Yellow
1,415	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
196	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow

423	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
312	Linear Feet	907-626-H007	Thermoplastic Double Drop Legend, White
79	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
3	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
3	Each	907-630-O007	Remove and Reset Signs, Ground Mounted on Round Post(s)
1	Each	907-637-A004	Pullbox Enclosure, Type 4
1	Each	907-637-A005	Pullbox Enclosure, Type 5
355	Linear Feet	907-637-H001	Traffic Signal Conduit Bank, Underground, Rolled Pipe, 2 @ 2"
175	Linear Feet	907-637-K001	Traffic Signal Conduit Bank, Aerial Supported, Type 1, 2 @ 2"
530	Linear Feet	907-661-A004	Fiber Optic Cable, 72 SM
1	Lump Sum	907-899-A001	Railway-Highway Provisions

ALTERNATE GROUP AA NUMBER 1

1,450	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
-------	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

1,450	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
-------	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

1,450	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
-------	------------	----------	-----------------------------------

Bridge Items

340	Each	235-A001	Temporary Erosion Checks
798	Ton	249-A001	Riprap for Erosion Control
1,051	Square Yard	501-K001	Transverse Grooving
270	Linear Feet	803-N001	Exploration
403	Linear Feet	804-C264	26' Prestressed Concrete Beam, Type 5B34
1,878	Linear Feet	804-C265	118' Prestressed Concrete Beam, Type 5B34
104,231	Pounds	805-A001	Reinforcement
445	Linear Feet	813-B001	Concrete-Steel Railing
139	Cubic Yard	815-D001	Concrete Slope Paving
1,990	Square Yard	907-228-A003	Erosion Control Blanket, Type III
952	Linear Feet	907-234-C001	Super Silt Fence
1,323	Square Feet	907-616-C004	Colored and Imprinted Concrete Median and Island Pavement, 6-inch Thickness
200	Linear Feet	907-803-K004	Drilled Shaft, 36" Diameter

1,165 Linear Feet	907-803-K006 Drilled Shaft, 48" Diameter
1 Each	907-803-L002 Test Shaft, 48" Diameter
90 Linear Feet	907-803-M005 Trial Shaft, 48" Diameter
473 Cubic Yard	907-804-A002 Bridge Concrete, Class AA
303 Cubic Yard	907-804-A004 Bridge Concrete, Class BD
1 Lump Sum	907-804-PP004 Post Tensioning System
310 Linear Feet	907-823-A001 Preformed Joint Seal, Type I

CALL No. 12

Bridge Replacement on SR 178 (Bridge Nos. 33.6, 34.1, 35.2, 35.4 & 35.6), known as Federal Aid Project No. BR-2909-00(006) / 106103301 in Marshall County.

PROJECT COMPLETION: 428 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Lump Sum	201-A001	Clearing and Grubbing
1 Acre	201-B001	Clearing and Grubbing
1 Lump Sum	202-A001	Removal of Obstructions
358 Square Yard	202-B004	Removal of Asphalt Driveways, All Depths
3,441 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
48 Linear Feet	202-B019	Removal of Box Culvert
5 Each	202-B023	Removal of Bridge
15,021 Square Yard	202-B069	Removal of Concrete Pavement w/ Variable Depth Overlay
3,032 Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
76 Linear Feet	202-B191	Removal of Pipe, 8" And Above
8 Each	202-B206	Removal of Right-Of-Way Marker
23 Each	202-B215	Removal of Sign Including Post & Footing
73,418 Cubic Yard	203-A001	Unclassified Excavation, FM, AH
64,990 Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
2,392 Cubic Yard	206-A001	Structure Excavation
127 Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
104,050 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4,849 Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
10 Ton	213-C001	Superphosphate
3,400 Square Yard	216-A001	Solid Sodding
1,378 Square Yard	217-A001	Ditch Liner
68 Thousand Gallon	219-A001	Watering
10 Acre	220-A001	Insect Pest Control
215 Cubic Yard	221-A001	Concrete Paved Ditch
114 Acre	223-A001	Mowing

801	Square Yard	224-A001	Soil Reinforcing Mat
19	Acre	225-A001	Grassing
10	Ton	225-B001	Agricultural Limestone
37	Ton	225-C001	Mulch, Vegetative Mulch
19	Acre	226-A001	Temporary Grassing
300	Each	235-A001	Temporary Erosion Checks
1,200	Linear Feet	237-A002	Wattles, 20"
2,400	Linear Feet	239-A001	Temporary Slope Drains
1,200	Linear Feet	245-A001	Silt Dike
1,200	Linear Feet	246-B002	Rockbags
2	Each	247-A001	Temporary Stream Diversion
700	Ton	249-A001	Riprap for Erosion Control
16,500	Ton	304-B004	Granular Material, Class 5, Group D
1,887	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
3,745	Gallon	407-A001	Asphalt for Tack Coat
4	Mile	423-A001	Rumble Strips, Ground In
96	Square Yard	501-K001	Transverse Grooving
1,018	Linear Feet	503-C010	Saw Cut, Full Depth
95,523	Pounds	602-A001	Reinforcing Steel
248	Linear Feet	603-ALT003	18" Type A Alternate Pipe
88	Linear Feet	603-ALT005	22" x 13" Type A Alternate Pipe
64	Linear Feet	603-ALT008	29" x 18" Type A Alternate Pipe
208	Linear Feet	603-CA026	24" Reinforced Concrete Pipe, Class III
4	Each	603-CB004	24" Reinforced Concrete End Section
136	Linear Feet	603-CE018	44" x 27" Concrete Arch Pipe, Class A III
72	Linear Feet	603-CE023	51" x 31" Concrete Arch Pipe, Class A III
96	Linear Feet	603-CE028	58" x 36" Concrete Arch Pipe, Class A III
1	Each	603-CF005	44" x 27" Concrete Arch Pipe End Section
4	Each	603-CF006	51" x 31" Concrete Arch Pipe End Section
196	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III

352 Linear Feet	605-O002 4" Perforated Sewer Pipe for Underdrains, SDR 23.5
240 Linear Feet	605-P002 4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
14 Cubic Yard	605-W001 Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
47,130 Cubic Yard	605-X005 Filter Material for Filter Beds, Type C
775 Linear Feet	606-B001 Guard Rail, Class A, Type 1
16 Each	606-D022 Guard Rail, Bridge End Section, Type I
16 Each	606-E005 Guard Rail, Terminal End Section, Flared
25 Cubic Yard	612-A001 Flowable Fill, Excavatable
160 Linear Feet	615-A024 Concrete Bridge End Barrier, 37.5"
63 Each	617-A001 Right-of-Way Marker
1 Square Feet	618-B001 Additional Construction Signs
4 Mile	619-A1004 Temporary Traffic Stripe, Continuous White, Paint
3 Mile	619-A2004 Temporary Traffic Stripe, Continuous Yellow, Paint
1 Mile	619-A4002 Temporary Traffic Stripe, Skip Yellow
183 Each	619-C7001 Two-Way Yellow Reflective High Performance Raised Marker
276 Square Feet	619-D1001 Standard Roadside Construction Signs, Less than 10 Square Feet
754 Square Feet	619-D2001 Standard Roadside Construction Signs, 10 Square Feet or More
300 Linear Feet	619-F1001 Concrete Median Barrier, Precast
156 Linear Feet	619-G4001 Barricades, Type III, Double Faced
500 Each	619-G5001 Free Standing Plastic Drums
22 Each	619-G7001 Warning Lights, Type "B"
2 Each	619-J1002 Impact Attenuator, 45 MPH
2 Each	619-J2002 Impact Attenuator, 45 MPH, Replacement Package
1 Lump Sum	620-A001 Mobilization
1 Each	621-A001 Field Laboratory
40 Square Feet	630-A001 Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
81 Square Feet	630-A003 Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
128 Linear Feet	630-C005 Square Tube Posts, 2.0 lb/ft
76 Each	630-F006 Delineators, Guard Rail, White

18	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
18	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1	Lump Sum	699-A001	Roadway Construction Stakes
45	Ton	815-A002	Loose Riprap, Size 100
6,222	Ton	815-A007	Loose Riprap, Size 300
9,705	Square Yard	815-E001	Geotextile under Riprap
12,100	Linear Feet	907-234-A001	Temporary Silt Fence
2,278	Linear Feet	907-234-C001	Super Silt Fence
2,606	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
3,189	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
2,241	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
929	Ton	907-403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
89	Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
667	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
473	Cubic Yard	907-601-A001	Class "B" Structural Concrete
20	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
6	Each	907-619-E3001	Changeable Message Sign
4	Mile	907-626-C012	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1	Mile	907-626-D003	6" Thermoplastic Double Drop Traffic Stripe, Skip Yellow
3	Mile	907-626-E003	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
183	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

10,900	Ton	304-F001	3/4" and Down Crushed Stone Base
--------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

10,900	Ton	304-F002	Size 610 Crushed Stone Base
--------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

10,900	Ton	304-F003	Size 825B Crushed Stone Base
--------	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

11	Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
----	------------	----------	--

ALTERNATE GROUP BB NUMBER 2

11 Cubic Yard

605-W003 Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM

Bridge Items

3,516 Square Yard	501-K001 Transverse Grooving
4,290 Linear Feet	803-D007 HP 14 x 89 Steel Piling
2,550 Linear Feet	803-P008 20" Steel Pipe Piling, Wall Thickness 0.500"
2,386 Linear Feet	804-C188 80' Prestressed Concrete Beam, Type FIB-36
2,488 Linear Feet	804-C192 100' Prestressed Concrete Beam, Type FIB-36
349,043 Pounds	805-A001 Reinforcement
12,366 Pounds	805-C001 Reinforcement, Corrosion Resistant
1,976 Linear Feet	813-A004 Concrete Railing, 36"
9,761 Ton	815-A007 Loose Riprap, Size 300
6,305 Square Yard	815-E001 Geotextile under Riprap
4 Each	907-803-B001 Conventional Static Pile Load Test
4 Each	907-803-I003 PDA Test Pile, HP Steel Pile
4 Each	907-803-I004 PDA Test Pile, Steel Pipe Pile
8 Each	907-803-J001 Pile Restrike
1,187 Cubic Yard	907-804-A001 Bridge Concrete, Class BDX
462 Cubic Yard	907-804-A002 Bridge Concrete, Class AA
219 Linear Feet	907-823-A001 Preformed Joint Seal, Type I
73 Linear Feet	907-823-A002 Preformed Joint Seal, Type II

CALL No. 13

Safety Improvements on SR 76 at SR 23, known as Federal Aid Project No. NHPP-9432-01(002) / 109562301 in Itawamba County.

PROJECT COMPLETION: 141 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

990	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
244	Square Yard	202-B059	Removal of Concrete Median & Island Pavement, All Depths
309	Square Yard	202-B063	Removal of Concrete Paved Ditch
269	Linear Feet	202-B088	Removal of Curb & Gutter, All Types
1,238	Linear Feet	202-B114	Removal of Debris and Sand From Pipe, All Sizes
24,908	Linear Feet	202-B240	Removal of Traffic Stripe
3,464	Cubic Yard	203-EX020	Borrow Excavation, AH, FME, Class B9
2,652	Cubic Yard	203-G001	Excess Excavation, FM, AH
77	Cubic Yard	206-A001	Structure Excavation
11,760	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
2,480	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
2	Ton	213-C001	Superphosphate
497	Square Yard	216-A001	Solid Sodding
10	Thousand Gallon	219-A001	Watering
2	Acre	220-A001	Insect Pest Control
47	Cubic Yard	221-A001	Concrete Paved Ditch
8	Acre	223-A001	Mowing
1,215	Square Yard	224-A001	Soil Reinforcing Mat
4	Acre	225-A001	Grassing
8	Ton	225-B001	Agricultural Limestone
8	Ton	225-C001	Mulch, Vegetative Mulch
4	Acre	226-A001	Temporary Grassing
330	Linear Feet	237-A002	Wattles, 20"
480	Linear Feet	246-B002	Rockbags
87	Ton	249-A001	Riprap for Erosion Control

52	Cubic Yard	249-B001	Remove and Reset Riprap
29,771	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
38,422	Gallon	407-A001	Asphalt for Tack Coat
1,046	Linear Feet	503-C010	Saw Cut, Full Depth
506	Pounds	602-A001	Reinforcing Steel
240	Linear Feet	603-CA011	18" Reinforced Concrete Pipe, Class III
250	Pounds	604-B001	Gratings
3	Linear Feet	605-I001	Edge Drain Outlets/Vents
1,400	Linear Feet	609-D004	Combination Concrete Curb and Gutter Type 2 Modified
280	Linear Feet	609-D007	Combination Concrete Curb and Gutter Type 3 Modified
220	Square Yard	616-A001	Concrete Median and/or Island Pavement, 10-inch
530	Square Yard	616-A004	Concrete Median and/or Island Pavement, 4-inch
13,767	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
8,909	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
12,523	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
241	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
115	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,020	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
2	Each	619-E1001	Flashing Arrow Panel, Type C
560	Linear Feet	619-G4005	Barricades, Type III, Single Faced
892	Each	619-G5001	Free Standing Plastic Drums
4	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
73	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
66	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
36	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
202	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft
219	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
45	Linear Feet	630-C1001	Square Post Inner Sleeve
177	Linear Feet	630-D008	Structural Steel Beams, W6 x 9

130	Pounds	630-E002	Structural Steel Angles & Bars, 3" x 3" x 1/4" Angles
1	Lump Sum	699-A001	Roadway Construction Stakes
505	Ton	815-A007	Loose Riprap, Size 300
598	Square Yard	815-E001	Geotextile under Riprap
29	Ton	815-F002	Sediment Control Stone
2,366	Linear Feet	907-234-A001	Temporary Silt Fence
2	Each	907-234-D001	Inlet Siltation Guard
2	Each	907-234-E001	Reset Inlet Siltation Guard
1,270	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
1,905	Ton	907-403-A005	19-mm, MT, Asphalt Pavement
3,450	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
9	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures
1	Lump Sum	907-618-A001	Maintenance of Traffic
9,509	Linear Feet	907-626-A008	6" Thermoplastic Double Drop Traffic Stripe, Skip White
3,921	Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
5,271	Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
14,131	Linear Feet	907-626-G006	Thermoplastic Double Drop Detail Stripe, White
4,653	Linear Feet	907-626-G007	Thermoplastic Double Drop Detail Stripe, Yellow
409	Square Feet	907-626-H006	Thermoplastic Double Drop Legend, White
390	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
5	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
39	Each	907-630-O006	Remove and Reset Signs, Ground Mounted
215	Square Feet	907-630-PP002	Roadside Directional Signs, Sheet Aluminum, 0.125" Thickness, Ground Mounted

ALTERNATE GROUP AA NUMBER 1

9,837	Ton	304-F001	3/4" and Down Crushed Stone Base
-------	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

9,837	Ton	304-F002	Size 610 Crushed Stone Base
-------	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

9,837	Ton	304-F003	Size 825B Crushed Stone Base
-------	-----	----------	------------------------------

CALL No. 14

Bridge Replacement on SR 486 (Bridge No. 1.0), known as Federal Aid Project No. STBG-9585-00(001) / 109082301 in Neshoba County.

PROJECT COMPLETION: AUGUST 26, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

825 Linear Feet	803-D004	HP 12 x 84 Steel Piling
660 Linear Feet	803-D007	HP 14 x 89 Steel Piling
224 Linear Feet	804-C275	25' Prestressed Concrete Beam, Type NEXT 18D
10,149 Pounds	805-A001	Reinforcement
150 Linear Feet	813-A004	Concrete Railing, 36"
497 Ton	815-A007	Loose Riprap, Size 300
458 Square Yard	815-E001	Geotextile under Riprap
1 Each	907-803-B001	Conventional Static Pile Load Test
2 Each	907-803-I003	PDA Test Pile, HP Steel Pile
2 Each	907-803-J001	Pile Restrike
53 Cubic Yard	907-804-A002	Bridge Concrete, Class AA
3 Cubic Yard	907-807-A001	Ultra-High Performance Concrete
114 Linear Feet	907-823-A001	Preformed Joint Seal, Type I
6 Cubic Yard	907-828-A001	Hybrid Polymer Concrete Overlay

Roadway Items

1 Lump Sum	201-A001	Clearing and Grubbing
987 Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1 Each	202-B023	Removal of Bridge
168 Square Yard	202-B052	Removal of Concrete Driveways, All Depths
200 Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
72 Linear Feet	202-B191	Removal of Pipe, 8" And Above
1 Each	202-B215	Removal of Sign Including Post & Footing
208 Cubic Yard	203-A002	Unclassified Excavation, LVM, AH
414 Cubic Yard	203-G002	Excess Excavation, LVM, AH
856 Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven

106	Cubic Yard	211-B001	Topsoil for Slope Treatment, Contractor Furnished
1	Ton	213-C001	Superphosphate
36	Square Yard	216-A001	Solid Sodding
222	Square Yard	217-A001	Ditch Liner
1	Thousand Gallon	219-A001	Watering
1	Acre	220-A001	Insect Pest Control
8	Cubic Yard	221-A001	Concrete Paved Ditch
1	Acre	223-A001	Mowing
111	Square Yard	224-A001	Soil Reinforcing Mat
1	Ton	225-B001	Agricultural Limestone
1	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	226-A001	Temporary Grassing
1	Acre	227-A001	Hydroseeding
37	Linear Feet	237-A002	Wattles, 20"
15	Each	246-B001	Rockbags
20	Ton	249-A001	Riprap for Erosion Control
72	Ton	304-B003	Granular Material, Class 5, Group C
30	Ton	304-D002	Granular Material, Crushed Stone
866	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
113	Gallon	407-A001	Asphalt for Tack Coat
19	Square Yard	501-K001	Transverse Grooving
1,178	Pounds	602-A001	Reinforcing Steel
24	Linear Feet	603-ALT006	24" Type A Alternate Pipe
48	Linear Feet	603-ALT009	30" Type A Alternate Pipe
40	Square Yard	605-AA001	Geotextile for Subsurface Drainage, Type III
69	Linear Feet	605-O002	4" Perforated Sewer Pipe for Underdrains, SDR 23.5
5	Linear Feet	605-P002	4" Non-perforated Sewer Pipe for Underdrains, SDR 23.5
3	Cubic Yard	605-W001	Filter Material for Combination Storm Drain and/or Underdrains, Type A, FM
150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D022	Guard Rail, Bridge End Section, Type I

4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
130	Square Yard	614-B001	Concrete Driveway, With Reinforcement
40	Linear Feet	615-A024	Concrete Bridge End Barrier, 37.5"
1,300	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
1,300	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
150	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
361	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
204	Linear Feet	619-G4001	Barricades, Type III, Double Faced
20	Each	619-G5001	Free Standing Plastic Drums
18	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization
12	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
18	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
66	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
16	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
1	Lump Sum	699-A001	Roadway Construction Stakes
62	Square Yard	815-B001	Grouted Riprap
20	Ton	815-F002	Sediment Control Stone
1,550	Square Yard	907-225-A001	Grassing
900	Linear Feet	907-234-A001	Temporary Silt Fence
150	Linear Feet	907-234-C001	Super Silt Fence
96	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
130	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
141	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
66	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
20	Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
54	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
130	Square Yard	907-502-A001	Reinforced Cement Concrete Bridge End Pavement
18	Cubic Yard	907-601-B001	Class "B" Structural Concrete, Minor Structures

1 Lump Sum	907-618-A001	Maintenance of Traffic
4 Each	907-619-E3001	Changeable Message Sign
1,300 Linear Feet	907-626-C011	6" Thermoplastic Double Drop Edge Stripe, Continuous White
1,300 Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
18 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

329 Ton	304-F001	3/4" and Down Crushed Stone Base
---------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

329 Ton	304-F002	Size 610 Crushed Stone Base
---------	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

329 Ton	304-F003	Size 825B Crushed Stone Base
---------	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

44 Cubic Yard	605-W002	Filter Material for Combination Storm Drain and/or Underdrains, Type B, FM
---------------	----------	--

ALTERNATE GROUP BB NUMBER 2

44 Cubic Yard	605-W003	Filter Material for Combination Storm Drain and/or Underdrains, Type C, FM
---------------	----------	--

CALL No. 15

Bridge Repair on Old Byram Road over I-55 (Bridge No. 86.4), known as Federal Aid Project No. STBG-9999-05(429) / 109682301 in Hinds County.

PROJECT COMPLETION: 86 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

500 Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
500 Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
96 Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
399 Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
72 Linear Feet	619-G4001	Barricades, Type III, Double Faced
96 Linear Feet	619-G4005	Barricades, Type III, Single Faced
14 Each	619-G7001	Warning Lights, Type "B"
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	907-618-A001	Maintenance of Traffic
6 Each	907-619-E3001	Changeable Message Sign
500 Linear Feet	907-626-B003	6" Thermoplastic Double Drop Traffic Stripe, Continuous White
500 Linear Feet	907-626-E004	6" Thermoplastic Double Drop Traffic Stripe, Continuous Yellow
6 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

Bridge Items

6 Square Yard	202-B026	Removal of Bridge Deck
102 Linear Feet	907-808-A002	Joint Repair
51 Linear Feet	907-823-A002	Preformed Joint Seal, Type II
104 Square Feet	907-824-A003	General Epoxy Repair
2 Each	907-824-C001	Cap Cleaning
88 Square Feet	907-824-F001	Encapsulating Field Painting
1 Cubic Yard	907-824-PP007	Bridge Repair, Elastomeric Concrete
48 Linear Feet	907-824-PP008	Bridge Repair, Endwall Repair
13 Cubic Yard	907-834-A001	Polyester Polymer Concrete Overlay

CALL No. 16

Overlay approximately 3.2 miles on MS 403 from the junction with US 82 to the end of State maintenance, known as State Project No. SP-0733-00(013) / 110051301 in Webster County.

PROJECT COMPLETION: 60 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,400	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,300	Linear Feet	202-B240	Removal of Traffic Stripe
230	Cubic Yard	203-G001	Excess Excavation, FM, AH
500	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
2,269	Gallon	407-A001	Asphalt for Tack Coat
1,500	Linear Feet	503-C010	Saw Cut, Full Depth
1	Square Feet	618-B001	Additional Construction Signs
7	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
970	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
780	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
8	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
63	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
60	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
3,067	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
7	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
1	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
6	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
670	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
300	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
520	Linear Feet	907-626-H010	Thermoplastic Legend, White

82 Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
600 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
ALTERNATE GROUP AA NUMBER 1		
50 Ton	304-F001	3/4" and Down Crushed Stone Base
ALTERNATE GROUP AA NUMBER 2		
50 Ton	304-F002	Size 610 Crushed Stone Base
ALTERNATE GROUP AA NUMBER 3		
50 Ton	304-F003	Size 825B Crushed Stone Base
ALTERNATE GROUP BB NUMBER 1		
800 Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
400 Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow
400 Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow
ALTERNATE GROUP BB NUMBER 2		
800 Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
400 Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow
400 Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

CALL No. 17

Striping & Pavement Markers on US 80 from Shaw Road to Terry Road, known as State Project No. SP-7314-01(006) / 109452301 in Hinds County.

PROJECT COMPLETION: JULY 31, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
756	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	907-618-A001	Maintenance of Traffic
440	Hours	907-618-M2001	Work Zone Law Enforcement
13	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
20	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
7	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
15	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
44,382	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
9,669	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
7,287	Square Feet	907-626-H009	Thermoplastic Legend, White
9,400	Linear Feet	907-626-H010	Thermoplastic Legend, White
3,239	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
3,983	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 18

Pavement Rehabilitation on US 80 from Shaw Road to Terry Road, Known as State Project No. SP-7314-01(014) / 109452302 in Hinds County.

PROJECT COMPLETION: MAY 14, 2026

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

606	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
127	Cubic Yard	203-G002	Excess Excavation, LVM, AH
307	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
92	Gallon	407-A001	Asphalt for Tack Coat
999	Linear Feet	503-C010	Saw Cut, Full Depth
370	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
540	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
16	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
765	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
467	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
276	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
15,000	Pounds	907-420-A001	Undersealing
1	Lump Sum	907-618-A001	Maintenance of Traffic
1	Hours	907-618-M2001	Work Zone Law Enforcement

CALL No. 19

Placement of Raised Pavement Markers on various routes throughout the District, known as State Project No. SP-9999-07(402) / 110060301 in District 7.

PROJECT COMPLETION: 130 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1 Lump Sum	620-A001	Mobilization
1 Lump Sum	907-618-A001	Maintenance of Traffic
53,974 Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
70,994 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR