

Proposal & Plan Sales Will Begin on February 2, 2026



MISSISSIPPI DEPARTMENT OF
TRANSPORTATION

Notice to Contractors

Letting Date For February - February 24, 2026

MISSISSIPPI DEPARTMENT OF TRANSPORTATION

NOTICE TO CONTRACTORS

LETTING DATE FOR FEBRUARY - Tuesday, February 24, 2026

Bids will be opened publicly in the sixth floor conference room of the MDOT Administration Building, 401 North West Street, Jackson, MS at 10:00 A.M. local time.

A Bidders List is available online at [mdot.ms.gov](https://shop.mdot.ms.gov)

PROPOSAL AND PLAN SALES WILL BEGIN ON FEBRUARY 2, 2026

Proposals must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
Contract Administration Division
Jackson, MS
Telephone: (601) 359-7700

Plans must be purchased online at:
<https://shop.mdot.ms.gov>
For Information Please Contact:
MDOT Plans Print Shop
Jackson, MS
Telephone: (601) 359-7460
e-mail: plans@mdot.state.ms.us

Electronic bids will be received by the Mississippi Transportation Commission at 10:00 o'clock A.M., Tuesday, February 24, 2026; from the Bid Express Service and shortly thereafter, bids will be publicly read in the Sixth Floor Conference Room of the Mississippi Department of Transportation Administration Building, Jackson, Mississippi.

* No plans except Standard Drawings

LIST OF CONTRACTS FOR FEBRUARY

CALL	CONTRACT	COUNTY
* 01	NHPP-0009-03(073)/109687301 & NHPP-0072-04(034)/109689301	WASHINGTON, SUNFLOWER
02	SP-0042-01(012)/108911301	WINSTON
* 03	STBG-0054-01(060)/109021301	COPIAH
* 05	NH-0056-01(106)/108246301	LEAKE
06	NHPP-0056-01(105)/108281301	RANKIN
* 07	STBG-0091-02(010)/108186301	HUMPHREYS
* 08	STBG-0199-00(011)/109004301	MARION
* 09	STP-0456-00(006)/109783301	LAUDERDALE
* 10	HRRR -1924-00(003)/110031301	TATE
* 11	HRRR-2837-00(005)/110032301	ITAWAMBA
* 12	SP-0035-01(009)/109983301 & SP-0035-01(010)/109984301	MARSHALL
* 13	MP-5487-40(016)/309962301	LEAKE

CALL No. 01

Bridge Repair on US 61 over Deer Creek and US 49W over Lake Dawson on Bridge Nos. 179.1, 244.7A & 244.7B, known as Federal Aid Project Nos. NHPP-0009-03(073) / 109687301 in Washington County and NHPP-0072-04(034) / 109689301 in Sunflower County.

PROJECT COMPLETION: 95 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1,057	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
710	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,522	Linear Feet	202-B240	Removal of Traffic Stripe
400	Linear Feet	237-A002	Wattles, 20"
630	Linear Feet	503-C010	Saw Cut, Full Depth
475	Linear Feet	606-B001	Guard Rail, Class A, Type 1
225	Linear Feet	606-B006	Guard Rail, Class A, Type 1, Double Faced
4	Each	606-C003	Guard Rail, Cable Anchor, Type 1
4	Each	606-D001	Guard Rail, Bridge End Section
2	Each	606-E003	Guard Rail, Terminal End Section, Double Faced
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
804	Linear Feet	619-A1002	Temporary Traffic Stripe, Continuous White
923	Linear Feet	619-A1007	Temporary Traffic Stripe, Continuous White, Type 1 or 2 Tape
804	Linear Feet	619-A2002	Temporary Traffic Stripe, Continuous Yellow
804	Linear Feet	619-A3002	Temporary Traffic Stripe, Skip White
241	Linear Feet	619-A4001	Temporary Traffic Stripe, Skip Yellow
144	Linear Feet	619-A6005	Temporary Traffic Stripe, Legend, Type 1 Tape
54	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
328	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
78	Linear Feet	619-G4001	Barricades, Type III, Double Faced
24	Linear Feet	619-G4005	Barricades, Type III, Single Faced
20	Each	619-G5001	Free Standing Plastic Drums
8	Each	619-G7001	Warning Lights, Type "B"
1	Lump Sum	620-A001	Mobilization

12	Each	630-F006	Delineators, Guard Rail, White
12	Each	630-F007	Delineators, Guard Rail, Yellow
4	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
400	Linear Feet	907-234-A001	Temporary Silt Fence
1	Lump Sum	907-618-A001	Maintenance of Traffic
5	Each	907-619-E3001	Changeable Message Sign
2	Each	907-619-H2001	Traffic Signal, Portable, Type 1
804	Linear Feet	907-626-A009	6" Thermoplastic Traffic Stripe, Skip White
1,286	Linear Feet	907-626-C013	6" Thermoplastic Edge Stripe, Continuous White
241	Linear Feet	907-626-D006	6" Thermoplastic Traffic Stripe, Skip Yellow
804	Linear Feet	907-626-E006	6" Thermoplastic Traffic Stripe, Continuous Yellow
12	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
6	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

50	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

50	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

50	Ton	304-F003	Size 825B Crushed Stone Base
----	-----	----------	------------------------------

Bridge Items

1,470	Ton	815-A007	Loose Riprap, Size 300
1,227	Square Yard	815-E001	Geotextile under Riprap
4,303	Square Yard	907-417-A001	Polymer Cement Surface System
3,000	Pounds	907-420-A001	Undersealing
1,528	Linear Feet	907-808-A002	Joint Repair
785	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
1,528	Linear Feet	907-823-B001	Saw Cut, Type I
40	Square Feet	907-824-A003	General Epoxy Repair
19	Each	907-824-C001	Cap Cleaning
40	Each	907-824-D002	Bearing Replacements, Prestressed Concrete Girder
1	Lump Sum	907-824-PP004	Bridge Repair, Bank Reshaping, Per Plans

1 Lump Sum

907-824-PP004 Bridge Repair, Bridge Rail Repair

CALL No. 02

Mill & Overlay approximately 9 miles of SR 397 from the Kemper County Line to Robertson Road, known as Project No. SP-0042-01(012) / 108911301 in Winston County.

PROJECT COMPLETION: 91 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Lump Sum	202-A001	Removal of Obstructions
50	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
1,300	Linear Feet	202-B150	Removal of Guard Rail Including Post, Blockouts & Hardware
60	Linear Feet	202-B191	Removal of Pipe, 8" And Above
1,400	Linear Feet	202-B240	Removal of Traffic Stripe
50	Cubic Yard	203-G001	Excess Excavation, FM, AH
30	Cubic Yard	206-A001	Structure Excavation
3,500	Cubic Yard	304-A003	Granular Material, LVM, Class 3, Group D
135,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
9	Mile	423-A001	Rumble Strips, Ground In
110	Linear Feet	503-C010	Saw Cut, Full Depth
60	Linear Feet	603-ALT003	18" Type A Alternate Pipe
2	Each	603-CB003	18" Reinforced Concrete End Section
3	Each	603-CB004	24" Reinforced Concrete End Section
950	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,730	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
2,250	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
46	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization

76	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
25	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
240	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
105	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
11,900	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
7,100	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
19	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
7	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
12	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
724	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,006	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,500	Linear Feet	907-626-H010	Thermoplastic Legend, White
350	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,100	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
850	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

70	Ton	304-F001	3/4" and Down Crushed Stone Base
----	-----	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 2

70	Ton	304-F002	Size 610 Crushed Stone Base
----	-----	----------	-----------------------------

ALTERNATE GROUP AA NUMBER 3

70	Ton	304-F003	Size 825B Crushed Stone Base
----	-----	----------	------------------------------

ALTERNATE GROUP BB NUMBER 1

970	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
420	Linear Feet	907-624-C001	6" Inverted Profile Thermoplastic Traffic Stripe, Skip Yellow

ALTERNATE GROUP BB NUMBER 2

970	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
420	Linear Feet	907-628-I004	6" High Performance Cold Plastic Traffic Stripe, Skip Yellow

CALL No. 03

Overlay approximately 5.3 miles of SR 27 from 0.2 mile south of Old Highway 27 to 0.35 mile north of I-55, known as Federal Aid Project No. STBG-0054-01(060) / 109021301 in Covich County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

190	Station	201-D001	Random Clearing
1,300	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
59	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
24	Linear Feet	202-B089	Removal of Curb &/or Curb and Gutter, All Types
1,239	Linear Feet	202-B136	Removal of Guard Rail
10,000	Linear Feet	202-B240	Removal of Traffic Stripe
135	Cubic Yard	203-G001	Excess Excavation, FM, AH
4,100	Ton	304-B004	Granular Material, Class 5, Group D
2,400	Ton	406-D003	Fine Milling of Bituminous Pavement, All Depths
1	Square Feet	412-A001	Pre-Grinding
9	Mile	423-A001	Rumble Strips, Ground In
138	Linear Feet	501-D001	Expansion Joints, With Dowels
1,700	Linear Feet	503-C010	Saw Cut, Full Depth
248	Each	503-E002	Tie Bars, No. 5 Deformed Drilled and Epoxied or Grouted
763	Linear Feet	606-B001	Guard Rail, Class A, Type 1
4	Each	606-D006	Guard Rail, Bridge End Section, Type A Modified
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
24	Linear Feet	609-D003	Combination Concrete Curb and Gutter Type 2
1	Square Feet	618-B001	Additional Construction Signs
10	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
4	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
1	Mile	619-A3001	Temporary Traffic Stripe, Skip White
4	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
10,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
200	Square Feet	619-A6001	Temporary Traffic Stripe, Legend

1,000	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
33	Each	619-F3001	Delineators, Guard Rail, White
1	Lump Sum	620-A001	Mobilization
8	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
9,000	Ton	907-403-A014	9.5-mm, MT, Asphalt Pavement
229	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
1,200	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
9,200	Gallon	907-407-A001	Asphalt for Tack Coat
2,000	Pounds	907-420-A001	Undersealing
277	Square Yard	907-501-A002	8" Reinforced Cement Concrete Pavement, Broom Finish
25	Cubic Yard	907-503-D001	Concrete for Base Repair
4	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
1	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
9	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
4	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
3	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
8,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
19,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
400	Square Feet	907-626-H009	Thermoplastic Legend, White
2,000	Linear Feet	907-626-H010	Thermoplastic Legend, White
1,700	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
100	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
1,100	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 05

Mill & Overlay approximately 9.8 miles of SR 25 from Renfro to the Attala County Line, known as Federal Aid Project No. NH-0056-01(106) / 108246301 in Leake County.

PROJECT COMPLETION: 135 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

2,823	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
34	Each	202-B135	Removal of Guard Post
4,530	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
2,480	Linear Feet	202-B169	Removal of Joint Material
26	Each	202-B244	Removal of Trees
311	Cubic Yard	203-G001	Excess Excavation, FM, AH
342	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
15,096	Ton	304-B003	Granular Material, Class 5, Group C
234	Ton	304-D002	Granular Material, Crushed Stone
47,363	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
34	Mile	423-A001	Rumble Strips, Ground In
36	Each	606-A002	Guard Post, Type II Modified
44	Each	606-A003	Guard Posts
3,000	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
10	Each	606-D020	Guard Rail, Bridge End Section, Type H, Metal Post
10	Each	606-D023	Guard Rail, Bridge End Section, Type I, Metal Post
20	Each	606-E005	Guard Rail, Terminal End Section, Flared
38	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
34	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
42	Mile	619-A3001	Temporary Traffic Stripe, Skip White
70,202	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
3,436	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
1,208	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced

1	Lump Sum	620-A001	Mobilization
5	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
10	Linear Feet	630-C003	Steel U-Section Posts, 3.0 lb/ft
100	Each	630-F002	Delineators, Flexible Post Mounted, Crossover, Type I, Yellow
70	Each	630-F006	Delineators, Guard Rail, White
70	Each	630-F007	Delineators, Guard Rail, Yellow
20	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
46,660	Ton	907-403-A002	12.5-mm, MT, Asphalt Pavement
603	Ton	907-403-B002	12.5-mm, MT, Asphalt Pavement, Leveling
32,292	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
21	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
19	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
17	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
27,880	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
38,198	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
3,436	Linear Feet	907-626-H010	Thermoplastic Legend, White
875	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
3,213	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
174	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
2,921	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers
3,520	Linear Feet	907-808-A002	Joint Repair
1,760	Linear Feet	907-823-A001	Preformed Joint Seal, Type I
3,520	Linear Feet	907-823-B001	Saw Cut, Type I

CALL No. 06

Bridge Preservation on SR 25 over Plummer Slough (Bridge No. 12.7), known as Federal Aid Project No. NHPP-0056-01(105) / 108281301 in Rankin County.

PROJECT COMPLETION: 150 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Bridge Items

1,720	Cubic Yard	203-F001	Channel Excavation, FM
150	Ton	304-D004	Granular Material, Size 57
43,369	Pounds	805-A001	Reinforcement
7,483	Ton	815-A007	Loose Riprap, Size 300
4,223	Square Yard	815-E001	Geotextile under Riprap
235	Cubic Yard	907-804-B001	Box Bridge Concrete, Class B
1	Lump Sum	907-824-PP004	Bridge Repair, Dewatering and Water Diversion Measurements
1	Lump Sum	907-824-PP004	Bridge Repair, Removal of Existing Headwall, Apron, Wing Walls, and a Portion of Barrel

Roadway Items

1	Acre	201-B001	Clearing and Grubbing
79	Cubic Yard	203-EX008	Borrow Excavation, AH, FME, Class B15
27	Cubic Yard	203-G001	Excess Excavation, FM, AH
74	Cubic Yard	206-A001	Structure Excavation
33	Cubic Yard	206-B001	Select Material for Undercuts, Contractor Furnished, FM
1	Ton	213-C001	Superphosphate
1	Acre	220-A001	Insect Pest Control
1	Acre	223-A001	Mowing
1	Ton	225-B001	Agricultural Limestone
2	Ton	225-C001	Mulch, Vegetative Mulch
1	Acre	227-A001	Hydroseeding
100	Linear Feet	237-A002	Wattles, 20"
8	Each	617-B001	Permanent Easement Marker
8	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
78	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
78	Linear Feet	619-G4005	Barricades, Type III, Single Faced

12	Each	619-G5001	Free Standing Plastic Drums
1	Lump Sum	620-A001	Mobilization
1	Lump Sum	699-A001	Roadway Construction Stakes
1,560	Linear Feet	907-234-A001	Temporary Silt Fence
100	Linear Feet	907-234-C001	Super Silt Fence
130	Linear Feet	907-234-F001	Turbidity Barrier
1	Lump Sum	907-618-A001	Maintenance of Traffic
3	Each	907-619-E3001	Changeable Message Sign

CALL No. 07

Widen & Overlay approximately 10 miles of SR 149 from 0.3 Miles South of SR 14 to US 49W, known as Federal Aid Project No. STBG-0091-02(010) / 108186301 in Humphreys County.

PROJECT COMPLETION: 138 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1,194	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
723	Square Yard	202-B073	Removal of Concrete Pavement, All Depths
225	Linear Feet	202-B136	Removal of Guard Rail
113,585	Linear Feet	202-B240	Removal of Traffic Stripe
64	Cubic Yard	203-G001	Excess Excavation, FM, AH
20,000	Ton	304-D002	Granular Material, Crushed Stone
13,000	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
20	Mile	423-A001	Rumble Strips, Ground In
1,303	Linear Feet	503-C006	Saw Cut, 6-inch
2,030	Linear Feet	503-C010	Saw Cut, Full Depth
150	Linear Feet	606-B001	Guard Rail, Class A, Type 1
2	Each	606-E005	Guard Rail, Terminal End Section, Flared
1	Square Feet	618-B001	Additional Construction Signs
75	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
6	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
39	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
4,000	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,500	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
10	Each	630-F006	Delineators, Guard Rail, White
4	Each	630-G005	Type 3 Object Markers, OM-3R or OM-3L, Post Mounted
14,000	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
724	Ton	907-403-B006	19-mm, ST, Asphalt Pavement, Leveling
14,000	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
24,500	Gallon	907-407-A001	Asphalt for Tack Coat

38,000	Linear Feet	907-413-E001	Sawing and Sealing Transverse Joints in Asphalt Pavement
133,000	Square Yard	907-414-A001	Scrub Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
66	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
19	Mile	907-626-B006	6" Thermoplastic Traffic Stripe, Continuous White
10	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
2	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
8,100	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,000	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,200	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,000	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
900	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 08

Seal & Overlay approximately 8.5 miles of MS 44 from near Gates Road to the Lamar County Line, known as Federal Aid Project No. STBG-0199-00(011) / 109004301 in Marion County.

PROJECT COMPLETION: Flexible

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

301	Station	201-D001	Random Clearing
186	Square Yard	202-B006	Removal of Asphalt Paved Shoulders, All Depths
1,520	Linear Feet	202-B156	Removal of Guard Rail, Including Rail, Posts & Cable Anchors
241	Linear Feet	202-B240	Removal of Traffic Stripe
20	Cubic Yard	203-G002	Excess Excavation, LVM, AH
1,875	Cubic Yard	304-A008	Granular Material, LVM, Class 6, Group D
11,416	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
17	Mile	423-A001	Rumble Strips, Ground In
537	Linear Feet	503-C010	Saw Cut, Full Depth
700	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
8	Each	606-D019	Guard Rail, Bridge End Section, Type H
8	Each	606-E005	Guard Rail, Terminal End Section, Flared
4	Each	606-E007	Guard Rail, Terminal End Section, Non-Flared
1	Square Feet	618-B001	Additional Construction Signs
17	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
24	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
12	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
3,101	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,636	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
53	Each	630-F006	Delineators, Guard Rail, White
11,550	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
1,895	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
11,427	Gallon	907-407-A001	Asphalt for Tack Coat
120,000	Square Yard	907-414-A001	Scrub Seal

1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
17	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
12	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
2,085	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,016	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
1,636	Linear Feet	907-626-H010	Thermoplastic Legend, White
750	Each	907-627-H002	Chip Seal Reflective Raised Markers. Two-Way Yellow
361	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
780	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

20	Cubic Yard	304-H001	3/4" and Down Crushed Stone Base, LVM
----	------------	----------	---------------------------------------

ALTERNATE GROUP AA NUMBER 2

20	Cubic Yard	304-H002	Size 610 Crushed Stone Base, LVM
----	------------	----------	----------------------------------

ALTERNATE GROUP AA NUMBER 3

20	Cubic Yard	304-H003	Size 825B Crushed Stone Base, LVM
----	------------	----------	-----------------------------------

CALL No. 09

Mill & Overlay approximately 3.4 miles of SR 854 from SR 39 to the Naval Air Station, known as Federal Aid Project No. STP-0456-00(006) / 109783301 in Lauderdale County.

PROJECT COMPLETION: 80 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

280	Station	201-D001	Random Clearing
27	Square Yard	202-B063	Removal of Concrete Paved Ditch
285	Linear Feet	202-B096	Removal of Debris and Sand From Box Culvert, 10-foot and Greater Width
1,380	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
720	Linear Feet	202-B240	Removal of Traffic Stripe
43	Linear Feet	202-B276	Removal of Debris from Drainage Channel
100	Cubic Yard	203-G002	Excess Excavation, LVM, AH
550	Square Yard	209-A005	Geotextile Stabilization, Type V, Non-Woven
4	Cubic Yard	221-A001	Concrete Paved Ditch
1,100	Ton	304-D002	Granular Material, Crushed Stone
3,500	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
108,702	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths Profile Milling
1,038	Linear Feet	606-B003	Guard Rail, Class A, Type 1, 'W' Beam, Metal Post
3	Each	606-C001	Guard Rail, Cable Anchor Type 1, Metal Post
2	Each	606-D003	Guard Rail, Bridge End Section, Special Design
2	Each	606-D005	Guard Rail, Bridge End Section, Type A
2	Each	606-D012	Guard Rail, Bridge End Section, Type D Modified
7	Each	606-E005	Guard Rail, Terminal End Section, Flared
13	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
11	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
14	Mile	619-A3001	Temporary Traffic Stripe, Skip White
38,500	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
115	Square Feet	619-A6001	Temporary Traffic Stripe, Legend
1,460	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
32	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet

184	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
48	Linear Feet	619-G4005	Barricades, Type III, Single Faced
1	Lump Sum	620-A001	Mobilization
22	Each	630-F003	Delineators, Flexible Post Mounted, Crossover, Type II
26	Each	630-F006	Delineators, Guard Rail, White
20	Each	630-F007	Delineators, Guard Rail, Yellow
3	Each	630-G003	Type 3 Object Markers, OM-3L, Post Mounted
4	Each	630-G007	Type 3 Object Markers, OM-3R, Post Mounted
1,800	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
13,364	Gallon	907-407-A001	Asphalt for Tack Coat
6,343	Ton	907-411-A001	Ultra Thin Asphalt Pavement
112,816	Square Yard	907-414-A001	Scrub Seal
5	Gallon	907-414-B001	Asphalt for Fog Seal
1	Lump Sum	907-618-A001	Maintenance of Traffic
7	Mile	907-626-A010	6" Thermoplastic Traffic Stripe, Skip White
12	Mile	907-626-C010	Thermoplastic Audible Bump Edge Stripe
7	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-F005	6" Thermoplastic Edge Stripe, Continuous Yellow
9,000	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
10,250	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
115	Square Feet	907-626-H009	Thermoplastic Legend, White
2,200	Linear Feet	907-626-H010	Thermoplastic Legend, White
145	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
615	Each	907-627-K001	Red-Clear Reflective High Performance Raised Markers
115	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
40	Square Feet	907-824-A003	General Epoxy Repair

CALL No. 10

Placement of Audible Stripe on MS 4 from MS 3 to Matthew Drive in Senatobia, known as Federal Aid Project No. HRRR-1924-00(003) / 110031301 in Tate County.

PROJECT COMPLETION: 23 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change
Roadway Items

1 Square Feet	618-B001	Additional Construction Signs
1 Lump Sum	620-A001	Mobilization
1 Lump Sum	907-618-A001	Maintenance of Traffic
6 Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
8 Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
25 Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
11 Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
10 Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,050 Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 11

Install Center Audible Stripe, Replace Curve & Intersection Warning Signs, Refresh Striping & install Raised Pavement Markers on MS 23 from School Loop Drive in Tremont to the Alabama State Line, known as Federal Aid Project No. HRRR-2837-00(005)/110032301 in Itawamba County.

PROJECT COMPLETION: 45 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

1	Square Feet	618-B001	Additional Construction Signs
1	Lump Sum	620-A001	Mobilization
165	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
145	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
1	Lump Sum	907-618-A001	Maintenance of Traffic
11	Mile	907-626-A003	Thermoplastic Audible Traffic Stripe, Centerline Skip - Passing Zone
13	Mile	907-626-A004	Thermoplastic Audible Traffic Stripe, Centerline Skip - No-Passing Zone
35	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
11	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
13	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
7,272	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
2,015	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
2,437	Linear Feet	907-626-H010	Thermoplastic Legend, White
405	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,730	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers
1,845	Each	907-627-M001	One-Way Clear Reflective High Performance Raised Markers

ALTERNATE GROUP AA NUMBER 1

425	Linear Feet	907-628-G003	6" High Performance Cold Plastic Traffic Stripe, Skip White
3,397	Linear Feet	907-628-H005	6" High Performance Cold Plastic Traffic Stripe, Continuous White
140	Linear Feet	907-628-J003	6" High Performance Cold Plastic Traffic Stripe, Continuous Yellow

ALTERNATE GROUP AA NUMBER 2

425	Linear Feet	907-624-A002	6" Inverted Profile Thermoplastic Traffic Stripe, Skip White
3,397	Linear Feet	907-624-B002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous White
140	Linear Feet	907-624-D002	6" Inverted Profile Thermoplastic Traffic Stripe, Continuous Yellow

CALL No. 12

Mill & Overlay approximately 4.2 miles of SR 311 from Landfill Road to Liles Road and approximately 3.5 miles from 0.1 mile south of Audie Todd Road to US 72, known as State Project Nos. SP-0035-01(009) / 109983301 & SP-0035-01(010) / 109984301 in Marshall County.

PROJECT COMPLETION: 112 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

513	Station	201-D001	Random Clearing
810	Square Yard	202-B007	Removal of Asphalt Pavement, All Depths
600	Linear Feet	202-B158	Removal of Guard Rail, Including Rails, Posts and Terminal Ends
69	Each	202-B215	Removal of Sign Including Post & Footing
360	Linear Feet	202-B240	Removal of Traffic Stripe
275	Cubic Yard	203-G001	Excess Excavation, FM, AH
2,800	Ton	304-B004	Granular Material, Class 5, Group D
2,263	Square Yard	406-A002	Cold Milling of Bituminous Pavement, All Depths
16	Mile	423-A001	Rumble Strips, Ground In
1,368	Linear Feet	503-C010	Saw Cut, Full Depth
350	Linear Feet	606-B002	Guard Rail, Class A, Type 1, 'W' Beam
4	Each	606-D015	Guard Rail, Bridge End Section, Type F
4	Each	606-E005	Guard Rail, Terminal End Section, Flared
2	Square Feet	618-B001	Additional Construction Signs
16	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
9	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
6	Mile	619-A4002	Temporary Traffic Stripe, Skip Yellow
1,740	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
1,028	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
1	Lump Sum	620-A001	Mobilization
158	Square Feet	630-A001	Standard Roadside Signs, Sheet Aluminum, 0.080" Thickness
54	Square Feet	630-A003	Standard Roadside Signs, Sheet Aluminum, 0.125" Thickness
250	Square Feet	630-A005	Standard Roadside Signs, Sheet Aluminum, 0.1" Thickness
15	Linear Feet	630-C001	Square Tube Posts, 4.0 lb/ft

780	Linear Feet	630-C005	Square Tube Posts, 2.0 lb/ft
22	Each	630-F006	Delineators, Guard Rail, White
22	Each	630-G004	Type 3 Object Markers, OM-3R or OM-3L
550	Ton	907-403-A006	19-mm, ST, Asphalt Pavement
10,750	Ton	907-403-A015	9.5-mm, ST, Asphalt Pavement
2,525	Ton	907-403-B012	9.5-mm, ST, Asphalt Pavement, Leveling
3,300	Ton	907-403-C003	19-mm, ST, Asphalt Pavement, Trench Widening
12,217	Gallon	907-407-A001	Asphalt for Tack Coat
2	Each	907-606-PP005	Guard Rail, Bridge Connector, Per Plans
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
16	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-D005	6" Thermoplastic Traffic Stripe, Skip Yellow
9	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
1,740	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
1,024	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
118	Square Feet	907-626-H009	Thermoplastic Legend, White
1,028	Linear Feet	907-626-H010	Thermoplastic Legend, White
2,292	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
1,044	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

CALL No. 13

Mill & Overlay approximately 3 miles of MS 487 from east of Tuscolameta Big Canal to SR 35, known as State Project No. MP-5487-40(016) / 309962301 in Leake County.

PROJECT COMPLETION: 56 Working Days

Advanced "INFORMATION ONLY" Items and Quantities - Subject to Change

Roadway Items

560	Square Yard	202-B009	Removal of Asphalt Pavement, Failed Areas
345	Linear Feet	202-B092	Removal of Curb, All Types
280	Cubic Yard	203-G001	Excess Excavation, FM, AH
1,134	Ton	304-D002	Granular Material, Crushed Stone
45,133	Square Yard	406-D001	Fine Milling of Bituminous Pavement, All Depths
590	Linear Feet	503-C010	Saw Cut, Full Depth
18	Mile	619-A1001	Temporary Traffic Stripe, Continuous White
18	Mile	619-A2001	Temporary Traffic Stripe, Continuous Yellow
863	Linear Feet	619-A5001	Temporary Traffic Stripe, Detail
390	Linear Feet	619-A6002	Temporary Traffic Stripe, Legend
238	Square Feet	619-D1001	Standard Roadside Construction Signs, Less than 10 Square Feet
84	Square Feet	619-D2001	Standard Roadside Construction Signs, 10 Square Feet or More
24	Linear Feet	619-G4001	Barricades, Type III, Double Faced
1	Lump Sum	620-A001	Mobilization
3	Mile	907-201-D001	Random Clearing
5,034	Ton	907-403-A003	12.5-mm, ST, Asphalt Pavement
4,839	Ton	907-403-B003	12.5-mm, ST, Asphalt Pavement, Leveling
7,971	Gallon	907-407-A001	Asphalt for Tack Coat
1	Lump Sum	907-618-A001	Maintenance of Traffic
132	Linear Feet	907-619-B001	Temporary Portable Rumble Strips
6	Mile	907-626-C014	6" Thermoplastic Edge Stripe, Continuous White
6	Mile	907-626-E005	6" Thermoplastic Traffic Stripe, Continuous Yellow
644	Linear Feet	907-626-G004	Thermoplastic Detail Stripe, White
200	Linear Feet	907-626-G005	Thermoplastic Detail Stripe, Yellow
82	Square Feet	907-626-H009	Thermoplastic Legend, White

620	Linear Feet	907-626-H010	Thermoplastic Legend, White
903	Each	907-627-J001	Two-Way Clear Reflective High Performance Raised Markers
410	Each	907-627-L001	Two-Way Yellow Reflective High Performance Raised Markers

For Federal Aid Projects the attention of bidders is directed to the contract provisions governing selection and employment of labor contained in the bid proposal. Minimum wage rates for Federal Aid Projects have been predetermined by the Secretary of Labor and are subject to Public Law 87-581, Work Hours Act of 1962, as set forth in the contract provisions. Unless otherwise set out in the bid proposal, all other projects are subject to the predetermined minimum wage rate set by the U.S. Department of Labor under the Fair Labor Standards Act.

The Mississippi Department of Transportation hereby notifies all bidders that it will affirmatively insure that in any contract entered into pursuant to this advertisement, disadvantaged business enterprises will be afforded full opportunity to submit bids in response to this invitation and will not be discriminated against on the grounds of race, color, sex, religion or national origin in consideration for an award.

When a DBE goal is contained in the contract, the award will be contingent upon the Contractor satisfying the DBE requirements.

Plans and specifications are on file in the offices of the Mississippi Department of Transportation.

Plans must be purchased online at <https://shop.mdot.ms.gov>. Costs of plans will be on a cost per sheet basis plus a small convenience fee. You can contact the MDOT Plans Print Shop at Telephone No. (601) 359-7460 or e-mail at plans@mdot.state.ms.us. Plans will be shipped on receipt of payment. Cash or checks will not be accepted as payment.

Bid bond, signed or countersigned by a Mississippi Resident Agent or qualified non-resident agent, with Power of Attorney attached or on file with the Contract Administration Engineer of the Department, a Cashier's Check or Certified Check for five (5%) percent of bid, payable to STATE OF MISSISSIPPI, must accompany each proposal.

The attention of bidders is directed to the provisions of Subsection 102.07 pertaining to irregular proposals and rejection of bids.

BRAD WHITE
EXECUTIVE DIRECTOR